Eastbrook

# Heating

Affordable Luxury

ISSUE 50

VOL 2 / 2



1st June 2025 - 31st December 2025 UK Mainland

www.eastbrooktrade.com

# New Heating Ranges & Colours – More Available

## ISBOURNE



## ADDINGTON II TYPE 10



## VELINO POLISHED



## QUEENSWOOD



## NEW ACCESSORIES









PEFC™
PEFC/16-33-582

PEFC Certified

This product is from sustainably managed forests and controlled sources

www.pefc.org

## RAL Colours / Codes

**The RAL codes for the radiator and valve colours in the radiator section are as follows:**

**Gloss White*** : RAL 9016
**Matt White*** : RAL 9016 Matt
**Matt Grey*** : RAL 7040 Matt
**Matt Cappuccino*** : Special Colour (Closest colour RAL 1019 Matt)
**Matt Cobalt Blue*** : RAL 5013 Matt
**Matt Anthracite*** : Special colour (Closest colour RAL 7016 Matt)
**Matt Black*** : RAL 9005 Matt

*Touch Up pens for above colours available, please ask sales/technical for more details.
*Eastbrook radiator colour swatch contains above colours & more colours, please don't forget to ask for your copy.

## Correction Factors

Heat outputs are calculated at Delta T30 & T50.

To convert for your requirement, use the multiples from the provided table. (Based on Delta T50.

| Delta ▲T | Multiple |
|---|---|
| 25 | 0.404 |
| 30 | 0.513 |
| 35 | 0.627 |
| 40 | 0.747 |
| 45 | 0.871 |
| 50 | 1 |
| 60 | 1.268 |
| 65 | 1.406 |
| 70 | 1.548 |

We have tried to ensure that all price and product information is correct at the time of going to print. However, the specifications contained in this catalogue are for information purposes only and are subject to change. Due to our ongoing policy of product development and improvement, all prices, specifications and features are subject to change without prior notice. Errors and omissions excepted.

# Heating Contents


| | | |
|---|---|---|
| P15 - 67 | The **Multirail** Range | A **huge variety** of contemporary towel rails in a **wide variety of sizes and colours** |
| P68 - 77 | The **Dry Element** Range | Using **modern technology benefits**, the Dry Element Range consists of **lighter towel rails** and **energy efficient daily usage**. |
| P78 - 89 | The **Stainless Steel** Range | Whilst retaining the features of a ladder rail, the stainless steel range produces a **stylish contemporary look**. |
| P90 -189 | The **Designer** Range | Our aim is to offer a **statement piece radiator** that allows maximum space to keep towels warm. In the designer range you can find a huge variety of towel rail styles and radiators using **minimalistic, clean designs.** |
| P190 -205 | The **Compact Panel** Range | Offering a selection of approximately **200 sizes**, you can be confident in discovering the ideal solution for **efficient home heating** that perfectly matches your space. |
| P206 -287 | The **Aluminium** Range | A huge variety of **contemporary aluminium radiators** and towel rails, from flat panel to ladder rail styles **to suit any room.** |
| P288 -333 | The **Traditional** Range | Our **traditional range** of radiators offer character and flair to ensure they fit in with your classic design. Most of these radiator can be **powered** via **dual fuel, single fuel and /or all electric.** |
| P336 -349 | **Elements** | A huge variety **elements** and **valves** to allow easy control of your radiators heat output , whilst **looking stylish**. |
| P350 -365 | **Valves** | **Complete the look with** coloured pipe shrouds and vent caps **to match your radiatorcolour.** |
| P366 -369 | **Accessories** | To **add extra functionality**, **towel hangers & robe hooks** make daily life easy when warming towels. |
| P370 -455 | **Technical Tables** | |
| P2 - 13 | **Visual Contents** | |


**RAL Colours / Codes** **The RAL codes for the radiator and valve colours in the radiator section are as follows:**

**Gloss White*** : RAL 9016
**Matt White*** : RAL 9016 Matt
**Matt Grey*** : RAL 7040 Matt

**Matt Cappuccino*** : Special Colour (Closest colour RAL 1019 Matt)
**Matt Cobalt Blue*** : RAL 5013 Matt
**Matt Anthracite*** : Special colour (Closest colour RAL 7016 Matt)

**Matt Black*** : RAL 9005 Matt

*Touch Up pens for above colours available, please ask sales/technical for more details.
*Eastbrook radiator colour swatch contains these colours, please don't forget to ask for your copy.

VISUAL CONTENTS

# Towel Rails & Radiators

## MULTIRAIL RANGE P14-67



**Wendover Straight Chrome**
P16-17



**Wendover Straight Gloss White**
P20



**Wendover Curved**
P18-19 & 21



**Wendover Straight Matt Anthracite** P22-23



**Wendover Straight Matt Black**
P24-25



**Wendover Straight Brushed Brass** P26-27



**Wendover Straight Black Gold** P28



**Wendover Straight Brushed Gunmetal** P29

Please ask your local showroom or installer for a radiator colour swatch to match your preferred colour.



**Biava Multirail HV Straight**
P30-33



**Wingrave Straight Chrome**
P34-35



**Wingrave Straight Gloss White**
P36-37



**Wingrave Straight Matt White**
P38-39



**Wingrave Straight Matt Anthracite** P40-41



**Wingrave Straight Matt Black**
P42-43



**Wingrave Straight Matt Grey**
P44



**Wingrave Straight Matt Cobalt Blue** P45

# Towel Rails & Radiators

## MULTIRAIL RANGE P14-67



Wingrave Curved
P46-47



Biava Multirail Straight
P48



Biava Multirail Curved
P49



Westward Straight
P50-51



Rion Multirail
P52-53



Tuscan Gloss White & Chrome
P54



Biava Round
P55



Corinium Round
P56-57

Please ask your local showroom or installer for a radiator colour swatch to match your preferred colour.



Tuscan Round
P58-59



Biava Tube On Tube Chrome
P60



Biava Square
P61



Tuscan Square Multirail
P62-63



Tuscan Square
P64-65




Launton
P66



Haddenham
P67

**RADIATOR KEY**
Directional Size Availability




**Radiator Vent Caps**
Page 369

# Towel Rails & Radiators

## DRY ELEMENT RANGE P68-77



Derwent Aluminium Dry Element
P70-71



Biava Dry Element Straight
P72-73



Loddon Dry Element
P74-75



Kennet Dry Element
P76

## STAINLESS STEEL RANGE P78-89



Emsbury Dry Element
P77



Wendover Straight Polished
P80



Wendover Straight Brushed
P81



Viola II Polished
P82



Viola II Brushed
P83



Rizano
P84



Viola
P85



Biava Flat
P86



Ascona
P87



Velino Polished
P88



Velino Brushed
P89

**RADIATOR KEY**
Directional Size Availability



Horizontal Sizes



Vertical Sizes

**Radiator Vent Caps**
Page 369

# Towel Rails & Radiators

## DESIGNER RANGE P90-189



Warrington Type 10 Horizontal
P92



Warrington Type 10 Vertical
P93-95



Warrington Type 20 Horizontal
P96



Warrington Type 20 Vertical
P97-99



Leonardo
P100



Brockworth All Electric
P101



Staverton Tube On Tube Straight
P102



Staverton Tube On Tube Curved
P103

Please ask your local showroom or installer for a radiator colour swatch to match your preferred colour.



Biava Corinium
P103




Defford
P104-105



Staverton
P106



Mezzo Tondo
P107



Pesaro
P107



Santero
P108-109



Hurley Towel Rail
P110-113



Helmsley Towel Rail
P114-115

# Towel Rails & Radiators

## DESIGNER RANGE P90-189



**Platani**
P116-117



**Reinbach**
P118-119



**Marlow**
P120-121



**Marlow E-Style**
P122-123



**Conwy**
P124



**Portchester**
P125



**Lambourne**
P126-127



**Murano Vertical & Horizontal**
P128-129

Please ask your local showroom or installer for a radiator colour swatch.



**Ryton Towel Rail**
P130



**Kenilworth Towel Rail**
P131



**Loxley Towel Rail**
P132



**Eshton Towel Rail**
P133



**Rubano Vertical & Horizontal**
P136-138



**Rowsham Vertical & Horizontal**
P136-138



**Rowsham Towel Rail**
P139



**Wingrave Flat Panel**
P140-141

# Towel Rails & Radiators

## DESIGNER RANGE P90-189



Tunstall Vertical
P142-143



Tunstall Horizontal
P144



Tunstall Towel Rail
P145



Tunstall Double Vertical
P146-147



Tunstall Double Horizontal
P148-149



Tunstall Double Towel Rail
P150



Tunstall Mirror
P151



Tunstall Double Mirror
P151

Please ask your local showroom or installer for a radiator colour swatch.



Deddington Vertical
P152-153



Deddington Horizontal
P154-155




Deddington Towel Rail
P156-157

**RADIATOR KEY**
**Directional Size Availability**

Horizontal Sizes

Vertical Sizes

**Radiator Vent Caps**
Page 369



Addington II Type 10 Vertical & Horizontal P158-165



Addington II Type 20 Vertical & Horizontal P166-171



Addington II Type 10 Towel Rail
P172-174



Addington II Type 20 Towel Rail
P175

# Towel Rails & Radiators

## DESIGNER RANGE P90-189



Addington Type 10 Vertical & Horizontal P176-179



Addington Type 10 Towel Rail P180



Addington Type 20 Vertical & Horizontal P182-185



Addington Type 21 Radiator P186



Addington Type 22 Radiator P187




Addington Type 20 Towel Rail P188



Addington Type 21 Towel Rail P189

**RADIATOR KEY**
Directional Size Availability




**Radiator Vent Caps**
Page 369

## COMPACT PANEL RANGE P190-205



Type 11 Compact Panel P192



Type 21 Compact Panel P193



Type 22 Compact Panel P194-195



Type 11, 21 & 22 Compact Panel Matt Anthracite P196



Type 11, 21 & 22 Compact Panel Matt Black P197



Type 22 Keynsham Radiator Flat Cover P200



Type 22 Keynsham Radiator Lined Cover P201



Cover Plates - Flat & Lined P202-203

# Towel Rails & Radiators

## ALUMINIUM RANGE P206-287



Kingswood Slimline Vertical & Horizontal P208-209



Kingswood Slimline Towel Rail
P210-211



Queenswood Vertical
P212-213



Queenswood Vertical
P214-215



Mersey Vertical
P216-217



Trent Vertical
P218-219



Addington Aluminium Type 10
P220-223



Addington Aluminium Type 20
P224-227

Please ask your local showroom or installer for a radiator colour swatch.



Charlton Vertical
P228-229



Charlton Horizontal
P230



Withington Vertical
P232-233



Withington Horizontal
P234



Malmesbury Vertical
P236-239



Malmesbury Horizontal
P240



Rosano Vertical
P242-243



Rosano Horizontal
P244-245

# Towel Rails & Radiators


## ALUMINIUM RANGE P206-287



**Peretti Vertical**
P248-249



**Peretti Horizontal**
P250-251



**Sandhurst Vertical**
P254-255



**Sandhurst Horizontal**
P256



**Berkeley Horizontal**
P257



**Tordino Vertical**
P258-259



**Tordino Horizontal**
P260

**RADIATOR KEY**
Directional Size Availability

Horizontal Sizes

Vertical Sizes

**Radiator Vent Caps**
Page 369


Please ask your local showroom or installer for a radiator colour swatch.



**Guardia Vertical**
P262-263



**Guardia Horizontal**
P264-265



**Hadleigh Vertical**
P266-267



**Hadleigh Horizontal**
P268-269



**Vesima Vertical**
P270-271



**Vesima Horizontal**
P272-273



**Preston Vertical**
P274-275



**Berlini Vertical**
P276-277

# Towel Rails & Radiators

## ALUMINIUM RANGE P206-287



Fairford Vertical
P278



Fairford Horizontal
P279



Burford Vertical
P280



Burford Horizontal
P281



Kelmscott Vertical & Horizontal
P282-283



Witney Vertical & Horizontal
P284-285



Pelago Towel Rail
P286



Velor Towel Rail
P287

## TRADITIONAL RANGE P288-333



Windrush
P290



Stour
P291-293



Painswick
P294



Frome
P294



Thames
P295



Leadon
P296



Sherbourne
P296



Coln
P297

# Towel Rails & Radiators

## TRADITIONAL RANGE P288-333



**Twyver**
P297



**Avon**
P298-299



**Isbourne**
P300-301



**Isbourne**
P300-301




**Imperia 2 Column**
P302-307



**Imperia 3 Column**
P310-315



**Imperia 4 Column**
P316-317




**Imperia 6 Column**
P318-320



**Imperia 6 Column Bench**
P321

**RADIATOR KEY**
Directional Size Availability




**Radiator Vent Caps**
Page 369

# Towel Rails & Radiators

## TRADITIONAL RANGE P288-333



Imperia 2 Column Bare Metal
P308




Imperia Multirail 2 Column
P322-323



Rivassa 2 Column
P324-327



Rivassa 3 Column
P328-331



Imperia 3 Column Bare Metal
P309



Rivassa 4 Column
P332-333

## ACCESSORIES P334-369

Elements
P336-349



Radiator Valves
P350-365



Multirail Towel Hangers
P366



Radiator Robe Hooks
P366



Pipe Shrouds
P367




Multi-Purpose Towel Hangers
P368




Radiator Vent Caps
P369



**RADIATOR KEY**
Directional Size Availability





Sub Section

# Multirail Range

Contents


| | |
|---|---|
| Wendover Straight, Chrome | 16-17 |
| Wendover Curved, Chrome | 18-19 |
| Wendover Straight, Gloss White | 20 |
| Wendover Curved, Gloss White | 21 |
| Wendover Straight, Matt Anthracite | 22-23 |
| Wendover Straight, Matt Black | 24-25 |
| Wendover Straight, Brushed Brass - **NEW SIZES** | 26-27 |
| Wendover Straight, Black Gold | 28 |
| Wendover Straight, Brushed Gunmetal | 29 |
| Biava Multirail HV Straight, Available in 5 colours | 30-33 |
| Wingrave Straight, Chrome | 34-35 |
| Wingrave Straight, Gloss White | 36-37 |
| Wingrave Straight, Matt White | 38-39 |
| Wingrave Straight, Matt Anthracite | 40-41 |
| Wingrave Straight, Matt Black | 42-43 |
| Wingrave Straight, Matt Grey | 44 |
| Wingrave Straight, Matt Cobalt Blue | 45 |
| Wingrave Curved, Chrome | 46 |
| Wingrave Curved, Gloss White | 47 |
| Biava Multirail Straight, Gloss White | 48 |
| Biava Multirail Straight, Chrome | 48 |
| Biava Multirail Curved, Gloss White | 49 |
| Biava Multirail Curved, Chrome | 49 |
| Westward Straight, Gloss White & Chrome | 50-51 |
| Rion Multirail, Available in 4 colours | 52-53 |
| Tuscan, Gloss White & Chrome | 54 |
| Biava Round, Gloss White & Chrome | 55 |
| Corinium Round, Available in 5 colours | 56-57 |
| Tuscan Round, Available in 5 colours | 58-59 |
| Biava Tube on Tube, Chrome | 60 |
| Biava Square, Chrome | 61 |
| Tuscan Square Multirail, Available in 4 colours | 62-63 |
| Tuscan Square, Available in 5 colours | 64-65 |
| Launton, Available in 3 colours | 66 |
| Haddenham, Available in 3 colours | 67 |




# Multirail Range

## WENDOVER - STRAIGHT, CHROME



Pictured 41.0245 Chrome



Pictured 41.0015 Chrome

A modern ladder towel rail, available in a vast array of sizes which is ideal for bathrooms. Wendover Straight range is available in chrome, brushed brass, gloss white, matt anthracite, matt black, black gold and brushed gunmetal along with matching radiator valves and pipe shrouds.

**Wendover - Straight Chrome 360mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 360 x 400mm | 54 | 104 | 150W | A, A+, B | 41.0267 | 74.00 | **88.80** |

**Wendover - Straight Chrome 600mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 300mm | 67 | 128 | 100W | A, A+, B, D, E, F, G | 41.0085 | 92.00 | **110.40** |
| 600 x 400mm | 83 | 156 | 100W | A, A+, B, D, E, F, G | 41.0082 | 100.00 | **120.00** |
| 600 x 500mm | 98 | 185 | 100W | A, A+, B, D, E, F, G | 41.0083 | 107.00 | **128.40** |
| 600 x 600mm | 113 | 213 | 150W | A, A+, B, D, E, F, G | 41.0084 | 116.00 | **139.20** |
| 600 x 750mm | 134 | 258 | 150W | A, A+, B, D, E, F, G | 41.0076 | 131.00 | **157.20** |
| 600 x 1000mm | 173 | 327 | 150W | A, A+, B, D, E, F, G | 41.0244 | 195.00 | **234.00** |
| 600 x 1200mm | 212 | 392 | 150W | A, A+, B, D, E, F, G | 41.0245 | 217.00 | **260.40** |

Warranty 5 Year

Diameter (Ø) 22 MM Bars

Heating

All Electric

Dual-Fuel

**360mm High**



**600mm High**



# Multirail Range

## WENDOVER - STRAIGHT, CHROME

### Wendover - Straight Chrome 800mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 300mm | 73 | 139 | 100W | A, A+, B, D, E, F, G | 41.0086 | 112.00 | **134.40** |
| 800 x 400mm | 91 | 173 | 150W | A, A+, B, D, E, F, G | 41.0001 | 119.00 | **142.80** |
| 800 x 500mm | 109 | 208 | 150W | A, A+, B, D, E, F, G | 41.0003 | 128.00 | **153.60** |
| 800 x 600mm | 124 | 238 | 150W | A, A+, B, D, E, F, G | 41.0005 | 136.00 | **163.20** |
| 800 x 750mm | 173 | 327 | 150W | A, A+, B, D, E, F, G | 41.0077 | 166.00 | **199.20** |

### Wendover - Straight Chrome 1000mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 300mm | 103 | 198 | 150W | A, A+, B, D, E, F, G | 41.0087 | 130.00 | **156.00** |
| 1000 x 400mm | 113* | 216* | 150W | A, A+, B, D, E, F, G | 41.0007 | 136.00 | **163.20** |
| 1000 x 500mm | 132 | 256 | 150W | A, A+, B, D, E, F, G | 41.0009 | 146.00 | **175.20** |
| 1000 x 600mm | 154 | 298 | 150W | A, A+, B, D, E, F, G | 41.0011 | 156.00 | **187.20** |
| 1000 x 750mm | 208 | 396 | 300W | A, A+, B, D, E, F, G | 41.0078 | 191.00 | **229.20** |

### Wendover - Straight Chrome 1200mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 300mm | 109 | 210 | 150W | A, A+, B, D, E, F, G | 41.0088 | 153.00 | **183.60** |
| 1200 x 400mm | 136 | 262 | 150W | A, A+, B, D, E, F, G | 41.0013 | 156.00 | **187.20** |
| 1200 x 500mm | 161 | 311 | 150W | A, A+, B, D, E, F, G | 41.0015 | 168.00 | **201.60** |
| 1200 x 600mm | 205* | 393* | 300W | A, A+, B, D, E, F, G | 41.0017 | 185.00 | **222.00** |
| 1200 x 750mm | 247 | 473 | 300W | A, A+, B, D, E, F, G | 41.0079 | 228.00 | **273.60** |

* Further heat output information available on eastbrooktrade.com **E&OA**

### Wendover - Straight Chrome 1400mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1400 x 300mm | 128 | 249 | 150W | A, A+, B, D, E, F, G | 41.0620 | 173.00 | **207.60** |
| 1400 x 400mm | 160 | 311 | 150W | A, A+, B, D, E, F, G | 41.0621 | 181.00 | **217.20** |
| 1400 x 500mm | 190 | 369 | 150W | A, A+, B, D, E, F, G | 41.0622 | 193.00 | **231.60** |
| 1400 x 600mm | 219 | 424 | 300W | A, A+, B, D, E, F, G | 41.0623 | 209.00 | **250.80** |
| 1400 x 750mm | 260 | 504 | 300W | A, A+, B, D, E, F, G | 41.0624 | 275.00 | **330.00** |

### Wendover - Straight Chrome 1600mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1600 x 300mm | 155 | 303 | 150W | A, A+, B, D, E, F, G | 41.0089 | 187.00 | **224.40** |
| 1600 x 400mm | 186 | 363 | 300W | A, A+, B, D, E, F, G | 41.0019 | 195.00 | **234.00** |
| 1600 x 500mm | 220 | 431 | 300W | A, A+, B, D, E, F, G | 41.0021 | 213.00 | **255.60** |
| 1600 x 600mm | 240 | 453 | 300W | A, A+, B, D, E, F, G | 41.0023 | 231.00 | **277.20** |
| 1600 x 750mm | 324 | 632 | 450W | A, A+, B, D, E, F, G | 41.0080 | 287.00 | **344.40** |


### Wendover - Straight Chrome 1800mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 300mm | 181 | 353 | 150W | A, A+, B, D, E, F, G | 41.0090 | 207.00 | **248.40** |
| 1800 x 400mm | 222 | 431 | 300W | A, A+, B, D, E, F, G | 41.0025 | 217.00 | **260.40** |
| 1800 x 500mm | 262 | 510 | 300W | A, A+, B, D, E, F, G | 41.0027 | 240.00 | **288.00** |
| 1800 x 600mm | 304 | 576 | 450W | A, A+, B, D, E, F, G | 41.0029 | 259.00 | **310.80** |
| 1800 x 750mm | 370 | 702 | 450W | A, A+, B, D, E, F, G | 41.0081 | 321.00 | **385.20** |

**Round Vent Caps**
Page 369



**Robe Hooks**
Page 366



**Towel Hangers**
Page 366



**Multi-Rail Hangers**
Page 366



### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 75-95mm off the wall. Projection from wall 90-110mm. Price includes radiator and wall fixing sets, valves extra.

**Technical Tables & Drawings**
Page 372-373

800mm High



1000mm High



1200mm High



1400mm High



1600mm High



1800mm High



# Multirail Range

## WENDOVER - CURVED, CHROME



Pictured 41.0035 Chrome



Pictured 41.0051 Chrome

A modern ladder towel rail, with a range of sizes available, from 600 x 400mm to 1800 x 750mm. Wendover Curved Multirail is available in chrome and gloss white finishes.

**FEATURES**
- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 373

Warranty 5 Year | Diameter (Ø) 22 MM Bars | Heating | All Electric | Dual-Fuel

**600mm High**



**800mm High**



# Multirail Range

## WENDOVER - CURVED, CHROME

### Wendover - Curved Chrome 600mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 400mm | 79* | 153* | 100W | A, A+, B, D, E, F, G | 41.0106 | 101.00 | **121.20** |
| 600 x 500mm | 94* | 181* | 100W | A, A+, B, D, E, F, G | 41.0107 | 109.00 | **130.80** |
| 600 x 600mm | 109* | 209* | 150W | A, A+, B, D, E, F, G | 41.0108 | 119.00 | **142.80** |
| 600 x 750mm | 133 | 251 | 150W | A, A+, B, D, E, F, G | 41.0100 | 136.00 | **163.20** |

### Wendover - Curved Chrome 800mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 400mm | 91 | 173 | 150W | A, A+, B, D, E, F, G | 41.0031 | 124.00 | **148.80** |
| 800 x 500mm | 109 | 206 | 150W | A, A+, B, D, E, F, G | 41.0033 | 130.00 | **156.00** |
| 800 x 600mm | 146 | 282 | 150W | A, A+, B, D, E, F, G | 41.0035 | 139.00 | **166.80** |
| 800 x 750mm | 182* | 348* | 150W | A, A+, B, D, E, F, G | 41.0101 | 174.00 | **208.80** |

### Wendover - Curved Chrome 1000mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 400mm | 113 | 216 | 150W | A, A+, B, D, E, F, G | 41.0037 | 137.00 | **164.40** |
| 1000 x 500mm | 134 | 257 | 150W | A, A+, B, D, E, F, G | 41.0039 | 150.00 | **180.00** |
| 1000 x 600mm | 155 | 295 | 150W | A, A+, B, D, E, F, G | 41.0041 | 158.00 | **189.60** |
| 1000 x 750mm | 212* | 406* | 300W | A, A+, B, D, E, F, G | 41.0102 | 195.00 | **234.00** |

* Further heat output information available on eastbrooktrade.com **E&OA**

### Wendover - Curved Chrome 1200mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 400mm | 136 | 262 | 150W | A, A+, B, D, E, F, G | 41.0043 | 158.00 | **189.60** |
| 1200 x 500mm | 161 | 311 | 150W | A, A+, B, D, E, F, G | 41.0045 | 177.00 | **212.40** |
| 1200 x 600mm | 204 | 386 | 300W | A, A+, B, D, E, F, G | 41.0047 | 189.00 | **226.80** |
| 1200 x 750mm | 262* | 502* | 300W | A, A+, B, D, E, F, G | 41.0103 | 234.00 | **280.80** |

### Wendover - Curved Chrome 1600mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1600 x 400mm | 186 | 363 | 300W | A, A+, B, D, E, F, G | 41.0049 | 203.00 | **243.60** |
| 1600 x 500mm | 220 | 431 | 300W | A, A+, B, D, E, F, G | 41.0051 | 222.00 | **266.40** |
| 1600 x 600mm | 254 | 496 | 300W | A, A+, B, D, E, F, G | 41.0053 | 239.00 | **286.80** |
| 1600 x 750mm | 343* | 657* | 450W | A, A+, B, D, E, F, G | 41.0104 | 296.00 | **355.20** |

### Wendover - Curved Chrome 1800mm Height


| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 400mm | 239* | 459* | 300W | A, A+, B, D, E, F, G | 41.0055 | 228.00 | **273.60** |
| 1800 x 500mm | 283* | 543* | 300W | A, A+, B, D, E, F, G | 41.0057 | 247.00 | **296.40** |
| 1800 x 600mm | 371 | 703 | 450W | A, A+, B, D, E, F, G | 41.0059 | 266.00 | **319.20** |
| 1800 x 750mm | 403 | 766 | 450W | A, A+, B, D, E, F, G | 41.0105 | 332.00 | **398.40** |

* Further heat output information available on eastbrooktrade.com **E&OA**

**Round Vent Caps**
Page 369



**Robe Hooks**
Page 366



**Radiator Valves**
Page 350-365



### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 70mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**1000mm High**



**1200mm High**



**1600mm High**



**1800mm High**



# Multirail Range

## WENDOVER - STRAIGHT, GLOSS WHITE



Pictured 41.0028 Gloss White

A modern ladder towel rail, available in a vast array of sizes which is ideal for bathrooms. Wendover Straight range is available in chrome, brushed brass, gloss white, matt anthracite, matt black, black gold and brushed gunmetal along with matching radiator valves and pipe shrouds.

**FEATURES**

- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 372-373

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 75-95mm off the wall. Projection from wall 90-110mm. Price includes radiator and wall fixing sets, valves extra.

Warranty 5 Year | Diameter (Ø) 22 MM Bars | Heating | All Electric | Dual-Fuel

**Wendover - Straight Gloss White 360mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 360 x 400mm | 80 | 147 | 150W | A, A+, B | 41.0266 | 47.00 | **56.40** |

**Wendover - Straight Gloss White 600mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 300mm | 98 | 182 | 100W | A, A+, B, D, E, F, G | 41.0070 | 56.00 | **67.20** |
| 600 x 400mm | 120 | 220 | 150W | A, A+, B, D, E, F, G | 41.0067 | 62.00 | **74.40** |
| 600 x 500mm | 141 | 260 | 150W | A, A+, B, D, E, F, G | 41.0068 | 65.00 | **78.00** |
| 600 x 600mm | 163 | 299 | 150W | A, A+, B, D, E, F, G | 41.0069 | 69.00 | **82.80** |
| 600 x 750mm | 193 | 361 | 150W | A, A+, B, D, E, F, G | 41.0061 | 79.00 | **94.80** |
| 600 x 1000mm | 248 | 460 | 300W | A, A+, B, D, E, F, G | 41.0246 | 116.00 | **139.20** |
| 600 x 1200mm | 291 | 541 | 300W | A, A+, B, D, E, F, G | 41.0247 | 125.00 | **150.00** |

**Wendover - Straight Gloss White 800mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 300mm | 99 | 181 | 150W | A, A+, B, D, E, F, G | 41.0071 | 66.00 | **79.20** |
| 800 x 400mm | 152 | 281 | 150W | A, A+, B, D, E, F, G | 41.0002 | 70.00 | **84.00** |
| 800 x 500mm | 180 | 332 | 150W | A, A+, B, D, E, F, G | 41.0004 | 74.00 | **88.80** |
| 800 x 600mm | 204 | 386 | 150W | A, A+, B, D, E, F, G | 41.0006 | 79.00 | **94.80** |
| 800 x 750mm | 250 | 461 | 300W | A, A+, B, D, E, F, G | 41.0062 | 96.00 | **115.20** |

**Wendover - Straight Gloss White 1000mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 300mm | 149 | 277 | 150W | A, A+, B, D, E, F, G | 41.0072 | 78.00 | **93.60** |
| 1000 x 400mm | 184 | 343 | 150W | A, A+, B, D, E, F, G | 41.0008 | 79.00 | **94.80** |
| 1000 x 500mm | 219 | 408 | 150W | A, A+, B, D, E, F, G | 41.0010 | 84.00 | **100.80** |
| 1000 x 600mm | 254 | 472 | 300W | A, A+, B, D, E, F, G | 41.0012 | 90.00 | **108.00** |
| 1000 x 750mm | 303 | 565 | 300W | A, A+, B, D, E, F, G | 41.0063 | 107.00 | **128.40** |

**Wendover - Straight Gloss White 1200mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 300mm | 176 | 331 | 150W | A, A+, B, D, E, F, G | 41.0073 | 88.00 | **105.60** |
| 1200 x 400mm | 218 | 409 | 300W | A, A+, B, D, E, F, G | 41.0014 | 90.00 | **108.00** |
| 1200 x 500mm | 264 | 497 | 300W | A, A+, B, D, E, F, G | 41.0016 | 96.00 | **115.20** |
| 1200 x 600mm | 294* | 560* | 300W | A, A+, B, D, E, F, G | 41.0018 | 101.00 | **121.20** |
| 1200 x 750mm | 363 | 680 | 450W | A, A+, B, D, E, F, G | 41.0064 | 126.00 | **151.20** |

**Wendover - Straight Gloss White 1400mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1400 x 300mm | 194 | 371 | 150W | A, A+, B, D, E, F, G | 41.0625 | 96.00 | **115.20** |
| 1400 x 400mm | 245 | 467 | 300W | A, A+, B, D, E, F, G | 41.0626 | 101.00 | **121.20** |
| 1400 x 500mm | 293 | 560 | 300W | A, A+, B, D, E, F, G | 41.0627 | 111.00 | **133.20** |
| 1400 x 600mm | 340 | 649 | 300W | A, A+, B, D, E, F, G | 41.0628 | 121.00 | **145.20** |
| 1400 x 750mm | 407 | 778 | 450W | A, A+, B, D, E, F, G | 41.0629 | 152.00 | **182.40** |

**Wendover - Straight Gloss White 1600mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1600 x 300mm | 237 | 444 | 300W | A, A+, B, D, E, F, G | 41.0074 | 102.00 | **122.40** |
| 1600 x 400mm | 289 | 551 | 300W | A, A+, B, D, E, F, G | 41.0020 | 109.00 | **130.80** |
| 1600 x 500mm | 346 | 657 | 450W | A, A+, B, D, E, F, G | 41.0022 | 119.00 | **142.80** |
| 1600 x 600mm | 398 | 763 | 450W | A, A+, B, D, E, F, G | 41.0024 | 128.00 | **153.60** |
| 1600 x 750mm | 491 | 915 | 600W | A, A+, B, D, E, F, G | 41.0065 | 155.00 | **186.00** |

**Wendover - Straight Gloss White 1800mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 300mm | 261 | 489 | 300W | A, A+, B, D, E, F, G | 41.0075 | 116.00 | **139.20** |
| 1800 x 400mm | 326 | 615 | 300W | A, A+, B, D, E, F, G | 41.0026 | 124.00 | **148.80** |
| 1800 x 500mm | 391 | 741 | 450W | A, A+, B, D, E, F, G | 41.0028 | 131.00 | **157.20** |
| 1800 x 600mm | 459 | 868 | 600W | A, A+, B, D, E, F, G | 41.0030 | 141.00 | **169.20** |
| 1800 x 750mm | 561 | 1060 | 600W | A, A+, B, D, E, F, G | 41.0066 | 176.00 | **211.20** |

* Further heat output information available on eastbrooktrade.com **E&OA**

# Multirail Range

## WENDOVER - CURVED, GLOSS WHITE



Pictured 41.0036 Gloss White

A modern ladder towel rail, with a range of sizes available, from 600 x 400mm to 1800 x 750mm. Wendover Curved Multirail is available in chrome and gloss white finishes.

**FEATURES**
- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 373

**Wendover - Curved Gloss White 600mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 400mm | 101* | 193* | 150W | A, A+, B, D, E, F, G | 41.0097 | 63.00 | **75.60** |
| 600 x 500mm | 119* | 229* | 150W | A, A+, B, D, E, F, G | 41.0098 | 66.00 | **79.20** |
| 600 x 600mm | 138* | 264* | 150W | A, A+, B, D, E, F, G | 41.0099 | 70.00 | **84.00** |
| 600 x 750mm | 205 | 380 | 150W | A, A+, B, D, E, F, G | 41.0091 | 80.00 | **96.00** |

**Wendover - Curved Gloss White 800mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 400mm | 138* | 266* | 150W | A, A+, B, D, E, F, G | 41.0032 | 73.00 | **87.60** |
| 800 x 500mm | 164* | 315* | 150W | A, A+, B, D, E, F, G | 41.0034 | 78.00 | **93.60** |
| 800 x 600mm | 217 | 405 | 150W | A, A+, B, D, E, F, G | 41.0036 | 83.00 | **99.60** |
| 800 x 750mm | 229* | 440* | 300W | A, A+, B, D, E, F, G | 41.0092 | 97.00 | **116.40** |

**Wendover - Curved Gloss White 1000mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 400mm | 164* | 315* | 150W | A, A+, B, D, E, F, G | 41.0038 | 80.00 | **96.00** |
| 1000 x 500mm | 194* | 372* | 150W | A, A+, B, D, E, F, G | 41.0040 | 88.00 | **105.60** |
| 1000 x 600mm | 223* | 429* | 300W | A, A+, B, D, E, F, G | 41.0042 | 91.00 | **109.20** |
| 1000 x 750mm | 268* | 514* | 300W | A, A+, B, D, E, F, G | 41.0093 | 109.00 | **130.80** |

**Wendover - Curved Gloss White 1200mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 400mm | 202* | 387* | 300W | A, A+, B, D, E, F, G | 41.0044 | 91.00 | **109.20** |
| 1200 x 500mm | 254 | 483 | 300W | A, A+, B, D, E, F, G | 41.0046 | 98.00 | **117.60** |
| 1200 x 600mm | 310 | 576 | 300W | A, A+, B, D, E, F, G | 41.0048 | 103.00 | **123.60** |
| 1200 x 750mm | 332* | 636* | 450W | A, A+, B, D, E, F, G | 41.0094 | 130.00 | **156.00** |

**Wendover - Curved Gloss White 1600mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1600 x 400mm | 265* | 508* | 300W | A, A+, B, D, E, F, G | 41.0050 | 112.00 | **134.40** |
| 1600 x 500mm | 313* | 601* | 450W | A, A+, B, D, E, F, G | 41.0052 | 124.00 | **148.80** |
| 1600 x 600mm | 386 | 740 | 450W | A, A+, B, D, E, F, G | 41.0054 | 131.00 | **157.20** |
| 1600 x 750mm | 434* | 832* | 600W | A, A+, B, D, E, F, G | 41.0095 | 158.00 | **189.60** |

**Wendover - Curved Gloss White 1800mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 400mm | 303* | 581* | 300W | A, A+, B, D, E, F, G | 41.0056 | 125.00 | **150.00** |
| 1800 x 500mm | 358* | 687* | 450W | A, A+, B, D, E, F, G | 41.0058 | 136.00 | **163.20** |
| 1800 x 600mm | 538 | 1012 | 600W | A, A+, B, D, E, F, G | 41.0060 | 146.00 | **175.20** |
| 1800 x 750mm | 594 | 1116 | 600W | A, A+, B, D, E, F, G | 41.0096 | 178.00 | **213.60** |

* Further heat output information available on eastbrooktrade.com **E&OA**


### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 70mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Round Vent Caps**
Page 369



**Robe Hooks**
Page 366



Warranty 5 Year | Diameter (Ø) 22 MM Bars | Heating | All Electric | Dual-Fuel

# Multirail Range

## WENDOVER - STRAIGHT MATT ANTHRACITE



Pictured 41.0324 Matt Anthracite



Pictured 41.0326 Matt Anthracite

A modern ladder towel rail, available in a vast array of sizes which is ideal for bathrooms. Wendover Straight range is available in chrome, brushed brass, gloss white, matt anthracite, matt black, black gold and brushed gunmetal along with matching radiator valves and pipe shrouds.

**FEATURES**
- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 372-373

Warranty 5 Year | Diameter (Ø) 22 MM Bars | Heating | All Electric | Dual-Fuel

**Wendover - Straight Matt Anthracite 360mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 360 x 400mm | 80 | 147 | 150W | A, A+, B | 41.0630 | 50.00 | **60.00** |


**Wendover - Straight Matt Anthracite 600mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 300mm | 98 | 182 | 100W | A, A+, B, D, E, F, G | 41.0631 | 58.00 | **69.60** |
| 600 x 400mm | 120 | 220 | 150W | A, A+, B, D, E, F, G | 41.0320 | 65.00 | **78.00** |
| 600 x 500mm | 141 | 260 | 150W | A, A+, B, D, E, F, G | 41.0321 | 69.00 | **82.80** |
| 600 x 600mm | 163 | 299 | 150W | A, A+, B, D, E, F, G | 41.0322 | 73.00 | **87.60** |
| 600 x 750mm | 193 | 361 | 150W | A, A+, B, D, E, F, G | 41.0632 | 83.00 | **99.60** |
| 600 x 1000mm | 248 | 460 | 300W | A, A+, B, D, E, F, G | 41.0633 | 119.00 | **142.80** |
| 600 x 1200mm | 291 | 541 | 300W | A, A+, B, D, E, F, G | 41.0634 | 130.00 | **156.00** |

360mm High



600mm High



# Multirail Range

## WENDOVER - STRAIGHT MATT ANTHRACITE

### Wendover - Straight Matt Anthracite 800mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 300mm | 99 | 181 | 150W | A, A+, B, D, E, F, G | 41.0635 | 70.00 | **84.00** |
| 800 x 400mm | 152 | 281 | 150W | A, A+, B, D, E, F, G | 41.0636 | 73.00 | **87.60** |
| 800 x 500mm | 180 | 332 | 150W | A, A+, B, D, E, F, G | 41.0637 | 79.00 | **94.80** |
| 800 x 600mm | 204 | 386 | 150W | A, A+, B, D, E, F, G | 41.0638 | 86.00 | **103.20** |
| 800 x 750mm | 250 | 461 | 300W | A, A+, B, D, E, F, G | 41.0639 | 104.00 | **124.80** |

### Wendover - Straight Matt Anthracite 1000mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 300mm | 149 | 277 | 150W | A, A+, B, D, E, F, G | 41.0640 | 81.00 | **97.20** |
| 1000 x 400mm | 184 | 343 | 150W | A, A+, B, D, E, F, G | 41.0641 | 83.00 | **99.60** |
| 1000 x 500mm | 219 | 408 | 150W | A, A+, B, D, E, F, G | 41.0642 | 91.00 | **109.20** |
| 1000 x 600mm | 254 | 472 | 300W | A, A+, B, D, E, F, G | 41.0643 | 95.00 | **114.00** |
| 1000 x 750mm | 303 | 565 | 300W | A, A+, B, D, E, F, G | 41.0644 | 117.00 | **140.40** |

### Wendover - Straight Matt Anthracite 1200mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 300mm | 176 | 331 | 150W | A, A+, B, D, E, F, G | 41.0645 | 92.00 | **110.40** |
| 1200 x 400mm | 218 | 409 | 300W | A, A+, B, D, E, F, G | 41.0323 | 96.00 | **115.20** |
| 1200 x 500mm | 264 | 497 | 300W | A, A+, B, D, E, F, G | 41.0324 | 100.00 | **120.00** |
| 1200 x 600mm | 294* | 560* | 300W | A, A+, B, D, E, F, G | 41.0325 | 107.00 | **128.40** |
| 1200 x 750mm | 363 | 680 | 450W | A, A+, B, D, E, F, G | 41.0646 | 138.00 | **165.60** |

* Further heat output information available on eastbrooktrade.com **E&OA**

### Wendover - Straight Matt Anthracite 1400mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1400 x 300mm | 194 | 371 | 150W | A, A+, B, D, E, F, G | 41.0647 | 98.00 | **117.60** |
| 1400 x 400mm | 245 | 467 | 300W | A, A+, B, D, E, F, G | 41.0648 | 103.00 | **123.60** |
| 1400 x 500mm | 293 | 560 | 300W | A, A+, B, D, E, F, G | 41.0649 | 114.00 | **136.80** |
| 1400 x 600mm | 340 | 649 | 300W | A, A+, B, D, E, F, G | 41.0650 | 121.00 | **145.20** |
| 1400 x 750mm | 407 | 778 | 450W | A, A+, B, D, E, F, G | 41.0651 | 151.00 | **181.20** |

### Wendover - Straight Matt Anthracite 1600mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1600 x 300mm | 237 | 444 | 300W | A, A+, B, D, E, F, G | 41.0652 | 108.00 | **129.60** |
| 1600 x 400mm | 289 | 551 | 300W | A, A+, B, D, E, F, G | 41.0653 | 114.00 | **136.80** |
| 1600 x 500mm | 346 | 657 | 450W | A, A+, B, D, E, F, G | 41.0654 | 125.00 | **150.00** |
| 1600 x 600mm | 398 | 763 | 450W | A, A+, B, D, E, F, G | 41.0655 | 137.00 | **164.40** |
| 1600 x 750mm | 491 | 915 | 600W | A, A+, B, D, E, F, G | 41.0656 | 171.00 | **205.20** |

### Wendover - Straight Matt Anthracite 1800mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 300mm | 261 | 489 | 300W | A, A+, B, D, E, F, G | 41.0657 | 122.00 | **146.40** |
| 1800 x 400mm | 326 | 615 | 300W | A, A+, B, D, E, F, G | 41.0658 | 130.00 | **156.00** |
| 1800 x 500mm | 391 | 741 | 450W | A, A+, B, D, E, F, G | 41.0326 | 139.00 | **166.80** |
| 1800 x 600mm | 459 | 868 | 600W | A, A+, B, D, E, F, G | 41.0327 | 150.00 | **180.00** |
| 1800 x 750mm | 561 | 1060 | 600W | A, A+, B, D, E, F, G | 41.0659 | 191.00 | **229.20** |

**Round Vent Caps**
Page 369



**Robe Hooks**
Page 366



**Towel Hangers**
Page 366




**Multi-Rail Hangers**
Page 366




### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 75-95mm off the wall. Projection from wall 90-110mm. Price includes radiator and wall fixing sets, valves extra.


800mm High




1000mm High




1200mm High




1400mm High



1600mm High



1800mm High



# Multirail Range

## WENDOVER - STRAIGHT MATT BLACK



Pictured 41.0670 Matt Black



Pictured 41.0681 Matt Black

A modern ladder towel rail, available in a vast array of sizes which is ideal for bathrooms. Wendover Straight range is available in chrome, brushed brass, gloss white, matt anthracite, matt black, black gold and brushed gunmetal along with matching radiator valves and pipe shrouds.

**FEATURES**
- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 372-373

Warranty 5 Year | Diameter (Ø) 22 MM Bars | Heating | All Electric | Dual-Fuel

**Wendover - Straight Matt Black 360mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 360 x 400mm | 80 | 147 | 150W | A, A+, B | 41.0660 | 50.00 | **60.00** |


**Wendover - Straight Matt Black 600mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 300mm | 98 | 182 | 100W | A, A+, B, D, E, F, G | 41.0661 | 58.00 | **69.60** |
| 600 x 400mm | 120 | 220 | 150W | A, A+, B, D, E, F, G | 41.0662 | 65.00 | **78.00** |
| 600 x 500mm | 141 | 260 | 150W | A, A+, B, D, E, F, G | 41.0663 | 69.00 | **82.80** |
| 600 x 600mm | 163 | 299 | 150W | A, A+, B, D, E, F, G | 41.0664 | 73.00 | **87.60** |
| 600 x 750mm | 193 | 361 | 150W | A, A+, B, D, E, F, G | 41.0665 | 83.00 | **99.60** |
| 600 x 1000mm | 248 | 460 | 300W | A, A+, B, D, E, F, G | 41.0666 | 119.00 | **142.80** |
| 600 x 1200mm | 291 | 541 | 300W | A, A+, B, D, E, F, G | 41.0667 | 130.00 | **156.00** |

360mm High



600mm High



# Multirail Range

## WENDOVER - STRAIGHT MATT BLACK

### Wendover - Straight Matt Black 800mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 300mm | 99 | 181 | 150W | A, A+, B, D, E, F, G | 41.0668 | 70.00 | **84.00** |
| 800 x 400mm | 152 | 281 | 150W | A, A+, B, D, E, F, G | 41.0669 | 73.00 | **87.60** |
| 800 x 500mm | 180 | 332 | 150W | A, A+, B, D, E, F, G | 41.0670 | 79.00 | **94.80** |
| 800 x 600mm | 204 | 386 | 150W | A, A+, B, D, E, F, G | 41.0671 | 86.00 | **103.20** |
| 800 x 750mm | 250 | 461 | 300W | A, A+, B, D, E, F, G | 41.0672 | 104.00 | **124.80** |

### Wendover - Straight Matt Black 1000mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 300mm | 149 | 277 | 150W | A, A+, B, D, E, F, G | 41.0673 | 81.00 | **97.20** |
| 1000 x 400mm | 184 | 343 | 150W | A, A+, B, D, E, F, G | 41.0674 | 83.00 | **99.60** |
| 1000 x 500mm | 219 | 408 | 150W | A, A+, B, D, E, F, G | 41.0675 | 91.00 | **109.20** |
| 1000 x 600mm | 254 | 472 | 300W | A, A+, B, D, E, F, G | 41.0676 | 95.00 | **114.00** |
| 1000 x 750mm | 303 | 565 | 300W | A, A+, B, D, E, F, G | 41.0677 | 117.00 | **140.40** |

### Wendover - Straight Matt Black 1200mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 300mm | 176 | 331 | 150W | A, A+, B, D, E, F, G | 41.0678 | 92.00 | **110.40** |
| 1200 x 400mm | 218 | 409 | 300W | A, A+, B, D, E, F, G | 41.0679 | 96.00 | **115.20** |
| 1200 x 500mm | 264 | 497 | 300W | A, A+, B, D, E, F, G | 41.0680 | 100.00 | **120.00** |
| 1200 x 600mm | 294* | 560* | 300W | A, A+, B, D, E, F, G | 41.0681 | 107.00 | **128.40** |
| 1200 x 750mm | 363 | 680 | 450W | A, A+, B, D, E, F, G | 41.0682 | 138.00 | **165.60** |

* Further heat output information available on eastbrooktrade.com **E&OA**

### Wendover - Straight Matt Black 1400mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1400 x 300mm | 194 | 371 | 150W | A, A+, B, D, E, F, G | 41.0683 | 98.00 | **117.60** |
| 1400 x 400mm | 245 | 467 | 300W | A, A+, B, D, E, F, G | 41.0684 | 103.00 | **123.60** |
| 1400 x 500mm | 293 | 560 | 300W | A, A+, B, D, E, F, G | 41.0685 | 114.00 | **136.80** |
| 1400 x 600mm | 340 | 649 | 300W | A, A+, B, D, E, F, G | 41.0686 | 121.00 | **145.20** |
| 1400 x 750mm | 407 | 778 | 450W | A, A+, B, D, E, F, G | 41.0687 | 151.00 | **181.20** |

### Wendover - Straight Matt Black 1600mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1600 x 300mm | 237 | 444 | 300W | A, A+, B, D, E, F, G | 41.0688 | 108.00 | **129.60** |
| 1600 x 400mm | 289 | 551 | 300W | A, A+, B, D, E, F, G | 41.0689 | 114.00 | **136.80** |
| 1600 x 500mm | 346 | 657 | 450W | A, A+, B, D, E, F, G | 41.0690 | 125.00 | **150.00** |
| 1600 x 600mm | 398 | 763 | 450W | A, A+, B, D, E, F, G | 41.0691 | 137.00 | **164.40** |
| 1600 x 750mm | 491 | 915 | 600W | A, A+, B, D, E, F, G | 41.0692 | 171.00 | **205.20** |


### Wendover - Straight Matt Black 1800mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 300mm | 261 | 489 | 300W | A, A+, B, D, E, F, G | 41.0693 | 122.00 | **146.40** |
| 1800 x 400mm | 326 | 615 | 300W | A, A+, B, D, E, F, G | 41.0694 | 130.00 | **156.00** |
| 1800 x 500mm | 391 | 741 | 450W | A, A+, B, D, E, F, G | 41.0695 | 139.00 | **166.80** |
| 1800 x 600mm | 459 | 868 | 600W | A, A+, B, D, E, F, G | 41.0696 | 150.00 | **180.00** |
| 1800 x 750mm | 561 | 1060 | 600W | A, A+, B, D, E, F, G | 41.0697 | 191.00 | **229.20** |

**Round Vent Caps**
Page 369



**Robe Hooks**
Page 366



**Towel Hangers**
Page 366




**Multi-Rail Hangers**
Page 366




### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 75-95mm off the wall. Projection from wall 90-110mm. Price includes radiator and wall fixing sets, valves extra.


800mm High




1000mm High




1200mm High




1400mm High



1600mm High



1800mm High



• NEW SIZES HERE •

# Multirail Range

## WENDOVER - STRAIGHT BRUSHED BRASS




Pictured 41.0361 Brushed Brass



Pictured 41.0363 Brushed Brass

Rear fixing wall brackets

A modern ladder towel rail, available in a vast array of sizes which is ideal for bathrooms. Wendover Straight range is available in chrome, brushed brass, gloss white, matt anthracite, matt black, black gold and brushed gunmetal along with matching radiator valves and pipe shrouds.

**FEATURES**

- 22mm diameter horizontal round tubes
- High quality PVD coating
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- Can be single or dual fuel, or all electric
- Comes with same colour blanking plug & bleed valve
- 5 Year manufacturer's warranty*

* With conditions

**Technical Tables & Drawings**
Page 372-373

Warranty 5 Year | Diameter (Ø) 22 MM Bars | Heating | All Electric | Dual-Fuel

**Wendover - Straight Brushed Brass 360mm Height** REDUCED PRICES

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 360 x 400mm | 68 | 126 | 100W | A, A+, B | 41.1170 | 99.00 | **118.80** |

**Wendover - Straight Brushed Brass 600mm Height** REDUCED PRICES

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 300mm | 80 | 149 | 100W | A, A+, B | 41.1171 | 140.00 | **168.00** |
| 600 x 400mm | 78 | 150 | 100W | A, A+, B, D, E, F, G | 41.0698 | 142.00 | **170.40** |
| 600 x 500mm | 93 | 178 | 100W | A, A+, B, D, E, F, G | 41.0699 | 146.00 | **175.20** |
| 600 x 600mm | 108 | 207 | 150W | A, A+, B, D, E, F, G | 41.0700 | 151.00 | **181.20** |
| 600 x 750mm | 172 | 321 | 150W | A, A+, B, D, E, F, G | 41.1172 | 176.00 | **211.20** |
| 600 x 1000mm | 218 | 407 | 150W | A, A+, B, D, E, F, G | 41.1173 | 209.00 | **250.80** |
| 600 x 1200mm | 254 | 474 | 150W | A, A+, B, D, E, F, G | 41.1174 | 225.00 | **270.00** |

360mm High



600mm High



# Multirail Range

## WENDOVER - STRAIGHT BRUSHED BRASS

**Wendover - Straight Brushed Brass 800mm Height REDUCED PRICES**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 300mm | 102 | 192 | 100W | A, A+, B, D, E, F, G | 41.1175 | 168.00 | **201.60** |
| 800 x 400mm | 108 | 207 | 150W | A, A+, B, D, E, F, G | 41.0701 | 177.00 | **212.40** |
| 800 x 500mm | 128 | 246 | 150W | A, A+, B, D, E, F, G | 41.0361 | 180.00 | **216.00** |
| 800 x 600mm | 149 | 285 | 150W | A, A+, B, D, E, F, G | 41.0362 | 192.00 | **230.40** |
| 800 x 750mm | 219 | 412 | 150W | A, A+, B, D, E, F, G | 41.1176 | 233.00 | **279.60** |

**Wendover - Straight Brushed Brass 1000mm Height REDUCED PRICES**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 300mm | 125 | 236 | 150W | A, A+, B, D, E, F, G | 41.1177 | 203.00 | **243.60** |
| 1000 x 400mm | 127 | 245 | 150W | A, A+, B, D, E, F, G | 41.0702 | 211.00 | **253.20** |
| 1000 x 500mm | 151 | 290 | 150W | A, A+, B, D, E, F, G | 41.0703 | 215.00 | **258.00** |
| 1000 x 600mm | 186 | 344 | 150W | A, A+, B, D, E, F, G | 41.0704 | 219.00 | **262.80** |
| 1000 x 750mm | 268 | 508 | 300W | A, A+, B, D, E, F, G | 41.1178 | 278.00 | **333.60** |

**Wendover - Straight Brushed Brass 1200mm Height REDUCED PRICES**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 300mm | 148 | 284 | 150W | A, A+, B, D, E, F, G | 41.1179 | 240.00 | **288.00** |
| 1200 x 400mm | 157 | 301 | 150W | A, A+, B, D, E, F, G | 41.0705 | 249.00 | **298.80** |
| 1200 x 500mm | 186 | 357 | 150W | A, A+, B, D, E, F, G | 41.0363 | 254.00 | **304.80** |
| 1200 x 600mm | 216 | 414 | 300W | A, A+, B, D, E, F, G | 41.0364 | 259.00 | **310.80** |
| 1200 x 750mm | 319 | 609 | 300W | A, A+, B, D, E, F, G | 41.1180 | 331.00 | **397.20** |

**Wendover - Straight Brushed Brass 1400mm Height REDUCED PRICES**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1400 x 300mm | 173 | 334 | 150W | A, A+, B, D, E, F, G | 41.1181 | 275.00 | **330.00** |
| 1400 x 400mm | 177 | 339 | 150W | A, A+, B, D, E, F, G | 41.0706 | 276.00 | **331.20** |
| 1400 x 500mm | 209 | 401 | 300W | A, A+, B, D, E, F, G | 41.0365 | 283.00 | **339.60** |
| 1400 x 600mm | 241 | 463 | 300W | A, A+, B, D, E, F, G | 41.0366 | 294.00 | **352.80** |
| 1400 x 750mm | 372 | 717 | 300W | A, A+, B, D, E, F, G | 41.1182 | 358.00 | **429.60** |

**Wendover - Straight Brushed Brass 1600mm Height REDUCED PRICES**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1600 x 300mm | 200 | 388 | 150W | A, A+, B, D, E, F, G | 41.1183 | 313.00 | **375.60** |
| 1600 x 400mm | 206 | 396 | 300W | A, A+, B, D, E, F, G | 41.0707 | 322.00 | **386.40** |
| 1600 x 500mm | 244 | 469 | 300W | A, A+, B, D, E, F, G | 41.0367 | 328.00 | **393.60** |
| 1600 x 600mm | 282 | 542 | 300W | A, A+, B, D, E, F, G | 41.0368 | 334.00 | **400.80** |
| 1600 x 750mm | 429 | 833 | 450W | A, A+, B, D, E, F, G | 41.1184 | 428.00 | **513.60** |

**Wendover - Straight Brushed Brass 1800mm Height REDUCED PRICES**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 300mm | 228 | 446 | 150W | A, A+, B, D, E, F, G | 41.1185 | 353.00 | **423.60** |
| 1800 x 400mm | 236 | 452 | 300W | A, A+, B, D, E, F, G | 41.0708 | 360.00 | **432.00** |
| 1800 x 500mm | 280 | 536 | 300W | A, A+, B, D, E, F, G | 41.0369 | 366.00 | **439.20** |
| 1800 x 600mm | 324 | 621 | 450W | A, A+, B, D, E, F, G | 41.0370 | 375.00 | **450.00** |
| 1800 x 750mm | 489 | 958 | 600W | A, A+, B, D, E, F, G | 41.1186 | 480.00 | **576.00** |

Pictured 41.0732



**Bleed Valve & Blanking Plug Set - Brushed Brass**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.0732 | 11.00 | **13.20** |



### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 59-69mm off the wall. Projection from wall 74-84mm. Price includes radiator and wall fixing sets, valves extra.

800mm High



1000mm High



1200mm High



1400mm High



1600mm High



1800mm High




# Multirail Range

## WENDOVER - STRAIGHT, BLACK GOLD



Black Gold colour shown in images are subject to the limitations of the printing process and may appear different.

Pictured 41.0864 Black Gold




Pictured 41.0857 Black Gold

A modern ladder towel rail, available in a vast array of sizes which is ideal for bathrooms. Wendover Straight range is available in chrome, brushed brass, gloss white, matt anthracite, matt black, black gold and brushed gunmetal along with matching radiator valves and pipe shrouds.

**FEATURES**

- 22mm diameter horizontal round tubes
- High quality PVD coating
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- Can be single or dual fuel, or all electric
- Comes with same colour blanking plug & bleed valve
- 5 Year manufacturer's warranty*

* With conditions

**Technical Tables & Drawings**
Page 372-373

**Wendover - Straight, Black Gold**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 400mm | 108 | 207 | 150W | A, A+, B, D, E, F, G | 41.0856 | 185.00 | **222.00** |
| 800 x 500mm | 128 | 246 | 150W | A, A+, B, D, E, F, G | 41.0857 | 197.00 | **236.40** |
| 800 x 600mm | 149 | 285 | 150W | A, A+, B, D, E, F, G | 41.0858 | 205.00 | **246.00** |
| 1200 x 400mm | 157 | 301 | 150W | A, A+, B, D, E, F, G | 41.0859 | 269.00 | **322.80** |
| 1200 x 500mm | 186 | 357 | 150W | A, A+, B, D, E, F, G | 41.0860 | 282.00 | **338.40** |
| 1200 x 600mm | 216 | 414 | 150W | A, A+, B, D, E, F, G | 41.0861 | 294.00 | **352.80** |
| 1800 x 400mm | 236 | 452 | 300W | A, A+, B, D, E, F, G | 41.0862 | 402.00 | **482.40** |
| 1800 x 500mm | 280 | 536 | 300W | A, A+, B, D, E, F, G | 41.0863 | 412.00 | **494.40** |
| 1800 x 600mm | 324 | 621 | 300W | A, A+, B, D, E, F, G | 41.0864 | 431.00 | **517.20** |

Warranty 5 Year | Diameter (Ø) 22 MM Bars | Heating | All Electric | Dual-Fuel

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 59-69mm off the wall. Projection from wall 74-84mm. Price includes radiator and wall fixing sets, valves extra.

# Multirail Range

## WENDOVER - STRAIGHT, BRUSHED GUNMETAL



Brushed Gunmetal colour shown in images are subject to the limitations of the printing process and may appear different.

Pictured 41.0869 Brushed Gunmetal




Pictured 41.0867 Brushed Gunmetal

A modern ladder towel rail, available in a vast array of sizes which is ideal for bathrooms. Wendover Straight range is available in chrome, brushed brass, gloss white, matt anthracite, matt black, black gold and brushed gunmetal along with matching radiator valves and pipe shrouds.

**FEATURES**

- 22mm diameter horizontal round tubes
- High quality PVD coating
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- Can be single or dual fuel, or all electric
- Comes with same colour blanking plug & bleed valve
- 5 Year manufacturer's warranty*

* With conditions

**Technical Tables & Drawings**
Page 372-373

**Wendover - Straight, Brushed Gunmetal**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 400mm | 108 | 207 | 150W | A, A+, B, D, E, F, G | 41.0865 | 221.00 | **265.20** |
| 800 x 500mm | 128 | 246 | 150W | A, A+, B, D, E, F, G | 41.0866 | 234.00 | **280.80** |
| 800 x 600mm | 149 | 285 | 150W | A, A+, B, D, E, F, G | 41.0867 | 244.00 | **292.80** |
| 1200 x 400mm | 157 | 301 | 150W | A, A+, B, D, E, F, G | 41.0868 | 321.00 | **385.20** |
| 1200 x 500mm | 186 | 357 | 150W | A, A+, B, D, E, F, G | 41.0869 | 335.00 | **402.00** |
| 1200 x 600mm | 216 | 414 | 150W | A, A+, B, D, E, F, G | 41.0870 | 350.00 | **420.00** |
| 1800 x 400mm | 236 | 452 | 300W | A, A+, B, D, E, F, G | 41.0871 | 479.00 | **574.80** |
| 1800 x 500mm | 280 | 536 | 300W | A, A+, B, D, E, F, G | 41.0872 | 492.00 | **590.40** |
| 1800 x 600mm | 324 | 621 | 300W | A, A+, B, D, E, F, G | 41.0873 | 513.00 | **615.60** |

Warranty 5 Year | Diameter (Ø) 22 MM Bars | Heating | All Electric | Dual-Fuel

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 59-69mm off the wall. Projection from wall 74-84mm. Price includes radiator and wall fixing sets, valves extra.

• REDUCED PRICES HERE •


# Multirail Range

## BIAVA MULTIRAIL HIDDEN VENT (HV), STRAIGHT

Pictured 61.0082 Chrome




Pictured 61.0088 Gloss White




Biava Multirail HV towel rail rewrites the standards with the air vent hidden at the back of the towel rail and flush finished tops.

**FEATURES**
- Tested to BS EN 442 standards
- Hidden air vent at the rear
- Tappings only at the bottom
- Flush finished tops
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 374-375

# Multirail Range

## BIAVA MULTIRAIL HIDDEN VENT (HV), STRAIGHT

**Sleek, Minimalistic Tops**



**Rear Side Hidden Air Vent**



Pictured 61.0079 Chrome



**Biava Multirail Hidden Vent (HV) Straight - Chrome REDUCED PRICES**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 360 x 400mm | 48 | 90 | 150W | B | 61.0074 | 46.00 | **55.20** |
| 688 x 450mm | 113 | 215 | 150W | A, A+, B, D, E, F, G | 61.0075 | 68.00 | **81.60** |
| 688 x 600mm | 144 | 274 | 150W | A, A+, B, D, E, F, G | 61.0076 | 78.00 | **93.60** |
| 688 x 750mm | 174 | 332 | 150W | A, A+, B, D, E, F, G | 61.0077 | 87.00 | **104.40** |
| 1118 x 450mm | 180 | 342 | 150W | A, A+, B, D, E, F, G | 61.0078 | 100.00 | **120.00** |
| 1118 x 600mm | 228 | 434 | 300W | A, A+, B, D, E, F, G | 61.0079 | 114.00 | **136.80** |
| 1118 x 750mm | 276 | 527 | 300W | A, A+, B, D, E, F, G | 61.0080 | 125.00 | **150.00** |
| 1720 x 450mm | 276 | 527 | 300W | A, A+, B, D, E, F, G | 61.0081 | 135.00 | **162.00** |
| 1720 x 600mm | 351 | 670 | 450W | A, A+, B, D, E, F, G | 61.0082 | 157.00 | **188.40** |
| 1720 x 750mm | 426 | 813 | 600W | A, A+, B, D, E, F, G | 61.0083 | 180.00 | **216.00** |

**Biava Multirail Hidden Vent (HV) Straight - Gloss White REDUCED PRICES**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 360 x 400mm | 61 | 116 | 100W | A, A+, B, D, E, F, G | 61.0084 | 39.00 | **46.80** |
| 688 x 450mm | 144 | 274 | 150W | A, A+, B, D, E, F, G | 61.0085 | 53.00 | **63.60** |
| 688 x 600mm | 183 | 348 | 150W | A, A+, B, D, E, F, G | 61.0086 | 58.00 | **69.60** |
| 688 x 750mm | 222 | 423 | 300W | A, A+, B, D, E, F, G | 61.0087 | 64.00 | **76.80** |
| 1118 x 450mm | 228 | 434 | 300W | A, A+, B, D, E, F, G | 61.0088 | 70.00 | **84.00** |
| 1118 x 600mm | 290 | 552 | 300W | A, A+, B, D, E, F, G | 61.0089 | 64.00 | **76.80** |
| 1118 x 750mm | 351 | 670 | 450W | A, A+, B, D, E, F, G | 61.0090 | 86.00 | **103.20** |
| 1720 x 450mm | 351 | 670 | 450W | A, A+, B, D, E, F, G | 61.0091 | 94.00 | **112.80** |
| 1720 x 600mm | 446 | 851 | 600W | A, A+, B, D, E, F, G | 61.0092 | 107.00 | **128.40** |
| 1720 x 750mm | 542 | 1034 | 750W | A, A+, B, D, E, F, G | 61.0093 | 120.00 | **144.00** |

**Biava Multirail Hidden Vent (HV) Straight - Matt White REDUCED PRICES**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 360 x 400mm | 61 | 116 | 100W | A, A+, B, D, E, F, G | 61.0114 | 39.00 | **46.80** |
| 688 x 450mm | 144 | 274 | 150W | A, A+, B, D, E, F, G | 61.0115 | 53.00 | **63.60** |
| 688 x 600mm | 183 | 348 | 150W | A, A+, B, D, E, F, G | 61.0116 | 58.00 | **69.60** |
| 688 x 750mm | 222 | 423 | 300W | A, A+, B, D, E, F, G | 61.0117 | 64.00 | **76.80** |
| 1118 x 450mm | 228 | 434 | 300W | A, A+, B, D, E, F, G | 61.0118 | 70.00 | **84.00** |
| 1118 x 600mm | 290 | 552 | 300W | A, A+, B, D, E, F, G | 61.0119 | 78.00 | **93.60** |
| 1118 x 750mm | 351 | 670 | 450W | A, A+, B, D, E, F, G | 61.0120 | 86.00 | **103.20** |
| 1720 x 450mm | 351 | 670 | 450W | A, A+, B, D, E, F, G | 61.0121 | 94.00 | **112.80** |
| 1720 x 600mm | 446 | 851 | 600W | A, A+, B, D, E, F, G | 61.0122 | 107.00 | **128.40** |
| 1720 x 750mm | 542 | 1034 | 750W | A, A+, B, D, E, F, G | 61.0123 | 120.00 | **144.00** |

* Further heat output information available on eastbrooktrade.com **E&OA**


**Multi-Rail Hangers**
Page 366



**Towel Hangers**
Page 366



**Robe Hooks**
Page 366



**Room Divider Bracket Sets**
Page 367



### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 70-85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**360mm High**



**688mm High**



**1118mm High**



**1720mm High**



• REDUCED PRICES HERE •

# Multirail Range

## BIAVA MULTIRAIL HIDDEN VENT (HV), STRAIGHT, MATT ANTHRACITE




Pictured 61.0099 Matt Antracite

**Technical Tables & Drawings**
Page 374-375


### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 70-85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Sleek, Minimalistic Tops**



**Rear Side Hidden Air Vent**



Pictured 61.0095 Matt Anthracite



Biava Multirail HV towel rail rewrites the standards with the air vent hidden at the back of the towel rail and flush finished tops.

**FEATURES**
- Tested to BS EN 442 standards
- Hidden air vent at the rear
- Tappings only at the bottom
- Flush finished tops
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**Warranty** 5 Year

**Diameter (Ø)** 22 MM Bars

**Biava Multirail Hidden Vent (HV) Straight - Matt Anthracite**
**REDUCED PRICES**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 360 x 400mm | 61 | 116 | 100W | A, A+, B, D, E, F, G | 61.0094 | 39.00 | **46.80** |
| 688 x 450mm | 144 | 274 | 150W | A, A+, B, D, E, F, G | 61.0095 | 53.00 | **63.60** |
| 688 x 600mm | 183 | 348 | 150W | A, A+, B, D, E, F, G | 61.0096 | 58.00 | **69.60** |
| 688 x 750mm | 222 | 423 | 300W | A, A+, B, D, E, F, G | 61.0097 | 64.00 | **76.80** |
| 1118 x 450mm | 228 | 434 | 300W | A, A+, B, D, E, F, G | 61.0098 | 70.00 | **84.00** |
| 1118 x 600mm | 290 | 552 | 300W | A, A+, B, D, E, F, G | 61.0099 | 78.00 | **93.60** |
| 1118 x 750mm | 351 | 670 | 450W | A, A+, B, D, E, F, G | 61.0100 | 86.00 | **103.20** |
| 1720 x 450mm | 351 | 670 | 450W | A, A+, B, D, E, F, G | 61.0101 | 94.00 | **112.80** |
| 1720 x 600mm | 446 | 851 | 600W | A, A+, B, D, E, F, G | 61.0102 | 107.00 | **128.40** |
| 1720 x 750mm | 542 | 1034 | 750W | A, A+, B, D, E, F, G | 61.0103 | 120.00 | **144.00** |

* Further heat output information available on eastbrooktrade.com **E&OA**


# Multirail Range

## BIAVA MULTIRAIL HIDDEN VENT (HV), STRAIGHT, MATT BLACK

**Sleek, Minimalistic Tops**



**Rear Side Hidden Air Vent**



Pictured 61.0108 Matt Black



Biava Multirail HV towel rail rewrites the standards with the air vent hidden at the back of the towel rail and flush finished tops.

**FEATURES**
- Tested to BS EN 442 standards
- Hidden air vent at the rear
- Tappings only at the bottom
- Flush finished tops
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

Warranty 5 Year

Diameter (Ø) 22 MM Bars

**Biava Multirail Hidden Vent (HV) Straight - Matt Black**
**REDUCED PRICES**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 360 x 400mm | 61 | 116 | 100W | A, A+, B, D, E, F, G | 61.0104 | 39.00 | **46.80** |
| 688 x 450mm | 144 | 274 | 150W | A, A+, B, D, E, F, G | 61.0105 | 53.00 | **63.60** |
| 688 x 600mm | 183 | 348 | 150W | A, A+, B, D, E, F, G | 61.0106 | 58.00 | **69.60** |
| 688 x 750mm | 222 | 423 | 300W | A, A+, B, D, E, F, G | 61.0107 | 64.00 | **76.80** |
| 1118 x 450mm | 228 | 434 | 300W | A, A+, B, D, E, F, G | 61.0108 | 70.00 | **84.00** |
| 1118 x 600mm | 290 | 552 | 300W | A, A+, B, D, E, F, G | 61.0109 | 78.00 | **93.60** |
| 1118 x 750mm | 351 | 670 | 450W | A, A+, B, D, E, F, G | 61.0110 | 86.00 | **103.20** |
| 1720 x 450mm | 351 | 670 | 450W | A, A+, B, D, E, F, G | 61.0111 | 94.00 | **112.80** |
| 1720 x 600mm | 446 | 851 | 600W | A, A+, B, D, E, F, G | 61.0112 | 107.00 | **128.40** |
| 1720 x 750mm | 542 | 1034 | 750W | A, A+, B, D, E, F, G | 61.0113 | 120.00 | **144.00** |

* Further heat output information available on eastbrooktrade.com **E&OA**

Heating | All Electric | Dual-Fuel




Pictured 61.0112 Matt Black


### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 70-85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

# Multirail Range

## WINGRAVE - STRAIGHT, CHROME





Pictured 89.1449 Chrome

Pictured 89.0095 Chrome

A contemporary straight towel radiator range which comes in chrome, matt anthracite, matt cobalt blue, matt black, matt grey, gloss white and matt white finishes. With a wide variety of sizes, this range not only adds to your bathroom with design simplicity but also keeps your towels warm.

**FEATURES**
- 22mm diameter horizontal round tubes
- Wide range of sizes to fit in all spaces
- Horizontal sizes to fit under windows
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 374-375

Warranty 5 Year

Diameter (Ø) 22 MM Bars

Heating

All Electric

Dual-Fuel

**600mm High**



**800mm High**



# Multirail Range

## WINGRAVE - STRAIGHT, CHROME

### Wingrave - Straight Chrome 600mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 300mm | 56 | 105 | 100W | A, A+ | 89.0686 | 90.00 | **108.00** |
| 600 x 400mm | 71 | 133 | 100W | A, A+ | 89.0687 | 96.00 | **115.20** |
| 600 x 500mm | 85 | 160 | 100W | A, A+, B, D, E, F, G | 89.0688 | 107.00 | **128.40** |
| 600 x 600mm | 99 | 186 | 150W | A, A+, B, D, E, F, G | 89.0689 | 118.00 | **141.60** |
| 600 x 1000mm | 150 | 283 | 150W | A, A+, B, D, F, G | 89.1449 | 191.00 | **229.20** |
| 600 x 1200mm | 175 | 330 | 150W | A, A+, B, D, F, G | 89.1450 | 210.00 | **252.00** |

### Wingrave - Straight Chrome 800mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 300mm | 72 | 136 | 150W | B, D, E, F, G | 89.0690 | 96.00 | **115.20** |
| 800 x 400mm | 91 | 172 | 150W | A, A+, B, D, E, F, G | 89.0083 | 101.00 | **121.20** |
| 800 x 500mm | 109 | 207 | 150W | A, A+, B, D, E, F, G | 89.0088 | 116.00 | **139.20** |
| 800 x 600mm | 127 | 241 | 150W | A, A+, B, D, E, F, G | 89.0093 | 126.00 | **151.20** |

### Wingrave - Straight Chrome 1000mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 300mm | 88 | 168 | 150W | A, A+, B, D, E, F, G | 89.0691 | 112.00 | **134.40** |
| 1000 x 400mm | 112 | 214 | 150W | A, A+, B, D, E, F, G | 89.0084 | 121.00 | **145.20** |
| 1000 x 500mm | 135 | 257 | 150W | A, A+, B, D, E, F, G | 89.0089 | 135.00 | **162.00** |
| 1000 x 600mm | 156 | 299 | 150W | A, A+, B, D, E, F, G | 89.0094 | 146.00 | **175.20** |

### Wingrave - Straight Chrome 1200mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 300mm | 105 | 203 | 150W | A, A+, B, D, E, F, G | 89.0692 | 131.00 | **157.20** |
| 1200 x 400mm | 134 | 257 | 150W | A, A+, B, D, E, F, G | 89.0085 | 139.00 | **166.80** |
| 1200 x 500mm | 161 | 309 | 150W | A, A+, B, D, E, F, G | 89.0090 | 156.00 | **187.20** |
| 1200 x 600mm | 187 | 359 | 300W | A, A+, B, D, E, F, G | 89.0095 | 174.00 | **208.80** |

### Wingrave - Straight Chrome 1400mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1400 x 300mm | 123 | 239 | 150W | A, A+, B, D, E, F, G | 89.0693 | 168.00 | **201.60** |
| 1400 x 400mm | 156 | 303 | 150W | A, A+, B, D, E, F, G | 89.0530 | 178.00 | **213.60** |
| 1400 x 500mm | 188 | 364 | 150W | A, A+, B, D, E, F, G | 89.0531 | 193.00 | **231.60** |
| 1400 x 600mm | 219 | 424 | 300W | A, A+, B, D, E, F, G | 89.0532 | 208.00 | **249.60** |

### Wingrave - Straight Chrome 1600mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1600 x 300mm | 142 | 277 | 150W | A, A+, B, D, E, F, G | 89.0694 | 174.00 | **208.80** |
| 1600 x 400mm | 180 | 352 | 150W | A, A+, B, D, E, F, G | 89.0086 | 185.00 | **222.00** |
| 1600 x 500mm | 217 | 423 | 300W | A, A+, B, D, E, F, G | 89.0091 | 203.00 | **243.60** |
| 1600 x 600mm | 252 | 492 | 300W | A, A+, B, D, E, F, G | 89.0096 | 219.00 | **262.80** |

### Wingrave - Straight Chrome 1800mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 300mm | 163 | 318 | 150W | A, A+, B, D, E, F, G | 89.0695 | 192.00 | **230.40** |
| 1800 x 400mm | 206 | 404 | 300W | A, A+, B, D, E, F, G | 89.0087 | 205.00 | **246.00** |
| 1800 x 500mm | 247 | 486 | 300W | A, A+, B, D, E, F, G | 89.0092 | 229.00 | **274.80** |
| 1800 x 600mm | 288 | 565 | 450W | A, A+, B, D, E, F, G | 89.0097 | 246.00 | **295.20** |




**Room Divider Bracket Sets**
Page 367



**Robe Hooks & Hangers**
Page 366



**Multi-Rail Hangers**
Page 366



**Vent Caps**
Page 369



### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**1000mm High**



**1200mm High**



**1400mm High**



**1600mm High**



**1800mm High**



# Multirail Range

## WINGRAVE - STRAIGHT, GLOSS WHITE



Pictured 89.0127 Gloss White



Pictured 89.0122 Gloss White with 16.153 Room Divider Bracket Set

A contemporary straight towel radiator range which comes in chrome, matt anthracite, matt cobalt blue, matt black, matt grey, gloss white and matt white finishes. With a wide variety of sizes, this range not only adds to your bathroom with design simplicity but also keeps your towels warm.

**FEATURES**

- 22mm diameter horizontal round tubes
- Wide range of sizes to fit in all spaces
- Horizontal sizes to fit under windows
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 374-375

Warranty 5 Year | Diameter (Ø) 22 MM Bars | Heating | All Electric | Dual-Fuel

**600mm High**



**800mm High**



# Multirail Range

## WINGRAVE - STRAIGHT, GLOSS WHITE

### Wingrave - Straight Gloss White 600mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 300mm | 87 | 163 | 100W | A, A+, B, D, E, F, G | 89.0646 | 60.00 | **72.00** |
| 600 x 400mm | 110 | 206 | 150W | A, A+, B, D, E, F, G | 89.0647 | 61.00 | **73.20** |
| 600 x 500mm | 132 | 247 | 150W | A, A+, B, D, E, F, G | 89.0648 | 65.00 | **78.00** |
| 600 x 600mm | 153 | 286 | 150W | A, A+, B, D, E, F, G | 89.0649 | 69.00 | **82.80** |
| 600 x 1000mm | 231 | 434 | 300W | A, A+, B, D, F, G | 89.1439 | 125.00 | **150.00** |
| 600 x 1200mm | 268 | 503 | 300W | A, A+, B, D, F, G | 89.1440 | 137.00 | **164.40** |

### Wingrave - Straight Gloss White 800mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 300mm | 113 | 213 | 150W | A, A+, B, D, E, F, G | 89.0650 | 61.00 | **73.20** |
| 800 x 400mm | 143 | 269 | 150W | A, A+, B, D, E, F, G | 89.0113 | 69.00 | **82.80** |
| 800 x 500mm | 171 | 322 | 150W | A, A+, B, D, E, F, G | 89.0118 | 73.00 | **87.60** |
| 800 x 600mm | 198 | 374 | 300W | A, A+, B, D, E, F, G | 89.0123 | 78.00 | **93.60** |

### Wingrave - Straight Gloss White 1000mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 300mm | 139 | 264 | 150W | A, A+, B, D, E, F, G | 89.0651 | 69.00 | **82.80** |
| 1000 x 400mm | 176 | 333 | 150W | A, A+, B, D, E, F, G | 89.0114 | 78.00 | **93.60** |
| 1000 x 500mm | 211 | 400 | 300W | A, A+, B, D, E, F, G | 89.0119 | 84.00 | **100.80** |
| 1000 x 600mm | 245 | 464 | 300W | A, A+, B, D, E, F, G | 89.0124 | 89.00 | **106.80** |

### Wingrave - Straight Gloss White 1200mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 300mm | 167 | 317 | 150W | A, A+, B, D, E, F, G | 89.0652 | 79.00 | **94.80** |
| 1200 x 400mm | 210 | 400 | 300W | A, A+, B, D, E, F, G | 89.0115 | 89.00 | **106.80** |
| 1200 x 500mm | 252 | 480 | 300W | A, A+, B, D, E, F, G | 89.0120 | 92.00 | **110.40** |
| 1200 x 600mm | 293 | 557 | 300W | A, A+, B, D, E, F, G | 89.0125 | 100.00 | **120.00** |

### Wingrave - Straight Gloss White 1400mm Height


| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1400 x 300mm | 195 | 372 | 150W | A, A+, B, D, E, F, G | 89.0653 | 96.00 | **115.20** |
| 1400 x 400mm | 246 | 470 | 300W | A, A+, B, D, E, F, G | 89.0536 | 102.00 | **122.40** |
| 1400 x 500mm | 295 | 564 | 300W | A, A+, B, D, E, F, G | 89.0537 | 110.00 | **132.00** |
| 1400 x 600mm | 342 | 654 | 450W | A, A+, B, D, E, F, G | 89.0538 | 121.00 | **145.20** |

### Wingrave - Straight Gloss White 1600mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1600 x 300mm | 224 | 429 | 300W | A, A+, B, D, E, F, G | 89.0654 | 97.00 | **116.40** |
| 1600 x 400mm | 283 | 543 | 300W | A, A+, B, D, E, F, G | 89.0116 | 107.00 | **128.40** |
| 1600 x 500mm | 339 | 651 | 450W | A, A+, B, D, E, F, G | 89.0121 | 118.00 | **141.60** |
| 1600 x 600mm | 393 | 755 | 450W | A, A+, B, D, E, F, G | 89.0126 | 126.00 | **151.20** |

### Wingrave - Straight Gloss White 1800mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 300mm | 254 | 490 | 300W | A, A+, B, D, E, F, G | 89.0655 | 107.00 | **128.40** |
| 1800 x 400mm | 321 | 619 | 450W | A, A+, B, D, E, F, G | 89.0117 | 121.00 | **145.20** |
| 1800 x 500mm | 385 | 742 | 450W | A, A+, B, D, E, F, G | 89.0122 | 137.00 | **164.40** |
| 1800 x 600mm | 446 | 861 | 600W | A, A+, B, D, E, F, G | 89.0127 | 138.00 | **165.60** |





**Vent Caps**
Page 369



**Multi-Rail Hangers**
Page 366



**Robe Hooks & Hangers**
Page 366



### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

1000mm High



1200mm High



1400mm High



1600mm High



1800mm High




# Multirail Range

## WINGRAVE - STRAIGHT, MATT WHITE



Pictured 89.0066 Matt White





Pictured 89.1441 Matt White

A contemporary straight towel radiator range which comes in chrome, matt anthracite, matt cobalt blue, matt black, matt grey, gloss white and matt white finishes. With a wide variety of sizes, this range not only adds to your bathroom with design simplicity but also keeps your towels warm.

**FEATURES**
- 22mm diameter horizontal round tubes
- Wide range of sizes to fit in all spaces
- Horizontal sizes to fit under windows
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 374-375

Warranty 5 Year

Diameter (Ø) 22 MM Bars

Heating

All Electric

Dual-Fuel

**600mm High**



**800mm High**



# Multirail Range

## WINGRAVE - STRAIGHT, MATT WHITE

### Wingrave - Straight Matt White 600mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 300mm | 87 | 163 | 100W | A, A+, B, D, E, F, G | 89.0656 | 61.00 | **73.20** |
| 600 x 400mm | 110 | 206 | 150W | A, A+, B, D, E, F, G | 89.0657 | 63.00 | **75.60** |
| 600 x 500mm | 132 | 247 | 150W | A, A+, B, D, E, F, G | 89.0658 | 69.00 | **82.80** |
| 600 x 600mm | 153 | 286 | 150W | A, A+, B, D, E, F, G | 89.0659 | 72.00 | **82.80** |
| 600 x 1000mm | 231 | 434 | 300W | A, A+, B, D, F, G | 89.1441 | 125.00 | **150.00** |
| 600 x 1200mm | 268 | 503 | 300W | A, A+, B, D, F, G | 89.1442 | 137.00 | **164.40** |

### Wingrave - Straight Matt White 800mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 300mm | 113 | 213 | 150W | A, A+, B, D, E, F, G | 89.0660 | 63.00 | **75.60** |
| 800 x 400mm | 143 | 269 | 150W | A, A+, B, D, E, F, G | 89.0053 | 74.00 | **88.80** |
| 800 x 500mm | 171 | 322 | 150W | A, A+, B, D, E, F, G | 89.0058 | 80.00 | **96.00** |
| 800 x 600mm | 198 | 374 | 300W | A, A+, B, D, E, F, G | 89.0063 | 84.00 | **100.80** |

### Wingrave - Straight Matt White 1000mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 300mm | 139 | 264 | 150W | A, A+, B, D, E, F, G | 89.0661 | 72.00 | **86.40** |
| 1000 x 400mm | 176 | 333 | 150W | A, A+, B, D, E, F, G | 89.0054 | 84.00 | **100.80** |
| 1000 x 500mm | 211 | 400 | 300W | A, A+, B, D, E, F, G | 89.0059 | 90.00 | **108.00** |
| 1000 x 600mm | 245 | 464 | 300W | A, A+, B, D, E, F, G | 89.0064 | 97.00 | **116.40** |

### Wingrave - Straight Matt White 1200mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 300mm | 167 | 317 | 150W | A, A+, B, D, E, F, G | 89.0662 | 83.00 | **99.60** |
| 1200 x 400mm | 210 | 400 | 300W | A, A+, B, D, E, F, G | 89.0055 | 97.00 | **116.40** |
| 1200 x 500mm | 252 | 480 | 300W | A, A+, B, D, E, F, G | 89.0060 | 101.00 | **121.20** |
| 1200 x 600mm | 293 | 557 | 300W | A, A+, B, D, E, F, G | 89.0065 | 109.00 | **130.80** |

### Wingrave - Straight Matt White 1400mm Height


| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1400 x 300mm | 195 | 372 | 150W | A, A+, B, D, E, F, G | 89.0663 | 96.00 | **115.20** |
| 1400 x 400mm | 246 | 470 | 300W | A, A+, B, D, E, F, G | 89.0539 | 109.00 | **130.80** |
| 1400 x 500mm | 295 | 564 | 300W | A, A+, B, D, E, F, G | 89.0540 | 118.00 | **141.60** |
| 1400 x 600mm | 342 | 654 | 450W | A, A+, B, D, E, F, G | 89.0541 | 126.00 | **151.20** |

### Wingrave - Straight Matt White 1600mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1600 x 300mm | 224 | 429 | 300W | A, A+, B, D, E, F, G | 89.0664 | 100.00 | **120.00** |
| 1600 x 400mm | 283 | 543 | 300W | A, A+, B, D, E, F, G | 89.0056 | 119.00 | **142.80** |
| 1600 x 500mm | 339 | 651 | 450W | A, A+, B, D, E, F, G | 89.0061 | 128.00 | **153.60** |
| 1600 x 600mm | 393 | 755 | 450W | A, A+, B, D, E, F, G | 89.0066 | 135.00 | **162.00** |

### Wingrave - Straight Matt White 1800mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 300mm | 254 | 490 | 300W | A, A+, B, D, E, F, G | 89.0665 | 112.00 | **134.40** |
| 1800 x 400mm | 321 | 619 | 450W | A, A+, B, D, E, F, G | 89.0057 | 130.00 | **156.00** |
| 1800 x 500mm | 385 | 742 | 450W | A, A+, B, D, E, F, G | 89.0062 | 153.00 | **183.60** |
| 1800 x 600mm | 446 | 861 | 600W | A, A+, B, D, E, F, G | 89.0067 | 154.00 | **184.80** |





**Vent Caps**
Page 369



**Multi-Rail Hangers**
Page 366



**Robe Hooks & Hangers**
Page 366



### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

1000mm High



1200mm High



1400mm High



1600mm High




1800mm High



# Multirail Range

## WINGRAVE - STRAIGHT, MATT ANTHRACITE





Pictured 89.1446 Matt Anthracite

Pictured 89.0074 Matt Anthracite

A contemporary straight towel radiator range which comes in chrome, matt anthracite, matt cobalt blue, matt black, matt grey, gloss white and matt white finishes. With a wide variety of sizes, this range not only adds to your bathroom with design simplicity but also keeps your towels warm.

**FEATURES**
- 22mm diameter horizontal round tubes
- Wide range of sizes to fit in all spaces
- Horizontal sizes to fit under windows
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 374-375

Warranty 5 Year | Diameter (Ø) 22 MM Bars | Heating | All Electric | Dual-Fuel

**600mm High**



**800mm High**



# Multirail Range

## WINGRAVE - STRAIGHT, MATT ANTHRACITE

### Wingrave - Straight Matt Anthracite 600mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 300mm | 87 | 163 | 100W | A, A+, B, D, E, F, G | 89.0666 | 61.00 | **73.20** |
| 600 x 400mm | 110 | 206 | 150W | A, A+, B, D, E, F, G | 89.0667 | 63.00 | **75.60** |
| 600 x 500mm | 132 | 247 | 150W | A, A+, B, D, E, F, G | 89.0668 | 69.00 | **82.80** |
| 600 x 600mm | 153 | 286 | 150W | A, A+, B, D, E, F, G | 89.0669 | 72.00 | **86.40** |
| 600 x 1000mm | 231 | 434 | 300W | A, A+, B, D, F, G | 89.1445 | 125.00 | **150.00** |
| 600 x 1200mm | 268 | 503 | 300W | A, A+, B, D, F, G | 89.1446 | 137.00 | **164.40** |

### Wingrave - Straight Matt Anthracite 800mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 300mm | 113 | 213 | 150W | A, A+, B, D, E, F, G | 89.0670 | 63.00 | **75.60** |
| 800 x 400mm | 143 | 269 | 150W | A, A+, B, D, E, F, G | 89.0068 | 74.00 | **88.80** |
| 800 x 500mm | 171 | 322 | 150W | A, A+, B, D, E, F, G | 89.0073 | 80.00 | **96.00** |
| 800 x 600mm | 198 | 374 | 300W | A, A+, B, D, E, F, G | 89.0078 | 84.00 | **100.80** |

### Wingrave - Straight Matt Anthracite 1000mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 300mm | 139 | 264 | 150W | A, A+, B, D, E, F, G | 89.0671 | 72.00 | **86.40** |
| 1000 x 400mm | 176 | 333 | 150W | A, A+, B, D, E, F, G | 89.0069 | 84.00 | **100.80** |
| 1000 x 500mm | 211 | 400 | 300W | A, A+, B, D, E, F, G | 89.0074 | 90.00 | **108.00** |
| 1000 x 600mm | 245 | 464 | 300W | A, A+, B, D, E, F, G | 89.0079 | 97.00 | **116.40** |

### Wingrave - Straight Matt Anthracite 1200mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 300mm | 167 | 317 | 150W | A, A+, B, D, E, F, G | 89.0672 | 83.00 | **99.60** |
| 1200 x 400mm | 210 | 400 | 300W | A, A+, B, D, E, F, G | 89.0070 | 97.00 | **116.40** |
| 1200 x 500mm | 252 | 480 | 300W | A, A+, B, D, E, F, G | 89.0075 | 101.00 | **121.20** |
| 1200 x 600mm | 293 | 557 | 300W | A, A+, B, D, E, F, G | 89.0080 | 109.00 | **130.80** |

### Wingrave - Straight Matt Anthracite 1400mm Height


| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1400 x 300mm | 195 | 372 | 150W | A, A+, B, D, E, F, G | 89.0673 | 96.00 | **115.20** |
| 1400 x 400mm | 246 | 470 | 300W | A, A+, B, D, E, F, G | 89.0533 | 109.00 | **130.80** |
| 1400 x 500mm | 295 | 564 | 300W | A, A+, B, D, E, F, G | 89.0534 | 118.00 | **141.60** |
| 1400 x 600mm | 342 | 654 | 450W | A, A+, B, D, E, F, G | 89.0535 | 126.00 | **151.20** |

### Wingrave - Straight Matt Anthracite 1600mm Height


| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1600 x 300mm | 224 | 429 | 300W | A, A+, B, D, E, F, G | 89.0674 | 100.00 | **120.00** |
| 1600 x 400mm | 283 | 543 | 300W | A, A+, B, D, E, F, G | 89.0071 | 119.00 | **142.80** |
| 1600 x 500mm | 339 | 651 | 450W | A, A+, B, D, E, F, G | 89.0076 | 128.00 | **153.60** |
| 1600 x 600mm | 393 | 755 | 450W | A, A+, B, D, E, F, G | 89.0081 | 135.00 | **162.00** |

### Wingrave - Straight Matt Anthracite 1800mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 300mm | 254 | 490 | 300W | A, A+, B, D, E, F, G | 89.0675 | 112.00 | **134.40** |
| 1800 x 400mm | 321 | 619 | 450W | A, A+, B, D, E, F, G | 89.0072 | 130.00 | **156.00** |
| 1800 x 500mm | 385 | 742 | 450W | A, A+, B, D, E, F, G | 89.0077 | 153.00 | **183.60** |
| 1800 x 600mm | 446 | 861 | 600W | A, A+, B, D, E, F, G | 89.0082 | 154.00 | **184.80** |




**Robe Hooks & Hangers**
Page 366



**Multi-Rail Hangers**
Page 366



**Vent Caps**
Page 369




### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.


1000mm High




1200mm High



1400mm High



1600mm High



1800mm High



# Multirail Range

## WINGRAVE - STRAIGHT, MATT BLACK





Pictured 89.1447 Matt Black

Pictured 89.0606 Matt Black

A contemporary straight towel radiator range which comes in chrome, matt anthracite, matt cobalt blue, matt black, matt grey, gloss white and matt white finishes. With a wide variety of sizes, this range not only adds to your bathroom with design simplicity but also keeps your towels warm.

**FEATURES**
- 22mm diameter horizontal round tubes
- Wide range of sizes to fit in all spaces
- Horizontal sizes to fit under windows
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 374-375

Warranty 5 Year | Diameter (Ø) 22 MM Bars | Heating | All Electric | Dual-Fuel

**600mm High**



**800mm High**



# Multirail Range

## WINGRAVE - STRAIGHT, MATT BLACK

### Wingrave - Straight Matt Black 600mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 300mm | 87 | 163 | 100W | A, A+, B, D, E, F, G | 89.0676 | 61.00 | **73.20** |
| 600 x 400mm | 110 | 206 | 150W | A, A+, B, D, E, F, G | 89.0677 | 63.00 | **75.60** |
| 600 x 500mm | 132 | 247 | 150W | A, A+, B, D, E, F, G | 89.0678 | 69.00 | **82.80** |
| 600 x 600mm | 153 | 286 | 150W | A, A+, B, D, E, F, G | 89.0679 | 72.00 | **86.40** |
| 600 x 1000mm | 231 | 434 | 300W | A, A+, B, D, F, G | 89.1447 | 125.00 | **150.00** |
| 600 x 1200mm | 268 | 503 | 300W | A, A+, B, D, F, G | 89.1448 | 137.00 | **164.40** |

### Wingrave - Straight Matt Black 800mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 300mm | 113 | 213 | 150W | A, A+, B, D, E, F, G | 89.0680 | 63.00 | **75.60** |
| 800 x 400mm | 143 | 269 | 150W | A, A+, B, D, E, F, G | 89.0596 | 74.00 | **88.80** |
| 800 x 500mm | 171 | 322 | 150W | A, A+, B, D, E, F, G | 89.0597 | 80.00 | **96.00** |
| 800 x 600mm | 198 | 374 | 300W | A, A+, B, D, E, F, G | 89.0598 | 84.00 | **100.80** |

### Wingrave - Straight Matt Black 1000mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 300mm | 139 | 264 | 150W | A, A+, B, D, E, F, G | 89.0681 | 72.00 | **86.40** |
| 1000 x 400mm | 176 | 333 | 150W | A, A+, B, D, E, F, G | 89.0599 | 84.00 | **100.80** |
| 1000 x 500mm | 211 | 400 | 300W | A, A+, B, D, E, F, G | 89.0600 | 90.00 | **108.00** |
| 1000 x 600mm | 245 | 464 | 300W | A, A+, B, D, E, F, G | 89.0601 | 97.00 | **116.40** |

### Wingrave - Straight Matt Black 1200mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 300mm | 167 | 317 | 150W | A, A+, B, D, E, F, G | 89.0682 | 83.00 | **99.60** |
| 1200 x 400mm | 210 | 400 | 300W | A, A+, B, D, E, F, G | 89.0602 | 97.00 | **116.40** |
| 1200 x 500mm | 252 | 480 | 300W | A, A+, B, D, E, F, G | 89.0603 | 101.00 | **121.20** |
| 1200 x 600mm | 293 | 557 | 300W | A, A+, B, D, E, F, G | 89.0604 | 109.00 | **130.80** |

### Wingrave - Straight Matt Black 1400mm Height


| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1400 x 300mm | 195 | 372 | 150W | A, A+, B, D, E, F, G | 89.0683 | 96.00 | **115.20** |
| 1400 x 400mm | 246 | 470 | 300W | A, A+, B, D, E, F, G | 89.0605 | 109.00 | **130.80** |
| 1400 x 500mm | 295 | 564 | 300W | A, A+, B, D, E, F, G | 89.0606 | 118.00 | **141.60** |
| 1400 x 600mm | 342 | 654 | 450W | A, A+, B, D, E, F, G | 89.0607 | 126.00 | **151.20** |

### Wingrave - Straight Matt Black 1600mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1600 x 300mm | 224 | 429 | 300W | A, A+, B, D, E, F, G | 89.0684 | 100.00 | **120.00** |
| 1600 x 400mm | 283 | 543 | 300W | A, A+, B, D, E, F, G | 89.0608 | 119.00 | **142.80** |
| 1600 x 500mm | 339 | 651 | 450W | A, A+, B, D, E, F, G | 89.0609 | 128.00 | **153.60** |
| 1600 x 600mm | 393 | 755 | 450W | A, A+, B, D, E, F, G | 89.0610 | 135.00 | **162.00** |

### Wingrave - Straight Matt Black 1800mm Height

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 300mm | 254 | 490 | 300W | A, A+, B, D, E, F, G | 89.0685 | 112.00 | **134.40** |
| 1800 x 400mm | 321 | 619 | 450W | A, A+, B, D, E, F, G | 89.0611 | 130.00 | **156.00** |
| 1800 x 500mm | 385 | 742 | 450W | A, A+, B, D, E, F, G | 89.0612 | 153.00 | **183.60** |
| 1800 x 600mm | 446 | 861 | 600W | A, A+, B, D, E, F, G | 89.0613 | 154.00 | **184.80** |





**Vent Caps**
Page 369



**Multi-Rail Hangers**
Page 366




**Robe Hooks & Hangers**
Page 366




### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.


1000mm High




1200mm High




1400mm High



1600mm High



1800mm High




# Multirail Range

## WINGRAVE - STRAIGHT, MATT GREY



Pictured 89.1443 Matt Grey






Pictured 89.1425 Matt Grey

A contemporary straight towel radiator range which comes in chrome, matt anthracite, matt cobalt blue, matt black, matt grey, gloss white and matt white finishes. With a wide variety of sizes, this range not only adds to your bathroom with design simplicity but also keeps your towels warm.

**FEATURES**

- 22mm diameter horizontal round tubes
- Wide range of sizes to fit in all spaces
- Horizontal sizes to fit under windows
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 374-375

Warranty 5 Year | Diameter (Ø) 22 MM Bars | Heating | All Electric | Dual-Fuel

**Wingrave - Straight Matt Grey 600mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 300mm | 87 | 163 | 100W | A, A+, B, D, E, F, G | 89.1411 | 61.00 | **73.20** |
| 600 x 400mm | 110 | 206 | 150W | A, A+, B, D, E, F, G | 89.1412 | 63.00 | **75.60** |
| 600 x 500mm | 132 | 247 | 150W | A, A+, B, D, E, F, G | 89.1413 | 69.00 | **82.80** |
| 600 x 600mm | 153 | 286 | 150W | A, A+, B, D, E, F, G | 89.1414 | 72.00 | **86.40** |
| 600 x 1000mm | 231 | 434 | 300W | A, A+, B, D, F, G | 89.1443 | 125.00 | **150.00** |
| 600 x 1200mm | 268 | 503 | 300W | A, A+, B, D, F, G | 89.1444 | 137.00 | **164.40** |

**Wingrave - Straight Matt Grey 800mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 300mm | 113 | 213 | 150W | A, A+, B, D, E, F, G | 89.1415 | 63.00 | **75.60** |
| 800 x 400mm | 143 | 269 | 150W | A, A+, B, D, E, F, G | 89.1416 | 74.00 | **88.80** |
| 800 x 500mm | 171 | 322 | 150W | A, A+, B, D, E, F, G | 89.1417 | 80.00 | **96.00** |
| 800 x 600mm | 198 | 374 | 300W | A, A+, B, D, E, F, G | 89.1418 | 84.00 | **100.80** |

**Wingrave - Straight Matt Grey 1000mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 300mm | 139 | 264 | 150W | A, A+, B, D, E, F, G | 89.1419 | 72.00 | **86.40** |
| 1000 x 400mm | 176 | 333 | 150W | A, A+, B, D, E, F, G | 89.1420 | 84.00 | **100.80** |
| 1000 x 500mm | 211 | 400 | 300W | A, A+, B, D, E, F, G | 89.1421 | 90.00 | **108.00** |
| 1000 x 600mm | 245 | 464 | 300W | A, A+, B, D, E, F, G | 89.1422 | 97.00 | **116.40** |

**Wingrave - Straight Matt Grey 1200mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 300mm | 167 | 317 | 150W | A, A+, B, D, E, F, G | 89.1423 | 83.00 | **99.60** |
| 1200 x 400mm | 210 | 400 | 300W | A, A+, B, D, E, F, G | 89.1424 | 97.00 | **116.40** |
| 1200 x 500mm | 252 | 480 | 300W | A, A+, B, D, E, F, G | 89.1425 | 101.00 | **121.20** |
| 1200 x 600mm | 293 | 557 | 300W | A, A+, B, D, E, F, G | 89.1426 | 109.00 | **130.80** |

**Wingrave - Straight Matt Grey 1400mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1400 x 300mm | 195 | 372 | 150W | A, A+, B, D, E, F, G | 89.1427 | 96.00 | **115.20** |
| 1400 x 400mm | 246 | 470 | 300W | A, A+, B, D, E, F, G | 89.1428 | 109.00 | **130.80** |
| 1400 x 500mm | 295 | 564 | 300W | A, A+, B, D, E, F, G | 89.1429 | 118.00 | **141.60** |
| 1400 x 600mm | 342 | 654 | 450W | A, A+, B, D, E, F, G | 89.1430 | 126.00 | **151.20** |

**Wingrave - Straight Matt Grey 1600mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1600 x 300mm | 224 | 429 | 300W | A, A+, B, D, E, F, G | 89.1431 | 100.00 | **120.00** |
| 1600 x 400mm | 283 | 543 | 300W | A, A+, B, D, E, F, G | 89.1432 | 119.00 | **142.80** |
| 1600 x 500mm | 339 | 651 | 450W | A, A+, B, D, E, F, G | 89.1433 | 128.00 | **153.60** |
| 1600 x 600mm | 393 | 755 | 450W | A, A+, B, D, E, F, G | 89.1434 | 135.00 | **162.00** |

**Wingrave - Straight Matt Grey 1800mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 300mm | 254 | 490 | 300W | A, A+, B, D, E, F, G | 89.1435 | 112.00 | **134.40** |
| 1800 x 400mm | 321 | 619 | 450W | A, A+, B, D, E, F, G | 89.1436 | 130.00 | **156.00** |
| 1800 x 500mm | 385 | 742 | 450W | A, A+, B, D, E, F, G | 89.1437 | 153.00 | **183.60** |
| 1800 x 600mm | 446 | 861 | 600W | A, A+, B, D, E, F, G | 89.1438 | 154.00 | **184.80** |

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

# Multirail Range

## WINGRAVE - STRAIGHT, MATT COBALT BLUE



Pictured 89.1607 Matt Cobalt Blue




Pictured 89.1602 Matt Cobalt Blue

A modern towel rail in a stunning matt cobalt blue finish. This rail will add a touch of class to finish off your bathroom.

**FEATURES**

- 22mm diameter horizontal round tubes
- Wide range of sizes to fit in all spaces
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 374-375

Warranty 5 Year | Diameter (Ø) 22 MM Bars | Heating | All Electric | Dual-Fuel

**Wingrave - Straight Matt Cobalt Blue**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 500mm | 252 | 480 | 300W | A, A+, B, D, E, F, G | 89.1602 | 101.00 | **121.20** |
| 1200 x 600mm | 293 | 557 | 300W | A, A+, B, D, E, F, G | 89.1603 | 109.00 | **130.80** |
| 1600 x 500mm | 339 | 651 | 450W | A, A+, B, D, E, F, G | 89.1604 | 128.00 | **153.60** |
| 1600 x 600mm | 393 | 755 | 450W | A, A+, B, D, E, F, G | 89.1605 | 135.00 | **162.00** |
| 1800 x 500mm | 385 | 742 | 450W | A, A+, B, D, E, F, G | 89.1606 | 153.00 | **183.60** |
| 1800 x 600mm | 446 | 861 | 600W | A, A+, B, D, E, F, G | 89.1607 | 154.00 | **184.80** |


### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

# Multirail Range

## WINGRAVE - CURVED CHROME

**Technical Tables & Drawings**
Page 374-375



Pictured 89.0392 Chrome

Warranty 5 Year | Diameter (Ø) 22 MM Bars | Heating | All Electric | Dual-Fuel

A high quality contemporary range available in a curved design and chrome finish. Available with robe hook accessories. This range is the ultimate in simplicity of style and practicality for your bathroom, keeping your towels warm.

**FEATURES**
- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**D Shape Vent Caps**
Page 369



**Radiator Valves**
Page 350-365



**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Wingrave - Curved Chrome 800mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 400mm | 91 | 172 | 150W | A, A+, B, D, E, F, G | 89.0384 | 107.00 | **128.40** |
| 800 x 500mm | 108 | 207 | 150W | A, A+, B, D, E, F, G | 89.0385 | 124.00 | **148.80** |
| 800 x 600mm | 127 | 241 | 150W | A, A+, B, D, E, F, G | 89.0386 | 132.00 | **158.40** |

**Wingrave - Curved Chrome 1000mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 400mm | 112 | 214 | 150W | A, A+, B, D, E, F, G | 89.0387 | 128.00 | **153.60** |
| 1000 x 500mm | 135 | 257 | 150W | A, A+, B, D, E, F, G | 89.0388 | 139.00 | **166.80** |
| 1000 x 600mm | 156 | 299 | 150W | A, A+, B, D, E, F, G | 89.0389 | 155.00 | **186.00** |

**Wingrave - Curved Chrome 1200mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 400mm | 134 | 257 | 150W | A, A+, B, D, E, F, G | 89.0390 | 149.00 | **178.80** |
| 1200 x 500mm | 161 | 309 | 150W | A, A+, B, D, E, F, G | 89.0391 | 164.00 | **196.80** |
| 1200 x 600mm | 187 | 359 | 300W | A, A+, B, D, E, F, G | 89.0392 | 182.00 | **218.40** |

**Wingrave - Curved Chrome 1600mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1600 x 400mm | 180 | 352 | 150W | A, A+, B, D, E, F, G | 89.0393 | 194.00 | **232.80** |
| 1600 x 500mm | 217 | 423 | 300W | A, A+, B, D, E, F, G | 89.0394 | 213.00 | **255.60** |
| 1600 x 600mm | 252 | 492 | 300W | A, A+, B, D, E, F, G | 89.0395 | 231.00 | **277.20** |

**Wingrave - Curved Chrome 1800mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 400mm | 206 | 404 | 300W | A, A+, B, D, E, F, G | 89.0396 | 217.00 | **260.40** |
| 1800 x 500mm | 257 | 486 | 300W | A, A+, B, D, E, F, G | 89.0397 | 240.00 | **288.00** |
| 1800 x 600mm | 288 | 565 | 450W | A, A+, B, D, E, F, G | 89.0398 | 258.00 | **309.60** |

# Multirail Range

## WINGRAVE - CURVED GLOSS WHITE



**Technical Tables & Drawings**
Page 374-375

Pictured 89.0704 Gloss White

Warranty 5 Year | Diameter (Ø) 22 MM Bars | Heating | All Electric | Dual-Fuel

A high quality contemporary range available in a curved gloss white finish. Available with robe hook accessories. This range is the ultimate in simplicity of style and practicality for your bathroom, keeping your towels warm.


**FEATURES**
- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**D Shape Vent Caps**
Page 369



**Radiator Valves**
Page 350-365



**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Wingrave - Curved Gloss White 800mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 400mm | 143 | 269 | 150W | A, A+, B, D, E, F, G | 89.0696 | 72.00 | **86.40** |
| 800 x 500mm | 171 | 322 | 150W | A, A+, B, D, E, F, G | 89.0697 | 78.00 | **93.60** |
| 800 x 600mm | 198 | 374 | 300W | A, A+, B, D, E, F, G | 89.0698 | 83.00 | **99.60** |

**Wingrave - Curved Gloss White 1000mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 400mm | 176 | 333 | 150W | A, A+, B, D, E, F, G | 89.0699 | 83.00 | **99.60** |
| 1000 x 500mm | 211 | 400 | 300W | A, A+, B, D, E, F, G | 89.0700 | 89.00 | **106.80** |
| 1000 x 600mm | 245 | 464 | 300W | A, A+, B, D, E, F, G | 89.0701 | 92.00 | **110.40** |

**Wingrave - Curved Gloss White 1200mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 400mm | 210 | 400 | 300W | A, A+, B, D, E, F, G | 89.0702 | 92.00 | **110.40** |
| 1200 x 500mm | 252 | 480 | 300W | A, A+, B, D, E, F, G | 89.0703 | 98.00 | **117.60** |
| 1200 x 600mm | 293 | 557 | 300W | A, A+, B, D, E, F, G | 89.0704 | 103.00 | **123.60** |

**Wingrave - Curved Gloss White 1600mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1600 x 400mm | 283 | 543 | 300W | A, A+, B, D, E, F, G | 89.0705 | 113.00 | **135.60** |
| 1600 x 500mm | 339 | 651 | 450W | A, A+, B, D, E, F, G | 89.0706 | 125.00 | **150.00** |
| 1600 x 600mm | 393 | 755 | 450W | A, A+, B, D, E, F, G | 89.0707 | 132.00 | **158.40** |

**Wingrave - Curved Gloss White 1800mm Height**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 400mm | 321 | 619 | 450W | A, A+, B, D, E, F, G | 89.0708 | 128.00 | **153.60** |
| 1800 x 500mm | 385 | 742 | 450W | A, A+, B, D, E, F, G | 89.0709 | 144.00 | **172.80** |
| 1800 x 600mm | 446 | 861 | 600W | A, A+, B, D, E, F, G | 89.0710 | 146.00 | **175.20** |

# Multirail Range

## BIAVA MULTIRAIL - STRAIGHT GLOSS WHITE



Pictured 41.0278 Gloss White

## BIAVA MULTIRAIL - STRAIGHT CHROME



Pictured 41.0272 Chrome

**Biava Multirail - Straight Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 360x400mm | 80 | 147 | 100W | A, A+, B, D, E, F, G | 41.0278 | 62.00 | **74.40** |
| 688x450mm | 146 | 269 | 150W | A, A+, B, D, E, F, G | 41.0279 | 112.00 | **134.40** |
| 688x600mm | 183 | 336 | 150W | A, A+, B, D, E, F, G | 41.0280 | 116.00 | **139.20** |
| 688x750mm | 219 | 403 | 300W | A, A+, B, D, E, F, G | 41.0281 | 119.00 | **142.80** |
| 1118x450mm | 223 | 418 | 300W | A, A+, B, D, E, F, G | 41.0282 | 135.00 | **162.00** |
| 1118x600mm | 281 | 525 | 300W | A, A+, B, D, E, F, G | 41.0283 | 138.00 | **165.60** |
| 1118x750mm | 339 | 633 | 450W | A, A+, B, D, E, F, G | 41.0284 | 150.00 | **180.00** |
| 1720x450mm | 348* | 668* | 450W | A, A+, B, D, E, F, G | 41.0285 | 187.00 | **224.40** |
| 1720x600mm | 443* | 850* | 600W | A, A+, B, D, E, F, G | 41.0286 | 195.00 | **234.00** |
| 1720x750mm | 526 | 1001 | 750W | A, A+, B, D, E, F, G | 41.0287 | 208.00 | **249.60** |

* Further heat output information available on eastbrooktrade.com **E&OA**

**Biava Multirail - Straight Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 360x400mm | 54 | 104 | 150W | B | 41.0268 | 100.00 | **120.00** |
| 688x450mm | 101 | 192 | 150W | A, A+, B, D, E, F, G | 41.0269 | 207.00 | **248.40** |
| 688x600mm | 123 | 238 | 150W | A, A+, B, D, E, F, G | 41.0270 | 231.00 | **277.20** |
| 688x750mm | 152 | 287 | 150W | A, A+, B, D, E, F, G | 41.0271 | 258.00 | **309.60** |
| 1118x450mm | 172 | 293 | 150W | A, A+, B, D, E, F, G | 41.0272 | 259.00 | **310.80** |
| 1118x600mm | 192 | 368 | 300W | A, A+, B, D, E, F, G | 41.0273 | 283.00 | **339.60** |
| 1118x750mm | 231 | 442 | 300W | A, A+, B, D, E, F, G | 41.0274 | 306.00 | **367.20** |
| 1720x450mm | 275* | 528* | 300W | A, A+, B, D, E, F, G | 41.0275 | 359.00 | **430.80** |
| 1720x600mm | 350* | 671* | 450W | A, A+, B, D, E, F, G | 41.0276 | 372.00 | **446.40** |
| 1720x750mm | 425 | 674 | 600W | A, A+, B, D, E, F, G | 41.0277 | 405.00 | **486.00** |

* Further heat output information available on eastbrooktrade.com **E&OA**

A high quality contemporary range available in straight and curved designs, and gloss white or chrome finishes. Available with towel hangers or robe hook accessories. This range is the ultimate in simplicity of style and practicality for your bathroom, keeping your towels warm.

**FEATURES**
- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 376-377

Warranty 5 Year


Diameter (Ø) 22 MM Bars

Heating

All Electric

Dual-Fuel

**Robe Hooks**
Page 366



**Multi-Rail Hangers**
Page 366



**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 75mm off the wall. Price includes radiator and wall fixing sets, valves extra.

# Multirail Range

## BIAVA MULTIRAIL - CURVED CHROME



Pictured 41.0296 Chrome

### Biava Multirail - Curved Chrome

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 360x400mm | 47 | 91 | 150W | B | 41.0288 | 96.00 | **115.20** |
| 688x450mm | 114 | 218 | 150W | A, A+, B, D, E, F, G | 41.0289 | 229.00 | **274.80** |
| 688x600mm | 144 | 277 | 150W | A, A+, B, D, E, F, G | 41.0290 | 257.00 | **308.40** |
| 688x750mm | 175 | 336 | 150W | A, A+, B, D, E, F, G | 41.0291 | 283.00 | **339.60** |
| 1118x450mm | 181 | 347 | 150W | A, A+, B, D, E, F, G | 41.0292 | 284.00 | **340.80** |
| 1118x600mm | 229 | 439 | 300W | A, A+, B, D, E, F, G | 41.0293 | 308.00 | **369.60** |
| 1118x750mm | 277 | 532 | 300W | A, A+, B, D, E, F, G | 41.0294 | 339.00 | **406.80** |
| 1720x450mm | 352 | 607 | 300W | A, A+, B, D, E, F, G | 41.0295 | 404.00 | **484.80** |
| 1720x600mm | 354 | 679 | 450W | A, A+, B, D, E, F, G | 41.0296 | 410.00 | **492.00** |
| 1720x750mm | 429 | 822 | 600W | A, A+, B, D, E, F, G | 41.0297 | 444.00 | **532.80** |

* Further heat output information available on eastbrooktrade.com **E&OA**

A high quality contemporary range available in straight and curved designs, and gloss white or chrome finishes. Available with towel hangers or robe hook accessories. This range is the ultimate in simplicity of style and practicality for your bathroom, keeping your towels warm.

**FEATURES**

- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 376-377

## BIAVA MULTIRAIL - CURVED GLOSS WHITE



Pictured 41.0303 Gloss White

### Biava Multirail - Curved Gloss White

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 360x400mm | 60 | 116 | 100W | A, A+, B, D, E, F, G | 41.0298 | 63.00 | **75.60** |
| 688x450mm | 144 | 276 | 150W | A, A+, B, D, E, F, G | 41.0299 | 128.00 | **153.60** |
| 688x600mm | 183 | 351 | 150W | A, A+, B, D, E, F, G | 41.0300 | 131.00 | **157.20** |
| 688x750mm | 222 | 366 | 300W | A, A+, B, D, E, F, G | 41.0301 | 132.00 | **158.40** |
| 1118x450mm | 229 | 387 | 300W | A, A+, B, D, E, F, G | 41.0302 | 146.00 | **175.20** |
| 1118x600mm | 249 | 439 | 300W | A, A+, B, D, E, F, G | 41.0303 | 150.00 | **180.00** |
| 1118x750mm | 277 | 532 | 450W | A, A+, B, D, E, F, G | 41.0304 | 162.00 | **194.40** |
| 1720x450mm | 279 | 637 | 450W | A, A+, B, D, E, F, G | 41.0305 | 208.00 | **249.60** |
| 1720x600mm | 448 | 859 | 600W | A, A+, B, D, E, F, G | 41.0306 | 215.00 | **258.00** |
| 1720x750mm | 543 | 1041 | 750W | A, A+, B, D, E, F, G | 41.0307 | 230.00 | **276.00** |

* Further heat output information available on eastbrooktrade.com **E&OA**

Warranty 5 Year

Diameter (Ø) 22 MM Bars

Heating

All Electric


Dual-Fuel

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 75mm off the wall. Price includes radiator and wall fixing sets, valves extra.

# Multirail Range

## WESTWARD - STRAIGHT




Pictured 89.0592 Chrome




Pictured 89.0576 Gloss White

In addition to the Wingrave & Wendover ranges, this straight multirail boasts a higher output for the larger bathrooms. **Each horizontal tube is 25mm diameter, which produces a higher heat output in less space compared to a standard 22mm tube.**

**FEATURES**
- 25mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**D Shape Vent Caps**
Page 369




**Towel Hangers**
Page 366



**Room Divider Bracket Sets**
Page 367




**Robe Hooks**
Page 366



**Multi-Rail Hangers**
Page 366



**Tube Diameter**
25mm



Diameter (Ø) 25 MM Bars

Heating

All Electric

Dual-Fuel

# Multirail Range

## WESTWARD - STRAIGHT

### Gloss White

**Westward - Straight Gloss White 600mm Height**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 500mm | 155 | 295 | 150W | A, A+, B, D, E, F, G | 89.0572 | 80.00 | **96.00** |
| 600 x 600mm | 181 | 345 | 150W | A, A+, B, D, E, F, G | 89.0573 | 86.00 | **103.20** |
| 600 x 800mm | 233 | 445 | 300W | A, A+, B, D, E, F, G | 89.0574 | 101.00 | **121.20** |

**Westward - Straight Gloss White 800mm Height**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 400mm | 166 | 317 | 150W | A, A+, B, D, E, F, G | 89.0575 | 79.00 | **94.80** |
| 800 x 500mm | 200 | 381 | 300W | A, A+, B, D, E, F, G | 89.0576 | 86.00 | **103.20** |
| 800 x 600mm | 250 | 476 | 300W | A, A+, B, D, E, F, G | 89.0577 | 89.00 | **106.80** |

**Westward - Straight Gloss White 1200mm Height**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 400mm | 229 | 437 | 300W | A, A+, B, D, E, F, G | 89.0578 | 101.00 | **121.20** |
| 1200 x 500mm | 275 | 524 | 300W | A, A+, B, D, E, F, G | 89.0579 | 109.00 | **130.80** |
| 1200 x 600mm | 320 | 610 | 450W | A, A+, B, D, E, F, G | 89.0580 | 118.00 | **141.60** |

**Westward - Straight Gloss White 1800mm Height**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 400mm | 340 | 648 | 450W | A, A+, B, D, E, F, G | 89.0581 | 139.00 | **166.80** |
| 1800 x 500mm | 407 | 777 | 600W | A, A+, B, D, E, F, G | 89.0582 | 161.00 | **193.20** |
| 1800 x 600mm | 474 | 905 | 600W | A, A+, B, D, E, F, G | 89.0583 | 162.00 | **194.40** |

* Further heat output information available on eastbrooktrade.com **E&OA**

### Chrome

**Westward - Straight Chrome 600mm Height**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 500mm | 103 | 195 | 150W | A, A+, B, D, E, F, G | 89.0584 | 125.00 | **150.00** |
| 600 x 600mm | 120 | 228 | 150W | A, A+, B, D, E, F, G | 89.0585 | 137.00 | **164.40** |
| 600 x 800mm | 155 | 295 | 150W | A, A+, B, D, E, F, G | 89.0586 | 162.00 | **194.40** |

**Westward - Straight Chrome 800mm Height**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 400mm | 110 | 209 | 150W | A, A+, B, D, E, F, G | 89.0587 | 118.00 | **141.60** |
| 800 x 500mm | 132 | 251 | 150W | A, A+, B, D, E, F, G | 89.0588 | 131.00 | **157.20** |
| 800 x 600mm | 154 | 294 | 150W | A, A+, B, D, E, F, G | 89.0589 | 143.00 | **171.60** |

**Westward - Straight Chrome 1200mm Height**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 400mm | 157 | 298 | 150W | A, A+, B, D, E, F, G | 89.0590 | 158.00 | **189.60** |
| 1200 x 500mm | 188 | 358 | 150W | A, A+, B, D, E, F, G | 89.0591 | 180.00 | **216.00** |
| 1200 x 600mm | 218 | 416 | 300W | A, A+, B, D, E, F, G | 89.0592 | 195.00 | **234.00** |

**Westward - Straight Chrome 1800mm Height**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 400mm | 235 | 448 | 300W | A, A+, B, D, E, F, G | 89.0593 | 237.00 | **284.40** |
| 1800 x 500mm | 282 | 538 | 300W | A, A+, B, D, E, F, G | 89.0594 | 259.00 | **310.80** |
| 1800 x 600mm | 328 | 626 | 450W | A, A+, B, D, E, F, G | 89.0595 | 280.00 | **336.00** |

* Further heat output information available on eastbrooktrade.com **E&OA**

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Technical Tables & Drawings**
Page 376-377

**600mm High**



**800mm High**



**1200mm High**



**1800mm High**



# Multirail Range

## RION MULTIRAIL



Pictured 89.1691 Chrome

Rear fixing metal wall brackets

**Bar Dimensions (mm)**

Horizontal Bars 20 x 20mm
Vertical Bars D Shape 40 x 30mm




Pictured 89.1677 Matt Anthracite

D Shaped vertical bars meet square 20x20mm horizontal bars in this modern and elegant designed towel rail. Available in 3 heights and 2 widths with 4 colour options.

**FEATURES**
- 40x30mm D shape vertical bars with 20x20mm square horizontal bars
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 4 colours available from stock
- 5 Year Manufacturer's Warranty*

*With conditions

**Technical Tables & Drawings**
Page 376-377

**Round Vent Caps**
Page 369



# Multirail Range

## RION MULTIRAIL

### Rion Multirail - Gloss White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 173 | 332 | 150W | A, A+, B, D, E, F, G | 89.1671 | 135.00 | **162.00** |
| 800 x 600mm | 197 | 378 | 150W | A, A+, B, D, E, F, G | 89.1672 | 153.00 | **183.60** |
| 1200 x 500mm | 269 | 515 | 150W | A, A+, B, D, E, F, G | 89.1673 | 224.00 | **268.80** |
| 1200 x 600mm | 307 | 587 | 300W | A, A+, B, D, E, F, G | 89.1674 | 245.00 | **294.00** |
| 1800 x 500mm | 413 | 784 | 300W | A, A+, B, D, E, F, G | 89.1675 | 315.00 | **378.00** |
| 1800 x 600mm | 471 | 893 | 300W | A, A+, B, D, E, F, G | 89.1676 | 347.00 | **416.40** |

### Rion Multirail - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 173 | 332 | 150W | A, A+, B, D, E, F, G | 89.1683 | 135.00 | **162.00** |
| 800 x 600mm | 197 | 378 | 150W | A, A+, B, D, E, F, G | 89.1684 | 153.00 | **183.60** |
| 1200 x 500mm | 269 | 515 | 150W | A, A+, B, D, E, F, G | 89.1685 | 224.00 | **268.80** |
| 1200 x 600mm | 307 | 587 | 300W | A, A+, B, D, E, F, G | 89.1686 | 245.00 | **294.00** |
| 1800 x 500mm | 413 | 784 | 300W | A, A+, B, D, E, F, G | 89.1687 | 315.00 | **378.00** |
| 1800 x 600mm | 471 | 893 | 300W | A, A+, B, D, E, F, G | 89.1688 | 347.00 | **416.40** |

### Rion Multirail - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 173 | 332 | 150W | A, A+, B, D, E, F, G | 89.1677 | 135.00 | **162.00** |
| 800 x 600mm | 197 | 378 | 150W | A, A+, B, D, E, F, G | 89.1678 | 153.00 | **183.60** |
| 1200 x 500mm | 269 | 515 | 150W | A, A+, B, D, E, F, G | 89.1679 | 224.00 | **268.80** |
| 1200 x 600mm | 307 | 587 | 300W | A, A+, B, D, E, F, G | 89.1680 | 245.00 | **294.00** |
| 1800 x 500mm | 413 | 784 | 300W | A, A+, B, D, E, F, G | 89.1681 | 315.00 | **378.00** |
| 1800 x 600mm | 471 | 893 | 300W | A, A+, B, D, E, F, G | 89.1682 | 347.00 | **416.40** |


### Rion Multirail - Chrome

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 109 | 212 | 100W | A, A+, B, D, E, F, G | 89.1689 | 197.00 | **236.40** |
| 800 x 600mm | 123 | 240 | 100W | A, A+, B, D, E, F, G | 89.1690 | 223.00 | **267.60** |
| 1200 x 500mm | 170 | 331 | 150W | A, A+, B, D, E, F, G | 89.1691 | 329.00 | **394.80** |
| 1200 x 600mm | 192 | 374 | 150W | A, A+, B, D, E, F, G | 89.1692 | 359.00 | **430.80** |
| 1800 x 500mm | 265 | 515 | 150W | A, A+, B, D, E, F, G | 89.1693 | 462.00 | **554.40** |
| 1800 x 600mm | 299 | 582 | 300W | A, A+, B, D, E, F, G | 89.1694 | 509.00 | **610.80** |

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 80mm off the wall. Price includes radiator and wall fixing sets, valves extra.




800mm High



1200mm High



1800mm High



Gloss White



Matt Anthracite



Matt Black



Chrome



# Multirail Range

## TUSCAN - GLOSS WHITE / CHROME



Pictured 41.0317 Gloss White


Pictured 41.0309 Chrome

Warranty 5 Year

Diameter (Ø) 22 MM Bars

Heating

All Electric

Dual-Fuel

A simple design straight ladder rail which is the ideal combination of modern style and practicality. The range includes chrome and gloss white options in a range of sizes.

**FEATURES**
- 22mm diameter horizontal round tubes
- Rear fixing wall brackets
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 378-379

**Round Vent Caps**
Page 369



**Room Divider Bracket Sets**
Page 367



### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 75mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Tuscan - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 650 x 450mm | 105 | 198 | 100W | A, A+, B, D, E, F, G | 41.0314 | 63.00 | **75.60** |
| 650 x 600mm | 120 | 226 | 100W | A, A+, B, D, E, F, G | 41.0315 | 70.00 | **84.00** |
| 1200 x 450mm | 177 | 334 | 150W | A, A+, B, D, E, F, G | 41.0316 | 84.00 | **100.80** |
| 1200 x 600mm | 185* | 348* | 150W | A, A+, B, D, E, F, G | 41.0317 | 90.00 | **108.00** |
| 1750 x 450mm | 252 | 476 | 150W | A, A+, B, D, E, F, G | 41.0318 | 109.00 | **130.80** |
| 1750 x 600mm | 282 | 534 | 300W | A, A+, B, D, E, F, G | 41.0319 | 113.00 | **135.60** |

* Further heat output information available on eastbrooktrade.com **E&OA**

**Tuscan - Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 650 x 450mm | 60 | 115 | 100W | A, A+, B, D, E, F, G | 41.0308 | 89.00 | **106.80** |
| 650 x 600mm | 77 | 151 | 100W | A, A+, B, D, E, F, G | 41.0309 | 97.00 | **116.40** |
| 1200 x 450mm | 105 | 204 | 150W | A, A+, B, D, E, F, G | 41.0310 | 137.00 | **164.40** |
| 1200 x 600mm | 130 | 246 | 150W | A, A+, B, D, E, F, G | 41.0311 | 149.00 | **178.80** |
| 1750 x 450mm | 168 | 321 | 150W | A, A+, B, D, E, F, G | 41.0312 | 187.00 | **224.40** |
| 1750 x 600mm | 206 | 392 | 150W | A, A+, B, D, E, F, G | 41.0313 | 202.00 | **242.40** |

# Multirail Range

## BIAVA ROUND



Pictured 41.0159 Gloss White



Pictured 41.0152 Chrome

Rear fixing wall brackets

A high quality modern, straight towel rail with a durable shiny chrome finish and round rails. A functional radiator with spacing to allow the warming of many towels yet with style that is aesthetically pleasing and will fit into any bathroom.

**Biava Round - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 400mm | 107 | 197 | 100W | A, A+, B, D, E, F, G | 41.0154 | 91.00 | **109.20** |
| 600 x 500mm | 128 | 236 | 150W | A, A+, B, D, E, F, G | 41.0157 | 96.00 | **115.20** |
| 600 x 600mm | 149 | 274 | 150W | A, A+, B, D, E, F, G | 41.0160 | 100.00 | **120.00** |
| 1200 x 400mm | 197 | 370 | 150W | A, A+, B, D, E, F, G | 41.0155 | 137.00 | **164.40** |
| 1200 x 500mm | 236 | 444 | 300W | A, A+, B, D, E, F, G | 41.0158 | 149.00 | **178.80** |
| 1200 x 600mm | 274 | 516 | 300W | A, A+, B, D, E, F, G | 41.0161 | 156.00 | **187.20** |
| 1800 x 400mm | 201 | 388 | 300W | A, A+, B, D, E, F, G | 41.0156 | 187.00 | **224.40** |
| 1800 x 500mm | 356 | 684 | 450W | A, A+, B, D, E, F, G | 41.0159 | 202.00 | **242.40** |
| 1800 x 600mm | 414 | 794 | 450W | A, A+, B, D, E, F, G | 41.0162 | 215.00 | **258.00** |

**Biava Round - Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 400mm | 70 | 130 | 100W | A, A+, B, D, E, F, G | 41.0145 | 155.00 | **186.00** |
| 600 x 500mm | 84 | 155 | 100W | A, A+, B, D, E, F, G | 41.0148 | 161.00 | **193.20** |
| 600 x 600mm | 97 | 179 | 150W | A, A+, B, D, E, F, G | 41.0151 | 174.00 | **208.80** |
| 1200 x 400mm | 132 | 249 | 150W | A, A+, B, D, E, F, G | 41.0146 | 247.00 | **296.40** |
| 1200 x 500mm | 157 | 296 | 150W | A, A+, B, D, E, F, G | 41.0149 | 264.00 | **316.80** |
| 1200 x 600mm | 181 | 342 | 150W | A, A+, B, D, E, F, G | 41.0152 | 284.00 | **340.80** |
| 1800 x 400mm | 297 | 569 | 300W | A, A+, B, D, E, F, G | 41.0147 | 345.00 | **414.00** |
| 1800 x 500mm | 239 | 462 | 300W | A, A+, B, D, E, F, G | 41.0150 | 372.00 | **446.40** |
| 1800 x 600mm | 276 | 533 | 300W | A, A+, B, D, E, F, G | 41.0153 | 416.00 | **499.20** |

**FEATURES**

- 19mm diameter horizontal round tubes
- 38mm diameter vertical profiles
- Rear fixing wall brackets
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 378-379

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 40mm less than the width of the rail and approx. 63mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty 5 Year | Diameter (Ø) 19 MM Bars | Heating | All Electric | Dual-Fuel

**Radiator Valves**
Page 350-365



# Multirail Range

## CORINIUM ROUND




Pictured 89.1571 Chrome

Rear fixing metal wall brackets




Pictured 89.1556 Matt Anthracite

Available in a wide range of colours to complement any bathroom decoration, Corinium Round is designed with both style and functionality in mind. The ample spacing between the horizontal tubes ensures optimal air circulation, allowing for maximum towel drying efficiency.

**FEATURES**
- 22mm diameter horizontal round tubes
- 42mm diameter vertical profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 5 colours available from stock
- State-of-the-Art welding technology
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 378-379

**Round Vent Caps**
Page 369



# Multirail Range

## CORINIUM ROUND

### Corinium Round - Gloss White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 164 | 312 | 150W | A, A+, B, D, E, F, G | 89.1542 | 119.00 | **142.80** |
| 800 x 600mm | 192 | 364 | 150W | A, A+, B, D, E, F, G | 89.1543 | 137.00 | **164.40** |
| 1200 x 500mm | 250 | 474 | 300W | A, A+, B, D, E, F, G | 89.1544 | 154.00 | **184.80** |
| 1200 x 600mm | 292 | 554 | 300W | A, A+, B, D, E, F, G | 89.1545 | 178.00 | **213.60** |
| 1800 x 500mm | 380 | 721 | 600W | A, A+, B, D, E, F, G | 89.1546 | 212.00 | **254.40** |
| 1800 x 600mm | 444 | 842 | 600W | A, A+, B, D, E, F, G | 89.1547 | 246.00 | **295.20** |

### Corinium Round - Matt Grey

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 164 | 312 | 150W | A, A+, B, D, E, F, G | 89.1548 | 119.00 | **142.80** |
| 800 x 600mm | 192 | 364 | 150W | A, A+, B, D, E, F, G | 89.1549 | 137.00 | **164.40** |
| 1200 x 500mm | 250 | 474 | 300W | A, A+, B, D, E, F, G | 89.1550 | 154.00 | **184.80** |
| 1200 x 600mm | 292 | 554 | 300W | A, A+, B, D, E, F, G | 89.1551 | 178.00 | **213.60** |
| 1800 x 500mm | 380 | 721 | 600W | A, A+, B, D, E, F, G | 89.1552 | 212.00 | **254.40** |
| 1800 x 600mm | 444 | 842 | 600W | A, A+, B, D, E, F, G | 89.1553 | 246.00 | **295.20** |

### Corinium Round - Chrome

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 109 | 207 | 100W | A, A+, B, D, E, F, G | 89.1566 | 180.00 | **216.00** |
| 800 x 600mm | 127 | 242 | 100W | A, A+, B, D, E, F, G | 89.1567 | 207.00 | **248.40** |
| 1200 x 500mm | 164 | 314 | 150W | A, A+, B, D, E, F, G | 89.1568 | 255.00 | **306.00** |
| 1200 x 600mm | 192 | 366 | 300W | A, A+, B, D, E, F, G | 89.1569 | 296.00 | **355.20** |
| 1800 x 500mm | 250 | 480 | 300W | A, A+, B, D, E, F, G | 89.1570 | 340.00 | **408.00** |
| 1800 x 600mm | 292 | 560 | 300W | A, A+, B, D, E, F, G | 89.1571 | 395.00 | **474.00** |

### Corinium Round - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 164 | 312 | 150W | A, A+, B, D, E, F, G | 89.1554 | 119.00 | **142.80** |
| 800 x 600mm | 192 | 364 | 150W | A, A+, B, D, E, F, G | 89.1555 | 137.00 | **164.40** |
| 1200 x 500mm | 250 | 474 | 300W | A, A+, B, D, E, F, G | 89.1556 | 154.00 | **184.80** |
| 1200 x 600mm | 292 | 554 | 300W | A, A+, B, D, E, F, G | 89.1557 | 178.00 | **213.60** |
| 1800 x 500mm | 380 | 721 | 600W | A, A+, B, D, E, F, G | 89.1558 | 212.00 | **254.40** |
| 1800 x 600mm | 444 | 842 | 600W | A, A+, B, D, E, F, G | 89.1559 | 246.00 | **295.20** |

### Corinium Round - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 164 | 312 | 150W | A, A+, B, D, E, F, G | 89.1560 | 119.00 | **142.80** |
| 800 x 600mm | 192 | 364 | 150W | A, A+, B, D, E, F, G | 89.1561 | 137.00 | **164.40** |
| 1200 x 500mm | 250 | 474 | 300W | A, A+, B, D, E, F, G | 89.1562 | 154.00 | **184.80** |
| 1200 x 600mm | 292 | 554 | 300W | A, A+, B, D, E, F, G | 89.1563 | 178.00 | **213.60** |
| 1800 x 500mm | 380 | 721 | 600W | A, A+, B, D, E, F, G | 89.1564 | 212.00 | **254.40** |
| 1800 x 600mm | 444 | 842 | 600W | A, A+, B, D, E, F, G | 89.1565 | 246.00 | **295.20** |

**Radiator Valves**
Page 350-365





### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 42mm less than the width of the rail and approx. 85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Gloss White



Matt Grey



Chrome



Matt Anthracite



Matt Black



State-of-the-Art welding



# Multirail Range

## TUSCAN ROUND




Pictured 89.1601 Chrome

Rear fixing metal wall brackets




Pictured 89.1574 Gloss White

A popular addition to the Multirail Range. Available in a variety of colours to suit any bathroom. The generous spacing between the horizontal tubes allows for maximum towel drying.

**FEATURES**

- 22mm diameter horizontal round tubes
- 42mm diameter vertical profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 5 colours available from stock
- State-of-the-Art welding technology
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 378-379

**Round Vent Caps**
Page 369



# Multirail Range

## TUSCAN ROUND

### Tuscan Round - Gloss White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 129 | 243 | 150W | A, A+, B, D, E, F, G | 89.1572 | 112.00 | **134.40** |
| 800 x 600mm | 148 | 281 | 150W | A, A+, B, D, E, F, G | 89.1573 | 131.00 | **157.20** |
| 1200 x 500mm | 193 | 366 | 300W | A, A+, B, D, E, F, G | 89.1574 | 144.00 | **172.80** |
| 1200 x 600mm | 223 | 422 | 300W | A, A+, B, D, E, F, G | 89.1575 | 167.00 | **200.40** |
| 1800 x 500mm | 290 | 548 | 450W | A, A+, B, D, E, F, G | 89.1576 | 200.00 | **240.00** |
| 1800 x 600mm | 335 | 632 | 450W | A, A+, B, D, E, F, G | 89.1577 | 230.00 | **276.00** |

### Tuscan Round - Matt Grey

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 129 | 243 | 150W | A, A+, B, D, E, F, G | 89.1578 | 112.00 | **134.40** |
| 800 x 600mm | 148 | 281 | 150W | A, A+, B, D, E, F, G | 89.1579 | 131.00 | **157.20** |
| 1200 x 500mm | 193 | 366 | 300W | A, A+, B, D, E, F, G | 89.1580 | 144.00 | **172.80** |
| 1200 x 600mm | 223 | 422 | 300W | A, A+, B, D, E, F, G | 89.1581 | 167.00 | **200.40** |
| 1800 x 500mm | 290 | 548 | 450W | A, A+, B, D, E, F, G | 89.1582 | 200.00 | **240.00** |
| 1800 x 600mm | 335 | 632 | 450W | A, A+, B, D, E, F, G | 89.1583 | 230.00 | **276.00** |

### Tuscan Round - Chrome

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 83 | 159 | 100W | A, A+, B, D, E, F, G | 89.1596 | 165.00 | **198.00** |
| 800 x 600mm | 96 | 184 | 100W | A, A+, B, D, E, F, G | 89.1597 | 191.00 | **229.20** |
| 1200 x 500mm | 126 | 240 | 150W | A, A+, B, D, E, F, G | 89.1598 | 239.00 | **286.80** |
| 1200 x 600mm | 145 | 277 | 150W | A, A+, B, D, E, F, G | 89.1599 | 278.00 | **333.60** |
| 1800 x 500mm | 189 | 361 | 300W | A, A+, B, D, E, F, G | 89.1600 | 320.00 | **384.00** |
| 1800 x 600mm | 218 | 417 | 300W | A, A+, B, D, E, F, G | 89.1601 | 370.00 | **444.00** |

### Tuscan Round - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 129 | 243 | 150W | A, A+, B, D, E, F, G | 89.1584 | 112.00 | **134.40** |
| 800 x 600mm | 148 | 281 | 150W | A, A+, B, D, E, F, G | 89.1585 | 131.00 | **157.20** |
| 1200 x 500mm | 193 | 366 | 300W | A, A+, B, D, E, F, G | 89.1586 | 144.00 | **172.80** |
| 1200 x 600mm | 223 | 422 | 300W | A, A+, B, D, E, F, G | 89.1587 | 167.00 | **200.40** |
| 1800 x 500mm | 290 | 548 | 450W | A, A+, B, D, E, F, G | 89.1588 | 200.00 | **240.00** |
| 1800 x 600mm | 335 | 632 | 450W | A, A+, B, D, E, F, G | 89.1589 | 230.00 | **276.00** |

### Tuscan Round - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 129 | 243 | 150W | A, A+, B, D, E, F, G | 89.1590 | 112.00 | **134.40** |
| 800 x 600mm | 148 | 281 | 150W | A, A+, B, D, E, F, G | 89.1591 | 131.00 | **157.20** |
| 1200 x 500mm | 193 | 366 | 300W | A, A+, B, D, E, F, G | 89.1592 | 144.00 | **172.80** |
| 1200 x 600mm | 223 | 422 | 300W | A, A+, B, D, E, F, G | 89.1593 | 167.00 | **200.40** |
| 1800 x 500mm | 290 | 548 | 450W | A, A+, B, D, E, F, G | 89.1594 | 200.00 | **240.00** |
| 1800 x 600mm | 335 | 632 | 450W | A, A+, B, D, E, F, G | 89.1595 | 230.00 | **276.00** |

**Radiator Valves**
Page 350-365



### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 42mm less than the width of the rail and approx. 85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Gloss White



Matt Grey



Chrome



Matt Anthracite



Matt Black



State-of-the-Art welding



# Multirail Range

## BIAVA - TUBE ON TUBE, CHROME



Pictured 41.0171 Chrome

**Round Vent Caps**
Page 369



**Multi-Rail Hangers**
Page 366



A contemporary tubular design towel rail in a range of sizes and both chrome and white finshes. The tube on tube features produces a higher heat output.

**FEATURES**
- 19mm diameter horizontal round tubes
- 32mm diameter vertical profiles
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 380-381

| Biava - Tube on Tube - Chrome | | | | | | | |
|---|---|---|---|---|---|---|---|
| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
| 600 x 400mm | 81 | 148 | 100W | A, A+, B, D, E, F, G | 41.0163 | 174.00 | **208.80** |
| 600 x 500mm | 94 | 175 | 100W | A, A+, B, D, E, F, G | 41.0166 | 182.00 | **218.40** |
| 600 x 600mm | 109 | 199 | 150W | A, A+, B, D, E, F, G | 41.0169 | 192.00 | **230.40** |
| 1200 x 400mm | 177 | 328 | 150W | A, A+, B, D, E, F, G | 41.0164 | 314.00 | **376.80** |
| 1200 x 500mm | 209 | 388 | 300W | A, A+, B, D, E, F, G | 41.0167 | 345.00 | **414.00** |
| 1200 x 600mm | 240 | 450 | 300W | A, A+, B, D, E, F, G | 41.0170 | 369.00 | **442.80** |
| 1800 x 400mm | 278 | 514 | 300W | A, A+, B, D, E, F, G | 41.0165 | 460.00 | **552.00** |
| 1800 x 500mm | 486 | 875 | 450W | A, A+, B, D, E, F, G | 41.0168 | 500.00 | **600.00** |
| 1800 x 600mm | 366 | 696 | 450W | A, A+, B, D, E, F, G | 41.0171 | 542.00 | **650.40** |

Warranty 5 Year | Diameter (Ø) 19 MM Bars | Heating | All Electric | Dual-Fuel

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 55mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Radiator Valves**
Page 350-365



**Robe Hooks**
Page 366




**Towel Hangers**
Page 366



# Multirail Range

## BIAVA SQUARE - CHROME



Pictured 41.0116 Chrome

**Bar Dimensions (mm)**

Horizontal Bars 22 x 22mm
Vertical Bars 40 x 40mm



**Round Vent Caps**
Page 369



A modern style square rail that still allows maximium space for keeping your towels warm.

**Biava Square - Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 400mm | 79 | 150 | 100W | A, A+, B, D, E, F, G | 41.0109 | 239.00 | **286.80** |
| 600 x 500mm | 94 | 178 | 150W | A, A+, B, D, E, F, G | 41.0112 | 259.00 | **310.80** |
| 600 x 600mm | 108 | 206 | 150W | A, A+, B, D, E, F, G | 41.0115 | 280.00 | **336.00** |
| 1200 x 400mm | 165 | 321 | 300W | A, A+, B, D, E, F, G | 41.0110 | 455.00 | **546.00** |
| 1200 x 500mm | 190 | 373 | 300W | A, A+, B, D, E, F, G | 41.0113 | 516.00 | **619.20** |
| 1200 x 600mm | 215 | 424 | 300W | A, A+, B, D, E, F, G | 41.0116 | 555.00 | **666.00** |
| 1800 x 400mm | 244 | 468 | 450W | A, A+, B, D, E, F, G | 41.0111 | 636.00 | **763.20** |
| 1800 x 500mm | 294 | 566 | 450W | A, A+, B, D, E, F, G | 41.0114 | 711.00 | **853.20** |
| 1800 x 600mm | 342 | 663 | 600W | A, A+, B, D, E, F, G | 41.0117 | 783.00 | **939.60** |

**FEATURES**
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 380-381

Warranty 5 Year | Heating | All Electric | Dual-Fuel

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 40mm less than the width of the rail and approx. 70mm off the wall. Price includes radiator and wall fixing sets, valves extra.

### COMPLETE THE LOOK

Radiator Valves
Page: 350-365



# Multirail Range

## TUSCAN SQUARE MULTIRAIL



Pictured 89.1667 Chrome




Pictured 89.1648 Gloss White

**Bar Dimensions (mm)**

Horizontal Bars 20 x 20mm
Vertical Bars 30 x 30mm

Rear fixing metal wall brackets

The very popular Tuscan Square towel rail is now available as Multirail. Available in 3 heights and 2 widths with 4 colour options.

**FEATURES**

- 30x30mm square vertical bars with 20x20mm square horizontal bars
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 4 colours available from stock
- 5 Year Manufacturer's Warranty*

*With conditions

**Technical Tables & Drawings**
Page 380-381

**Round Vent Caps**
Page 369



# Multirail Range

## TUSCAN SQUARE MULTIRAIL

### Tuscan Square Multirail - Gloss White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 171 | 334 | 150W | A, A+, B, D, E, F, G | 89.1647 | 135.00 | **162.00** |
| 800 x 600mm | 200 | 391 | 300W | A, A+, B, D, E, F, G | 89.1648 | 153.00 | **183.60** |
| 1200 x 500mm | 271 | 523 | 450W | A, A+, B, D, E, F, G | 89.1649 | 224.00 | **268.80** |
| 1200 x 600mm | 318 | 613 | 450W | A, A+, B, D, E, F, G | 89.1650 | 245.00 | **294.00** |
| 1800 x 500mm | 412 | 780 | 600W | A, A+, B, D, E, F, G | 89.1651 | 315.00 | **378.00** |
| 1800 x 600mm | 482 | 913 | 600W | A, A+, B, D, E, F, G | 89.1652 | 347.00 | **416.40** |

### Tuscan Square Multirail - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 171 | 334 | 150W | A, A+, B, D, E, F, G | 89.1659 | 135.00 | **162.00** |
| 800 x 600mm | 200 | 391 | 300W | A, A+, B, D, E, F, G | 89.1660 | 153.00 | **183.60** |
| 1200 x 500mm | 271 | 523 | 450W | A, A+, B, D, E, F, G | 89.1661 | 224.00 | **268.80** |
| 1200 x 600mm | 318 | 613 | 450W | A, A+, B, D, E, F, G | 89.1662 | 245.00 | **294.00** |
| 1800 x 500mm | 412 | 780 | 600W | A, A+, B, D, E, F, G | 89.1663 | 315.00 | **378.00** |
| 1800 x 600mm | 482 | 913 | 600W | A, A+, B, D, E, F, G | 89.1664 | 347.00 | **416.40** |

### Tuscan Square Multirail - Matt Anthracite


| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 171 | 334 | 150W | A, A+, B, D, E, F, G | 89.1653 | 135.00 | **162.00** |
| 800 x 600mm | 200 | 391 | 300W | A, A+, B, D, E, F, G | 89.1654 | 153.00 | **183.60** |
| 1200 x 500mm | 271 | 523 | 450W | A, A+, B, D, E, F, G | 89.1655 | 224.00 | **268.80** |
| 1200 x 600mm | 318 | 613 | 450W | A, A+, B, D, E, F, G | 89.1656 | 245.00 | **294.00** |
| 1800 x 500mm | 412 | 780 | 600W | A, A+, B, D, E, F, G | 89.1657 | 315.00 | **378.00** |
| 1800 x 600mm | 482 | 913 | 600W | A, A+, B, D, E, F, G | 89.1658 | 347.00 | **416.40** |


### Tuscan Square Multirail - Chrome

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 109 | 215 | 150W | A, A+, B, D, E, F, G | 89.1665 | 197.00 | **236.40** |
| 800 x 600mm | 125 | 248 | 150W | A, A+, B, D, E, F, G | 89.1666 | 223.00 | **267.60** |
| 1200 x 500mm | 171 | 335 | 300W | A, A+, B, D, E, F, G | 89.1667 | 329.00 | **394.80** |
| 1200 x 600mm | 197 | 386 | 300W | A, A+, B, D, E, F, G | 89.1668 | 359.00 | **430.80** |
| 1800 x 500mm | 262 | 509 | 450W | A, A+, B, D, E, F, G | 89.1669 | 462.00 | **554.40** |
| 1800 x 600mm | 302 | 587 | 450W | A, A+, B, D, E, F, G | 89.1670 | 509.00 | **610.80** |

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 30mm less than the width of the rail and approx. 80mm off the wall. Price includes radiator and wall fixing sets, valves extra.






















# Multirail Range

## TUSCAN SQUARE



Pictured 89.1270 Chrome

**Bar Dimensions (mm)**

Horizontal Bars 20 x 20mm
Vertical Bars 30 x 30mm



Pictured 89.1273 Chrome

Rear fixing metal wall brackets

Evenly placed square bars of Tuscan Square is the new definition of minimalism.

**Tuscan Square - Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 83 | 159 | 100W | A, A+, B, D, E, F, G | 89.1268 | 159.00 | **190.80** |
| 800 x 600mm | 96 | 183 | 100W | A, A+, B, D, E, F, G | 89.1269 | 173.00 | **207.60** |
| 1200 x 500mm | 125 | 239 | 150W | A, A+, B, D, E, F, G | 89.1270 | 208.00 | **249.60** |
| 1200 x 600mm | 143 | 275 | 150W | A, A+, B, D, E, F, G | 89.1271 | 227.00 | **272.40** |
| 1800 x 500mm | 189 | 363 | 300W | A, A+, B, D, E, F, G | 89.1272 | 297.00 | **356.40** |
| 1800 x 600mm | 217 | 416 | 300W | A, A+, B, D, E, F, G | 89.1273 | 320.00 | **384.00** |

**FEATURES**

- Tested to BS EN 442 standards
- Rear fixing metal wall brackets
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 380-381

**TECHNICAL INFORMATION**


All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 30mm less than the width of the rail and approx. 80mm off the wall. Projection from wall is approx. 95mm. Price includes radiator and wall fixing sets, valves extra.

Warranty 5 Year | Heating | All Electric | Dual-Fuel

**Round Vent Caps**
Page 369



**Radiator Valves**
Page 350-365




# Multirail Range

## TUSCAN SQUARE

### Gloss White

Pictured 89.1244 Gloss White



**Bar Dimensions (mm)**


Horizontal Bars 20 x 20mm
Vertical Bars 30 x 30mm

**Tuscan Square - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 128 | 242 | 150W | A, A+, B, D, E, F, G | 89.1244 | 121.00 | **145.20** |
| 800 x 600mm | 146 | 278 | 150W | A, A+, B, D, E, F, G | 89.1245 | 133.00 | **159.60** |
| 1200 x 500mm | 193 | 366 | 300W | A, A+, B, D, E, F, G | 89.1246 | 155.00 | **186.00** |
| 1200 x 600mm | 221 | 419 | 300W | A, A+, B, D, E, F, G | 89.1247 | 167.00 | **200.40** |
| 1800 x 500mm | 290 | 548 | 450W | A, A+, B, D, E, F, G | 89.1248 | 208.00 | **249.60** |
| 1800 x 600mm | 332 | 628 | 450W | A, A+, B, D, E, F, G | 89.1249 | 227.00 | **272.40** |

### Matt Grey

Pictured 89.1253 Matt Grey




Rear fixing metal wall brackets

**Tuscan Square - Matt Grey**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 128 | 242 | 150W | A, A+, B, D, E, F, G | 89.1250 | 121.00 | **145.20** |
| 800 x 600mm | 146 | 278 | 150W | A, A+, B, D, E, F, G | 89.1251 | 133.00 | **159.60** |
| 1200 x 500mm | 193 | 366 | 300W | A, A+, B, D, E, F, G | 89.1252 | 155.00 | **186.00** |
| 1200 x 600mm | 221 | 419 | 300W | A, A+, B, D, E, F, G | 89.1253 | 167.00 | **200.40** |
| 1800 x 500mm | 290 | 548 | 450W | A, A+, B, D, E, F, G | 89.1254 | 208.00 | **249.60** |
| 1800 x 600mm | 332 | 628 | 450W | A, A+, B, D, E, F, G | 89.1255 | 227.00 | **272.40** |

### Matt Anthracite

Pictured 89.1257 Matt Anthracite




**Tuscan Square - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 128 | 242 | 150W | A, A+, B, D, E, F, G | 89.1256 | 121.00 | **145.20** |
| 800 x 600mm | 146 | 278 | 150W | A, A+, B, D, E, F, G | 89.1257 | 133.00 | **159.60** |
| 1200 x 500mm | 193 | 366 | 300W | A, A+, B, D, E, F, G | 89.1258 | 155.00 | **186.00** |
| 1200 x 600mm | 221 | 419 | 300W | A, A+, B, D, E, F, G | 89.1259 | 167.00 | **200.40** |
| 1800 x 500mm | 290 | 548 | 450W | A, A+, B, D, E, F, G | 89.1260 | 208.00 | **249.60** |
| 1800 x 600mm | 332 | 628 | 450W | A, A+, B, D, E, F, G | 89.1261 | 227.00 | **272.40** |

### Matt Black

Pictured 89.1266 Matt Black



**Tuscan Square - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 128 | 242 | 150W | A, A+, B, D, E, F, G | 89.1262 | 121.00 | **145.20** |
| 800 x 600mm | 146 | 278 | 150W | A, A+, B, D, E, F, G | 89.1263 | 133.00 | **159.60** |
| 1200 x 500mm | 193 | 366 | 300W | A, A+, B, D, E, F, G | 89.1264 | 155.00 | **186.00** |
| 1200 x 600mm | 221 | 419 | 300W | A, A+, B, D, E, F, G | 89.1265 | 167.00 | **200.40** |
| 1800 x 500mm | 290 | 548 | 450W | A, A+, B, D, E, F, G | 89.1266 | 208.00 | **249.60** |
| 1800 x 600mm | 332 | 628 | 450W | A, A+, B, D, E, F, G | 89.1267 | 227.00 | **272.40** |

• REDUCED PRICES HERE •

# Multirail Range

## LAUNTON

Pictured 61.0067 Chrome




**Bar Dimensions (mm)**

Horizontal Bars 20 x 20mm
Vertical Bars 30 x 30mm




Pictured 61.0065 Matt Anthracite

**Launton - Matt White REDUCED PRICES**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 500mm | 183 | 349 | 150W | A, A+, B, D, E, F, G | 61.0062 | 317.00 | **380.40** |
| 1200 x 600mm | 204 | 389 | 300W | A, A+, B, D, E, F, G | 61.0063 | 330.00 | **396.00** |

**Launton - Matt Anthracite REDUCED PRICES**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 500mm | 183 | 349 | 150W | A, A+, B, D, E, F, G | 61.0064 | 317.00 | **380.40** |
| 1200 x 600mm | 204 | 389 | 300W | A, A+, B, D, E, F, G | 61.0065 | 330.00 | **396.00** |

**Launton - Chrome REDUCED PRICES**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 500mm | 121 | 231 | 150W | A, A+, B, D, E, F, G | 61.0066 | 361.00 | **433.20** |
| 1200 x 600mm | 136 | 258 | 150W | A, A+, B, D, E, F, G | 61.0067 | 375.00 | **450.00** |

* Further heat output information available on eastbrooktrade.com **E&OA**

Launton towel radiator has built-in shelves that are also heated. This model will be the solution to dry all the towels of a big family.

**FEATURES**

- Tested to BS EN 442 standards
- Built-in heated shelves
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 382-383

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 30mm less than the width of the rail and approx. 70-85mm off the wall. Projection from the wall is 255-270mm. Price includes radiator and wall fixing sets, valves extra.

# Multirail Range

## HADDENHAM




### Haddenham - Matt White REDUCED PRICES

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 500mm | 269 | 512 | 450W | A, A+, B, D, E, F, G | 61.0068 | 227.00 | **272.40** |
| 1200 x 600mm | 305 | 581 | 450W | A, A+, B, D, E, F, G | 61.0069 | 236.00 | **283.20** |

### Haddenham - Matt Anthracite REDUCED PRICES

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 500mm | 269 | 512 | 450W | A, A+, B, D, E, F, G | 61.0070 | 227.00 | **272.40** |
| 1200 x 600mm | 305 | 581 | 450W | A, A+, B, D, E, F, G | 61.0071 | 236.00 | **283.20** |

### Haddenham - Chrome REDUCED PRICES

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 500mm | 178 | 339 | 150W | A, A+, B, D, E, F, G | 61.0072 | 258.00 | **309.60** |
| 1200 x 600mm | 202 | 385 | 300W | A, A+, B, D, E, F, G | 61.0073 | 277.00 | **332.40** |

* Further heat output information available on eastbrooktrade.com **E&OA**

Haddenham towel radiator is a perfect alternative for standard towel radiators thanks to its heated shelves and big capacity of drying many towels at once.

**FEATURES**


- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standardss
- Built-in heated shelves
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 382-383

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 70-85mm off the wall. Projection from the wall is approx. 255-270mm. Price includes radiator and wall fixing sets, valves extra.



Sub Section

# Dry Element Range

Using modern technology benefits, the Dry Element Range consists of lighter towel rails and energy efficient daily usage.



Contents


| | |
|---|---|
| Derwent Aluminium Dry Element - Available in 3 colours | 70-71 |
| Biava Dry Element Straight, Available in 4 colours | 72-73 |
| Loddon Dry Element, Available in 4 colours | 74-75 |
| Kennet Dry Element, Matt Anthracite & Chrome | 76 |
| Emsbury Dry Element, Polished Stainless Steel | 77 |

# Dry Element Range

## DERWENT ALUMINIUM DRY ELEMENT



Pictured 41.0491 Matt White with 41.0503 Towel Hangers



Pictured 41.0494 Matt Anthracite

A dry element aluminium radiator with sharp lines in the front and chrome cover caps at the top and bottom that will add fashion to your desired room. With a choice of towel hangers, your bathroom can also be heated while drying your towels. Available in vertical style and 3 colours options.

This product is electric only installation and cannot be used on a central heating system.

**FEATURES**

- No fluid filling required, just Connect and Go
- Comes with built-in thermostat, 35° C - 70°C temperature setting
- Comes with built-in timer, 2 - 8 hour setting
- Comes with concealed wiring
- IPX4 certificate (Zone 2 and 3)
- Radiators come with chrome cover caps on top and bottom
- Tested to BS EN 442 standards
- 2 Year Manufacturer's Warranty*

* With conditions

**TECHNICAL INFORMATION**

All measurements in Height by Width.
Cannot be fitted upside down. Cannot be fitted horizontally.
Each vertical aluminium panel is 100mm wide.
Projection from wall is 115mm.
Radiator material is aluminium.
Towel Hanger material is Stainless Steel.

**Technical Tables & Drawings**
Page 382-383

# Dry Element Range

## DERWENT ALUMINIUM DRY ELEMENT

**Derwent Dry Element Vertical Aluminium Radiators - Matt White**

| Size H x W | Watts | BTU | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 304mm | 600 | 2047 | 41.0489 | 326.00 | **391.20** |
| 1800 x 404mm | 800 | 2730 | 41.0490 | 402.00 | **482.40** |
| 1800 x 504mm | 1000 | 3412 | 41.0491 | 476.00 | **571.20** |
| 1800 x 604mm | 1200 | 4094 | 41.0492 | 533.00 | **639.60** |

**Derwent Dry Element Vertical Aluminium Radiators - Matt Anthracite**

| Size H x W | Watts | BTU | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 304mm | 600 | 2047 | 41.0493 | 326.00 | **391.20** |
| 1800 x 404mm | 800 | 2730 | 41.0494 | 402.00 | **482.40** |
| 1800 x 504mm | 1000 | 3412 | 41.0495 | 476.00 | **571.20** |
| 1800 x 604mm | 1200 | 4094 | 41.0496 | 533.00 | **639.60** |

**Derwent Dry Element Vertical Aluminium Radiators - Matt Black**

| Size H x W | Watts | BTU | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 304mm | 600 | 2047 | 41.0497 | 326.00 | **391.20** |
| 1800 x 404mm | 800 | 2730 | 41.0498 | 402.00 | **482.40** |
| 1800 x 504mm | 1000 | 3412 | 41.0499 | 476.00 | **571.20** |
| 1800 x 604mm | 1200 | 4094 | 41.0500 | 533.00 | **639.60** |

Prices include radiator and wall fixing sets, towel hangers are extra.




**THERMOSTAT FUNCTION**

Comes with built-in thermostat
35° C - 70°C temperature setting

**TIMING FUNCTION**

Comes with built-in timer
2 - 8 hour setting
* Not programmable


IPX4 certificate (Zone 2 and 3)

Warranty 2 Year

All Electric



Pictured 41.0500 Matt Black with 41.0504 Towel Hangers



Factory fitted chrome cover caps at the top



Factory fitted chrome cover caps at the bottom



**Towel Hanger - Mirror Polished Premium**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Towel Hanger 304mm | 41.0501 | 54.00 | **64.80** |
| Towel Hanger 404mm | 41.0502 | 57.00 | **68.40** |
| Towel Hanger 504mm | 41.0503 | 66.00 | **79.20** |
| Towel Hanger 604mm | 41.0504 | 72.00 | **86.40** |

Derwent Towel Hangers must be fitted before installation.

# Dry Element Range

## BIAVA DRY ELEMENT - STRAIGHT

Chrome



Pictured 47.0002 Chrome with 67.0013

Integrated On/Off Button





On/Off Button

Pictured 47.0015 Chrome

**Biava Dry Element Towel Rail - Chrome [Integrated On/Off Button]**

| Size H x W | Watts | BTU | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1100 x 500mm | 400 | 1365 | 47.0015 | 297.00 | **356.40** |

**Biava Dry Element Towel Rail - Matt Black [Integrated On/Off Button]**

| Size H x W | Watts | BTU | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1100 x 500mm | 400 | 1365 | 47.0055 | 249.00 | **298.80** |

**Biava Dry Element Towel Rail - Chrome**

| Size H x W | Watts | BTU | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 700 x 500mm | 250 | 853 | 47.0001 | 202.00 | **242.40** |
| 700 x 600mm | 300 | 1024 | 47.0003 | 222.00 | **266.40** |
| 1100 x 500mm | 400 | 1365 | 47.0002 | 268.00 | **321.60** |
| 1100 x 600mm | 500 | 1706 | 47.0004 | 305.00 | **366.00** |

**Biava Dry Element Towel Rail - Gloss White**

| Size H x W | Watts | BTU | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 700 x 500mm | 250 | 853 | 47.0005 | 154.00 | **184.80** |
| 700 x 600mm | 300 | 1024 | 47.0007 | 174.00 | **208.80** |
| 1100 x 500mm | 400 | 1365 | 47.0006 | 210.00 | **252.00** |
| 1100 x 600mm | 500 | 1706 | 47.0008 | 238.00 | **285.60** |

**Biava Dry Element Towel Rail - Matt Anthracite**

| Size H x W | Watts | BTU | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 700 x 500mm | 250 | 853 | 47.0009 | 171.00 | **205.20** |
| 700 x 600mm | 300 | 1024 | 47.0011 | 191.00 | **229.20** |
| 1100 x 500mm | 400 | 1365 | 47.0010 | 226.00 | **271.20** |
| 1100 x 600mm | 500 | 1706 | 47.0012 | 262.00 | **314.40** |

**Biava Dry Element Towel Rail - Matt Black**

| Size H x W | Watts | BTU | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 700 x 500mm | 250 | 853 | 47.0051 | 171.00 | **205.20** |
| 700 x 600mm | 300 | 1024 | 47.0052 | 191.00 | **229.20** |
| 1100 x 500mm | 400 | 1365 | 47.0053 | 226.00 | **271.20** |
| 1100 x 600mm | 500 | 1706 | 47.0054 | 262.00 | **314.40** |

**FEATURES**

- 19mm diameter horizontal round tubes
- No fluid filling required
- Just Connect and Go
- Material of towel rail: Mild Steel
- IPX4 Certificates (Zone 2 and 3)
- Compatible with the Crafton & Crafton II Temperature Control Plates
- 2 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 382-383

This product is electric only installation and cannot be used on a central heating system.

**TECHNICAL INFORMATION**

All measurements in Height by Width. This rail is reversible. Can not be fitted upside down.

Warranty 2 Year

Diameter (Ø) 19 MM Bars

All Electric

# Dry Element Range

## BIAVA DRY ELEMENT - STRAIGHT

Gloss White



Pictured 47.0007 Gloss White with 67.0004

Matt Black



Pictured 47.0054 Matt Black with 67.0012

Matt Anthracite



Pictured 47.0012 Matt Anthracite with 67.0011




White Panel | Anthracite Panel | Chrome Effect Panel

**Crafton II Temperature Control Panel**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Crafton II Temperature Control Panel White | 67.0010 | 82.00 | **98.40** |
| Crafton II Temperature Control Panel Anthracite | 67.0011 | 93.00 | **111.60** |
| Crafton II Temperature Control Panel Black | 67.0012 | 93.00 | **111.60** |
| Crafton II Temperature Control Panel Chrome Effect | 67.0013 | 88.00 | **105.60** |
| Crafton II Temperature Control Panel Brass Effect | 67.0014 | 97.00 | **116.40** |

This item is an additional extra that can be used with all colours of the Biava Dry Element Towel Rails. Please see page 349 for more product details and more colours.



**Wi-Fi On/Off Spur Switch**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Wi-Fi On/Off Spur Switch White | 41.0799 | 39.00 | **46.80** |


This item is an additional extra that can be used with all colours of the Biava Dry Element Towel Rails. Please see page 349 for more product details.

# Dry Element Range

## LODDON DRY ELEMENT



Pictured 47.0042 Chrome



Pictured 47.0035 Matt Black

**FEATURES**
- No fluid filling required
- Just connect and Go
- Material of Towel Rail : Mild Steel
- IPX4 certificates (Zone 2 and 3)
- 4 colours available from stock
- 2 Year Manufacturer's Warranty*

*With conditions

**Technical Tables & Drawings**
Page 384-385

Warranty 2 Year

All Electric

This product is electric only installation and cannot be used on a central heating system.

# Dry Element Range

## LODDON DRY ELEMENT

### Loddon Dry Element Towel Rail - Matt White

| Size H x W | Watts | BTU | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 800 x 500mm* | 300 | 1024 | 47.0027 | 423.00 | **507.60** |
| 800 x 600mm* | 350 | 1195 | 47.0028 | 446.00 | **535.20** |
| 1200 x 500mm | 450 | 1536 | 47.0029 | 520.00 | **624.00** |
| 1200 x 600mm | 500 | 1707 | 47.0030 | 549.00 | **658.80** |

### Loddon Dry Element Towel Rail - Matt Black

| Size H x W | Watts | BTU | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 800 x 500mm* | 300 | 1024 | 47.0035 | 423.00 | **507.60** |
| 800 x 600mm* | 350 | 1195 | 47.0036 | 446.00 | **535.20** |
| 1200 x 500mm | 450 | 1536 | 47.0037 | 520.00 | **624.00** |
| 1200 x 600mm | 500 | 1707 | 47.0038 | 549.00 | **658.80** |

### Loddon Dry Element Towel Rail - Matt Anthracite

| Size H x W | Watts | BTU | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 800 x 500mm* | 300 | 1024 | 47.0031 | 423.00 | **507.60** |
| 800 x 600mm* | 350 | 1195 | 47.0032 | 446.00 | **535.20** |
| 1200 x 500mm | 450 | 1536 | 47.0033 | 520.00 | **624.00** |
| 1200 x 600mm | 500 | 1707 | 47.0034 | 549.00 | **658.80** |

*The total height of this rail is 780mm

### Loddon Dry Element Towel Rail - Chrome

| Size H x W | Watts | BTU | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 800 x 500mm* | 300 | 1024 | 47.0039 | 502.00 | **602.40** |
| 800 x 600mm* | 350 | 1195 | 47.0040 | 561.00 | **673.20** |
| 1200 x 500mm | 450 | 1536 | 47.0041 | 588.00 | **705.60** |
| 1200 x 600mm | 500 | 1707 | 47.0042 | 646.00 | **775.20** |

*The total height of this rail is 780mm

### TECHNICAL INFORMATION

All measurements in Height by Width. Can not be fitted upside down. Comes with an information label in the front that can be removed. Projection from wall 100mm.

### Colour Coded Boost Function

The Loddon Dry Element towel rail has a colour coded boost function which allows the length of time the rail runs for to be set.


It can be on standby, 1 hour, 2 hours, 3 hours or continuously running.




Blue: Standby | Green: 1 Hour | Yellow: 2 Hours | Pink: 3 Hours | Red: Continuous


### Concealed or Exposed Wiring Option

The Loddon Dry Element towel rail can be installed with two different wiring options; an exposed wiring installation or concealed wiring installation.





Exposed Wiring | Concealed Wiring

### Matt White



### Matt Anthracite



### Matt Black



### Chrome



# Dry Element Range

## KENNET DRY ELEMENT



Pictured 47.0049 Chrome




Pictured 47.0044 Matt Anthracite

**FEATURES**
- No fluid filling required
- Just connect and Go
- Material of Towel Rail : Mild Steel
- IPX4 certificates (Zone 2 and 3)
- 2 colours available from stock
- 2 Year Manufacturer's Warranty*

*With conditions

**Technical Tables & Drawings**
Page 384-385

This product is electric only installation and cannot be used on a central heating system.

**TECHNICAL INFORMATION**

All measurements in Height by Width. Can not be fitted upside down. Comes with an information label in the front that can be removed. Projection from wall 130mm.

**Kennet Dry Element Towel Rail - Matt Anthracite**

| Size H x W | Watts | BTU | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 700 x 500mm* | 120 | 410 | 47.0043 | 395.00 | **474.00** |
| 700 x 600mm* | 150 | 512 | 47.0044 | 418.00 | **501.60** |
| 1200 x 500mm** | 200 | 683 | 47.0045 | 469.00 | **562.80** |
| 1200 x 600mm** | 230 | 785 | 47.0046 | 508.00 | **609.60** |


**Kennet Dry Element Towel Rail - Chrome**

| Size H x W | Watts | BTU | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 700 x 500mm* | 120 | 410 | 47.0047 | 451.00 | **541.20** |
| 700 x 600mm* | 150 | 512 | 47.0048 | 470.00 | **564.00** |
| 1200 x 500mm** | 200 | 683 | 47.0049 | 532.00 | **638.40** |
| 1200 x 600mm** | 230 | 785 | 47.0050 | 572.00 | **686.40** |

* Height shown excludes bottom control leg. Total height is 744.5mm
** Height shown excludes bottom control leg. Total height is 1253mm

**Colour Coded Boost Function**


The Kennet Dry Element towel rail has a colour coded boost function which allows the length of time the rail runs for to be set. It can be on standby, 1 hour, 2 hours, 3 hours or continuously running.




Standby | 1 Hour | 2 Hours | 3 Hours | Continuous

# Dry Element Range

## EMSBURY DRY ELEMENT



Pictured 47.0025 Polished

Rear fixing metal wall brackets




Pictured 47.0024 Polished

**Emsbury Dry Element Towel Rail - Polished**

| Size H x W | Watts | BTU | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 800 x 500mm | 150 | 512 | 47.0023 | 411.00 | **493.20** |
| 800 x 600mm | 200 | 683 | 47.0024 | 443.00 | **531.60** |
| 1200 x 500mm | 250 | 854 | 47.0025 | 471.00 | **565.20** |
| 1200 x 600mm | 300 | 1024 | 47.0026 | 491.00 | **589.20** |

**FEATURES**


- No fluid filling required
- Comes with integrated On/Off button
- Just connect and Go
- Material of Towel Rail : Grade 304 Stainless Steel
- Rear fixing metal wall brackets
- IPX4 certificates (Zone 2 and 3)
- Only available as polished surface finishing
- 2 Year Manufacturer's Warranty*

**Technical Tables & Drawings**
Page 384-385

This product is electric only installation and cannot be used on a central heating system.

**TECHNICAL INFORMATION**

All measurements in Height by Width. Can not be fitted upside down. Projection from wall 92mm.



Integrated On/Off Button



Sub Section

# Stainless Steel Range

Whilst retaining the features of a towel rail, the stainless steel range produces a stylish contemporary look.



| Contents | |
|---|---|
| Wendover Straight, Polished | 80 |
| Wendover Straight, Brushed | 81 |
| Viola II, Polished - **NEW PRODUCT** | 82 |
| Viola II, Brushed - **NEW PRODUCT** | 83 |
| Rizano, Polished | 84 |
| Viola, Polished | 85 |
| Biava Flat, Polished | 86 |
| Ascona, Polished | 87 |
| Velino, Polished - **NEW PRODUCT** | 88 |
| Velino, Brushed - **NEW PRODUCT** | 89 |

# Stainless Steel Range

## WENDOVER STRAIGHT STAINLESS STEEL - POLISHED



Pictured 41.0787 Polished





Pictured 41.0790 Polished

Rear fixing wall brackets

**Wendover Straight Stainless Steel Multirail - Polished**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 106 | 203 | 150W | A, A+, B, D, E, F, G | 41.0787 | 198.00 | **237.60** |
| 800 x 600mm | 126 | 241 | 150W | A, A+, B, D, E, F, G | 41.0788 | 213.00 | **255.60** |
| 1200 x 500mm | 163 | 313 | 300W | A, A+, B, D, E, F, G | 41.0789 | 268.00 | **321.60** |
| 1200 x 600mm | 194 | 371 | 300W | A, A+, B, D, E, F, G | 41.0790 | 289.00 | **346.80** |
| 1800 x 500mm | 254 | 489 | 450W | A, A+, B, D, E, F, G | 41.0791 | 366.00 | **439.20** |
| 1800 x 600mm | 301 | 580 | 450W | A, A+, B, D, E, F, G | 41.0792 | 396.00 | **475.20** |




Introducing the Wendover Straight Multirail, now available in a sleek stainless steel version. Combining the practicality of a towel rail with the durability and modern elegance of stainless steel, it's the perfect addition to any stylish bathroom.

**FEATURES**

- Grade 304 Stainless Steel material
- 22mm diameter horizontal round tubes
- 40 x 30mm vertical profiles
- Mirror polished surface (Chrome effect)
- Tested to BS EN 442 standards
- Can be single or dual fuel, or all electric
- 5 Year manufacturer's warranty*

* With conditions

**Technical Tables & Drawings**
Page 384-385

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For direct & indirect heating systems. Tappings are approx. 50mm less than the width of the rail and approx. 75-100mm off the wall. Price includes radiator and wall fixing sets, valves extra. Maximum working pressure: 4 bars.

# Stainless Steel Range

## WENDOVER STRAIGHT STAINLESS STEEL - BRUSHED



Pictured 41.0797 Brushed



Pictured 41.0795 Brushed

Rear fixing wall brackets

Introducing the Wendover Straight Multirail, now available in a sleek stainless steel version. Combining the practicality of a towel rail with the durability and modern elegance of stainless steel, it's the perfect addition to any stylish bathroom.

**Wendover Straight Stainless Steel Multirail - Brushed**


| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 106 | 203 | 150W | A, A+, B, D, E, F, G | 41.0793 | 209.00 | **250.80** |
| 800 x 600mm | 126 | 241 | 150W | A, A+, B, D, E, F, G | 41.0794 | 223.00 | **267.60** |
| 1200 x 500mm | 163 | 313 | 300W | A, A+, B, D, E, F, G | 41.0795 | 284.00 | **340.80** |
| 1200 x 600mm | 194 | 371 | 300W | A, A+, B, D, E, F, G | 41.0796 | 305.00 | **366.00** |
| 1800 x 500mm | 254 | 489 | 450W | A, A+, B, D, E, F, G | 41.0797 | 389.00 | **466.80** |
| 1800 x 600mm | 301 | 580 | 450W | A, A+, B, D, E, F, G | 41.0798 | 419.00 | **502.80** |

### FEATURES

- Grade 304 Stainless Steel material
- 22mm diameter horizontal round tubes
- 40 x 30mm vertical profiles
- Brushed finished surface
- Tested to BS EN 442 standards
- Can be single or dual fuel, or all electric
- 5 Year manufacturer's warranty*

* With conditions

**Technical Tables & Drawings**
Page 384-385







### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For direct & indirect heating systems. Tappings are approx. 50mm less than the width of the rail and approx. 75-100mm off the wall. Price includes radiator and wall fixing sets, valves extra. Maximum working pressure: 4 bars.

• NEW PRODUCT HERE •

# Stainless Steel Range

## VIOLLA II - POLISHED

Available August 2025



Pictured 41.0882 Polished



Rear bleed valve





Pictured 41.0885 Polished

Rear fixing wall brackets

**Violla II Stainless Steel Towel Rail - Polished**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 790 x 500mm | 90 | 172 | 100W | A, A+, B, D, E, F, G | 41.0880 | 212.00 | **254.40** |
| 790 x 600mm | 104 | 200 | 150W | A, A+, B, D, E, F, G | 41.0881 | 226.00 | **271.20** |
| 1210 x 500mm | 145 | 277 | 150W | A, A+, B, D, E, F, G | 41.0882 | 295.00 | **354.00** |
| 1210 x 600mm | 169 | 321 | 150W | A, A+, B, D, E, F, G | 41.0883 | 318.00 | **381.60** |
| 1630 x 500mm | 200 | 376 | 150W | A, A+, B, D, E, F, G | 41.0884 | 363.00 | **435.60** |
| 1630 x 600mm | 232 | 436 | 300W | A, A+, B, D, E, F, G | 41.0885 | 392.00 | **470.40** |




Building on the simplicity of the classic ladder rail, Violla II combines sleek minimalism with enhanced functionality. Thoughtfully spaced rails ensure effortless towel placement on every bar. Designed for modern living, blending style and practicality seamlessly.

**FEATURES**

- Grade 304 Stainless Steel material
- 19mm diameter horizontal round tubes
- 32mm diameter vertical profiles
- Mirror polished surface (Chrome effect)
- Tested to BS EN 442 standards
- Can be single or dual fuel, or all electric
- 5 Year manufacturer's warranty*

* With conditions

**Technical Tables & Drawings**
Page 386-387

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For direct & indirect heating systems. Tappings are approx. 32mm less than the width of the rail and approx. 76-101mm off the wall. Price includes radiator and wall fixing sets, valves extra. Maximum working pressure: 4 bars.

# Stainless Steel Range

## VIOLLA II - BRUSHED

Available August 2025



Pictured 41.0886 Brushed



Rear bleed valve



Pictured 41.0889 Brushed

Rear fixing wall brackets

Building on the simplicity of the classic ladder rail, Violla II combines sleek minimalism with enhanced functionality. Thoughtfully spaced rails ensure effortless towel placement on every bar. Designed for modern living, blending style and practicality seamlessly.

**FEATURES**

- Grade 304 Stainless Steel material
- 19mm diameter horizontal round tubes
- 32mm diameter vertical profiles
- Brushed surface
- Tested to BS EN 442 standards
- Can be single or dual fuel, or all electric
- 5 Year manufacturer's warranty*

* With conditions


**Technical Tables & Drawings**
Page 386-387


**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For direct & indirect heating systems. Tappings are approx. 32mm less than the width of the rail and approx. 76-101mm off the wall. Price includes radiator and wall fixing sets, valves extra. Maximum working pressure: 4 bars.

**Violla II Stainless Steel Towel Rail - Brushed**


| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 790 x 500mm | 90 | 172 | 100W | A, A+, B, D, E, F, G | 41.0886 | 227.00 | **272.40** |
| 790 x 600mm | 104 | 200 | 150W | A, A+, B, D, E, F, G | 41.0887 | 241.00 | **289.20** |
| 1210 x 500mm | 145 | 277 | 150W | A, A+, B, D, E, F, G | 41.0888 | 317.00 | **380.40** |
| 1210 x 600mm | 169 | 321 | 150W | A, A+, B, D, E, F, G | 41.0889 | 339.00 | **406.80** |
| 1630 x 500mm | 200 | 376 | 150W | A, A+, B, D, E, F, G | 41.0890 | 392.00 | **470.40** |
| 1630 x 600mm | 232 | 436 | 300W | A, A+, B, D, E, F, G | 41.0891 | 421.00 | **505.20** |



# Stainless Steel Range

## RIZANO



Can be reverse handed (Left or Right)

**Technical Tables & Drawings**
Page 386-387

**Twin TRV's**
Page 352

Tappings: **50mm**

Furniture for illustration purposes only

Pictured 41.0250 Polished

**Bar Dimensions (mm)**

Horizontal Bars 30 x 15mm

This sophisticated, ultra modern radiator adds a hugely useful feature with its single sided towel bars.

**Rizano Stainless Steel Towel Rail - Polished**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 500mm | 133 | 262 | 300W | A, A+, B, D, E | 41.0250 | 640.00 | **768.00** |
| 1000 x 600mm | 157 | 307 | 300W | A, A+, B, D, E | 41.0251 | 880.00 | **1056.00** |

**FEATURES**
- Grade 304 Stainless Steel material
- Mirror polished surface (Chrome effect)
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- Tappings at the top and bottom. Can be reverse handed (left or right)
- Twin valves can be used with this towel rail
- 5 Year Manufacturer's Warranty*

* With conditions

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D or E. For element types see pages 336-349. For matching valves see pages 350-365. For direct & indirect heating systems. Tappings are approx. 50mm and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra. Maximum working pressure: 4 bars.

Warranty 5 Year | Heating | All Electric | Dual-Fuel



# Stainless Steel Range

## WHILE STOCKS LAST

## VIOLLA

Pictured 91.0177 Polished




Pictured 91.0174 Polished



A take on the simple ladder rail design this radiator is both functional and minimalist. Rail spacing makes it easy to put a towel on all of the bars, making it the perfect family bathroom solution.

**Violla Stainless Steel Towel Rail - Polished** — **REDUCED PRICES**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 590 x 1000mm | 95 | 182 | 150W | A, A+, B, D, E, F, G | 91.0171 | 212.00 | **254.40** |
| 790 x 500mm | 80 | 153 | 100W | A, A+, B, D, E, F, G | 91.0172 | 207.00 | **248.40** |
| 790 x 600mm | 90 | 173 | 150W | A, A+, B, D, E, F, G | 91.0173 | 221.00 | **265.20** |
| 1210 x 500mm | 124 | 237 | 150W | A, A+, B, D, E, F, G | 91.0174 | 234.00 | **280.80** |
| 1210 x 600mm | 141 | 270 | 150W | A, A+, B, D, E, F, G | 91.0175 | 245.00 | **294.00** |
| 1630 x 500mm | 158 | 302 | 150W | A, A+, B, D, E, F, G | 91.0176 | 306.00 | **367.20** |
| 1630 x 600mm | 180 | 344 | 300W | A, A+, B, D, E, F, G | 91.0177 | 361.00 | **433.20** |

* Further heat output information available on eastbrooktrade.com E&OA

### FEATURES

- Grade 304 Stainless Steel material
- Mirror polished surface (Chrome effect)
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- Rear fixing wall brackets
- Tappings only at the bottom
- Hidden air vent at the back
- Flush finished tops
- 5 Year Manufacturer's Warranty*


* With conditions

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For direct & indirect heating systems. Tappings are approx. 32mm less than the width of the rail and approx. 79mm off the wall. Prices include radiator and wall fixings sets, valves extra. Maximum working pressure: 4 bars.

# Stainless Steel Range

## BIAVA FLAT




Whilst retaining the features of a ladder rail, this flat panelled radiator produces a stylish and contemporary look. The larger surface area of the flat panels allow for a higher heat output with no compromise on design.

**Biava Flat Stainless Steel Towel Rail - Polished**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1190 x 500mm | 163 | 312 | 300W | A, A+, B, D, E | 41.0252 | 728.00 | **873.60** |
| 1190 x 600mm | 190 | 359 | 450W | A, A+, B, D, E | 41.0253 | 793.00 | **951.60** |

**FEATURES**

- Grade 304 Stainless Steel material
- Mirror polished surface (Chrome effect)
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- Rear fixing wall brackets
- Tappings only at the bottom
- Hidden air vent at the back
- Flush finished tops
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 386-387




**TECHNICAL INFORMATION**

All measurements in Height by Width.. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D or E. For element types see pages 336-349. For matching valves see pages 350-365. For direct & indirect heating systems. Tappings are approx. 80mm less than the width of the rail and approx. 65mm off the wall. Prices include radiator and wall fixings sets, valves extra. Maximum working pressure: 4 bars.

Warranty 5 Year | Heating | All Electric | Dual-Fuel

# Stainless Steel Range

## ASCONA






This sophisticated, ultra modern radiator adds a hugely useful feature with its single sided towel bars.

**Ascona Stainless Steel Towel Rail - Polished**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 420 x 500mm | 80 | 146 | 150W | A, A+, B, D, E | 41.0254 | 500.00 | **600.00** |

**FEATURES**

- Grade 304 Stainless Steel material
- Mirror polished surface (Chrome effect)
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- Rear fixing wall brackets
- Tappings only at the bottom, with hidden air vent at the back
- Flush finished tops
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 388-389

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D or E. For element types see pages 336-349. For matching valves see pages 350-365. For direct & indirect heating systems. Tappings are approx. 60mm less than the width of the rail and approx. 45mm off the wall. Price includes radiator and wall fixing sets, valves extra. Maximum working pressure: 4 bars.

Warranty 5 Year | Heating | All Electric | Dual-Fuel

• NEW PRODUCT HERE •

# Stainless Steel Range

## VELINO - POLISHED


Heated Shelves

Available August 2025



Pictured 41.1113 Polished

Rear fixing wall brackets




Pictured 41.1111 Polished

**Velino Stainless Steel Towel Rail - Polished**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 125 | 235 | 150W | A, A+, B, D, E, F, G | 41.1111 | 340.00 | **408.00** |
| 800 x 600mm | 143 | 268 | 150W | A, A+, B, D, E, F, G | 41.1112 | 374.00 | **448.80** |
| 1200 x 500mm | 167 | 317 | 150W | A, A+, B, D, E, F, G | 41.1113 | 435.00 | **522.00** |
| 1200 x 600mm | 189 | 358 | 300W | A, A+, B, D, E, F, G | 41.1114 | 470.00 | **564.00** |

Warranty 5 Year | Heating | All Electric | Dual-Fuel

Elevate your bathroom with the Velino, crafted from premium stainless steel for durability. Designed with built-in shelves for added convenience, it offers ample space to dry multiple towels at once while enhancing your space with effortless elegance. Experience the perfect blend of style and functionality with Velino.

**FEATURES**

- Grade 304 Stainless Steel material
- 19mm diameter horizontal round tubes
- 35 x 35mm vertical profiles
- Mirror polished surface (Chrome effect)
- Tested to BS EN 442 standards
- Can be single or dual fuel, or all electric
- 5 Year manufacturer's warranty*

* With conditions

**Technical Tables & Drawings**
Page 386-387

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For direct & indirect heating systems. Tappings are approx. 35mm less than the width of the rail and approx. 97.5mm off the wall. Projection from the wall is 290mm. Price includes radiator and wall fixing sets, valves extra. Maximum working pressure: 4 bars

# Stainless Steel Range

## VELINO - BRUSHED

Available August 2025

Heated Shelves




Pictured 41.1116 Brushed



Rear fixing wall brackets

Pictured 41.1118 Brushed

**Velino Stainless Steel Towel Rail - Brushed**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 125 | 235 | 150W | A, A+, B, D, E, F, G | 41.1115 | 356.00 | **427.20** |
| 800 x 600mm | 143 | 268 | 150W | A, A+, B, D, E, F, G | 41.1116 | 390.00 | **468.00** |
| 1200 x 500mm | 167 | 317 | 150W | A, A+, B, D, E, F, G | 41.1117 | 459.00 | **550.80** |
| 1200 x 600mm | 189 | 358 | 300W | A, A+, B, D, E, F, G | 41.1118 | 494.00 | **592.80** |

Warranty 5 Year | Heating | All Electric | Dual-Fuel

Elevate your bathroom with the Velino, crafted from premium stainless steel for durability. Designed with built-in shelves for added convenience, it offers ample space to dry multiple towels at once while enhancing your space with effortless elegance. Experience the perfect blend of style and functionality with Velino.

### FEATURES

- Grade 304 Stainless Steel material
- 19mm diameter horizontal round tubes
- 35 x 35mm vertical profiles
- Brushed surface
- Tested to BS EN 442 standards
- Can be single or dual fuel, or all electric
- 5 Year manufacturer's warranty*

* With conditions

**Technical Tables & Drawings**
Page 386-387

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For direct & indirect heating systems. Tappings are approx. 35mm less than the width of the rail and approx. 97.5mm off the wall. Projection from the wall is 290mm. Price includes radiator and wall fixing sets, valves extra. Maximum working pressure: 4 bars



Sub Section

# Designer Range

Our aim is to offer a statement piece radiator or towel rail that allows maximum space to keep towels warm. In the designer range you can find a huge variety of towel rail styles and radiators using minimalistic, clean designs.

## Contents


| | |
|---|---|
| Warrington Type10, Available in 5 colours - **NEW COLOUR & SIZES** | 92-95 |
| Warrington Type20, Available in 3 colours - **NEW SIZES** | 96-99 |
| Leonardo, Chrome & Brushed Brass | 100 |
| Brockworth All Electric Available in 3 colours | 101 |
| Staverton Tube on Tube Straight, Available in 3 colours | 102 |
| Staverton Tube on Tube Curved, Chrome | 103 |
| Biava Corinium, Chrome | 103 |
| Defford, Available in 5 colours | 104-105 |
| Staverton, Available in 3 colours | 106 |
| Mezzo Tondo, Chrome | 107 |
| Pesaro, Chrome | 107 |
| Santero, Available in 4 colours | 108-109 |
| Hurley, Available in 6 colours | 110-113 |
| Helmsley, Available in 4 colours | 114-115 |
| Platani, Available in 5 colours | 116-117 |
| Reinbach, Available in 5 colours - **NEW SIZES** | 118-119 |
| Marlow, Available in 5 colours | 120-121 |
| Marlow E-Style, Available in 5 colours | 122-123 |
| Conwy, Available in 4 colours | 124 |
| Portchester, Available in 4 colours | 125 |
| Lambourne, Available in 4 colours | 126-127 |
| Murano Vertical & Horizontal, Available in 4 colours | 128-129 |
| Ryton, Available in 3 colours | 130 |
| Kenilworth, Available in 3 colours | 131 |
| Loxley, Available in 3 colours | 132 |
| Eshton, Available in 3 colours | 133 |
| Rubano Vertical & Horizontal, Gloss White & Matt Anthracite | 134-135 |
| Rowsham Vertical & Horizontal, Matt White & Matt Anthracite | 136-138 |
| Rowsham Towel Rail, Matt White & Matt Anthracite | 139 |
| Wingrave Flat Panel, Available in 3 colours | 140-141 |
| Tunstall Vertical, Available in 4 colours | 142-143 |
| Tunstall Horizontal, Available in 3 colours | 144 |
| Tunstall Towel Rail, Available in 4 colours | 145 |
| Tunstall Double Vertical, Available in 3 | 146-147 |
| Tunstall Double Horizontal, Available in 3 colours | 148-149 |
| Tunstall Double Towel Rail, Available in 3 colours | 150 |
| Tunstall Mirror & Tunstall Double Mirror, Available in 3 colours | 151 |
| Deddington Vertical, Available in 5 colours | 152-153 |
| Deddington Horizontal, Available in 5 | 154-155 |
| Deddington Towel Rail, Available in 5 colours | 156-157 |
| Addington II Type 10, Available in 4 colours - **NEW PRODUCT** | 158-165 |
| Addington II Type 20, Available in 3 colours - **NEW PRODUCT** | 166-171 |
| Addington II Type 10 Towel Rail, Available in 4 colours - **NEW PRODUCT** | 172-174 |
| Addington II Type 20 Towel Rail, Available in 3 colours - **NEW PRODUCT** | 175 |
| Addington Type10, Gloss White & Matt Anthracite | 176-179 |
| Addington Type10 Towel Rail, Gloss White & Matt Anthracite | 180 |
| Addington Type10 Towel Hangers | 181 |
| Addington Type20, Gloss White & Matt Anthracite | 182-185 |
| Addington Type21 Horizontal, Gloss White & Matt Anthracite | 186 |
| Addington Type22 Horizontal, Gloss White & Matt Anthracite | 187 |
| Addington Type20 Towel Rail, Gloss White & Matt Anthracite | 188 |
| Addington Type21 Towel Rail, Gloss White & Matt Anthracite | 189 |

# Designer Range

## WARRINGTON TYPE 10 - HORIZONTAL




Pictured 41.0532 Gloss White



Pictured 41.0528 Matt Black

Warrington Designer Radiator will be the centre of attention in any room with its perfectly crafted elliptical front panels. Completing your radiator with the extra towel hangers has never been easier. Single panel Warrington Radiator is available in vertical & horizontal sizes and 4 colours in total.

**FEATURES**

- 68x12mm vertical bars
- Tested to BS EN 442 standards
- Single profile construction
- 4 colours available from stock
- Not suitable for elements
- Comes with same colour blanking plug & bleed valve (brushed brass finish only)
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 388-389

**600mm Height - Horizontal**

**Warrington Type 10 Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 600 x 452mm | 169 | 321 | 41.0520 | 123.00 | **147.60** |
| 600 x 604mm | 225 | 427 | 41.0523 | 152.00 | **182.40** |
| 600 x 832mm | 310 | 588 | 41.0526 | 195.00 | **234.00** |
| 600 x 1060mm | 394 | 748 | 41.0529 | 237.00 | **284.40** |
| 600 x 1212mm | 450 | 854 | 41.0532 | 265.00 | **318.00** |
| 600 x 1440mm | 535 | 1015 | 41.0841 | 306.00 | **367.20** |
| 600 x 1668mm | 619 | 1175 | 41.0844 | 349.00 | **418.80** |

**Warrington Type 10 Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 600 x 452mm | 169 | 321 | 41.0521 | 126.00 | **151.20** |
| 600 x 604mm | 225 | 427 | 41.0524 | 156.00 | **187.20** |
| 600 x 832mm | 310 | 588 | 41.0527 | 200.00 | **240.00** |
| 600 x 1060mm | 394 | 748 | 41.0530 | 243.00 | **291.60** |
| 600 x 1212mm | 450 | 854 | 41.0533 | 272.00 | **326.40** |
| 600 x 1440mm | 535 | 1015 | 41.0842 | 314.00 | **376.80** |
| 600 x 1668mm | 619 | 1175 | 41.0845 | 359.00 | **430.80** |

**Warrington Type 10 Horizontal Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 600 x 452mm | 169 | 321 | 41.0522 | 126.00 | **151.20** |
| 600 x 604mm | 225 | 427 | 41.0525 | 156.00 | **187.20** |
| 600 x 832mm | 310 | 588 | 41.0528 | 200.00 | **240.00** |
| 600 x 1060mm | 394 | 748 | 41.0531 | 243.00 | **291.60** |
| 600 x 1212mm | 450 | 854 | 41.0534 | 272.00 | **326.40** |
| 600 x 1440mm | 535 | 1015 | 41.0843 | 314.00 | **376.80** |
| 600 x 1668mm | 619 | 1175 | 41.0846 | 359.00 | **430.80** |

### TECHNICAL INFORMATION

All measurements in Height by Width. Not suitable for elements. For matching valves see pages 350-365. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and approx. 51mm off the wall. Projection from wall 84mm.

## WARRINGTON TYPE 10 - VERTICAL

Warrington Designer Radiator will be the centre of attention in any room with its perfectly crafted elliptical front panels. Completing your radiator with the extra towel hangers has never been easier. Single panel Warrington Radiator is available in vertical & horizontal sizes and 5 colours in total, including the brand new stunning chrome finish.

**FEATURES**

- 68x12mm vertical bars
- Tested to BS EN 442 standards
- Single profile construction
- 5 colours available from stock
- Not suitable for elements
- Comes with same colour blanking plug & bleed valve (brushed brass finish only)
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 388-389

### TECHNICAL INFORMATION

All measurements in Height by Width. Not suitable for elements. For matching valves see pages 350-365. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and approx. 51mm off the wall. Projection from wall 84mm.

**1500mm Height - Vertical**

**NEW! Warrington Type 10 Vertical Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1500 x 300mm | 258 | 490 | 41.1119 | 155.00 | **186.00** |
| 1500 x 376mm | 322 | 612 | 41.1120 | 186.00 | **223.20** |
| 1500 x 452mm | 387 | 735 | 41.1121 | 216.00 | **259.20** |
| 1500 x 528mm | 451 | 857 | 41.1122 | 247.00 | **296.40** |
| 1500 x 604mm | 516 | 980 | 41.1123 | 277.00 | **332.40** |
| 1500 x 680mm | 580 | 1102 | 41.1124 | 308.00 | **369.60** |

**NEW! Warrington Type 10 Vertical Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1500 x 300mm | 258 | 490 | 41.1125 | 159.00 | **190.80** |
| 1500 x 376mm | 322 | 612 | 41.1126 | 190.00 | **228.00** |
| 1500 x 452mm | 387 | 735 | 41.1127 | 221.00 | **265.20** |
| 1500 x 528mm | 451 | 857 | 41.1128 | 253.00 | **303.60** |
| 1500 x 604mm | 516 | 980 | 41.1129 | 284.00 | **340.80** |
| 1500 x 680mm | 580 | 1102 | 41.1130 | 315.00 | **378.00** |

**NEW! Warrington Type 10 Vertical Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1500 x 300mm | 258 | 490 | 41.1131 | 159.00 | **190.80** |
| 1500 x 376mm | 322 | 612 | 41.1132 | 190.00 | **228.00** |
| 1500 x 452mm | 387 | 735 | 41.1133 | 221.00 | **265.20** |
| 1500 x 528mm | 451 | 857 | 41.1134 | 253.00 | **303.60** |
| 1500 x 604mm | 516 | 980 | 41.1135 | 284.00 | **340.80** |
| 1500 x 680mm | 580 | 1102 | 41.1136 | 315.00 | **378.00** |

**NEW! Warrington Type 10 Vertical Radiators - Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1500 x 300mm | 151 | 293 | 41.1137 | 244.00 | **292.80** |
| 1500 x 376mm | 188 | 366 | 41.1138 | 295.00 | **354.00** |
| 1500 x 452mm | 226 | 439 | 41.1139 | 346.00 | **415.20** |
| 1500 x 528mm | 263 | 512 | 41.1140 | 397.00 | **476.40** |
| 1500 x 604mm | 301 | 585 | 41.1141 | 449.00 | **538.80** |

**NEW! Warrington Type 10 Vertical Radiators - Brushed Brass**

| Size H x W | △T30 Watts* | △T50 Watts* | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1500 x 300mm | 151 | 293 | 41.1142 | 363.00 | **435.60** |
| 1500 x 376mm | 188 | 366 | 41.1143 | 414.00 | **496.80** |
| 1500 x 452mm | 226 | 439 | 41.1144 | 465.00 | **558.00** |
| 1500 x 528mm | 263 | 512 | 41.1145 | 516.00 | **619.20** |
| 1500 x 604mm | 301 | 585 | 41.1146 | 567.00 | **680.40** |

* Further heat output information available on eastbrooktrade.com **E&OA**





Pictured 41.1134 Matt Black



• NEW COLOUR HERE •

# Designer Range

## WARRINGTON TYPE 10 - VERTICAL



Pictured 41.0511 Gloss White with 41.0574 Towel Hanger

NEW

New Colour Available August 2025



Pictured 41.1150 Chrome with 41.0577 Towel Hanger

**Bar Dimensions (mm)**

Vertical Bars 68 x 12mm



Pictured 41.0779 Brushed Brass

Warrington Designer Radiator will be the centre of attention in any room with its perfectly crafted elliptical front panels. Completing your radiator with the extra towel hangers has never been easier. Single panel Warrington Radiator is available in vertical & horizontal sizes and 5 colours in total.

**FEATURES**

- 68x12mm vertical bars
- Tested to BS EN 442 standards
- Single profile construction
- 5 colours available from stock
- Not suitable for elements
- Comes with same colour blanking plug & bleed valve (brushed brass finish only)
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 388-389

# Designer Range

## WARRINGTON TYPE 10 - VERTICAL

### 1800mm Height - Vertical

**Warrington Type 10 Vertical Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 300mm | 322 | 616 | 41.0505 | 172.00 | **206.40** |
| 1800 x 376mm | 403 | 769 | 41.0508 | 205.00 | **246.00** |
| 1800 x 452mm | 483 | 923 | 41.0511 | 239.00 | **286.80** |
| 1800 x 528mm | 564 | 1077 | 41.0514 | 271.00 | **325.20** |
| 1800 x 604mm | 644 | 1231 | 41.0517 | 305.00 | **366.00** |
| 1800 x 680mm | 725 | 1385 | 41.0838 | 341.00 | **409.20** |

**Warrington Type 10 Vertical Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 300mm | 322 | 616 | 41.0506 | 177.00 | **212.40** |
| 1800 x 376mm | 403 | 769 | 41.0509 | 212.00 | **254.40** |
| 1800 x 452mm | 483 | 923 | 41.0512 | 245.00 | **294.00** |
| 1800 x 528mm | 564 | 1077 | 41.0515 | 280.00 | **336.00** |
| 1800 x 604mm | 644 | 1231 | 41.0518 | 314.00 | **376.80** |
| 1800 x 680mm | 725 | 1385 | 41.0839 | 350.00 | **420.00** |

**Warrington Type 10 Vertical Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 300mm | 322 | 616 | 41.0507 | 177.00 | **212.40** |
| 1800 x 376mm | 403 | 769 | 41.0510 | 212.00 | **254.40** |
| 1800 x 452mm | 483 | 923 | 41.0513 | 245.00 | **294.00** |
| 1800 x 528mm | 564 | 1077 | 41.0516 | 280.00 | **336.00** |
| 1800 x 604mm | 644 | 1231 | 41.0519 | 314.00 | **376.80** |
| 1800 x 680mm | 725 | 1385 | 41.0840 | 350.00 | **420.00** |

**NEW! Warrington Type 10 Vertical Radiators - Chrome**

| Size H x W | △T30 Watts* | △T50 Watts* | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 300mm | 192 | 383 | 41.1147 | 279.00 | **334.80** |
| 1800 x 376mm | 240 | 479 | 41.1148 | 339.00 | **406.80** |
| 1800 x 452mm | 288 | 575 | 41.1149 | 397.00 | **476.40** |
| 1800 x 528mm | 336 | 670 | 41.1150 | 457.00 | **548.40** |
| 1800 x 604mm | 384 | 766 | 41.1151 | 516.00 | **619.20** |

**Warrington Type 10 Vertical Radiators - Brushed Brass**

| Size H x W | △T30 Watts* | △T50 Watts* | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 300mm | 192 | 383 | 41.0779 | 438.00 | **525.60** |
| 1800 x 376mm | 240 | 479 | 41.0780 | 491.00 | **589.20** |
| 1800 x 452mm | 288 | 575 | 41.0781 | 543.00 | **651.60** |
| 1800 x 528mm | 336 | 670 | 41.0782 | 596.00 | **715.20** |
| 1800 x 604mm | 384 | 766 | 41.0783 | 648.00 | **777.60** |

* Further heat output information available on eastbrooktrade.com **E&OA**




## WARRINGTON TOWEL HANGERS TYPE10 & TYPE20



**Towel Hanger - Mirror Polished Premium**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 239mm | 41.0565 | 53.00 | **63.60** |
| 300mm | 41.0569 | 57.00 | **68.40** |
| 380mm | 41.0573 | 62.00 | **74.40** |
| 500mm | 41.0577 | 71.00 | **85.20** |



**Towel Hanger - Gloss White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 239mm | 41.0566 | 50.00 | **60.00** |
| 300mm | 41.0570 | 53.00 | **63.60** |
| 380mm | 41.0574 | 58.00 | **69.60** |
| 500mm | 41.0578 | 65.00 | **78.00** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 239mm | 41.0567 | 50.00 | **60.00** |
| 300mm | 41.0571 | 53.00 | **63.60** |
| 380mm | 41.0575 | 58.00 | **69.60** |
| 500mm | 41.0579 | 65.00 | **78.00** |



**Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 239mm | 41.0568 | 50.00 | **60.00** |
| 300mm | 41.0572 | 53.00 | **63.60** |
| 380mm | 41.0576 | 58.00 | **69.60** |
| 500mm | 41.0580 | 65.00 | **78.00** |



**Towel Hanger - Brushed Brass Premium**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 239mm | 41.0800 | 67.00 | **80.40** |
| 300mm | 41.0801 | 72.00 | **86.40** |
| 380mm | 41.0802 | 78.00 | **93.60** |
| 500mm | 41.0803 | 89.00 | **106.80** |




**Bleed Valve & Blanking Plug Set - Brushed Brass**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.0732 | 11.00 | **13.20** |

### TECHNICAL INFORMATION

Material: **Steel (Premium: Stainless Steel - Grade 304)**

Warrington radiators do not come with towel hanger locations. Towel hangers can be fitted on any desired height, left or right handed and with the quantity chosen. Warrington Towel Hangers can be fitted on vertical & horizontal sizes.

Must be fitted before installation. Warrington Towel Hangers are only compatible with Warrington Type 10 & Type 20 radiators.

## MAGNETIC TOWEL HANGERS



**Round Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0071 | 96.00 | **115.20** |
| 600mm | Chrome | 101.0072 | 102.00 | **122.40** |



**Square Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0073 | 97.00 | **116.40** |
| 600mm | Chrome | 101.0074 | 109.00 | **130.80** |

Both Round & Square towel hangers come in three unassembled pieces.
Please cut 600mm bar to required column-to-column length.
Holds up to 5kg weight.

# Designer Range

## WARRINGTON TYPE 20 - HORIZONTAL




Pictured 41.0564 Matt Black



Pictured 41.0553 Gloss White

Warrington Designer Radiator will be the centre of attention in any room with its perfectly crafted elliptical front panels. Completing your radiator with the extra towel hangers has never been easier. Double panel Warrington Radiator is available in vertical & horizontal sizes and 3 colours.

**FEATURES**

- 68x12mm vertical bars
- Tested to BS EN 442 standards
- Double profile construction
- 3 colours available from stock
- Not suitable for elements
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 388-389

**TECHNICAL INFORMATION**

All measurements in Height by Width. Not suitable for elements. For matching valves see pages 350-365. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and approx. 51mm off the wall. Projection from wall 84mm.

**600mm Height - Horizontal**

**Warrington Type 20 Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 600 x 456mm | 268 | 510 | 41.0550 | 182.00 | **218.40** |
| 600 x 608mm | 358 | 680 | 41.0553 | 230.00 | **276.00** |
| 600 x 836mm | 492 | 935 | 41.0556 | 303.00 | **363.60** |
| 600 x 1064mm | 626 | 1190 | 41.0559 | 374.00 | **448.80** |
| 600 x 1216mm | 715 | 1360 | 41.0562 | 423.00 | **507.60** |
| 600 x 1444mm | 849 | 1615 | 41.0850 | 493.00 | **591.60** |
| 600 x 1672mm | 983 | 1870 | 41.0853 | 565.00 | **678.00** |

**Warrington Type 20 Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 600 x 456mm | 268 | 510 | 41.0551 | 187.00 | **224.40** |
| 600 x 608mm | 358 | 680 | 41.0554 | 237.00 | **284.40** |
| 600 x 836mm | 492 | 935 | 41.0557 | 311.00 | **373.20** |
| 600 x 1064mm | 626 | 1190 | 41.0560 | 385.00 | **462.00** |
| 600 x 1216mm | 715 | 1360 | 41.0563 | 434.00 | **520.80** |
| 600 x 1444mm | 849 | 1615 | 41.0851 | 507.00 | **608.40** |
| 600 x 1672mm | 983 | 1870 | 41.0854 | 581.00 | **697.20** |

**Warrington Type 20 Horizontal Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 600 x 456mm | 268 | 510 | 41.0552 | 187.00 | **224.40** |
| 600 x 608mm | 358 | 680 | 41.0555 | 237.00 | **284.40** |
| 600 x 836mm | 492 | 935 | 41.0558 | 311.00 | **373.20** |
| 600 x 1064mm | 626 | 1190 | 41.0561 | 385.00 | **462.00** |
| 600 x 1216mm | 715 | 1360 | 41.0564 | 434.00 | **520.80** |
| 600 x 1444mm | 849 | 1615 | 41.0852 | 507.00 | **608.40** |
| 600 x 1672mm | 983 | 1870 | 41.0855 | 581.00 | **697.20** |

## WARRINGTON TYPE 20 - VERTICAL




Pictured 41.1154 Gloss White




Pictured 41.1167 Matt Black with 41.0803 Towel Hanger

### 1500mm Height - Vertical

**NEW! Warrington Type 20 Vertical Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1500 x 304mm | 372 | 721 | 41.1152 | 242.00 | **290.40** |
| 1500 x 380mm | 466 | 902 | 41.1153 | 294.00 | **352.80** |
| 1500 x 456mm | 559 | 1082 | 41.1154 | 346.00 | **415.20** |
| 1500 x 532mm | 652 | 1262 | 41.1155 | 397.00 | **476.40** |
| 1500 x 608mm | 745 | 1443 | 41.1156 | 450.00 | **540.00** |
| 1500 x 684mm | 838 | 1623 | 41.1157 | 502.00 | **602.40** |

**NEW! Warrington Type 20 Vertical Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1500 x 304mm | 372 | 721 | 41.1158 | 249.00 | **298.80** |
| 1500 x 380mm | 466 | 902 | 41.1159 | 301.00 | **361.20** |
| 1500 x 456mm | 559 | 1082 | 41.1160 | 355.00 | **426.00** |
| 1500 x 532mm | 652 | 1262 | 41.1161 | 408.00 | **489.60** |
| 1500 x 608mm | 745 | 1443 | 41.1162 | 462.00 | **554.40** |
| 1500 x 684mm | 838 | 1623 | 41.1163 | 515.00 | **618.00** |

**NEW! Warrington Type 20 Vertical Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1500 x 304mm | 372 | 721 | 41.1164 | 249.00 | **298.80** |
| 1500 x 380mm | 466 | 902 | 41.1165 | 301.00 | **361.20** |
| 1500 x 456mm | 559 | 1082 | 41.1166 | 355.00 | **426.00** |
| 1500 x 532mm | 652 | 1262 | 41.1167 | 408.00 | **489.60** |
| 1500 x 608mm | 745 | 1443 | 41.1168 | 462.00 | **554.40** |
| 1500 x 684mm | 838 | 1623 | 41.1169 | 515.00 | **618.00** |



Double profile construction

Warrington Designer Radiator will be the centre of attention in any room with its perfectly crafted elliptical front panels. Completing your radiator with the extra towel hangers has never been easier. Single panel Warrington Radiator is available in vertical & horizontal sizes and 4 colours in total.

**FEATURES**

- 68x12mm vertical bars
- Tested to BS EN 442 standards
- Single profile construction
- 4 colours available from stock
- Not suitable for elements
- Comes with same colour blanking plug & bleed valve (brushed brass finish only)
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 390-391

**TECHNICAL INFORMATION**

All measurements in Height by Width. Not suitable for elements. For matching valves see pages 350-365. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and approx. 51mm off the wall. Projection from wall 84mm.

# Designer Range

## WARRINGTON TYPE 20 - VERTICAL



Pictured 41.0547 Gloss White



**Bar Dimensions (mm)**

Vertical Bars 68 x 12mm

Pictured 41.0539 Matt Anthracite with 41.0569 Towel Hanger

Warrington Designer Radiator will be the centre of attention in any room with its perfectly crafted elliptical front panels. Completing your radiator with the extra towel hangers has never been easier. Double panel Warrington Radiator is available in vertical & horizontal sizes and 3 colours.

**FEATURES**


- 68x12mm vertical bars
- Tested to BS EN 442 standards
- Double profile construction
- 3 colours available from stock
- Not suitable for elements
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 390-391

**TECHNICAL INFORMATION**

All measurements in Height by Width. Not suitable for elements. For matching valves see pages 350-365. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and approx. 51mm off the wall. Projection from wall 84mm.



**Double profile construction**

# Designer Range

## WARRINGTON TYPE 20 - VERTICAL

**1800mm Height - Vertical**

**Warrington Type 20 Vertical Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 304mm | 468 | 902 | 41.0535 | 271.00 | **325.20** |
| 1800 x 380mm | 584 | 1127 | 41.0538 | 340.00 | **408.00** |
| 1800 x 456mm | 701 | 1352 | 41.0541 | 398.00 | **477.60** |
| 1800 x 532mm | 818 | 1578 | 41.0544 | 458.00 | **549.60** |
| 1800 x 608mm | 935 | 1803 | 41.0547 | 519.00 | **622.80** |
| 1800 x 684mm | 1052 | 2028 | 41.0847 | 580.00 | **696.00** |

**Warrington Type 20 Vertical Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 304mm | 468 | 902 | 41.0536 | 287.00 | **344.40** |
| 1800 x 380mm | 584 | 1127 | 41.0539 | 349.00 | **418.80** |
| 1800 x 456mm | 701 | 1352 | 41.0542 | 410.00 | **492.00** |
| 1800 x 532mm | 818 | 1578 | 41.0545 | 471.00 | **565.20** |
| 1800 x 608mm | 935 | 1803 | 41.0548 | 533.00 | **639.60** |
| 1800 x 684mm | 1052 | 2028 | 41.0848 | 595.00 | **714.00** |

**Warrington Type 20 Vertical Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 304mm | 468 | 902 | 41.0537 | 287.00 | **344.40** |
| 1800 x 380mm | 584 | 1127 | 41.0540 | 349.00 | **418.80** |
| 1800 x 456mm | 701 | 1352 | 41.0543 | 410.00 | **492.00** |
| 1800 x 532mm | 818 | 1578 | 41.0546 | 471.00 | **565.20** |
| 1800 x 608mm | 935 | 1803 | 41.0549 | 533.00 | **639.60** |
| 1800 x 684mm | 1052 | 2028 | 41.0849 | 595.00 | **714.00** |


Pictured 41.0847 Gloss White

## WARRINGTON TOWEL HANGERS TYPE10 & TYPE20



**Towel Hanger - Mirror Polished Premium**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 239mm | 41.0565 | 53.00 | **63.60** |
| 300mm | 41.0569 | 57.00 | **68.40** |
| 380mm | 41.0573 | 62.00 | **74.40** |
| 500mm | 41.0577 | 71.00 | **85.20** |



**Towel Hanger - Gloss White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 239mm | 41.0566 | 50.00 | **60.00** |
| 300mm | 41.0570 | 53.00 | **63.60** |
| 380mm | 41.0574 | 58.00 | **69.60** |
| 500mm | 41.0578 | 65.00 | **78.00** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 239mm | 41.0567 | 50.00 | **60.00** |
| 300mm | 41.0571 | 53.00 | **63.60** |
| 380mm | 41.0575 | 58.00 | **69.60** |
| 500mm | 41.0579 | 65.00 | **78.00** |



**Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 239mm | 41.0568 | 50.00 | **60.00** |
| 300mm | 41.0572 | 53.00 | **63.60** |
| 380mm | 41.0576 | 58.00 | **69.60** |
| 500mm | 41.0580 | 65.00 | **78.00** |



**Towel Hanger - Brushed Brass Premium**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 239mm | 41.0800 | 67.00 | **80.40** |
| 300mm | 41.0801 | 72.00 | **86.40** |
| 380mm | 41.0802 | 78.00 | **93.60** |
| 500mm | 41.0803 | 89.00 | **106.80** |


Pictured 41.0732

**Bleed Valve & Blanking Plug Set - Brushed Brass**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.0732 | 11.00 | **13.20** |


### TECHNICAL INFORMATION

Material: **Steel (Premium: Stainless Steel - Grade 304)**

Warrington radiators do not come with towel hanger locations. Towel hangers can be fitted on any desired height, left or right handed and with the quantity chosen. Warrington Towel Hangers can be fitted on vertical & horizontal sizes.

Must be fitted before installation. Warrington Towel Hangers are only compatible with Warrington Type 10 & Type 20 radiators.

## MAGNETIC TOWEL HANGERS



**Round Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0071 | 96.00 | **115.20** |
| 600mm | Chrome | 101.0072 | 102.00 | **122.40** |



**Square Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0073 | 97.00 | **116.40** |
| 600mm | Chrome | 101.0074 | 109.00 | **130.80** |

Both Round & Square towel hangers come in three unassembled pieces.
Please cut 600mm bar to required column-to-column length.
Holds up to 5kg weight.

# Designer Range

## LEONARDO




Pictured 41.0261 Chrome

Can be reverse handed (Left or Right)

The single sided pipes on this wonderfully stylish Leonardo rail allows maximium hanging space.

**FEATURES**

- 42 x 14mm. horizontal bars
- Tested to BS EN 442 standards
- Can be reverse handed (left or right)
- Can be single or dual fuel, or all electric
- Comes with same colour blanking plug & bleed valve (brushed brass finish only)
- 5 Year manufacturer's warranty*

* With conditions


**Technical Tables & Drawings**
Page 390-391

**Leonardo - Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 400mm | 68 | 135 | 150W | A, A+, B, D, E, F, G | 41.0255 | 286.00 | **343.20** |
| 600 x 500mm | 82 | 162 | 150W | A, A+, B, D, E, F, G | 41.0258 | 310.00 | **372.00** |
| 600 x 600mm | 95 | 189 | 150W | A, A+, B, D, E, F, G | 41.0263 | 339.00 | **406.80** |
| 688 x 500mm | 93 | 182 | 150W | A, A+, B, D, E, F, G | 41.0261 | 323.00 | **387.60** |
| 1200 x 400mm | 128 | 255 | 300W | A, A+, B, D, E, F, G | 41.0256 | 481.00 | **577.20** |
| 1200 x 500mm | 153 | 305 | 300W | A, A+, B, D, E, F, G | 41.0259 | 534.00 | **640.80** |
| 1200 x 600mm | 175 | 350 | 300W | A, A+, B, D, E, F, G | 41.0264 | 580.00 | **696.00** |
| 1450 x 500mm | 184 | 370 | 450W | A, A+, B, D, E, F, G | 41.0262 | 627.00 | **752.40** |
| 1800 x 400mm | 192 | 389 | 450W | A, A+, B, D, E, F, G | 41.0257 | 670.00 | **804.00** |
| 1800 x 500mm | 230 | 466 | 450W | A, A+, B, D, E, F, G | 41.0260 | 739.00 | **886.80** |
| 1800 x 600mm | 276 | 540 | 600W | A, A+, B, D, E, F, G | 41.0265 | 807.00 | **968.40** |

**Bar Dimensions (mm)**

Horizontal Bars 42 x 14mm



Pictured 41.0371 Brushed Brass

High quality PVD coating

**Leonardo - Brushed Brass**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 500mm | 184 | 366 | 300W | A, A+, B, D, E, F, G | 41.0371 | 713.00 | **855.60** |
| 1200 x 600mm | 228 | 442 | 450W | A, A+, B, D, E, F, G | 41.0372 | 770.00 | **924.00** |

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 82mm and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Brushed Brass colour shown in images are subject to the limitations of the printing process and may appear different.**

# Designer Range

## BROCKWORTH ALL ELECTRIC

**Bar Dimensions (mm)**

Horizontal Bars 60 x 12mm



Pictured 41.0784 Matt White



Pictured 41.0785 Matt Anthracite




Pictured 41.0786 Matt Black

The sophisticated design of this towel rail perfectly combines elegance with practicality. Comes with a pre-fitted Wi-Fi enabled heating element and pre-filled with fluid, it's ready to use straight away. Simply connect, and you're all set. Available in three colours; matt white, matt anthracite and matt black.

**FEATURES**

- 60 x 12mm. horizontal bars
- Comes ready to use, fitted with Type B Wi-Fi element (700W) & fluid filled
- Element fitted to left hand side
- Element with IP rating X4
- Tested to BS EN 442 standards
- Can **not** be reverse handed
- All electric only
- 2 Year manufacturer's warranty*

* With conditions

**Technical Tables & Drawings**
Page 390-391

**Brockworth All Electric Towel Rail - Matt White**

| Size H x W | Watts | BTU | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 500mm | 700 | 2387 | 700W | Type B Wi-Fi | 41.0784 | 429.00 | **514.80** |

**Brockworth All Electric Towel Rail - Matt Anthracite**

| Size H x W | Watts | BTU | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 500mm | 700 | 2387 | 700W | Type B Wi-Fi | 41.0785 | 429.00 | **514.80** |

**Brockworth All Electric Towel Rail - Matt Black**


| Size H x W | Watts | BTU | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 500mm | 700 | 2387 | 700W | Type B Wi-Fi | 41.0786 | 429.00 | **514.80** |

**TECHNICAL INFORMATION**

All measurements in Height by Width. Brockworth All Electric towel rail is all electric and to be used all electric only. Type B Wi-Fi Element (700W) is factory fitted & fluid filled. Element fitted to left hand side. For element technical information refer to Page 299. This towel rail is approx. 96-106mm off the wall. Price includes radiator and wall fixing sets.

# Designer Range

## STAVERTON - TUBE ON TUBE - STRAIGHT




Pictured 41.0334 Chrome

**Bar Dimensions (mm)**

Horizontal Bars 68 x 12mm




High quality PVD coating

Pictured 41.0375 Brushed Brass

Staverton Tube on Tube towel rails feature stylish flat horizontal bars, offering a clean and contemporary look. Available in three popular colour options, they combine everyday practicality with on-trend design. A customer favourite, they're the perfect finishing touch for any bathroom.

**Staverton - Tube on Tube - Straight Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 400mm | 139 | 260 | 150W | A, A+, B, D, E, F, G | 41.0190 | 231.00 | **277.20** |
| 600 x 500mm | 166 | 310 | 150W | A, A+, B, D, E, F, G | 41.0193 | 251.00 | **301.20** |
| 600 x 600mm | 193 | 358 | 300W | A, A+, B, D, E, F, G | 41.0196 | 273.00 | **327.60** |
| 1200 x 400mm | 244 | 467 | 300W | A, A+, B, D, E, F, G | 41.0191 | 372.00 | **446.40** |
| 1200 x 500mm | 295 | 556 | 450W | A, A+, B, D, E, F, G | 41.0194 | 387.00 | **464.40** |
| 1200 x 600mm | 332 | 626 | 450W | A, A+, B, D, E, F, G | 41.0197 | 425.00 | **510.00** |
| 1800 x 400mm | 373 | 702 | 600W | A, A+, B, D, E, F, G | 41.0192 | 535.00 | **642.00** |
| 1800 x 500mm | 457 | 866 | 600W | A, A+, B, D, E, F, G | 41.0195 | 562.00 | **674.40** |
| 1800 x 600mm | 515 | 975 | 750W | A, A+, B, D, E, F, G | 41.0198 | 620.00 | **744.00** |

**Staverton - Tube on Tube - Brushed Brass**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 500mm | 252 | 482 | 300W | A, A+, B, D, E, F, G | 41.0375 | 893.00 | **1071.60** |
| 1200 x 600mm | 290 | 555 | 300W | A, A+, B, D, E, F, G | 41.0376 | 966.00 | **1159.20** |

* Further heat output information available on eastbrooktrade.com **E&OA**

**Staverton - Tube on Tube - Straight Chrome**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 400mm | 90 | 172 | 150W | A, A+, B, D, E, F, G | 41.0181 | 401.00 | **481.20** |
| 600 x 500mm | 91 | 175 | 150W | A, A+, B, D, E, F, G | 41.0184 | 437.00 | **524.40** |
| 600 x 600mm | 127 | 237 | 150W | A, A+, B, D, E, F, G | 41.0187 | 476.00 | **571.20** |
| 600 x 1000mm | 253* | 485* | 300W | A, A+, B, D, E, F, G | 41.0333 | 587.00 | **704.40** |
| 600 x 1200mm | 217 | 405 | 300W | A, A+, B, D, E, F, G | 41.0334 | 607.00 | **728.40** |
| 800 x 1000mm | 200 | 389 | 450W | A, A+, B, D, E, F, G | 41.0335 | 678.00 | **813.60** |
| 800 x 1200mm | 272 | 508 | 450W | A, A+, B, D, E, F, G | 41.0336 | 766.00 | **919.20** |
| 1200 x 400mm | 146 | 283 | 300W | A, A+, B, D, E, F, G | 41.0182 | 685.00 | **822.00** |
| 1200 x 500mm | 177 | 337 | 300W | A, A+, B, D, E, F, G | 41.0185 | 721.00 | **865.20** |
| 1200 x 600mm | 215 | 412 | 300W | A, A+, B, D, E, F, G | 41.0188 | 790.00 | **948.00** |
| 1800 x 400mm | 227 | 437 | 450W | A, A+, B, D, E, F, G | 41.0183 | 958.00 | **1149.60** |
| 1800 x 500mm | 243 | 470 | 450W | A, A+, B, D, E, F, G | 41.0186 | 1010.00 | **1212.00** |
| 1800 x 600mm | 306 | 584 | 600W | A, A+, B, D, E, F, G | 41.0189 | 1179.00 | **1414.80** |

* Further heat output information available on eastbrooktrade.com **E&OA**

### FEATURES

- 68 x 12mm. horizontal bars
- Rear fixing wall brackets
- Tested to BS EN 442 standards
- Can be single or dual fuel, or all electric
- Comes with same colour blanking plug & bleed valve (brushed brass finish only)
- 5 Year manufacturer's warranty*

* With conditions

**Technical Tables & Drawings**
Page 390-391

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Brushed Brass colour shown in images are subject to the limitations of the printing process and may appear different.**

# Designer Range

## STAVERTON - TUBE ON TUBE - CURVED

The Staverton Tube on Tube Curved allows the hanging of larger, fluffier towels for the ultimate luxury.

**Staverton - Tube on Tube - Curved Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 500mm | 100 | 190 | 150W | A, A+, B, D, E, F, G | 41.0232 | 387.00 | **464.40** |
| 600 x 600mm | 110 | 207 | 150W | A, A+, B, D, E, F, G | 41.0233 | 425.00 | **510.00** |
| 1200 x 500mm | 191 | 365 | 300W | A, A+, B, D, E, F, G | 41.0234 | 678.00 | **813.60** |
| 1200 x 600mm | 212 | 404 | 450W | A, A+, B, D, E, F, G | 41.0235 | 743.00 | **891.60** |
| 1800 x 500mm | 291 | 560 | 450W | A, A+, B, D, E, F, G | 41.0236 | 962.00 | **1154.40** |
| 1800 x 600mm | 318 | 613 | 600W | A, A+, B, D, E, F, G | 41.0237 | 1060.00 | **1272.00** |

**FEATURES**
- 42 x 14mm. horizontal bars
- Rear fixing wall brackets
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 392-393

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty 5 Year | Heating | All Electric | Dual-Fuel




## BIAVA CORINIUM

The Corinium rail is a contemporary unique design with a practical built in heated towel rail shelf at the top for stacking those larger towels. It's projection from the wall is 225mm.

**Biava Corinium - Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 500mm | 121 | 231 | 150W | A, A+, C, E, H | 41.0222 | 294.00 | **352.80** |
| 1200 x 600mm | 135 | 254 | 150W | A, A+, C, E, H | 41.0224 | 306.00 | **367.20** |

**FEATURES**
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 392-393

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 100mm less than the width of the rail. Price includes radiator and wall fixing sets, valves extra. Projection from wall 225mm.

Warranty 5 Year | Heating | All Electric | Dual-Fuel



# Designer Range

## DEFFORD

**Chrome**



Pictured 89.1303 Chrome

**Bar Dimensions (mm)**

Horizontal Bars 40 x 10mm
Vertical Bars 40 x 30mm

**Matt Black**




Pictured 89.1294 Matt Black

Rear fixing metal wall brackets

Defford has been specifically designed to give maximum space for your towels and can produce enough warmth to heat a bathroom.

**FEATURES**

- 40 x 10mm. horizontal bars with 40 x 30mm. vertical D profile
- Tested to BS EN 442 standards
- Rear fixing metal wall brackets
- 5 colours available from stock
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 392-393

Warranty 5 Year

Heating

All Electric

Dual-Fuel

# Designer Range

## DEFFORD

### Defford Towel Rail - Gloss White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 169 | 322 | 150W | A, A+, B, D, E, F, G | 89.1274 | 124.00 | **148.80** |
| 800 x 600mm | 195 | 371 | 150W | A, A+, B, D, E, F, G | 89.1275 | 138.00 | **165.60** |
| 1200 x 500mm | 252 | 479 | 300W | A, A+, B, D, E, F, G | 89.1276 | 197.00 | **236.40** |
| 1200 x 600mm | 291 | 553 | 450W | A, A+, B, D, E, F, G | 89.1277 | 223.00 | **267.60** |
| 1800 x 500mm | 374 | 710 | 600W | A, A+, B, D, E, F, G | 89.1278 | 276.00 | **331.20** |
| 1800 x 600mm | 432 | 819 | 600W | A, A+, B, D, E, F, G | 89.1279 | 303.00 | **363.60** |

### Defford Towel Rail - Matt Grey

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 169 | 322 | 150W | A, A+, B, D, E, F, G | 89.1280 | 124.00 | **148.80** |
| 800 x 600mm | 195 | 371 | 150W | A, A+, B, D, E, F, G | 89.1281 | 138.00 | **165.60** |
| 1200 x 500mm | 252 | 479 | 300W | A, A+, B, D, E, F, G | 89.1282 | 197.00 | **236.40** |
| 1200 x 600mm | 291 | 553 | 450W | A, A+, B, D, E, F, G | 89.1283 | 223.00 | **267.60** |
| 1800 x 500mm | 374 | 710 | 600W | A, A+, B, D, E, F, G | 89.1284 | 276.00 | **331.20** |
| 1800 x 600mm | 432 | 819 | 600W | A, A+, B, D, E, F, G | 89.1285 | 303.00 | **363.60** |

### Defford Towel Rail - Chrome

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 102 | 198 | 150W | A, A+, B, D, E, F, G | 89.1298 | 182.00 | **218.40** |
| 800 x 600mm | 117 | 226 | 150W | A, A+, B, D, E, F, G | 89.1299 | 205.00 | **246.00** |
| 1200 x 500mm | 151 | 293 | 150W | A, A+, B, D, E, F, G | 89.1300 | 322.00 | **386.40** |
| 1200 x 600mm | 173 | 335 | 150W | A, A+, B, D, E, F, G | 89.1301 | 359.00 | **430.80** |
| 1800 x 500mm | 225 | 438 | 300W | A, A+, B, D, E, F, G | 89.1302 | 461.00 | **553.20** |
| 1800 x 600mm | 258 | 501 | 300W | A, A+, B, D, E, F, G | 89.1303 | 525.00 | **630.00** |

### Defford Towel Rail - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800x500mm | 169 | 322 | 150W | A, A+, B, D, E, F, G | 89.1286 | 124.00 | **148.80** |
| 800x600mm | 195 | 371 | 150W | A, A+, B, D, E, F, G | 89.1287 | 138.00 | **165.60** |
| 1200x500mm | 252 | 479 | 300W | A, A+, B, D, E, F, G | 89.1288 | 197.00 | **236.40** |
| 1200x600mm | 291 | 553 | 450W | A, A+, B, D, E, F, G | 89.1289 | 223.00 | **267.60** |
| 1800x500mm | 374 | 710 | 600W | A, A+, B, D, E, F, G | 89.1290 | 276.00 | **331.20** |
| 1800x600mm | 432 | 819 | 600W | A, A+, B, D, E, F, G | 89.1291 | 303.00 | **363.60** |

### Defford Towel Rail - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800x500mm | 169 | 322 | 150W | A, A+, B, D, E, F, G | 89.1292 | 124.00 | **148.80** |
| 800x600mm | 195 | 371 | 150W | A, A+, B, D, E, F, G | 89.1293 | 138.00 | **165.60** |
| 1200x500mm | 252 | 479 | 300W | A, A+, B, D, E, F, G | 89.1294 | 197.00 | **236.40** |
| 1200x600mm | 291 | 553 | 450W | A, A+, B, D, E, F, G | 89.1295 | 223.00 | **267.60** |
| 1800x500mm | 374 | 710 | 600W | A, A+, B, D, E, F, G | 89.1296 | 276.00 | **331.20** |
| 1800x600mm | 432 | 819 | 600W | A, A+, B, D, E, F, G | 89.1297 | 303.00 | **363.60** |

**D Shape Vent Caps**
Page 369



### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 80mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Gloss White



Matt Grey



Chrome



Matt Anthracite



Matt Black



State-of-the-Art welding



# Designer Range

## STAVERTON







A modern style towel rail with horizontal flat bars, that still allows maximum space for keeping your towels warm.

**FEATURES**

- 42 x 14mm. horizontal bars
- Tested to BS EN 442 standards
- Comes in chrome, brushed brass or white finish
- Can be single or dual fuel, or all electric
- Comes with same colour blanking plug & bleed valve (brushed brass colour only)
- 5 Year manufacturer's warranty*

* With conditions

**Technical Tables & Drawings**
Page 392-393

**Staverton - Brushed Brass**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 500mm | 226 | 433 | 300W | A, A+, B, D, E, F, G | 41.0373 | 598.00 | **717.60** |
| 1200 x 600mm | 281 | 539 | 300W | A, A+, B, D, E, F, G | 41.0374 | 644.00 | **772.80** |

**Staverton - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 400mm | 113 | 213 | 150W | A, A+, B, D, E, F, G | 41.0136 | 125.00 | **150.00** |
| 600 x 500mm | 136 | 257 | 150W | A, A+, B, D, E, F, G | 41.0139 | 136.00 | **163.20** |
| 600 x 600mm | 159 | 299 | 150W | A, A+, B, D, E, F, G | 41.0142 | 146.00 | **175.20** |
| 1200 x 400mm | 217 | 411 | 300W | A, A+, B, D, E, F, G | 41.0137 | 203.00 | **243.60** |
| 1200 x 500mm | 261 | 495 | 300W | A, A+, B, D, E, F, G | 41.0140 | 217.00 | **260.40** |
| 1200 x 600mm | 304 | 576 | 450W | A, A+, B, D, E, F, G | 41.0143 | 239.00 | **286.80** |
| 1800 x 400mm | 325 | 621 | 450W | A, A+, B, D, E, F, G | 41.0138 | 280.00 | **336.00** |
| 1800 x 500mm | 391 | 748 | 600W | A, A+, B, D, E, F, G | 41.0141 | 305.00 | **366.00** |
| 1800 x 600mm | 455 | 871 | 600W | A, A+, B, D, E, F, G | 41.0144 | 334.00 | **400.80** |

**Staverton - Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 400mm | 67 | 129 | 100W | A, A+, B, D, E, F, G | 41.0127 | 215.00 | **258.00** |
| 600 x 500mm | 80 | 153 | 150W | A, A+, B, D, E, F, G | 41.0130 | 248.00 | **297.60** |
| 600 x 600mm | 93 | 174 | 150W | A, A+, B, D, E, F, G | 41.0133 | 258.00 | **309.60** |
| 1200 x 400mm | 141 | 268 | 150W | A, A+, B, D, E, F, G | 41.0128 | 372.00 | **446.40** |
| 1200 x 500mm | 166 | 316 | 300W | A, A+, B, D, E, F, G | 41.0131 | 412.00 | **494.40** |
| 1200 x 600mm | 187 | 371 | 300W | A, A+, B, D, E, F, G | 41.0134 | 451.00 | **541.20** |
| 1800 x 400mm | 212 | 400 | 300W | A, A+, B, D, E, F, G | 41.0129 | 529.00 | **634.80** |
| 1800 x 500mm | 250 | 472 | 450W | A, A+, B, D, E, F, G | 41.0132 | 585.00 | **702.00** |
| 1800 x 600mm | 289 | 540 | 600W | A, A+, B, D, E, F, G | 41.0135 | 649.00 | **778.80** |

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 70mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Round Vent Caps**
Page 369



# Designer Range

## MEZZO TONDO



Pictured 41.0248 Chrome

The curves on this rail allow maximum space for the whole family to warm towels easily, without compromising on space in the room due to the slimline design.

**Mezzo Tondo - Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1600 x 320mm Chrome | 238 | 453 | N/A | N/A | 41.0248 | 481.00 | **577.20** |

**FEATURES**
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements

* With conditions

**Technical Tables & Drawings**
Page 394-395

**TECHNICAL INFORMATION**

All measurements in Height by Width. Not suitable for elements. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 286mm and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Round Vent Caps**
Page 369



Warranty 5 Year | Heating

## PESARO



Pictured 41.0328 Chrome

A designer towel rail that allows the hanging of up to six towels at once. This statement piece has a unique design for those who want to make a bold statement.

**Pesaro - Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1005 x 550mm | 111 | 212 | 150W | A, A+, B, D, E, F, G | 41.0328 | 478.00 | **573.60** |

**FEATURES**
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 394-395

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 80mm and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Round Vent Caps**
Page 369



Warranty 5 Year | Heating | All Electric | Dual-Fuel

# Designer Range

## SANTERO



Pictured 89.1327 Chrome

**Bar Dimensions (mm)**

Horizontal Bars 75 x 15mm
Vertical Bars 40 x 30mm




Pictured 89.1307 Gloss White

Rear fixing metal wall brackets

An admired design in the Designer Range, Santero, has even wider horizontal flat bars than Defford or Staverton. Warmth has never been this easy to achieve. Grab your wet towels and use Santero Towel Rail to feel the constant warmth.

**FEATURES**

- 75 x 15mm. horizontal bars and 40 x 30mm. vertical D profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 4 colours available from stock
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 394-395

# Designer Range

## SANTERO

### Santero Towel Rail - Gloss White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 181 | 342 | 150W | A, A+, B, D, E, F, G | 89.1304 | 241.00 | **289.20** |
| 800 x 600mm | 214 | 405 | 150W | A, A+, B, D, E, F, G | 89.1305 | 283.00 | **339.60** |
| 1200 x 500mm | 266 | 504 | 300W | A, A+, B, D, E, F, G | 89.1306 | 311.00 | **373.20** |
| 1200 x 600mm | 315 | 597 | 300W | A, A+, B, D, E, F, G | 89.1307 | 364.00 | **436.80** |
| 1800 x 500mm | 392 | 742 | 450W | A, A+, B, D, E, F, G | 89.1308 | 431.00 | **517.20** |
| 1800 x 600mm | 464 | 879 | 600W | A, A+, B, D, E, F, G | 89.1309 | 503.00 | **603.60** |

### Santero Towel Rail - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 181 | 342 | 150W | A, A+, B, D, E, F, G | 89.1316 | 241.00 | **289.20** |
| 800 x 600mm | 214 | 405 | 150W | A, A+, B, D, E, F, G | 89.1317 | 283.00 | **339.60** |
| 1200 x 500mm | 266 | 504 | 300W | A, A+, B, D, E, F, G | 89.1318 | 311.00 | **373.20** |
| 1200 x 600mm | 315 | 597 | 300W | A, A+, B, D, E, F, G | 89.1319 | 364.00 | **436.80** |
| 1800 x 500mm | 392 | 742 | 450W | A, A+, B, D, E, F, G | 89.1320 | 431.00 | **517.20** |
| 1800 x 600mm | 464 | 879 | 600W | A, A+, B, D, E, F, G | 89.1321 | 503.00 | **603.60** |

### Santero Towel Rail - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 181 | 342 | 150W | A, A+, B, D, E, F, G | 89.1310 | 241.00 | **289.20** |
| 800 x 600mm | 214 | 405 | 150W | A, A+, B, D, E, F, G | 89.1311 | 283.00 | **339.60** |
| 1200 x 500mm | 266 | 504 | 300W | A, A+, B, D, E, F, G | 89.1312 | 311.00 | **373.20** |
| 1200 x 600mm | 315 | 597 | 300W | A, A+, B, D, E, F, G | 89.1313 | 364.00 | **436.80** |
| 1800 x 500mm | 392 | 742 | 450W | A, A+, B, D, E, F, G | 89.1314 | 431.00 | **517.20** |
| 1800 x 600mm | 464 | 879 | 600W | A, A+, B, D, E, F, G | 89.1315 | 503.00 | **603.60** |

### Santero Towel Rail - Chrome

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 101 | 196 | 150W | A, A+, B, D, E, F, G | 89.1322 | 324.00 | **388.80** |
| 800 x 600mm | 117 | 228 | 150W | A, A+, B, D, E, F, G | 89.1323 | 378.00 | **453.60** |
| 1200 x 500mm | 152 | 295 | 150W | A, A+, B, D, E, F, G | 89.1324 | 392.00 | **470.40** |
| 1200 x 600mm | 177 | 343 | 150W | A, A+, B, D, E, F, G | 89.1325 | 459.00 | **550.80** |
| 1800 x 500mm | 227 | 436 | 300W | A, A+, B, D, E, F, G | 89.1326 | 531.00 | **637.20** |
| 1800 x 600mm | 263 | 507 | 450W | A, A+, B, D, E, F, G | 89.1327 | 622.00 | **746.40** |

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 80mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Gloss White



Matt Anthracite




Matt Black



Chrome









**Radiator Valves**
Page 350-365



**D Shape Vent Caps**
Page 369



# Designer Range

## HURLEY

**Chrome**




Pictured 89.0568 Chrome

**Bar Dimensions (mm)**

Horizontal Bars 40 x 10mm
Vertical Bars 30 x 30mm

**Matt Anthracite**

Rear fixing metal wall brackets



Pictured 89.0550 Matt Anthracite

Can be reverse handed (Left or Right)

A modern, versatile towel rail. Available in 6 colours with reversible installation possibility.

**FEATURES**

- 40 x 10mm. horizontal bars and 30 x 30mm. vertical profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 6 colours available from stock
- Can be reverse handed (left or right)
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions




SWATCHES AVAILABLE

Warranty 5 Year

Heating

All Electric

Dual-Fuel

# Designer Range

## HURLEY

**Hurley Towel Rail - Chrome**


| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 92 | 186 | 150W | A, A+, B, D, E, F, G | 89.0566 | 327.00 | **392.40** |
| 800 x 600mm | 103 | 208 | 150W | A, A+, B, D, E, F, G | 89.0567 | 367.00 | **440.40** |
| 1000 x 500mm | 115 | 232 | 100W | A, A+, B, D, E, F, G | 89.1727 | 395.00 | **474.00** |
| 1000 x 600mm | 129 | 260 | 100W | A, A+, B, D, E, F, G | 89.1728 | 443.00 | **531.60** |
| 1200 x 500mm | 138 | 278 | 150W | A, A+, B, D, E, F, G | 89.0568 | 453.00 | **543.60** |
| 1200 x 600mm | 155 | 311 | 150W | A, A+, B, D, E, F, G | 89.0569 | 507.00 | **608.40** |
| 1500 x 500mm | 172 | 344 | 150W | A, A+, B, D, E, F, G | 89.1739 | 548.00 | **657.60** |
| 1500 x 600mm | 192 | 386 | 150W | A, A+, B, D, E, F, G | 89.1740 | 612.00 | **734.40** |
| 1800 x 500mm | 204 | 408 | 300W | A, A+, B, D, E, F, G | 89.0570 | 626.00 | **751.20** |
| 1800 x 600mm | 229 | 457 | 300W | A, A+, B, D, E, F, G | 89.0571 | 699.00 | **838.80** |

**Hurley Towel Rail - Matt Anthracite**


| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800x500mm | 145 | 289 | 150W | A, A+, B, D, E, F, G | 89.0548 | 258.00 | **309.60** |
| 800x600mm | 163 | 324 | 150W | A, A+, B, D, E, F, G | 89.0549 | 291.00 | **349.20** |
| 1000 x 500mm | 185 | 366 | 150W | A, A+, B, D, E, F, G | 89.1723 | 315.00 | **378.00** |
| 1000 x 600mm | 205 | 405 | 150W | A, A+, B, D, E, F, G | 89.1724 | 353.00 | **423.60** |
| 1200x500mm | 219 | 432 | 300W | A, A+, B, D, E, F, G | 89.0550 | 356.00 | **427.20** |
| 1200x600mm | 245 | 485 | 300W | A, A+, B, D, E, F, G | 89.0551 | 398.00 | **477.60** |
| 1500 x 500mm | 272 | 537 | 300W | A, A+, B, D, E, F, G | 89.1735 | 413.00 | **495.60** |
| 1500 x 600mm | 306 | 603 | 300W | A, A+, B, D, E, F, G | 89.1736 | 461.00 | **553.20** |
| 1800x500mm | 325 | 639 | 450W | A, A+, B, D, E, F, G | 89.0552 | 453.00 | **543.60** |
| 1800x600mm | 365 | 718 | 600W | A, A+, B, D, E, F, G | 89.0553 | 507.00 | **608.40** |

**Technical Tables & Drawings**
Page 394-395


**800mm High**




**1000mm High**




**1200mm High**



**1500mm High**



**1800mm High**



### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 60mm and approx. 79mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Matt White**



**Matt Grey**



**Matt Black**



**Matt Anthracite**



**Matt Cappuccino**



**Chrome**



# Designer Range

## HURLEY

Matt Black



Bar Dimensions (mm)

Horizontal Bars 40 x 10mm
Vertical Bars 30 x 30mm

Pictured 89.1716 Matt Black

Matt White

Rear fixing metal wall brackets



Pictured 89.1729 Matt White

Can be reverse handed (Left or Right)

A modern, versatile towel rail. Available in 6 colours with reversible installation possibility.

**FEATURES**

- 40 x 10mm. horizontal bars and 30 x 30mm. vertical profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 6 colours available from stock
- Can be reverse handed (left or right)
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 394-395

Warranty 5 Year

Heating

All Electric

Dual-Fuel

# Designer Range

## HURLEY

### Hurley Towel Rail - Matt White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 145 | 289 | 150W | A, A+, B, D, E, F, G | 89.0542 | 258.00 | **309.60** |
| 800 x 600mm | 163 | 324 | 150W | A, A+, B, D, E, F, G | 89.0543 | 291.00 | **349.20** |
| 1000 x 500mm | 185 | 366 | 150W | A, A+, B, D, E, F, G | 89.1717 | 315.00 | **378.00** |
| 1000 x 600mm | 205 | 405 | 150W | A, A+, B, D, E, F, G | 89.1718 | 353.00 | **423.60** |
| 1200 x 500mm | 219 | 432 | 300W | A, A+, B, D, E, F, G | 89.0544 | 356.00 | **427.20** |
| 1200 x 600mm | 245 | 485 | 300W | A, A+, B, D, E, F, G | 89.0545 | 398.00 | **477.60** |
| 1500 x 500mm | 272 | 537 | 300W | A, A+, B, D, E, F, G | 89.1729 | 413.00 | **495.60** |
| 1500 x 600mm | 306 | 603 | 300W | A, A+, B, D, E, F, G | 89.1730 | 461.00 | **553.20** |
| 1800 x 500mm | 325 | 639 | 450W | A, A+, B, D, E, F, G | 89.0546 | 453.00 | **543.60** |
| 1800 x 600mm | 365 | 718 | 600W | A, A+, B, D, E, F, G | 89.0547 | 507.00 | **608.40** |

### Hurley Towel Rail - Matt Grey

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 145 | 289 | 150W | A, A+, B, D, E, F, G | 89.0554 | 258.00 | **309.60** |
| 800 x 600mm | 163 | 324 | 150W | A, A+, B, D, E, F, G | 89.0555 | 291.00 | **349.20** |
| 1000 x 500mm | 185 | 366 | 150W | A, A+, B, D, E, F, G | 89.1719 | 315.00 | **378.00** |
| 1000 x 600mm | 205 | 405 | 150W | A, A+, B, D, E, F, G | 89.1720 | 353.00 | **423.60** |
| 1200 x 500mm | 219 | 432 | 300W | A, A+, B, D, E, F, G | 89.0556 | 356.00 | **427.20** |
| 1200 x 600mm | 245 | 485 | 300W | A, A+, B, D, E, F, G | 89.0557 | 398.00 | **477.60** |
| 1500 x 500mm | 272 | 537 | 300W | A, A+, B, D, E, F, G | 89.1731 | 413.00 | **495.60** |
| 1500 x 600mm | 306 | 603 | 300W | A, A+, B, D, E, F, G | 89.1732 | 461.00 | **553.20** |
| 1800 x 500mm | 325 | 639 | 450W | A, A+, B, D, E, F, G | 89.0558 | 453.00 | **543.60** |
| 1800 x 600mm | 365 | 718 | 600W | A, A+, B, D, E, F, G | 89.0559 | 507.00 | **608.40** |

### Hurley Towel Rail - Matt Cappuccino

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 145 | 289 | 150W | A, A+, B, D, E, F, G | 89.0560 | 284.00 | **340.80** |
| 800 x 600mm | 163 | 324 | 150W | A, A+, B, D, E, F, G | 89.0561 | 317.00 | **380.40** |
| 1000 x 500mm | 185 | 366 | 150W | A, A+, B, D, E, F, G | 89.1721 | 315.00 | **378.00** |
| 1000 x 600mm | 205 | 405 | 150W | A, A+, B, D, E, F, G | 89.1722 | 353.00 | **423.60** |
| 1200 x 500mm | 219 | 432 | 300W | A, A+, B, D, E, F, G | 89.0562 | 389.00 | **466.80** |
| 1200 x 600mm | 245 | 485 | 300W | A, A+, B, D, E, F, G | 89.0563 | 436.00 | **523.20** |
| 1500 x 500mm | 272 | 537 | 300W | A, A+, B, D, E, F, G | 89.1733 | 413.00 | **495.60** |
| 1500 x 600mm | 306 | 603 | 300W | A, A+, B, D, E, F, G | 89.1734 | 461.00 | **553.20** |
| 1800 x 500mm | 325 | 639 | 450W | A, A+, B, D, E, F, G | 89.0564 | 496.00 | **595.20** |
| 1800 x 600mm | 365 | 718 | 600W | A, A+, B, D, E, F, G | 89.0565 | 555.00 | **666.00** |

### Hurley Towel Rail - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 145 | 289 | 150W | A, A+, B, D, E, F, G | 89.1711 | 258.00 | **309.60** |
| 800 x 600mm | 163 | 324 | 150W | A, A+, B, D, E, F, G | 89.1712 | 291.00 | **349.20** |
| 1000 x 500mm | 185 | 366 | 150W | A, A+, B, D, E, F, G | 89.1725 | 315.00 | **378.00** |
| 1000 x 600mm | 205 | 405 | 150W | A, A+, B, D, E, F, G | 89.1726 | 353.00 | **423.60** |
| 1200 x 500mm | 219 | 432 | 300W | A, A+, B, D, E, F, G | 89.1713 | 356.00 | **427.20** |
| 1200 x 600mm | 245 | 485 | 300W | A, A+, B, D, E, F, G | 89.1714 | 398.00 | **477.60** |
| 1500 x 500mm | 272 | 537 | 300W | A, A+, B, D, E, F, G | 89.1737 | 413.00 | **495.60** |
| 1500 x 600mm | 306 | 603 | 300W | A, A+, B, D, E, F, G | 89.1738 | 461.00 | **553.20** |
| 1800 x 500mm | 325 | 639 | 450W | A, A+, B, D, E, F, G | 89.1715 | 453.00 | **543.60** |
| 1800 x 600mm | 365 | 718 | 600W | A, A+, B, D, E, F, G | 89.1716 | 507.00 | **608.40** |

Matt Grey



Pictured 89.1719 Matt Grey

Matt Cappuccino



Pictured 89.0561 Matt Cappuccino

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 60mm and approx. 79mm off the wall. Price includes radiator and wall fixing sets, valves extra.

# Designer Range

## HELMSLEY


Rear fixing metal wall brackets



Pictured 89.0637 Matt Anthracite

**Bar Dimensions (mm)**

Horizontal Bars 70 x 11mm
Vertical Bars 30 x 30mm




Pictured 89.0616 Matt White

Can be reverse handed (Left or Right)

One of the most popular models in the Designer Range. Available in a variety of colours to suit any bathroom. The generous surface area of the horizontal bars will let you experience the warmth. Helmsley is also reversible whilst fitting on the wall.

**FEATURES**

- 72 x 11mm. horizontal bars and 30 x 30mm. vertical profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 4 colours available from stock
- Can be reverse handed (left or right)
- Can be single, dual fuel or all electric
- State-of-the-Art welding technology
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 396-397

**Round Vent Caps**
Page 369



# Designer Range

## HELMSLEY

### Helmsley Towel Rail - Matt White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 183 | 347 | 300W | A, A+, B, D, E, F, G | 89.0614 | 284.00 | **340.80** |
| 800 x 600mm | 212 | 403 | 300W | A, A+, B, D, E, F, G | 89.0615 | 314.00 | **475.20** |
| 1150 x 500mm | 250 | 480 | 300W | A, A+, B, D, E, F, G | 89.0616 | 392.00 | **470.40** |
| 1150 x 600mm | 289 | 556 | 450W | A, A+, B, D, E, F, G | 89.0617 | 436.00 | **523.20** |
| 1400 x 500mm | 300 | 581 | 450W | A, A+, B, D, E, F, G | 89.0618 | 426.00 | **511.20** |
| 1400 x 600mm | 347 | 673 | 600W | A, A+, B, D, E, F, G | 89.0619 | 474.00 | **568.80** |
| 1640 x 500mm | 350 | 684 | 600W | A, A+, B, D, E, F, G | 89.0620 | 460.00 | **552.00** |
| 1640 x 600mm | 405 | 793 | 600W | A, A+, B, D, E, F, G | 89.0621 | 516.00 | **619.20** |

### Helmsley Towel Rail - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 183 | 347 | 300W | A, A+, B, D, E, F, G | 89.0630 | 284.00 | **340.80** |
| 800 x 600mm | 212 | 403 | 300W | A, A+, B, D, E, F, G | 89.0631 | 314.00 | **376.80** |
| 1150 x 500mm | 250 | 480 | 300W | A, A+, B, D, E, F, G | 89.0632 | 392.00 | **470.40** |
| 1150 x 600mm | 289 | 556 | 450W | A, A+, B, D, E, F, G | 89.0633 | 436.00 | **523.20** |
| 1400 x 500mm | 300 | 581 | 450W | A, A+, B, D, E, F, G | 89.0634 | 426.00 | **511.20** |
| 1400 x 600mm | 347 | 673 | 600W | A, A+, B, D, E, F, G | 89.0635 | 474.00 | **568.80** |
| 1640 x 500mm | 350 | 684 | 600W | A, A+, B, D, E, F, G | 89.0636 | 460.00 | **552.00** |
| 1640 x 600mm | 405 | 793 | 600W | A, A+, B, D, E, F, G | 89.0637 | 516.00 | **619.20** |

### Helmsley Towel Rail - Matt Grey

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 183 | 347 | 300W | A, A+, B, D, E, F, G | 89.0622 | 284.00 | **340.80** |
| 800 x 600mm | 212 | 403 | 300W | A, A+, B, D, E, F, G | 89.0623 | 314.00 | **376.80** |
| 1150 x 500mm | 250 | 480 | 300W | A, A+, B, D, E, F, G | 89.0624 | 392.00 | **470.40** |
| 1150 x 600mm | 289 | 556 | 450W | A, A+, B, D, E, F, G | 89.0625 | 436.00 | **523.20** |
| 1400 x 500mm | 300 | 581 | 450W | A, A+, B, D, E, F, G | 89.0626 | 426.00 | **511.20** |
| 1400 x 600mm | 347 | 673 | 600W | A, A+, B, D, E, F, G | 89.0627 | 474.00 | **568.80** |
| 1640 x 500mm | 350 | 684 | 600W | A, A+, B, D, E, F, G | 89.0628 | 460.00 | **552.00** |
| 1640 x 600mm | 405 | 793 | 600W | A, A+, B, D, E, F, G | 89.0629 | 516.00 | **619.20** |

### Helmsley Towel Rail - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 183 | 347 | 300W | A, A+, B, D, E, F, G | 89.0638 | 284.00 | **340.80** |
| 800 x 600mm | 212 | 403 | 300W | A, A+, B, D, E, F, G | 89.0639 | 314.00 | **376.80** |
| 1150 x 500mm | 250 | 480 | 300W | A, A+, B, D, E, F, G | 89.0640 | 392.00 | **470.40** |
| 1150 x 600mm | 289 | 556 | 450W | A, A+, B, D, E, F, G | 89.0641 | 436.00 | **523.20** |
| 1400 x 500mm | 300 | 581 | 450W | A, A+, B, D, E, F, G | 89.0642 | 426.00 | **511.20** |
| 1400 x 600mm | 347 | 673 | 600W | A, A+, B, D, E, F, G | 89.0643 | 474.00 | **568.80** |
| 1640 x 500mm | 350 | 684 | 600W | A, A+, B, D, E, F, G | 89.0644 | 460.00 | **552.00** |
| 1640 x 600mm | 405 | 793 | 600W | A, A+, B, D, E, F, G | 89.0645 | 516.00 | **619.20** |

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm and approx. 79mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Matt White



Matt Grey



Matt Anthracite



Matt Black



State-of-the-Art welding



**Radiator Valves**
Page 350-365



# Designer Range

## PLATANI

Warranty 5 Year | Heating | All Electric | Dual-Fuel



SWATCHES AVAILABLE

Rear fixing metal wall brackets

Pictured 89.1355 Chrome

**Bar Dimensions (mm)**

Horizontal Bars 40 x 20mm
Vertical Bars 30 x 30mm



Pictured 89.1344 Matt Anthracite

Can be reverse handed (Left or Right)

A stunning reversible style towel rail with evenly spaced horizontal bars. Available in 5 colours from stock including high qualiy chrome finish.

**FEATURES**

- 40 x 20mm. horizontal bars and 30 x 30mm. vertical profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 5 colours available from stock
- Can be reverse handed (left or right)
- Can be single, dual fuel or all electric
- State-of-the-Art welding technology
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 396-397

**Round Vent Caps**
Page 369



# Designer Range

## PLATANI

### Platani Towel Rail - Matt White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 142 | 270 | 150W | A, A+, B, D, E, F, G | 89.1328 | 207.00 | **248.40** |
| 800 x 600mm | 163 | 309 | 150W | A, A+, B, D, E, F, G | 89.1329 | 231.00 | **277.20** |
| 1150 x 500mm | 195 | 371 | 150W | A, A+, B, D, E, F, G | 89.1330 | 285.00 | **342.00** |
| 1150 x 600mm | 223 | 425 | 150W | A, A+, B, D, E, F, G | 89.1331 | 321.00 | **385.20** |
| 1800 x 500mm | 291 | 557 | 450W | A, A+, B, D, E, F, G | 89.1332 | 361.00 | **433.20** |
| 1800 x 600mm | 334 | 639 | 450W | A, A+, B, D, E, F, G | 89.1333 | 404.00 | **484.80** |

### Platani Towel Rail - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 142 | 270 | 150W | A, A+, B, D, E, F, G | 89.1340 | 207.00 | **248.40** |
| 800 x 600mm | 163 | 309 | 150W | A, A+, B, D, E, F, G | 89.1341 | 231.00 | **277.20** |
| 1150 x 500mm | 195 | 371 | 150W | A, A+, B, D, E, F, G | 89.1342 | 285.00 | **342.00** |
| 1150 x 600mm | 223 | 425 | 150W | A, A+, B, D, E, F, G | 89.1343 | 321.00 | **385.20** |
| 1800 x 500mm | 291 | 557 | 450W | A, A+, B, D, E, F, G | 89.1344 | 361.00 | **433.20** |
| 1800 x 600mm | 334 | 639 | 450W | A, A+, B, D, E, F, G | 89.1345 | 404.00 | **484.80** |

### Platani Towel Rail - Matt Grey

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 142 | 270 | 150W | A, A+, B, D, E, F, G | 89.1334 | 207.00 | **248.40** |
| 800 x 600mm | 163 | 309 | 150W | A, A+, B, D, E, F, G | 89.1335 | 231.00 | **277.20** |
| 1150 x 500mm | 195 | 371 | 150W | A, A+, B, D, E, F, G | 89.1336 | 285.00 | **342.00** |
| 1150 x 600mm | 223 | 425 | 150W | A, A+, B, D, E, F, G | 89.1337 | 321.00 | **385.20** |
| 1800 x 500mm | 291 | 557 | 450W | A, A+, B, D, E, F, G | 89.1338 | 361.00 | **433.20** |
| 1800 x 600mm | 334 | 639 | 450W | A, A+, B, D, E, F, G | 89.1339 | 404.00 | **484.80** |

### Platani Towel Rail - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 142 | 270 | 150W | A, A+, B, D, E, F, G | 89.1346 | 207.00 | **248.40** |
| 800 x 600mm | 163 | 309 | 150W | A, A+, B, D, E, F, G | 89.1347 | 231.00 | **277.20** |
| 1150 x 500mm | 195 | 371 | 150W | A, A+, B, D, E, F, G | 89.1348 | 285.00 | **342.00** |
| 1150 x 600mm | 223 | 425 | 150W | A, A+, B, D, E, F, G | 89.1349 | 321.00 | **385.20** |
| 1800 x 500mm | 291 | 557 | 450W | A, A+, B, D, E, F, G | 89.1350 | 361.00 | **433.20** |
| 1800 x 600mm | 334 | 639 | 450W | A, A+, B, D, E, F, G | 89.1351 | 404.00 | **484.80** |

### Platani Towel Rail - Chrome

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 88 | 171 | 100W | A, A+, B, D, E, F, G | 89.1352 | 264.00 | **316.80** |
| 800 x 600mm | 101 | 195 | 100W | A, A+, B, D, E, F, G | 89.1353 | 297.00 | **356.40** |
| 1150 x 500mm | 122 | 236 | 150W | A, A+, B, D, E, F, G | 89.1354 | 364.00 | **436.80** |
| 1150 x 600mm | 139 | 270 | 150W | A, A+, B, D, E, F, G | 89.1355 | 409.00 | **490.80** |
| 1800 x 500mm | 184 | 358 | 150W | A, A+, B, D, E, F, G | 89.1356 | 507.00 | **608.40** |
| 1800 x 600mm | 210 | 409 | 300W | A, A+, B, D, E, F, G | 89.1357 | 566.00 | **679.20** |

**Radiator Valves**
Page 350-365



### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm and approx. 80mm off the wall. Projection from wall is 115mm. Price includes radiator and wall fixing sets, valves extra.

**Matt White**



**Matt Grey**



**Chrome**



**Matt Anthracite**



**Matt Black**



**Reversible Design**



• NEW SIZES HERE •

# Designer Range

## REINBACH







Another reversible style design, Reinbach reaches the top levels of design with bulky horizontal bars that are capable of drying your largest towels.

**FEATURES**

- 30 x 30mm. horizontal bars and 30 x 30mm. vertical profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 5 colours available from stock
- Can be reverse handed (left or right)
- Can be single, dual fuel or all electric
- State-of-the-Art welding technology
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 396-397



# Designer Range

## REINBACH

### Reinbach Towel Rail - Matt White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 290 x 500mm | 83 | 158 | 100W | A, A+, B | 89.1763 | 140.00 | **168.00** |
| 800 x 500mm | 194 | 372 | 150W | A, A+, B, D, E, F, G | 89.1358 | 246.00 | **295.20** |
| 800 x 600mm | 228 | 439 | 300W | A, A+, B, D, E, F, G | 89.1359 | 273.00 | **327.60** |
| 1200 x 500mm | 273 | 530 | 300W | A, A+, B, D, E, F, G | 89.1360 | 335.00 | **402.00** |
| 1200 x 600mm | 322 | 625 | 300W | A, A+, B, D, E, F, G | 89.1361 | 377.00 | **452.40** |
| 1800 x 500mm | 397 | 780 | 450W | A, A+, B, D, E, F, G | 89.1362 | 431.00 | **517.20** |
| 1800 x 600mm | 468 | 920 | 600W | A, A+, B, D, E, F, G | 89.1363 | 480.00 | **576.00** |

### Reinbach Towel Rail - Matt Grey

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 290 x 500mm | 83 | 158 | 100W | A, A+, B | 89.1765 | 140.00 | **168.00** |
| 800 x 500mm | 194 | 372 | 150W | A, A+, B, D, E, F, G | 89.1370 | 246.00 | **295.20** |
| 800 x 600mm | 228 | 439 | 300W | A, A+, B, D, E, F, G | 89.1371 | 273.00 | **327.60** |
| 1200 x 500mm | 273 | 530 | 300W | A, A+, B, D, E, F, G | 89.1372 | 335.00 | **402.00** |
| 1200 x 600mm | 322 | 625 | 300W | A, A+, B, D, E, F, G | 89.1373 | 377.00 | **452.40** |
| 1800 x 500mm | 397 | 780 | 450W | A, A+, B, D, E, F, G | 89.1374 | 431.00 | **517.20** |
| 1800 x 600mm | 468 | 920 | 600W | A, A+, B, D, E, F, G | 89.1375 | 480.00 | **576.00** |

### Reinbach Towel Rail - Matt Cappuccino

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 290 x 500mm | 83 | 158 | 100W | A, A+, B | 89.1764 | 140.00 | **168.00** |
| 800 x 500mm | 194 | 372 | 150W | A, A+, B, D, E, F, G | 89.1364 | 246.00 | **295.20** |
| 800 x 600mm | 228 | 439 | 300W | A, A+, B, D, E, F, G | 89.1365 | 273.00 | **327.60** |
| 1200 x 500mm | 273 | 530 | 300W | A, A+, B, D, E, F, G | 89.1366 | 335.00 | **402.00** |
| 1200 x 600mm | 322 | 625 | 300W | A, A+, B, D, E, F, G | 89.1367 | 377.00 | **452.40** |
| 1800 x 500mm | 397 | 780 | 450W | A, A+, B, D, E, F, G | 89.1368 | 431.00 | **517.20** |
| 1800 x 600mm | 468 | 920 | 600W | A, A+, B, D, E, F, G | 89.1369 | 480.00 | **576.00** |

### Reinbach Towel Rail - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 290 x 500mm | 83 | 158 | 100W | A, A+, B | 89.1766 | 140.00 | **168.00** |
| 800 x 500mm | 194 | 372 | 150W | A, A+, B, D, E, F, G | 89.1376 | 246.00 | **295.20** |
| 800 x 600mm | 228 | 439 | 300W | A, A+, B, D, E, F, G | 89.1377 | 273.00 | **327.60** |
| 1200 x 500mm | 273 | 530 | 300W | A, A+, B, D, E, F, G | 89.1378 | 335.00 | **402.00** |
| 1200 x 600mm | 322 | 625 | 300W | A, A+, B, D, E, F, G | 89.1379 | 377.00 | **452.40** |
| 1800 x 500mm | 397 | 780 | 450W | A, A+, B, D, E, F, G | 89.1380 | 431.00 | **517.20** |
| 1800 x 600mm | 468 | 920 | 600W | A, A+, B, D, E, F, G | 89.1381 | 480.00 | **576.00** |

### Reinbach Towel Rail - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 290 x 500mm | 83 | 158 | 100W | A, A+, B | 89.1767 | 140.00 | **168.00** |
| 800 x 500mm | 194 | 372 | 150W | A, A+, B, D, E, F, G | 89.1382 | 246.00 | **295.20** |
| 800 x 600mm | 228 | 439 | 300W | A, A+, B, D, E, F, G | 89.1383 | 273.00 | **327.60** |
| 1200 x 500mm | 273 | 530 | 300W | A, A+, B, D, E, F, G | 89.1384 | 335.00 | **402.00** |
| 1200 x 600mm | 322 | 625 | 300W | A, A+, B, D, E, F, G | 89.1385 | 377.00 | **452.40** |
| 1800 x 500mm | 397 | 780 | 450W | A, A+, B, D, E, F, G | 89.1386 | 431.00 | **517.20** |
| 1800 x 600mm | 468 | 920 | 600W | A, A+, B, D, E, F, G | 89.1387 | 480.00 | **576.00** |

**Radiator Valves**
Page 350-365



### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm and approx. 80mm off the wall. Projection from wall is 125mm. Price includes radiator and wall fixing sets, valves extra.

Matt White



Matt Cappuccino




Matt Grey



Matt Anthracite



Matt Black



State-of-the-Art welding



# Designer Range

## MARLOW




Pictured 89.0526 Chrome



Pictured 89.0516 Matt Grey

Rear fixing metal wall brackets

State-of-the-Art welding meets large vertical and horizontal tubes in this model. Available in a variety of colours to suit any bathroom. The generous spacing between the horizontal tubes allows for maximum towel drying.

**FEATURES**

- 42mm diameter horizontal bars
- 42mm diameter vertical profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 5 colours available from stock
- State-of-the-Art welding technology
- Not suitable for elements
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 396-397

**Round Vent Caps**
Page 369



# Designer Range

## MARLOW

### Marlow Towel Rail - Matt White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 850 x 500mm | 168 | 318 | N/A | N/A | 89.0500 | 372.00 | **446.40** |
| 850 x 600mm | 190 | 360 | N/A | N/A | 89.0501 | 396.00 | **475.20** |
| 1150 x 500mm | 225 | 426 | N/A | N/A | 89.0502 | 459.00 | **550.80** |
| 1150 x 600mm | 255 | 483 | N/A | N/A | 89.0503 | 486.00 | **583.20** |
| 1750 x 500mm | 338 | 640 | N/A | N/A | 89.0504 | 607.00 | **728.40** |
| 1750 x 600mm | 383 | 726 | N/A | N/A | 89.0505 | 643.00 | **771.60** |

### Marlow Towel Rail - Matt Grey

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 850 x 500mm | 168 | 318 | N/A | N/A | 89.0512 | 372.00 | **446.40** |
| 850 x 600mm | 190 | 360 | N/A | N/A | 89.0513 | 396.00 | **475.20** |
| 1150 x 500mm | 225 | 426 | N/A | N/A | 89.0514 | 459.00 | **550.80** |
| 1150 x 600mm | 255 | 483 | N/A | N/A | 89.0515 | 486.00 | **583.20** |
| 1750 x 500mm | 338 | 640 | N/A | N/A | 89.0516 | 607.00 | **728.40** |
| 1750 x 600mm | 383 | 726 | N/A | N/A | 89.0517 | 643.00 | **771.60** |

### Marlow Towel Rail - Chrome

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 850 x 500mm | 106 | 203 | N/A | N/A | 89.0524 | 516.00 | **619.20** |
| 850 x 600mm | 121 | 232 | N/A | N/A | 89.0525 | 546.00 | **655.20** |
| 1150 x 500mm | 141 | 272 | N/A | N/A | 89.0526 | 636.00 | **763.20** |
| 1150 x 600mm | 161 | 311 | N/A | N/A | 89.0527 | 675.00 | **810.00** |
| 1750 x 500mm | 213 | 411 | N/A | N/A | 89.0528 | 843.00 | **1011.60** |
| 1750 x 600mm | 243 | 469 | N/A | N/A | 89.0529 | 893.00 | **1071.60** |

### Marlow Towel Rail - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 850 x 500mm | 168 | 318 | N/A | N/A | 89.0506 | 372.00 | **446.40** |
| 850 x 600mm | 190 | 360 | N/A | N/A | 89.0507 | 396.00 | **475.20** |
| 1150 x 500mm | 225 | 426 | N/A | N/A | 89.0508 | 459.00 | **550.80** |
| 1150 x 600mm | 255 | 483 | N/A | N/A | 89.0509 | 486.00 | **583.20** |
| 1750 x 500mm | 338 | 640 | N/A | N/A | 89.0510 | 607.00 | **728.40** |
| 1750 x 600mm | 383 | 726 | N/A | N/A | 89.0511 | 643.00 | **771.60** |

### Marlow Towel Rail - Matt Cappuccino

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 850 x 500mm | 168 | 318 | N/A | N/A | 89.0518 | 409.00 | **490.80** |
| 850 x 600mm | 190 | 360 | N/A | N/A | 89.0519 | 434.00 | **520.80** |
| 1150 x 500mm | 225 | 426 | N/A | N/A | 89.0520 | 506.00 | **607.20** |
| 1150 x 600mm | 255 | 483 | N/A | N/A | 89.0521 | 534.00 | **640.80** |
| 1750 x 500mm | 338 | 640 | N/A | N/A | 89.0522 | 669.00 | **802.80** |
| 1750 x 600mm | 383 | 726 | N/A | N/A | 89.0523 | 710.00 | **852.00** |

**Radiator Valves**
Page 350-365



### TECHNICAL INFORMATION

All measurements in Height by Width. Not suitable for elements. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 82mm less than the width of the rail and approx. 85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Matt White



Matt Grey



Chrome



Matt Anthracite




Matt Cappuccino






# Designer Range

## MARLOW E-STYLE




Pictured 89.0809 Matt White



Pictured 89.0835 Chrome

Can be reverse handed (Left or Right)

State-of-the-Art welding meets large vertical and horizontal tubes in this model. Available in a variety of colours to suit any bathroom. The generous spacing between the horizontal tubes allows for maximum towel drying.

**FEATURES**

- 42mm diameter horizontal bars
- 42mm diameter vertical profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 5 colours available from stock
- Can be reverse handed (left or right)
- State-of-the-Art welding technology
- Not suitable for elements
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 398-399

**Round Vent Caps**
Page 369



# Designer Range

## MARLOW E-STYLE

### Marlow E-Style Towel Rail - Matt White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 850 x 500mm | 154 | 294 | N/A | N/A | 89.0807 | 271.00 | **325.20** |
| 850 x 600mm | 176 | 335 | N/A | N/A | 89.0808 | 304.00 | **364.80** |
| 1150 x 500mm | 206 | 394 | N/A | N/A | 89.0809 | 373.00 | **447.60** |
| 1150 x 600mm | 234 | 449 | N/A | N/A | 89.0810 | 416.00 | **499.20** |
| 1750 x 500mm | 310 | 598 | N/A | N/A | 89.0811 | 476.00 | **571.20** |
| 1750 x 600mm | 354 | 681 | N/A | N/A | 89.0812 | 531.00 | **637.20** |

### Marlow E-Style Towel Rail - Matt Grey

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 850 x 500mm | 154 | 294 | N/A | N/A | 89.0819 | 271.00 | **325.20** |
| 850 x 600mm | 176 | 335 | N/A | N/A | 89.0820 | 304.00 | **364.80** |
| 1150 x 500mm | 206 | 394 | N/A | N/A | 89.0821 | 373.00 | **447.60** |
| 1150 x 600mm | 234 | 449 | N/A | N/A | 89.0822 | 416.00 | **499.20** |
| 1750 x 500mm | 310 | 598 | N/A | N/A | 89.0823 | 476.00 | **571.20** |
| 1750 x 600mm | 354 | 681 | N/A | N/A | 89.0824 | 531.00 | **637.20** |

### Marlow E-Style Towel Rail - Chrome

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 850 x 500mm | 98 | 191 | N/A | N/A | 89.0831 | 345.00 | **414.00** |
| 850 x 600mm | 211 | 216 | N/A | N/A | 89.0832 | 386.00 | **463.20** |
| 1150 x 500mm | 131 | 256 | N/A | N/A | 89.0833 | 476.00 | **571.20** |
| 1150 x 600mm | 149 | 290 | N/A | N/A | 89.0834 | 531.00 | **637.20** |
| 1750 x 500mm | 198 | 386 | N/A | N/A | 89.0835 | 659.00 | **790.80** |
| 1750 x 600mm | 224 | 437 | N/A | N/A | 89.0836 | 739.00 | **886.80** |

### Marlow E-Style Towel Rail - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 850 x 500mm | 154 | 294 | N/A | N/A | 89.0813 | 271.00 | **325.20** |
| 850 x 600mm | 176 | 335 | N/A | N/A | 89.0814 | 304.00 | **364.80** |
| 1150 x 500mm | 206 | 394 | N/A | N/A | 89.0815 | 373.00 | **447.60** |
| 1150 x 600mm | 234 | 449 | N/A | N/A | 89.0816 | 416.00 | **499.20** |
| 1750 x 500mm | 310 | 598 | N/A | N/A | 89.0817 | 476.00 | **571.20** |
| 1750 x 600mm | 354 | 681 | N/A | N/A | 89.0818 | 531.00 | **637.20** |

### Marlow E-Style Towel Rail- Matt Cappuccino

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 850 x 500mm | 154 | 294 | N/A | N/A | 89.0825 | 271.00 | **325.20** |
| 850 x 600mm | 176 | 335 | N/A | N/A | 89.0826 | 304.00 | **364.80** |
| 1150 x 500mm | 206 | 394 | N/A | N/A | 89.0827 | 373.00 | **447.60** |
| 1150 x 600mm | 234 | 449 | N/A | N/A | 89.0828 | 416.00 | **499.20** |
| 1750 x 500mm | 310 | 598 | N/A | N/A | 89.0829 | 476.00 | **571.20** |
| 1750 x 600mm | 354 | 681 | N/A | N/A | 89.0830 | 531.00 | **637.20** |

**Twin TRV's**
Page 352



Tappings: **50mm**

### TECHNICAL INFORMATION

All measurements in Height by Width. Not suitable for elements. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 50mm and approx. 85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Matt White**



**Matt Grey**



**Chrome**



**Matt Anthracite**



**Matt Cappuccino**



**State-of-the-Art welding**



# Designer Range

## CONWY




Pictured 41.0712 Matt Anthracite




Pictured 41.0714 Chrome

A masterpiece for your bathroom or any other room. The square vertical bars at the top can be used as towel / bathrobe hangers and the 3 x robe hooks can be used to dry your towels too. This exceptional design is available in 4 colour options.

**Conwy Vertical Radiator - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 220mm | 128 | 270 | 100W | A, A+, B, D, E, F, G | 41.0711 | 144.00 | **172.80** |

**Conwy Vertical Radiator - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 220mm | 128 | 270 | 100W | A, A+, B, D, E, F, G | 41.0712 | 144.00 | **172.80** |

**Conwy Vertical Radiator - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 220mm | 128 | 270 | 100W | A, A+, B, D, E, F, G | 41.0713 | 144.00 | **172.80** |

**Conwy Vertical Radiator - Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 220mm | 75 | 144 | 100W | A, A+, B, D, E, F, G | 41.0714 | 197.00 | **236.40** |

### FEATURES

- 40 x 40mm vertical profiles
- Comes with pre-fitted 3 x robe hooks
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- State-of-the-Art welding technology
- 5 Year Manufacturer's Warranty*


*With conditions

**Technical Tables & Drawings**
Page 398-399


### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 180mm and approx. 64-74mm off the wall. Tappings height difference 100mm. Projection from wall is 84-94mm. Price includes radiator and wall fixing sets, valves extra.


**Matt White**




**Matt Anthracite**



**Matt Black**



**Chrome**



# Designer Range

## PORTCHESTER




Pictured 41.0715 Matt White




Pictured 41.0718 Chrome

A masterpiece for your bathroom or any other room. The round vertical bars at the top can be used as towel / bathrobe hangers and the 3 x robe hooks can be used to dry your towels too. This exceptional design is available in 4 colour options.

**Portchester Vertical Radiator - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 225mm | 121 | 227 | 100W | A, A+, B, D, E, F, G | 41.0715 | 132.00 | **158.40** |

**Portchester Vertical Radiator - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 225mm | 121 | 227 | 100W | A, A+, B, D, E, F, G | 41.0717 | 132.00 | **158.40** |

**Portchester Vertical Radiator - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 225mm | 121 | 227 | 100W | A, A+, B, D, E, F, G | 41.0716 | 132.00 | **158.40** |

**Portchester Vertical Radiator - Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 225mm | 79 | 156 | 100W | A, A+, B, D, E, F, G | 41.0718 | 181.00 | **217.20** |

**FEATURES**
- 45mm diameter vertical profiles
- Comes with pre-fitted 3 x robe hooks
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- State-of-the-Art welding technology
- 5 Year Manufacturer's Warranty*


*With conditions

**Technical Tables & Drawings**
Page 398-399


**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 180mm and approx. 67-77mm off the wall. Tappings height difference 100mm. Projection from wall is 89-99mm. Price includes radiator and wall fixing sets, valves extra.


**Matt White**




**Matt Anthracite**



**Matt Black**



**Chrome**



# Designer Range

## LAMBOURNE




Pictured 89.1701 Chrome (side connection valves shown)

A masterpiece for your bathroom or any other room. The vertical bars at the ends can be used as towel / bathrobe hangers, middle section at the top can be used to dry your towels too. This exceptional design is available in 2 heights and 2 widths with 4 colour options.

**FEATURES**

- 42mm diameter horizontal bars
- 42mm diameter vertical profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- State-of-the-Art welding technology
- Can have either side or bottom connections
- 4 colours available from stock
- 5 Year Manufacturer's Warranty*

*With conditions

**Technical Tables & Drawings**
Page 398-399

**TECHNICAL INFORMATION**

All measurements in Height by Width. For matching valves see pages 350-365. For indirect heating systems only. **For side connection**, tappings are the width of the rail and approx. 85mm off the wall. **For bottom connection**, tappings are approx. 180mm less than the width of the rail and approx. 106mm off the wall. Projection from wall 127mm. Price includes radiator and wall fixing sets, valves extra.

# Designer Range

## LAMBOURNE

### Lambourne Designer Radiator - Matt White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 420mm | 267 | 513 | N/A | N/A | 89.1703 | 321.00 | **385.20** |
| 1200 x 540mm | 344 | 662 | N/A | N/A | 89.1704 | 401.00 | **481.20** |
| 1800 x 420mm | 360 | 700 | N/A | N/A | 89.1695 | 399.00 | **478.80** |
| 1800 x 540mm | 464 | 903 | N/A | N/A | 89.1696 | 499.00 | **598.80** |

### Lambourne Designer Radiator - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 420mm | 267 | 513 | N/A | N/A | 89.1705 | 321.00 | **385.20** |
| 1200 x 540mm | 344 | 662 | N/A | N/A | 89.1706 | 401.00 | **481.20** |
| 1800 x 420mm | 360 | 700 | N/A | N/A | 89.1697 | 399.00 | **478.80** |
| 1800 x 540mm | 464 | 903 | N/A | N/A | 89.1698 | 499.00 | **598.80** |

### Lambourne Designer Radiator - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 420mm | 267 | 513 | N/A | N/A | 89.1707 | 321.00 | **385.20** |
| 1200 x 540mm | 344 | 662 | N/A | N/A | 89.1708 | 401.00 | **481.20** |
| 1800 x 420mm | 360 | 700 | N/A | N/A | 89.1699 | 399.00 | **478.80** |
| 1800 x 540mm | 464 | 903 | N/A | N/A | 89.1700 | 499.00 | **598.80** |

### Lambourne Designer Radiator - Chrome

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 420mm | 172 | 336 | N/A | N/A | 89.1709 | 427.00 | **512.40** |
| 1200 x 540mm | 223 | 433 | N/A | N/A | 89.1710 | 532.00 | **638.40** |
| 1800 x 420mm | 261 | 513 | N/A | N/A | 89.1701 | 532.00 | **638.40** |
| 1800 x 540mm | 337 | 661 | N/A | N/A | 89.1702 | 665.00 | **798.00** |





Pictured 89.1706 Matt Anthracite (bottom connection valves shown)

**Side Connection shown**




**Bottom Connection shown:** Valves can also be fitted from the bottom inlets.




**Matt White**




**Matt Anthracite**



**Matt Black**



**Chrome**



# Designer Range

## MURANO VERTICAL

Pictured 89.0908 Matt Grey




Pictured 89.0916 Matt Anthracite




### Murano Vertical Radiator - Gloss White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 310mm | 388 | 749 | N/A | N/A | 89.0901 | 451.00 | **541.20** |
| 1800 x 410mm | 533 | 1029 | N/A | N/A | 89.0902 | 600.00 | **720.00** |
| 1800 x 510mm | 683 | 1319 | N/A | N/A | 89.0903 | 749.00 | **898.80** |

### Murano Vertical Radiator - Matt Grey

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 310mm | 388 | 749 | N/A | N/A | 89.0908 | 451.00 | **541.20** |
| 1800 x 410mm | 533 | 1029 | N/A | N/A | 89.0909 | 600.00 | **720.00** |
| 1800 x 510mm | 683 | 1319 | N/A | N/A | 89.0910 | 749.00 | **898.80** |

### Murano Vertical Radiator - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 310mm | 388 | 749 | N/A | N/A | 89.0915 | 451.00 | **541.20** |
| 1800 x 410mm | 533 | 1029 | N/A | N/A | 89.0916 | 600.00 | **720.00** |
| 1800 x 510mm | 683 | 1319 | N/A | N/A | 89.0917 | 749.00 | **898.80** |

### Murano Vertical Radiator - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 310mm | 388 | 749 | N/A | N/A | 89.0922 | 451.00 | **541.20** |
| 1800 x 410mm | 533 | 1029 | N/A | N/A | 89.0923 | 600.00 | **720.00** |
| 1800 x 510mm | 683 | 1319 | N/A | N/A | 89.0924 | 749.00 | **898.80** |

Double vertical round bars and double horizontal bars create this eye catching radiator; Murano. Available in vertical horizontal styles with 4 finishes.

**FEATURES**

- 22mm diameter vertical bars
- Double tube on tube construction
- Tested to BS EN 442 standards
- 4 colours available from stock
- State-of-the-Art welding technology
- Not suitable for elements
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 400-401

### TECHNICAL INFORMATION

All measurements in Height by Width. Not suitable for elements. For matching valves see pages 350-365. For indirect heating systems only. Comes with built-in flow diverter. Tappings are width of the rail and approx. 50mm off the wall. Projection from wall is 86mm. Price includes radiator and wall fixing sets, valves extra.

# Designer Range

## MURANO HORIZONTAL




Pictured 89.0897 Gloss White

Pictured 89.0920 Matt Black





Double profile construction

### Murano Horizontal Radiator - Gloss White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 800mm | 377 | 695 | 300W | A, A+, B, D, F, G | 89.0897 | 334.00 | **400.80** |
| 600 x 1000mm | 482 | 887 | 450W | A, A+, B, D, F, G | 89.0898 | 418.00 | **501.60** |
| 600 x 1200mm | 589 | 1084 | 450W | A, A+, B, D, F, G | 89.0899 | 501.00 | **601.20** |
| 600 x 1400mm | 697 | 1283 | 600W | A+, B, D, F, G | 89.0900 | 585.00 | **702.00** |

### Murano Horizontal Radiator - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 800mm | 377 | 695 | 300W | A, A+, B, D, F, G | 89.0911 | 334.00 | **400.80** |
| 600 x 1000mm | 482 | 887 | 450W | A, A+, B, D, F, G | 89.0912 | 418.00 | **501.60** |
| 600 x 1200mm | 589 | 1084 | 450W | A, A+, B, D, F, G | 89.0913 | 501.00 | **601.20** |
| 600 x 1400mm | 697 | 1283 | 600W | A+, B, D, F, G | 89.0914 | 585.00 | **702.00** |

### Murano Horizontal Radiator - Matt Grey

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 800mm | 377 | 695 | 300W | A, A+, B, D, F, G | 89.0904 | 334.00 | **400.80** |
| 600 x 1000mm | 482 | 887 | 450W | A, A+, B, D, F, G | 89.0905 | 418.00 | **501.60** |
| 600 x 1200mm | 589 | 1084 | 450W | A, A+, B, D, F, G | 89.0906 | 501.00 | **601.20** |
| 600 x 1400mm | 697 | 1283 | 600W | A+, B, D, F, G | 89.0907 | 585.00 | **702.00** |

### Murano Horizontal Radiator - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 800mm | 377 | 695 | 300W | A, A+, B, D, F, G | 89.0918 | 334.00 | **400.80** |
| 600 x 1000mm | 482 | 887 | 450W | A, A+, B, D, F, G | 89.0919 | 418.00 | **501.60** |
| 600 x 1200mm | 589 | 1084 | 450W | A, A+, B, D, F, G | 89.0920 | 501.00 | **601.20** |
| 600 x 1400mm | 697 | 1283 | 600W | A+, B, D, F, G | 89.0921 | 585.00 | **702.00** |

**FEATURES**

- 22mm diameter horizontal bars
- Double tube on tube construction
- Tested to BS EN 442 standards
- 4 colours available from stock
- State-of-the-Art welding technology
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 400-401

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 81mm off the wall. Projection from wall is 117mm. Price includes radiator and wall fixing sets, valves extra.

• REDUCED PRICES HERE •

# Designer Range

## RYTON




Framed rectangular designer towel rail available in a variety of finishes to create a stylish focal point in any bathroom.

**FEATURES**
- Tested to BS EN 442 standards
- A brave alternative for a basic towel radiator
- Can be single, dual fuel or all electric (element can only be fitted on the right hand side)
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 400-401





**Ryton Towel Rail - Matt White** REDUCED PRICES

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 106 | 201 | 150W | A, A+, B, D, E, F, G | 61.0002 | 256.00 | **307.20** |
| 800 x 600mm | 117 | 222 | 150W | A, A+, B, D, E, F, G | 61.0003 | 280.00 | **336.00** |
| 1200 x 500mm | 158 | 301 | 150W | A, A+, B, D, E, F, G | 61.0004 | 320.00 | **384.00** |
| 1200 x 600mm | 174 | 332 | 150W | A, A+, B, D, E, F, G | 61.0005 | 349.00 | **418.80** |
| 1600 x 500mm | 210 | 401 | 300W | A, A+, B, D, E, F, G | 61.0006 | 408.00 | **489.60** |
| 1600 x 600mm | 232 | 442 | 300W | A, A+, B, D, E, F, G | 61.0007 | 445.00 | **534.00** |

**Ryton Towel Rail - Matt Anthracite** REDUCED PRICES

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 106 | 201 | 150W | A, A+, B, D, E, F, G | 61.0008 | 256.00 | **307.20** |
| 800 x 600mm | 117 | 222 | 150W | A, A+, B, D, E, F, G | 61.0009 | 280.00 | **336.00** |
| 1200 x 500mm | 158 | 301 | 150W | A, A+, B, D, E, F, G | 61.0010 | 320.00 | **384.00** |
| 1200 x 600mm | 174 | 332 | 150W | A, A+, B, D, E, F, G | 61.0011 | 349.00 | **418.80** |
| 1600 x 500mm | 210 | 401 | 300W | A, A+, B, D, E, F, G | 61.0012 | 408.00 | **489.60** |
| 1600 x 600mm | 232 | 442 | 300W | A, A+, B, D, E, F, G | 61.0013 | 445.00 | **534.00** |

**Ryton Towel Rail - Chrome** REDUCED PRICES

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 71 | 134 | 100W | A, A+, B, D, E, F, G | 61.0014 | 360.00 | **432.00** |
| 800 x 600mm | 77 | 147 | 100W | A, A+, B, D, E, F, G | 61.0015 | 403.00 | **483.60** |
| 1200 x 500mm | 105 | 200 | 150W | A, A+, B, D, E, F, G | 61.0016 | 453.00 | **543.60** |
| 1200 x 600mm | 116 | 220 | 150W | A, A+, B, D, E, F, G | 61.0017 | 507.00 | **608.40** |
| 1600 x 500mm | 140 | 266 | 150W | A, A+, B, D, E, F, G | 61.0018 | 550.00 | **660.00** |
| 1600 x 600mm | 154 | 293 | 150W | A, A+, B, D, E, F, G | 61.0019 | 616.00 | **739.20** |

* Further heat output information available on eastbrooktrade.com **E&OA**

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. Element can only be fitted on the right hand side. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 30mm less than the width of the rail and approx. 75-90mm off the wall. Price includes radiator and wall fixing sets, valves extra.

# Designer Range

## KENILWORTH




Pictured 61.0032 Chrome

A contemporary take on a traditional towel rail. This round edged framed design available in a variety of colours will be sure to suit any bathroom.

**FEATURES**
- Tested to BS EN 442 standards
- A brave alternative for a basic towel radiator
- Can be single, dual fuel or all electric (element can only be fitted on the right hand side)
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 400-401





**Kenilworth Towel Rail - Matt White** REDUCED PRICES

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 105 | 200 | 150W | A, A+, B, D, E, F, G | 61.0020 | 244.00 | **292.80** |
| 800 x 600mm | 117 | 223 | 150W | A, A+, B, D, E, F, G | 61.0021 | 266.00 | **319.20** |
| 1200 x 500mm | 158 | 300 | 150W | A, A+, B, D, E, F, G | 61.0022 | 309.00 | **370.80** |
| 1200 x 600mm | 175 | 334 | 150W | A, A+, B, D, E, F, G | 61.0023 | 337.00 | **404.40** |
| 1600 x 500mm | 210 | 400 | 300W | A, A+, B, D, E, F, G | 61.0024 | 397.00 | **476.40** |
| 1600 x 600mm | 233 | 444 | 300W | A, A+, B, D, E, F, G | 61.0025 | 433.00 | **519.60** |

**Kenilworth Towel Rail - Matt Anthracite** REDUCED PRICES

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 105 | 200 | 150W | A, A+, B, D, E, F, G | 61.0026 | 244.00 | **292.80** |
| 800 x 600mm | 117 | 223 | 150W | A, A+, B, D, E, F, G | 61.0027 | 266.00 | **319.20** |
| 1200 x 500mm | 158 | 300 | 150W | A, A+, B, D, E, F, G | 61.0028 | 309.00 | **370.80** |
| 1200 x 600mm | 175 | 334 | 150W | A, A+, B, D, E, F, G | 61.0029 | 337.00 | **404.40** |
| 1600 x 500mm | 210 | 400 | 300W | A, A+, B, D, E, F, G | 61.0030 | 397.00 | **476.40** |
| 1600 x 600mm | 233 | 444 | 300W | A, A+, B, D, E, F, G | 61.0031 | 433.00 | **519.60** |

**Kenilworth Towel Rail - Chrome** REDUCED PRICES

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 70 | 133 | 100W | A, A+, B, D, E, F, G | 61.0032 | 343.00 | **411.60** |
| 800 x 600mm | 78 | 148 | 100W | A, A+, B, D, E, F, G | 61.0033 | 384.00 | **460.80** |
| 1200 x 500mm | 105 | 199 | 150W | A, A+, B, D, E, F, G | 61.0034 | 437.00 | **524.40** |
| 1200 x 600mm | 116 | 221 | 150W | A, A+, B, D, E, F, G | 61.0035 | 489.00 | **586.80** |
| 1600 x 500mm | 139 | 265 | 150W | A, A+, B, D, E, F, G | 61.0036 | 527.00 | **632.40** |
| 1600 x 600mm | 154 | 294 | 150W | A, A+, B, D, E, F, G | 61.0037 | 590.00 | **708.00** |

* Further heat output information available on eastbrooktrade.com **E&OA**

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. Element can only be fitted on the right hand side. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 32mm less than the width of the rail and approx. 76-91mm off the wall. Price includes radiator and wall fixing sets, valves extra.

• REDUCED PRICES HERE •

# Designer Range

## LOXLEY

The Loxley range features contemporary clean lines. The square tubes and profiles gives this towel rail an ultra-modern look.

**FEATURES**
- Tested to BS EN 442 standards
- Modern adaption of a traditional design
- Concealed wall brackets
- Can be single, dual fuel** or all electric** (element can only be fitted on the right hand side)
- 5 Year Manufacturer's Warranty*

* With conditions
** Only certain sizes, see below table

**Technical Tables & Drawings**
Page 402-403



Pictured 61.0047 Chrome

Warranty 5 Year | Heating | All Electric | Dual-Fuel

**Loxley Towel Rail - Matt White** REDUCED PRICES

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 81 | 154 | 100W | A, A+, B, D, F, G | 61.0038 | 406.00 | **487.20** |
| 800 x 600mm | 91 | 172 | 100W | A, A+, B, D, F, G | 61.0039 | 443.00 | **531.60** |
| 1200 x 500mm | 121 | 231 | 150W | A, A+, B, D, E, F, G | 61.0040 | 447.00 | **536.40** |
| 1200 x 600mm | 135 | 257 | 150W | A, A+, B, D, E, F, G | 61.0041 | 488.00 | **585.60** |

**Loxley Towel Rail - Matt Anthracite** REDUCED PRICES

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 81 | 154 | 100W | A, A+, B, D, F, G | 61.0042 | 406.00 | **487.20** |
| 800 x 600mm | 91 | 172 | 100W | A, A+, B, D, F, G | 61.0043 | 443.00 | **531.60** |
| 1200 x 500mm | 121 | 231 | 150W | A, A+, B, D, E, F, G | 61.0044 | 447.00 | **536.40** |
| 1200 x 600mm | 135 | 257 | 150W | A, A+, B, D, E, F, G | 61.0045 | 488.00 | **585.60** |

**Loxley Towel Rail - Chrome** REDUCED PRICES

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 54 | 103 | N/A | N/A | 61.0046 | 460.00 | **552.00** |
| 800 x 600mm | 60 | 114 | N/A | N/A | 61.0047 | 515.00 | **618.00** |
| 1200 x 500mm | 81 | 154 | 100W | A, A+, B, D, F, G | 61.0048 | 518.00 | **621.60** |
| 1200 x 600mm | 90 | 170 | 100W | A, A+, B, D, F, G | 61.0049 | 580.00 | **696.00** |

* Further heat output information available on eastbrooktrade.com **E&OA**

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. Element can only be fitted on the right hand side. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 59mm less than the width of the rail and approx. 76mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Chrome**
800mm High



**Chrome**
1200mm High



**Concealed Wall Brackets**



**Concealed Wall Brackets**



# Designer Range




Pictured 61.0056 Matt Anthracite

## ESHTON


A fresh take on the traditional towel rail. The Eshton range features both round tubes and profiles for a complete contemporary look.

**FEATURES**

- Tested to BS EN 442 standards
- Modern adaption of a traditional design
- Concealed wall brackets
- Can be single, dual fuel or all electric (element can only be fitted on the right hand side)
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 402-403




**Eshton Towel Rail - Matt White REDUCED PRICES**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 104 | 197 | 150W | A, A+, B, D, E, F, G | 61.0050 | 368.00 | **441.60** |
| 800 x 600mm | 116 | 220 | 150W | A, A+, B, D, E, F, G | 61.0051 | 402.00 | **482.40** |
| 1200 x 500mm | 155 | 296 | 150W | A, A+, B, D, E, F, G | 61.0052 | 411.00 | **493.20** |
| 1200 x 600mm | 172 | 328 | 150W | A, A+, B, D, E, F, G | 61.0053 | 448.00 | **537.60** |

**Eshton Towel Rail - Matt Anthracite REDUCED PRICES**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 104 | 197 | 150W | A, A+, B, D, E, F, G | 61.0054 | 368.00 | **441.60** |
| 800 x 600mm | 116 | 220 | 150W | A, A+, B, D, E, F, G | 61.0055 | 402.00 | **482.40** |
| 1200 x 500mm | 155 | 296 | 150W | A, A+, B, D, E, F, G | 61.0056 | 411.00 | **493.20** |
| 1200 x 600mm | 172 | 328 | 150W | A, A+, B, D, E, F, G | 61.0057 | 448.00 | **537.60** |

**Eshton Towel Rail - Chrome REDUCED PRICES**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 69 | 131 | 100W | A, A+, B, D, F, G | 61.0058 | 425.00 | **510.00** |
| 800 x 600mm | 77 | 146 | 100W | A, A+, B, D, F, G | 61.0059 | 476.00 | **571.20** |
| 1200 x 500mm | 103 | 196 | 150W | A, A+, B, D, E, F, G | 61.0060 | 484.00 | **580.80** |
| 1200 x 600mm | 115 | 218 | 150W | A, A+, B, D, E, F, G | 61.0061 | 532.00 | **638.40** |

* Further heat output information available on eastbrooktrade.com **E&OA**


### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. Element can only be fitted on the right hand side. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 59mm less than the width of the rail and approx. 77mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Chrome**
800mm High



**Chrome**
1200mm High



**Concealed Wall Brackets**



**Concealed Wall Brackets**



# Designer Range

## RUBANO VERTICAL

Pictured 81.0058 Gloss White

Warranty 5 Year

Heating

All Electric

Dual-Fuel

**Technical Tables & Drawings**
Page 402-403

HEATING NOTE: Radiators that are electric only are restricted to the heat output of the elements.



Close-up without vent caps

A modern take on the traditional radiator. The range features larger profiles for a more contemporary look. Available in gloss white, matt anthracite and a range of sizes makes the Rubano an ideal radiator for any household room.

**Rubano Vertical - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 383mm | 580 | 1122 | 300W | A, A+, C*, H* | 81.0058 | 428.00 | **513.60** |
| 1800 x 503mm | 773 | 1496 | 600W | A+, C**, H** | 81.0059 | 569.00 | **682.80** |

**Rubano Vertical - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 383mm | 580 | 1122 | 300W | A, A+, C*, H* | 81.0064 | 436.00 | **523.20** |
| 1800 x 503mm | 773 | 1496 | 600W | A+, C**, H** | 81.0065 | 580.00 | **696.00** |

*Only 300W Element can be used. ** Only 900W Element can be used.

**Rubano Radiator Feet**


| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Rubano Radiator Feet (pair) White | 81.0066 | 37.00 | **44.40** |
| Rubano Radiator Feet (pair) Matt Anthracite | 81.0067 | 37.00 | **44.40** |

**Round Vent Caps**
Page 369



# Designer Range

## RUBANO HORIZONTAL




Pictured 81.0062 Matt Anthracite

HEATING NOTE: Radiators that are electric only are restricted to the heat output of the elements.

A modern take on the traditional radiator. The range features larger profiles for a more contemporary look. Available in gloss white, matt anthracite and a range of sizes makes the Rubano an ideal radiator for any household room.

**Rubano Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 383mm | 199 | 386 | 300W | A, A+, C*, H* | 81.0054 | 174.00 | **208.80** |
| 600 x 623mm | 331 | 643 | 450W | A, A+, C, E**, H | 81.0055 | 284.00 | **340.80** |
| 600 x 803mm | 430 | 836 | 600W | A, A+, C, E, H | 81.0056 | 367.00 | **440.40** |
| 600 x 1103mm | 596 | 1157 | 900W | A, A+, C, H | 81.0057 | 506.00 | **607.20** |

*Element Type C and H only 300W can be used. **Element Type E only 300W can be used.

**Rubano Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 383mm | 199 | 386 | 300W | A, A+, C*, H* | 81.0060 | 177.00 | **212.40** |
| 600 x 623mm | 331 | 643 | 450W | A, A+, C, E**, H | 81.0061 | 287.00 | **344.40** |
| 600 x 803mm | 430 | 836 | 600W | A, A+, C, E, H | 81.0062 | 375.00 | **450.00** |
| 600 x 1103mm | 596 | 1157 | 900W | A, A+, C, H | 81.0063 | 516.00 | **619.20** |

*Element Type C and H only 300W can be used. **Element Type E only 300W can be used.

**Rubano Radiator Feet**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Rubano Radiator Feet (pair) White | 81.0066 | 37.00 | **44.40** |
| Rubano Radiator Feet (pair) Matt Anthracite | 81.0067 | 37.00 | **44.40** |

Warranty 5 Year | Heating | All Electric | Dual-Fuel

**FEATURES**

- Tested to BS EN 442 standards
- Modern style column radiator
- Radiator feet option available to get the modern look
- Does not require flow diverter
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*


* With conditions

**Technical Tables & Drawings**
Page 402-403

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. the width of the rail and 74mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Optional Extra: Rubano Radiator Feet**




**Round Vent Caps**
Page 369



# Designer Range

## ROWSHAM VERTICAL

Pictured 89.0103 Matt White



**Bar Dimensions (mm)**

Vertical Bars 40 x 20mm

Pictured 89.0109 Matt Anthracite with 89.0112 Chrome Towel Hanger



The Rowsham Vertical is a designer radiator with stunning clean lines that complement any room.

**FEATURES**

- 40 x 20mm vertical bars
- Comes with pre-fitted flow diverter
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements

* With conditions

**Technical Tables & Drawings**

Page 404-405

**Rowsham Vertical - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 300mm | 419 | 822 | 89.0102 | 350.00 | **420.00** |
| 1800 x 380mm | 545 | 1069 | 89.0103 | 448.00 | **537.60** |
| 1800 x 500mm | 739 | 1451 | 89.0104 | 461.00 | **553.20** |

**Rowsham Vertical - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 300mm | 419 | 822 | 89.0109 | 350.00 | **420.00** |
| 1800 x 380mm | 545 | 1069 | 89.0110 | 448.00 | **537.60** |
| 1800 x 500mm | 739 | 1451 | 89.0111 | 461.00 | **553.20** |

# Designer Range

## ROWSHAM VERTICAL




Pictured 89.0111 Matt Anthracite

**Bar Dimensions (mm)**

Vertical Bars 40 x 20mm

### COMPLETE THE LOOK

Radiator Valves
Page: 350-365



**Round Vent Caps**
Page 369



### TECHNICAL INFORMATION

All measurements in Height by Width. Not suitable for elements. For matching valves see pages 350-365. For indirect heating systems only. Tappings are the width of the rail and approx. 54mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty 5 Year

Heating



**Optional Extra - Towel Hanger - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Towel Hanger 300mm | 89.0112 | 74.00 | **88.80** |

Compatible with Vertical and Horizontal Radiators. Can be fitted after installation (vertical radiators only).

# Designer Range

## ROWSHAM HORIZONTAL



Pictured 89.0098 Matt White

**Bar Dimensions (mm)**

Vertical Bars 40 x 20mm



Pictured 89.0107 Matt Anthracite

**Technical Tables & Drawings**
Page 404-405

The Rowsham Horizontal is a designer radiator with stunning clean lines that complement any room.

**Rowsham Horizontal - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 600 x 580mm | 265 | 505 | 89.0098 | 324.00 | **388.80** |
| 600 x 780mm | 369 | 702 | 89.0099 | 363.00 | **435.60** |
| 600 x 980mm | 475 | 905 | 89.0100 | 415.00 | **498.00** |
| 600 x 1180mm | 584 | 1113 | 89.0101 | 482.00 | **578.40** |

**Rowsham Horizontal - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 600 x 580mm | 265 | 505 | 89.0105 | 324.00 | **388.80** |
| 600 x 780mm | 369 | 702 | 89.0106 | 363.00 | **435.60** |
| 600 x 980mm | 475 | 905 | 89.0107 | 415.00 | **498.00** |
| 600 x 1180mm | 584 | 1113 | 89.0108 | 482.00 | **578.40** |

**FEATURES**

- 40 x 20mm vertical bars
- Comes with pre-fitted flow diverter
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements

* With conditions

**Round Vent Caps**
Page 369



**TECHNICAL INFORMATION**

All measurements in Height by Width. Not suitable for elements. For matching valves see pages 350-365. For indirect heating systems only. Tappings are the width of the rail and approx. 54mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty 5 Year

Heating



**Optional Extra - Towel Hanger - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Towel Hanger 300mm | 89.0112 | 74.00 | **88.80** |

Compatible with Vertical and Horizontal Radiators. Must be fitted before installation (horizontal radiators only).

# Designer Range

## ROWSHAM TOWEL RAIL



Pictured 89.1393 Matt White

Rear fixing metal wall brackets



Pictured 89.1396 Matt Anthracite

**Technical Tables & Drawings**
Page 404-405

**Bar Dimensions (mm)**

Horizontal Bars 40 x 20mm

The Rowsham Towel Rail is a designer towel rail with stunning clean lines that has also high heat output.

**Rowsham Towel Rail - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 250 | 465 | 300W | A, A+, B, D, E, F, G | 89.1388 | 228.00 | **273.60** |
| 800 x 600mm | 270 | 502 | 300W | A, A+, B, D, E, F, G | 89.1389 | 263.00 | **315.60** |
| 1200 x 500mm | 371 | 695 | 450W | A, A+, B, D, E, F, G | 89.1390 | 375.00 | **450.00** |
| 1200 x 600mm | 401 | 750 | 600W | A, A+, B, D, E, F, G | 89.1391 | 434.00 | **520.80** |
| 1800 x 500mm | 562 | 1061 | 600W | A, A+, B, D, E, F, G | 89.1392 | 519.00 | **622.80** |
| 1800 x 600mm | 606 | 1145 | 750W | A, A+, B, D, E, F, G | 89.1393 | 601.00 | **721.20** |

**Rowsham Towel Rail - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 250 | 465 | 300W | A, A+, B, D, E, F, G | 89.1394 | 228.00 | **273.60** |
| 800 x 600mm | 270 | 502 | 300W | A, A+, B, D, E, F, G | 89.1395 | 263.00 | **315.60** |
| 1200 x 500mm | 371 | 695 | 450W | A, A+, B, D, E, F, G | 89.1396 | 375.00 | **450.00** |
| 1200 x 600mm | 401 | 750 | 600W | A, A+, B, D, E, F, G | 89.1397 | 434.00 | **520.80** |
| 1800 x 500mm | 562 | 1061 | 600W | A, A+, B, D, E, F, G | 89.1398 | 519.00 | **622.80** |
| 1800 x 600mm | 606 | 1145 | 750W | A, A+, B, D, E, F, G | 89.1399 | 601.00 | **721.20** |

Warranty 5 Year | Heating | All Electric | Dual-Fuel

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 32mm less than the width of the rail and 83mm off the wall. Projection from wall is 139mm. Price includes radiator and wall fixing sets, valves extra.

**Round Vent Caps**
Page 369



# Designer Range

## WINGRAVE FLAT PANEL







No more heavy & bulky panel radiators! A minimalist cover has been added to the Wingrave Towel Rail with built-in middle connection option. Also the stylish towel hangers will allow you to use this radiator in your bathroom as well as other rooms. Available in 2 heights and 3 colours.

**FEATURES**
- Tested to BS EN 442 standards
- Wingrave towel rail with with flat panel cover
- Rear fixing metal wall brackets
- Comes with 50mm middle connection in addition to standard side connections
- Dual fuel connection without T piece, element fits in either left or right bottom side connection
- Blanking plug and air vent are at the rear of the radiator
- Can only be installed vertically
- Can be single or dual fuel, or all electric
- 5 Year Manufacturer's Warranty*

*With conditions

**Technical Tables & Drawings**
Page 404-405

Warranty 5 Year | Heating | All Electric | Dual-Fuel


# Designer Range

## WINGRAVE FLAT PANEL


Gloss White


Matt Anthracite


Matt Black



Rear View - Hidden air vent and blanking plug

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Middle connection is 50mm. and and approx. 73mm off the wall. Side connections are 55mm less than the width of the rail and approx. 73mm off the wall. Price includes radiator and wall fixing sets, valves extra.

### 1200mm Height

**Wingrave Flat Panel Radiators - Gloss White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 310mm | 196 | 374 | 150W | A, A+, B, D, E, F, G | 89.1455 | 260.00 | **312.00** |
| 1200 x 410mm | 247 | 471 | 300W | A, A+, B, D, E, F, G | 89.1456 | 273.00 | **327.60** |
| 1200 x 510mm | 298 | 569 | 300W | A, A+, B, D, E, F, G | 89.1457 | 297.00 | **356.40** |
| 1200 x 610mm | 350 | 667 | 450W | A, A+, B, D, E, F, G | 89.1458 | 321.00 | **385.20** |

**Wingrave Flat Panel Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 310mm | 196 | 374 | 150W | A, A+, B, D, E, F, G | 89.1467 | 281.00 | **337.20** |
| 1200 x 410mm | 247 | 471 | 300W | A, A+, B, D, E, F, G | 89.1468 | 296.00 | **355.20** |
| 1200 x 510mm | 298 | 569 | 300W | A, A+, B, D, E, F, G | 89.1469 | 321.00 | **385.20** |
| 1200 x 610mm | 350 | 667 | 450W | A, A+, B, D, E, F, G | 89.1470 | 345.00 | **414.00** |

**Wingrave Flat Panel Radiators - Matt Black**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 310mm | 196 | 374 | 150W | A, A+, B, D, E, F, G | 89.1479 | 281.00 | **337.20** |
| 1200 x 410mm | 247 | 471 | 300W | A, A+, B, D, E, F, G | 89.1480 | 296.00 | **355.20** |
| 1200 x 510mm | 298 | 569 | 300W | A, A+, B, D, E, F, G | 89.1481 | 321.00 | **385.20** |
| 1200 x 610mm | 350 | 667 | 450W | A, A+, B, D, E, F, G | 89.1482 | 345.00 | **414.00** |

* Further heat output information available on eastbrooktrade.com **E&OA**

### 1800mm Height

**Wingrave Flat Panel Radiators - Gloss White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 310mm | 289 | 551 | 300W | A, A+, B, D, E, F, G | 89.1451 | 315.00 | **378.00** |
| 1800 x 410mm | 364 | 694 | 450W | A, A+, B, D, E, F, G | 89.1452 | 340.00 | **408.00** |
| 1800 x 510mm | 439 | 837 | 450W | A, A+, B, D, E, F, G | 89.1453 | 380.00 | **456.00** |
| 1800 x 610mm | 514 | 980 | 600W | A, A+, B, D, E, F, G | 89.1454 | 420.00 | **504.00** |

**Wingrave Flat Panel Radiators - Matt Anthracite**


| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 310mm | 289 | 551 | 300W | A, A+, B, D, E, F, G | 89.1463 | 341.00 | **409.20** |
| 1800 x 410mm | 364 | 694 | 450W | A, A+, B, D, E, F, G | 89.1464 | 368.00 | **441.60** |
| 1800 x 510mm | 439 | 837 | 450W | A, A+, B, D, E, F, G | 89.1465 | 410.00 | **492.00** |
| 1800 x 610mm | 514 | 980 | 600W | A, A+, B, D, E, F, G | 89.1466 | 454.00 | **544.80** |

**Wingrave Flat Panel Radiators - Matt Black**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 310mm | 289 | 551 | 300W | A, A+, B, D, E, F, G | 89.1475 | 341.00 | **409.20** |
| 1800 x 410mm | 364 | 694 | 450W | A, A+, B, D, E, F, G | 89.1476 | 368.00 | **441.60** |
| 1800 x 510mm | 439 | 837 | 450W | A, A+, B, D, E, F, G | 89.1477 | 410.00 | **492.00** |
| 1800 x 610mm | 514 | 980 | 600W | A, A+, B, D, E, F, G | 89.1478 | 454.00 | **544.80** |

* Further heat output information available on eastbrooktrade.com **E&OA**

## WINGRAVE FLAT PANEL TOWEL HANGERS



**Towel Hanger - Gloss White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 310mm | 89.1459 | 50.00 | **60.00** |
| 410mm | 89.1460 | 54.00 | **64.80** |
| 510mm | 89.1461 | 61.00 | **73.20** |
| 610mm | 89.1462 | 68.00 | **81.60** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 310mm | 89.1471 | 50.00 | **60.00** |
| 410mm | 89.1472 | 54.00 | **64.80** |
| 510mm | 89.1473 | 61.00 | **73.20** |
| 610mm | 89.1474 | 68.00 | **81.60** |



**Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 310mm | 89.1483 | 50.00 | **60.00** |
| 410mm | 89.1484 | 54.00 | **64.80** |
| 510mm | 89.1485 | 61.00 | **73.20** |
| 610mm | 89.1486 | 68.00 | **81.60** |



**Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 310mm | 89.1487 | 50.00 | **60.00** |
| 410mm | 89.1488 | 54.00 | **64.80** |
| 510mm | 89.1489 | 61.00 | **73.20** |
| 610mm | 89.1490 | 68.00 | **81.60** |

### TECHNICAL INFORMATION

**Vertical Radiators:**

12000mm height radiators come with 2 towel hanger locations, with a maximum of 2 towel hangers - all widths; 310, 410, 510 and 610mm. 1800mm height radiators come with 3 towel hanger locations, with a maximum of 3 towel hangers - all widths; 310, 410, 510 and 610mm. Wingrave Flat Panel Towel Hangers are compatible with 1200mm & 1800mm height Wingrave Flat Panel Radiators. Towel hanger material is mild steel.

Must be fitted before installation.

# Designer Range

## TUNSTALL VERTICAL



**Bar Dimensions (mm)**

Vertical Bars 50 x 25mm

Pictured 89.0008 Chrome & 101.0035 Towel Hanger

Warranty 5 Year

Heating

Create a fresh new look with this elegant designer radiator which will suit any room in the house. Available in four colour finishes.

**FEATURES**
- 50 x 25mm vertical bars
- Comes with pre-fitted flow diverter
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements


* With conditions

**Technical Tables & Drawings**
Page 406-407

**Round Vent Caps**
Page 369




**Robe Hooks**
Page 366




# Designer Range

## TUNSTALL VERTICAL


### Matt White




### Matt Anthracite



### Matt Black



### Chrome



**Tunstall Vertical Radiators - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 280mm | 235 | 459 | N/A | N/A | 89.0001 | 167.00 | **200.40** |
| 1800 x 350mm | 303 | 592 | N/A | N/A | 89.1620 | 199.00 | **238.80** |
| 1800 x 420mm | 373 | 729 | N/A | N/A | 89.0005 | 229.00 | **274.80** |
| 1800 x 490mm | 445 | 870 | N/A | N/A | 89.1624 | 278.00 | **333.60** |
| 1800 x 560mm | 518 | 1013 | N/A | N/A | 89.1628 | 323.00 | **387.60** |
| 1800 x 630mm | 593 | 1159 | N/A | N/A | 89.0009 | 359.00 | **430.80** |

**Tunstall Vertical Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 280mm | 235 | 459 | N/A | N/A | 89.0003 | 167.00 | **200.40** |
| 1800 x 350mm | 303 | 592 | N/A | N/A | 89.1622 | 199.00 | **238.80** |
| 1800 x 420mm | 373 | 729 | N/A | N/A | 89.0007 | 229.00 | **274.80** |
| 1800 x 490mm | 445 | 870 | N/A | N/A | 89.1626 | 278.00 | **333.60** |
| 1800 x 560mm | 518 | 1013 | N/A | N/A | 89.1630 | 323.00 | **387.60** |
| 1800 x 630mm | 593 | 1159 | N/A | N/A | 89.0011 | 359.00 | **430.80** |

**Tunstall Vertical Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 280mm | 235 | 459 | N/A | N/A | 89.0002 | 167.00 | **200.40** |
| 1800 x 350mm | 303 | 592 | N/A | N/A | 89.1621 | 199.00 | **238.80** |
| 1800 x 420mm | 373 | 729 | N/A | N/A | 89.0006 | 229.00 | **274.80** |
| 1800 x 490mm | 445 | 870 | N/A | N/A | 89.1625 | 278.00 | **333.60** |
| 1800 x 560mm | 518 | 1013 | N/A | N/A | 89.1629 | 323.00 | **387.60** |
| 1800 x 630mm | 593 | 1159 | N/A | N/A | 89.0010 | 359.00 | **430.80** |

**Tunstall Vertical Radiators - Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 280mm | 133 | 254 | N/A | N/A | 89.0004 | 387.00 | **464.40** |
| 1800 x 350mm | 177 | 337 | N/A | N/A | 89.1623 | 418.00 | **501.60** |
| 1800 x 420mm | 222 | 424 | N/A | N/A | 89.0008 | 448.00 | **537.60** |
| 1800 x 490mm | 270 | 515 | N/A | N/A | 89.1627 | 497.00 | **596.40** |
| 1800 x 560mm | 320 | 609 | N/A | N/A | 89.1631 | 548.00 | **657.60** |
| 1800 x 630mm | 371 | 707 | N/A | N/A | 89.0012 | 592.00 | **710.40** |

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Not suitable for elements. For indirect heating systems only. Tappings are the width of the rail and approx. 52mm off the wall. Price includes radiator and wall fixing sets, valves extra.

## Vertical Tunstall Towel Hangers



**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 101.0028 | 60.00 | **72.00** |
| 350mm | 89.1741 | 65.00 | **78.00** |
| 420mm | 101.0032 | 73.00 | **87.60** |
| 490mm | 89.1742 | 77.00 | **92.40** |
| 560mm | 89.1743 | 80.00 | **96.00** |
| 630mm | 101.0036 | 84.00 | **100.80** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 101.0029 | 60.00 | **72.00** |
| 350mm | 89.1744 | 65.00 | **78.00** |
| 420mm | 101.0033 | 73.00 | **87.60** |
| 490mm | 89.1745 | 77.00 | **92.40** |
| 560mm | 89.1746 | 80.00 | **96.00** |
| 630mm | 101.0037 | 84.00 | **100.80** |



**Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 101.0030 | 60.00 | **72.00** |
| 350mm | 89.1747 | 65.00 | **78.00** |
| 420mm | 101.0034 | 73.00 | **87.60** |
| 490mm | 89.1748 | 77.00 | **92.40** |
| 560mm | 89.1749 | 80.00 | **96.00** |
| 630mm | 101.0038 | 84.00 | **100.80** |



**Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 101.0031 | 65.00 | **78.00** |
| 350mm | 89.1750 | 72.00 | **86.40** |
| 420mm | 101.0035 | 79.00 | **94.80** |
| 490mm | 89.1751 | 84.00 | **100.80** |
| 560mm | 89.1752 | 87.00 | **104.40** |
| 630mm | 101.0039 | 90.00 | **108.00** |

The Vertical Tunstall Towel Hangers can be fitted on both sides of the radiator (as left hand or right hand).
Must be fitted before installation!

# Designer Range

## TUNSTALL HORIZONTAL




Pictured 89.0020 Matt Anthracite

The eliptical shape of these tubes will provide a stylish focus to any room. Available in three colours.

**FEATURES**
- 50 x 25mm vertical bars
- Comes with pre-fitted flow diverter
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements

* With conditions

**Technical Tables & Drawings**
Page 406-407

**TECHNICAL INFORMATION**

All measurements in Height by Width. Heat output based on ▲T60˚C. For matching valves see pages 350-365. Not suitable for elements. For indirect heating systems only. Tappings are the width of the rail and approx. 52mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Tunstall Horizontal Radiators - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 471mm | 161 | 311 | N/A | N/A | 89.1632 | 137.00 | **164.40** |
| 600 x 589mm | 207 | 402 | N/A | N/A | 89.0013 | 153.00 | **183.60** |
| 600 x 648mm | 231 | 448 | N/A | N/A | 89.1635 | 167.00 | **200.40** |
| 600 x 825mm | 304 | 590 | N/A | N/A | 89.0016 | 207.00 | **248.40** |
| 600 x 1002mm | 380 | 737 | N/A | N/A | 89.0019 | 252.00 | **302.40** |
| 600 x 1061mm | 406 | 787 | N/A | N/A | 89.1638 | 271.00 | **325.20** |
| 600 x 1179mm | 458 | 887 | N/A | N/A | 89.0022 | 296.00 | **355.20** |

**Tunstall Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 471mm | 161 | 311 | N/A | N/A | 89.1633 | 137.00 | **164.40** |
| 600 x 589mm | 207 | 402 | N/A | N/A | 89.0014 | 153.00 | **183.60** |
| 600 x 648mm | 231 | 448 | N/A | N/A | 89.1636 | 167.00 | **200.40** |
| 600 x 825mm | 304 | 590 | N/A | N/A | 89.0017 | 207.00 | **248.40** |
| 600 x 1002mm | 380 | 737 | N/A | N/A | 89.0020 | 252.00 | **302.40** |
| 600 x 1061mm | 406 | 787 | N/A | N/A | 89.1639 | 271.00 | **325.20** |
| 600 x 1179mm | 458 | 887 | N/A | N/A | 89.0023 | 296.00 | **355.20** |

**Tunstall Horizontal Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 471mm | 161 | 311 | N/A | N/A | 89.1634 | 137.00 | **164.40** |
| 600 x 589mm | 207 | 402 | N/A | N/A | 89.0015 | 153.00 | **183.60** |
| 600 x 648mm | 231 | 448 | N/A | N/A | 89.1637 | 167.00 | **200.40** |
| 600 x 825mm | 304 | 590 | N/A | N/A | 89.0018 | 207.00 | **248.40** |
| 600 x 1002mm | 380 | 737 | N/A | N/A | 89.0021 | 252.00 | **302.40** |
| 600 x 1061mm | 406 | 787 | N/A | N/A | 89.1640 | 271.00 | **325.20** |
| 600 x 1179mm | 458 | 887 | N/A | N/A | 89.0024 | 296.00 | **355.20** |


Warranty 5 Year

Heating

**Round Vent Caps**
Page 369



## Horizontal Tunstall Towel Hangers




**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 330mm | 101.0040 | 70.00 | **84.00** |
| 589mm | 101.0044 | 84.00 | **100.80** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 330mm | 101.0041 | 70.00 | **84.00** |
| 589mm | 101.0045 | 84.00 | **100.80** |



**Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 330mm | 101.0042 | 70.00 | **84.00** |
| 589mm | 101.0046 | 84.00 | **100.80** |



**Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 330mm | 101.0043 | 70.00 | **84.00** |
| 589mm | 101.0047 | 90.00 | **108.00** |

The Horizontal Tunstall Towel Hangers can be fitted on both sides of the radiator (as left hand or right hand).
Must be fitted before installation!

# Designer Range

## Tunstall Towel Rails - Matt White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 560 x 1000mm | 292 | 550 | 300W | A, A+, B, D, E, F, G | 89.0025 | 257.00 | **308.40** |
| 800 x 500mm | 192 | 362 | 150W | A, A+, B, D, E, F, G | 89.0029 | 178.00 | **213.60** |
| 800 x 600mm | 222 | 418 | 300W | A, A+, B, D, E, F, G | 89.0041 | 195.00 | **234.00** |
| 1200 x 500mm | 279 | 528 | 300W | A, A+, B, D, E, F, G | 89.0033 | 268.00 | **321.60** |
| 1200 x 600mm | 322 | 610 | 450W | A, A+, B, D, E, F, G | 89.0045 | 296.00 | **355.20** |
| 1600 x 500mm | 367 | 699 | 450W | A, A+, B, D, E, F, G | 89.0037 | 330.00 | **396.00** |
| 1600 x 600mm | 423 | 807 | 600W | A, A+, B, D, E, F, G | 89.0049 | 373.00 | **447.60** |

## Tunstall Towel Rails - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 560 x 1000mm | 292 | 550 | 300W | A, A+, B, D, E, F, G | 89.0026 | 257.00 | **308.40** |
| 800 x 500mm | 192 | 362 | 150W | A, A+, B, D, E, F, G | 89.0030 | 178.00 | **213.60** |
| 800 x 600mm | 222 | 418 | 300W | A, A+, B, D, E, F, G | 89.0042 | 195.00 | **234.00** |
| 1200 x 500mm | 279 | 528 | 300W | A, A+, B, D, E, F, G | 89.0034 | 268.00 | **321.60** |
| 1200 x 600mm | 322 | 610 | 450W | A, A+, B, D, E, F, G | 89.0046 | 296.00 | **355.20** |
| 1600 x 500mm | 367 | 699 | 450W | A, A+, B, D, E, F, G | 89.0038 | 330.00 | **396.00** |
| 1600 x 600mm | 423 | 807 | 600W | A, A+, B, D, E, F, G | 89.0050 | 373.00 | **447.60** |

## Tunstall Towel Rails - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 560 x 1000mm | 292 | 550 | 300W | A, A+, B, D, E, F, G | 89.0027 | 257.00 | **308.40** |
| 800 x 500mm | 192 | 362 | 150W | A, A+, B, D, E, F, G | 89.0031 | 178.00 | **213.60** |
| 800 x 600mm | 222 | 418 | 300W | A, A+, B, D, E, F, G | 89.0043 | 195.00 | **234.00** |
| 1200 x 500mm | 279 | 528 | 300W | A, A+, B, D, E, F, G | 89.0035 | 268.00 | **321.60** |
| 1200 x 600mm | 322 | 610 | 450W | A, A+, B, D, E, F, G | 89.0047 | 296.00 | **355.20** |
| 1600 x 500mm | 367 | 699 | 450W | A, A+, B, D, E, F, G | 89.0039 | 330.00 | **396.00** |
| 1600 x 600mm | 423 | 807 | 600W | A, A+, B, D, E, F, G | 89.0051 | 373.00 | **447.60** |

## Tunstall Towel Rails - Chrome

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 560 x 1000mm | 175 | 340 | 150W | A, A+, B, D, E, F, G | 89.0028 | 376.00 | **451.20** |
| 800 x 500mm | 115 | 224 | 150W | A, A+, B, D, E, F, G | 89.0032 | 323.00 | **387.60** |
| 800 x 600mm | 132 | 257 | 150W | A, A+, B, D, E, F, G | 89.0044 | 356.00 | **427.20** |
| 1200 x 500mm | 175 | 340 | 150W | A, A+, B, D, E, F, G | 89.0036 | 386.00 | **463.20** |
| 1200 x 600mm | 200 | 389 | 300W | A, A+, B, D, E, F, G | 89.0048 | 423.00 | **507.60** |
| 1600 x 500mm | 234 | 456 | 300W | A, A+, B, D, E, F, G | 89.0040 | 486.00 | **583.20** |
| 1600 x 600mm | 268 | 522 | 300W | A, A+, B, D, E, F, G | 89.0052 | 534.00 | **640.80** |

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 46mm less than the width of the rail and approx. 83mm off the wall. Price includes radiator and wall fixing sets, valves extra.



560x1000mm size is the only horizontal Tunstall Towel Rail

Pictured 89.0020 Matt White

## TUNSTALL TOWEL RAILS



Pictured 89.0048 Chrome

**Bar Dimensions (mm)**

Horizontal Bars 50 x 25mm

**FEATURES**

- 50 x 25mm horizontal bars
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric


* With conditions

**Technical Tables & Drawings**
Page 406-407


### Matt White



### Matt Anthracite



### Matt Black



### Chrome



# Designer Range

## TUNSTALL DOUBLE VERTICAL



Pictured 81.0142 Matt White

**Bar Dimensions (mm)**


Vertical Bars 50 x 25mm

Featuring a double vertical profile design, the Tunstall Double adds an elegant touch to any room in your home. Choose from three sophisticated colours: matt white, matt anthracite and matt black.

**FEATURES**
- 50 x 25mm vertical bars
- Double vertical profile construction
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements

* With conditions

**Technical Tables & Drawings**
Page 406-407



Double profile construction

Warranty 5 Year

Heating

**Round Vent Caps**
Page 369



**TECHNICAL INFORMATION**

All measurements in Height by Width. For matching valves see pages 350-365. Not suitable for elements. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall. Projection from wall 104mm. Price includes radiator and wall fixing sets, valves extra.

# Designer Range

## TUNSTALL DOUBLE VERTICAL

### Tunstall Double Vertical Radiators - Matt White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 280mm | 378 | 743 | N/A | N/A | 81.0140 | 247.00 | **296.40** |
| 1800 x 350mm | 472 | 929 | N/A | N/A | 81.0190 | 311.00 | **373.20** |
| 1800 x 420mm | 567 | 1114 | N/A | N/A | 81.0141 | 368.00 | **441.60** |
| 1800 x 490mm | 661 | 1300 | N/A | N/A | 81.0193 | 416.00 | **499.20** |
| 1800 x 560mm | 756 | 1486 | N/A | N/A | 81.0196 | 485.00 | **582.00** |
| 1800 x 630mm | 850 | 1671 | N/A | N/A | 81.0142 | 552.00 | **662.40** |

### Tunstall Double Vertical Radiators - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 280mm | 378 | 743 | N/A | N/A | 81.0158 | 251.00 | **301.20** |
| 1800 x 350mm | 472 | 929 | N/A | N/A | 81.0191 | 320.00 | **384.00** |
| 1800 x 420mm | 567 | 1114 | N/A | N/A | 81.0159 | 377.00 | **452.40** |
| 1800 x 490mm | 661 | 1300 | N/A | N/A | 81.0194 | 425.00 | **510.00** |
| 1800 x 560mm | 756 | 1486 | N/A | N/A | 81.0197 | 494.00 | **592.80** |
| 1800 x 630mm | 850 | 1671 | N/A | N/A | 81.0160 | 563.00 | **675.60** |

### Tunstall Double Vertical Radiators - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 280mm | 378 | 743 | N/A | N/A | 81.0172 | 251.00 | **301.20** |
| 1800 x 350mm | 472 | 929 | N/A | N/A | 81.0192 | 320.00 | **384.00** |
| 1800 x 420mm | 567 | 1114 | N/A | N/A | 81.0173 | 377.00 | **452.40** |
| 1800 x 490mm | 661 | 1300 | N/A | N/A | 81.0195 | 425.00 | **510.00** |
| 1800 x 560mm | 756 | 1486 | N/A | N/A | 81.0198 | 494.00 | **592.80** |
| 1800 x 630mm | 850 | 1671 | N/A | N/A | 81.0174 | 563.00 | **675.60** |



Pictured 81.0195 Matt Black




Pictured 81.0159 Matt Anthracite

**Radiator Valves**
Page 350-365



**Multi-Purpose Towel Hangers**
Page 368



# Designer Range

## TUNSTALL DOUBLE HORIZONTAL



**Bar Dimensions (mm)**

Vertical Bars 50 x 25mm

Pictured 81.0137 Matt White




Pictured 81.0156 Matt Anthracite

Featuring a double vertical profile design, the Tunstall Double adds an elegant touch to any room in your home. Choose from three sophisticated colours: matt white, matt anthracite and matt black.

**FEATURES**
- 50 x 25mm vertical bars
- Double vertical profile construction
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements

* With conditions

**Technical Tables & Drawings**
Page 408-409



Double profile construction

Warranty 5 Year

Heating

**Round Vent Caps**
Page 369




**TECHNICAL INFORMATION**

All measurements in Height by Width. For matching valves see pages 350-365. Not suitable for elements. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall. Projection from wall 104mm. Price includes radiator and wall fixing sets, valves extra.

# Designer Range

## TUNSTALL DOUBLE HORIZONTAL



Pictured 81.0175 Matt Black

### Tunstall Double Horizontal Radiators - Matt White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 471mm | 282 | 550 | N/A | N/A | 81.0199 | 216.00 | **259.20** |
| 600 x 589mm | 353 | 687 | N/A | N/A | 81.0136 | 268.00 | **321.60** |
| 600 x 648mm | 388 | 756 | N/A | N/A | 81.0202 | 307.00 | **368.40** |
| 600 x 825mm | 494 | 962 | N/A | N/A | 81.0137 | 375.00 | **450.00** |
| 600 x 1002mm | 600 | 1168 | N/A | N/A | 81.0138 | 453.00 | **543.60** |
| 600 x 1061mm | 635 | 1237 | N/A | N/A | 81.0205 | 492.00 | **590.40** |
| 600 x 1179mm | 705 | 1375 | N/A | N/A | 81.0139 | 531.00 | **637.20** |

### Tunstall Double Horizontal Radiators - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 471mm | 282 | 550 | N/A | N/A | 81.0200 | 224.00 | **268.80** |
| 600 x 589mm | 353 | 687 | N/A | N/A | 81.0154 | 275.00 | **330.00** |
| 600 x 648mm | 388 | 756 | N/A | N/A | 81.0203 | 315.00 | **378.00** |
| 600 x 825mm | 494 | 962 | N/A | N/A | 81.0155 | 381.00 | **457.20** |
| 600 x 1002mm | 600 | 1168 | N/A | N/A | 81.0156 | 460.00 | **552.00** |
| 600 x 1061mm | 635 | 1237 | N/A | N/A | 81.0206 | 502.00 | **602.40** |
| 600 x 1179mm | 705 | 1375 | N/A | N/A | 81.0157 | 543.00 | **651.60** |

### Tunstall Double Horizontal Radiators - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 471mm | 282 | 550 | N/A | N/A | 81.0201 | 224.00 | **268.80** |
| 600 x 589mm | 353 | 687 | N/A | N/A | 81.0175 | 275.00 | **330.00** |
| 600 x 648mm | 388 | 756 | N/A | N/A | 81.0204 | 315.00 | **378.00** |
| 600 x 825mm | 494 | 962 | N/A | N/A | 81.0176 | 381.00 | **457.20** |
| 600 x 1002mm | 600 | 1168 | N/A | N/A | 81.0177 | 460.00 | **552.00** |
| 600 x 1061mm | 635 | 1237 | N/A | N/A | 81.0207 | 502.00 | **602.40** |
| 600 x 1179mm | 705 | 1375 | N/A | N/A | 81.0178 | 543.00 | **651.60** |

**Multi-Purpose Towel Hangers**
Page 368



## COMPLETE THE LOOK

41.3023



### 15mm TRV & Lockshield - Matt White

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3023 | 47.00 | **56.40** |

41.3024



### 15mm TRV & Lockshield - Matt Anthracite

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3024 | 47.00 | **56.40** |

41.3025



### 15mm TRV & Lockshield - Matt Black

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3025 | 47.00 | **56.40** |

# Designer Range

## TUNSTALL DOUBLE TOWEL RAIL




Pictured 81.0149 Matt White

The double horizontal elliptical profiles of this towel rail will warm both your towels and your bathroom. Available in three colour options: matt white, matt anthracite and matt black.

**FEATURES**
- 50 x 25mm horizontal bars
- Double horizontal profile construction
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single, dual fuel or all electric

* With conditions

**Technical Tables & Drawings**
Page 408-409

**Tunstall Double Towel Rails - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 560 x 1000mm | 438 | 824 | 600W | A, A+, B, D, E, F, G | 81.0149 | 362.00 | **434.40** |
| 800 x 500mm | 283 | 534 | 300W | A, A+, B, D, E, F, G | 81.0143 | 281.00 | **337.20** |
| 800 x 600mm | 331 | 635 | 450W | A, A+, B, D, E, F, G | 81.0146 | 299.00 | **358.80** |
| 1200 x 500mm | 396 | 771 | 450W | A, A+, B, D, E, F, G | 81.0144 | 401.00 | **481.20** |
| 1200 x 600mm | 463 | 901 | 600W | A, A+, B, D, E, F, G | 81.0147 | 431.00 | **517.20** |
| 1600 x 500mm | 539 | 1032 | 600W | A, A+, B, D, E, F, G | 81.0145 | 524.00 | **628.80** |
| 1600 x 600mm | 622 | 1192 | 750W | A, A+, B, D, E, F, G | 81.0148 | 562.00 | **674.40** |

**Tunstall Double Towel Rails - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 560 x 1000mm | 438 | 824 | 600W | A, A+, B, D, E, F, G | 81.0167 | 362.00 | **434.40** |
| 800 x 500mm | 283 | 534 | 300W | A, A+, B, D, E, F, G | 81.0161 | 281.00 | **337.20** |
| 800 x 600mm | 331 | 635 | 450W | A, A+, B, D, E, F, G | 81.0164 | 299.00 | **358.80** |
| 1200 x 500mm | 396 | 771 | 450W | A, A+, B, D, E, F, G | 81.0162 | 401.00 | **481.20** |
| 1200 x 600mm | 463 | 901 | 600W | A, A+, B, D, E, F, G | 81.0165 | 431.00 | **517.20** |
| 1600 x 500mm | 539 | 1032 | 600W | A, A+, B, D, E, F, G | 81.0163 | 524.00 | **628.80** |
| 1600 x 600mm | 622 | 1192 | 750W | A, A+, B, D, E, F, G | 81.0166 | 562.00 | **674.40** |

**Tunstall Double Towel Rails - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 560 x 1000mm | 438 | 824 | 600W | A, A+, B, D, E, F, G | 81.0179 | 362.00 | **434.40** |
| 800 x 500mm | 283 | 534 | 300W | A, A+, B, D, E, F, G | 81.0180 | 281.00 | **337.20** |
| 800 x 600mm | 331 | 635 | 450W | A, A+, B, D, E, F, G | 81.0181 | 299.00 | **358.80** |
| 1200 x 500mm | 396 | 771 | 450W | A, A+, B, D, E, F, G | 81.0182 | 401.00 | **481.20** |
| 1200 x 600mm | 463 | 901 | 600W | A, A+, B, D, E, F, G | 81.0183 | 431.00 | **517.20** |
| 1600 x 500mm | 539 | 1032 | 600W | A, A+, B, D, E, F, G | 81.0184 | 524.00 | **628.80** |
| 1600 x 600mm | 622 | 1192 | 750W | A, A+, B, D, E, F, G | 81.0185 | 562.00 | **674.40** |



Pictured 81.0162 Matt Anthracite

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 46mm less than the width of the rail and approx. 70-75mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Double profile construction

**Round Vent Caps**
Page 369



# Designer Range

## TUNSTALL MIRROR




Profiles in elliptical shape of this radiator is in perfect harmony with the mirror placed in the middle. Available in three colours.

**FEATURES**
- Single vertical profile construction, mirror width 145mm
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements

* With conditions

**Tunstall Mirror Radiators - Matt White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 380mm | 294 | 560 | N/A | N/A | 81.0150 | 297.00 | **356.40** |
| 1800 x 500mm | 440 | 839 | N/A | N/A | 81.0151 | 437.00 | **524.40** |

**Tunstall Mirror Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 380mm | 294 | 560 | N/A | N/A | 81.0168 | 297.00 | **356.40** |
| 1800 x 500mm | 440 | 839 | N/A | N/A | 81.0169 | 437.00 | **524.40** |

**Tunstall Mirror Radiators - Matt Black**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 380mm | 294 | 560 | N/A | N/A | 81.0186 | 297.00 | **356.40** |
| 1800 x 500mm | 440 | 839 | N/A | N/A | 81.0187 | 437.00 | **524.40** |


* Further heat output information available on eastbrooktrade.com **E&OA**

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Not suitable for elements. For indirect heating systems only. Tappings are the width of the rail and approx. 40mm off the wall. Projection from wall 79mm. Mirror width 145mm. Price includes radiator and wall fixing sets, valves extra.




## TUNSTALL DOUBLE MIRROR




Profiles in elliptical shape of this radiator is in perfect harmony with the mirror placed in the middle. Available in three colours.

**FEATURES**
- Double vertical profile construction, mirror width 145mm
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements

* With conditions

**Tunstall Double Mirror Radiators - Matt White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 380mm | 459 | 875 | N/A | N/A | 81.0152 | 357.00 | **428.40** |
| 1800 x 500mm | 688 | 1313 | N/A | N/A | 81.0153 | 531.00 | **637.20** |

**Tunstall Double Mirror Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 380mm | 459 | 875 | N/A | N/A | 81.0170 | 357.00 | **428.40** |
| 1800 x 500mm | 688 | 1313 | N/A | N/A | 81.0171 | 531.00 | **637.20** |

**Tunstall Double Mirror Radiators - Matt Black**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 380mm | 459 | 875 | N/A | N/A | 81.0188 | 357.00 | **428.40** |
| 1800 x 500mm | 688 | 1313 | N/A | N/A | 81.0189 | 531.00 | **637.20** |

* Further heat output information available on eastbrooktrade.com **E&OA**

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Not suitable for elements. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall. Projection from wall 104mm. Mirror width 145mm. Price includes radiator and wall fixing sets, valves extra.



# Designer Range

## DEDDINGTON VERTICAL



Pictured 89.0795 Chrome with 89.0848 Towel Hanger x2



Rear fixing metal wall brackets

Pictured 89.1522 Matt Cobalt Blue

**Bar Dimensions (mm)**

Vertical Bars 70 x 11mm

Flat and broad vertical profiles meet the perfect craftmanship. This vertical model is 1800mm high and available in 5 widths. (3 widths available for Matt Cobalt Blue colour) Towel hangers are same colours and widths as the radiators. (except Matt Cobalt Blue colour)


**Deddington Vertical Radiators - Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 310mm | 194 | 386 | N/A | N/A | 89.0794 | 481.00 | **577.20** |
| 1800 x 390mm | 241 | 479 | N/A | N/A | 89.1523 | 576.00 | **691.20** |
| 1800 x 470mm | 287 | 571 | N/A | N/A | 89.0795 | 686.00 | **823.20** |
| 1800 x 550mm | 333 | 662 | N/A | N/A | 89.1524 | 758.00 | **909.60** |
| 1800 x 630mm | 378 | 752 | N/A | N/A | 89.0796 | 847.00 | **1016.40** |

**Deddington Towel Hangers - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 310mm | 89.0847 | 62.00 | **74.40** |
| 390mm | 89.1540 | 67.00 | **80.40** |
| 470mm | 89.0848 | 70.00 | **84.00** |
| 550mm | 89.1541 | 73.00 | **87.60** |
| 630mm | 89.0849 | 76.00 | **91.20** |

*Towel hangers are only compatible with Deddington radiators. Radiators projection from wall 160mm when towel hanger is fitted. Max of 2 towel hangers can be fitted. Towel hanger material is steel. Must be fitted before installation.



**Deddington Vertical Radiators - Matt Cobalt Blue**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 310mm | 320 | 636 | N/A | N/A | 89.1520 | 381.00 | **457.20** |
| 1800 x 470mm | 485 | 963 | N/A | N/A | 89.1521 | 542.00 | **650.40** |
| 1800 x 630mm | 650 | 1291 | N/A | N/A | 89.1522 | 668.00 | **801.60** |

Warranty 5 Year

Heating

**Technical Tables & Drawings**

Page 408-409

**FEATURES**

- 70 x 11mm vertical bars
- Single profile construction
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements

* With conditions

**TECHNICAL INFORMATION**

All measurements in Height by Width. For matching valves see pages 350-365. Not suitable for elements. For indirect heating systems only. Comes with built-in flow diverter. Tappings are the width of the rail and approx. 60mm off the wall. Projection from wall 100mm. Price includes radiator and wall fixing sets, valves extra.

# Designer Range

## DEDDINGTON VERTICAL



Pictured 89.0852 Gloss White with 89.0878 Towel Hanger x1



Pictured 89.0863 Matt Anthracite



Pictured 89.1516 Matt Black with 89.1536 Towel Hangers x2

### Deddington Vertical Radiators - Gloss White

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 310mm | 320 | 636 | 89.0850 | 381.00 | **457.20** |
| 1800 x 390mm | 403 | 800 | 89.1511 | 465.00 | **558.00** |
| 1800 x 470mm | 485 | 963 | 89.0851 | 542.00 | **650.40** |
| 1800 x 550mm | 567 | 1127 | 89.1512 | 607.00 | **728.40** |
| 1800 x 630mm | 650 | 1291 | 89.0852 | 668.00 | **801.60** |

### Deddington Vertical Radiators - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 310mm | 320 | 636 | 89.0863 | 381.00 | **457.20** |
| 1800 x 390mm | 403 | 800 | 89.1513 | 465.00 | **558.00** |
| 1800 x 470mm | 485 | 963 | 89.0864 | 542.00 | **650.40** |
| 1800 x 550mm | 567 | 1127 | 89.1514 | 607.00 | **728.40** |
| 1800 x 630mm | 650 | 1291 | 89.0865 | 668.00 | **801.60** |

### Deddington Vertical Radiators - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 310mm | 320 | 636 | 89.1515 | 381.00 | **457.20** |
| 1800 x 390mm | 403 | 800 | 89.1516 | 465.00 | **558.00** |
| 1800 x 470mm | 485 | 963 | 89.1517 | 542.00 | **650.40** |
| 1800 x 550mm | 567 | 1127 | 89.1518 | 607.00 | **728.40** |
| 1800 x 630mm | 650 | 1291 | 89.1519 | 668.00 | **801.60** |

### Deddington Towel Hangers - Gloss White

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 310mm | 89.0876 | 60.00 | **72.00** |
| 390mm | 89.1531 | 62.00 | **74.40** |
| 470mm | 89.0877 | 65.00 | **78.00** |
| 550mm | 89.1532 | 68.00 | **81.60** |
| 630mm | 89.0878 | 72.00 | **86.40** |

*Towel hangers are only compatible with Deddington radiators. Radiators projection from wall 160mm when towel hanger is fitted. Max of 2 towel hangers can be fitted. Towel hanger material is steel. Must be fitted before installation.

### Deddington Towel Hangers - Matt Anthracite


| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 310mm | 89.0879 | 60.00 | **72.00** |
| 390mm | 89.1533 | 62.00 | **74.40** |
| 470mm | 89.0880 | 65.00 | **78.00** |
| 550mm | 89.1534 | 68.00 | **81.60** |
| 630mm | 89.0881 | 72.00 | **86.40** |


*Towel hangers are only compatible with Deddington radiators. Radiators projection from wall 160mm when towel hanger is fitted. Max of 2 towel hangers can be fitted. Towel hanger material is steel. Must be fitted before installation.

### Deddington Towel Hangers - Matt Black

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 310mm | 89.1535 | 60.00 | **72.00** |
| 390mm | 89.1536 | 62.00 | **74.40** |
| 470mm | 89.1537 | 65.00 | **78.00** |
| 550mm | 89.1538 | 68.00 | **81.60** |
| 630mm | 89.1539 | 72.00 | **86.40** |

*Towel hangers are only compatible with Deddington radiators. Radiators projection from wall 160mm when towel hanger is fitted. Max of 2 towel hangers can be fitted. Towel hanger material is steel. Must be fitted before installation.








# Designer Range

## DEDDINGTON HORIZONTAL




Pictured 89.0800 Chrome

Rear fixing metal wall brackets

Flat and broad vertical profiles meet the perfect craftmanship. This horizontal model is available in 600mm height and 4 widths. This beautifully finished radiator will have all the attention in the room.

**FEATURES**
- 70 x 11mm vertical bars
- Rear fixing metal wall brackets
- Single profile construction
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements

* With conditions

**Technical Tables & Drawings**
Page 410-411

**TECHNICAL INFORMATION**

All measurements in Height by Width. For matching valves see pages 350-365. Not suitable for elements. For indirect heating systems only. Comes with built-in flow diverter. Tappings are the width of the rail and approx. 60mm off the wall. Projection from wall 100mm. Price includes radiator and wall fixing sets, valves extra.

**Deddington Horizontal Radiators - Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 390mm | 102 | 197 | N/A | N/A | 89.1507 | 272.00 | **326.40** |
| 600 x 470mm | 122 | 234 | N/A | N/A | 89.1508 | 319.00 | **382.80** |
| 600 x 550mm | 141 | 272 | N/A | N/A | 89.1509 | 362.00 | **434.40** |
| 600 x 630mm | 160 | 309 | N/A | N/A | 89.0797 | 409.00 | **490.80** |
| 600 x 790mm | 198 | 382 | N/A | N/A | 89.0798 | 489.00 | **586.80** |
| 600 x 950mm | 236 | 454 | N/A | N/A | 89.0799 | 553.00 | **663.60** |
| 600 x 1110mm | 273 | 526 | N/A | N/A | 89.1510 | 593.00 | **711.60** |
| 600 x 1270mm | 310 | 597 | N/A | N/A | 89.0800 | 627.00 | **752.40** |




Pictured 89.1504 Matt Cobalt Blue

**Deddington Horizontal Radiators - Matt Cobalt Blue**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 600 x 630mm | 235 | 470 | 89.1503 | 323.00 | **387.60** |
| 600 x 790mm | 294 | 589 | 89.1504 | 386.00 | **463.20** |
| 600 x 950mm | 354 | 708 | 89.1505 | 436.00 | **523.20** |
| 600 x 1270mm | 473 | 946 | 89.1506 | 496.00 | **595.20** |

# Designer Range


## DEDDINGTON HORIZONTAL



Pictured 89.0855 Gloss White

**Deddington Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 600 x 390mm | 145 | 291 | 89.1491 | 217.00 | **260.40** |
| 600 x 470mm | 175 | 351 | 89.1492 | 255.00 | **306.00** |
| 600 x 550mm | 205 | 410 | 89.1493 | 289.00 | **346.80** |
| 600 x 630mm | 235 | 470 | 89.0853 | 323.00 | **387.60** |
| 600 x 790mm | 294 | 589 | 89.0854 | 386.00 | **463.20** |
| 600 x 950mm | 354 | 708 | 89.0855 | 436.00 | **523.20** |
| 600 x 1110mm | 413 | 827 | 89.1494 | 474.00 | **568.80** |
| 600 x 1270mm | 473 | 946 | 89.0856 | 496.00 | **595.20** |



Pictured 89.0867 Matt Anthracite

**Deddington Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 600 x 390mm | 145 | 291 | 89.1495 | 217.00 | **260.40** |
| 600 x 470mm | 175 | 351 | 89.1496 | 255.00 | **306.00** |
| 600 x 550mm | 205 | 410 | 89.1497 | 289.00 | **346.80** |
| 600 x 630mm | 235 | 470 | 89.0866 | 323.00 | **387.60** |
| 600 x 790mm | 294 | 589 | 89.0867 | 386.00 | **463.20** |
| 600 x 950mm | 354 | 708 | 89.0868 | 436.00 | **523.20** |
| 600 x 1110mm | 413 | 827 | 89.1498 | 474.00 | **568.80** |
| 600 x 1270mm | 473 | 946 | 89.0869 | 496.00 | **595.20** |



Pictured 89.1499 Matt Black

**Magnetic Towel Hangers**
Page 159



**Deddington Horizontal Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 600 x 630mm | 235 | 470 | 89.1499 | 323.00 | **387.60** |
| 600 x 790mm | 294 | 589 | 89.1500 | 386.00 | **463.20** |
| 600 x 950mm | 354 | 708 | 89.1501 | 436.00 | **523.20** |
| 600 x 1270mm | 473 | 946 | 89.1502 | 496.00 | **595.20** |

# Designer Range

## DEDDINGTON TOWEL RAILS



Pictured 89.0804 Chrome

Rear fixing metal wall brackets



Pictured 89.0805 Chrome

A designer towel rail in 5 finishes and with broad horizontal bars that is available in 3 heights and 2 widths.

**FEATURES**
- 70 x 11mm horizontal bars
- Rear fixing metal wall brackets
- Stunning chrome surface
- Single profile construction
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single, dual fuel or all electric

* With conditions

**Technical Tables & Drawings**
Page 410-411

Warranty 5 Year | Heating | All Electric | Dual-Fuel

**Deddington Towel Rails - Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 132 | 253 | 150W | A, A+, B, D, E, F, G | 89.0801 | 364.00 | **436.80** |
| 800 x 600mm | 151 | 291 | 150W | A, A+, B, D, E, F, G | 89.0802 | 401.00 | **481.20** |
| 1200 x 500mm | 189 | 362 | 300W | A, A+, B, D, E, F, G | 89.0803 | 474.00 | **568.80** |
| 1200 x 600mm | 217 | 416 | 300W | A, A+, B, D, E, F, G | 89.0804 | 520.00 | **624.00** |
| 1800 x 500mm | 268 | 513 | 300W | A, A+, B, D, E, F, G | 89.0805 | 676.00 | **811.20** |
| 1800 x 600mm | 308 | 589 | 450W | A, A+, B, D, E, F, G | 89.0806 | 743.00 | **891.60** |

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 30mm less than the width of the rail and approx. 60mm off the wall. Projection from wall 100mm. Price includes radiator and wall fixing sets, valves extra.

**Round Vent Caps**
Page 369



# Designer Range

## DEDDINGTON TOWEL RAILS



Pictured 89.1528 Matt Cobalt Blue



Pictured 89.0871 Matt Anthracite

### Deddington Towel Rails - Gloss White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 215 | 405 | 150W | A, A+, B, D, E, F, G | 89.0857 | 311.00 | **373.20** |
| 800 x 600mm | 250 | 472 | 300W | A, A+, B, D, E, F, G | 89.0858 | 343.00 | **411.60** |
| 1200 x 500mm | 306 | 578 | 300W | A, A+, B, D, E, F, G | 89.0859 | 404.00 | **484.80** |
| 1200 x 600mm | 356 | 672 | 300W | A, A+, B, D, E, F, G | 89.0860 | 445.00 | **534.00** |
| 1800 x 500mm | 435 | 822 | 450W | A, A+, B, D, E, F, G | 89.0861 | 576.00 | **691.20** |
| 1800 x 600mm | 506 | 956 | 450W | A, A+, B, D, E, F, G | 89.0862 | 634.00 | **760.80** |

### Deddington Towel Rails - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 215 | 405 | 150W | A, A+, B, D, E, F, G | 89.0870 | 311.00 | **373.20** |
| 800 x 600mm | 250 | 472 | 300W | A, A+, B, D, E, F, G | 89.0871 | 343.00 | **411.60** |
| 1200 x 500mm | 306 | 578 | 300W | A, A+, B, D, E, F, G | 89.0872 | 404.00 | **484.80** |
| 1200 x 600mm | 356 | 672 | 300W | A, A+, B, D, E, F, G | 89.0873 | 445.00 | **534.00** |
| 1800 x 500mm | 435 | 822 | 450W | A, A+, B, D, E, F, G | 89.0874 | 576.00 | **691.20** |
| 1800 x 600mm | 506 | 956 | 450W | A, A+, B, D, E, F, G | 89.0875 | 634.00 | **760.80** |


### Deddington Towel Rails - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 215 | 405 | 150W | A, A+, B, D, E, F, G | 89.1525 | 311.00 | **373.20** |
| 1200 x 500mm | 306 | 578 | 300W | A, A+, B, D, E, F, G | 89.1526 | 404.00 | **484.80** |
| 1800 x 500mm | 435 | 822 | 450W | A, A+, B, D, E, F, G | 89.1527 | 576.00 | **691.20** |

### Deddington Towel Rails - Matt Cobalt Blue

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 500mm | 215 | 405 | 150W | A, A+, B, D, E, F, G | 89.1528 | 311.00 | **373.20** |
| 1200 x 500mm | 306 | 578 | 300W | A, A+, B, D, E, F, G | 89.1529 | 404.00 | **484.80** |
| 1800 x 500mm | 435 | 822 | 450W | A, A+, B, D, E, F, G | 89.1530 | 576.00 | **691.20** |

### 800mm High



### 1200mm High



### 1800mm High



• NEW PRODUCT HERE •

# Designer Range

## ADDINGTON II TYPE 10 - GLOSS WHITE

Warranty 5 Year

Heating

All Electric

Dual-Fuel

HEATING NOTE: Radiators that are electric only are restricted to the heat output of the elements.



Pictured 62.0123 Gloss White

**Towel Hangers**
Page 181



**Bar Dimensions (mm)**

Vertical Bars 70 x 11mm



Pictured 62.0119 Gloss White



Pictured 62.0106 Gloss White with 101.0071 x 1 Magnetic Towel Hanger

## ADDINGTON II TYPE 10 - GLOSS WHITE

Transform your space with the sleek and contemporary Addington II Type 10 radiator. Designed to complement modern interiors, its slim profile and clean flat panels make it a perfect choice for saving space while adding a touch of elegance. Finished in durable powder coating, it's built to look good and last.

**FEATURES**
- Tested to BS EN 442 standards
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric (not all sizes)
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 410-411

### 500mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 500 x 522mm | 143 | 277 | 150W | A, A+, C, E, H | 62.0100 | 186.00 | **223.20** |
| 500 x 596mm | 163 | 316 | 150W | A, A+, C, E, H | 62.0101 | 200.00 | **240.00** |

### 600mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 300mm | 92 | 179 | 150W | A, A+ | 62.0102 | 143.00 | **171.60** |
| 600 x 374mm | 115 | 223 | 150W | A, A+ | 62.0103 | 162.00 | **194.40** |
| 600 x 448mm | 138 | 268 | 150W | A, A+, C, E, H | 62.0104 | 176.00 | **211.20** |
| 600 x 522mm | 161 | 313 | 150W | A, A+, C, E, H | 62.0105 | 195.00 | **234.00** |
| 600 x 596mm | 184 | 357 | 300W | A, A+, C, E, H | 62.0106 | 214.00 | **256.80** |
| 600 x 670mm | 207 | 402 | 300W | A, A+, C, E, H | 62.0107 | 233.00 | **279.60** |
| 600 x 818mm | 253 | 491 | 450W | A, A+, C, E, H | 62.0108 | 266.00 | **319.20** |
| 600 x 1040mm | 322 | 624 | 450W | A, A+, C, E, H | 62.0109 | 323.00 | **387.60** |
| 600 x 1188mm | 367 | 714 | 600W | A, A+, C, E, H | 62.0110 | 357.00 | **428.40** |
| 600 x 1262mm | 390 | 758 | 600W | A, A+, C, E, H | 62.0111 | 376.00 | **451.20** |

### 800mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 522mm | 198 | 384 | 300W | A, A+, C, H | 62.0112 | 219.00 | **262.80** |
| 800 x 596mm | 226 | 439 | 300W | A, A+, C, H | 62.0113 | 243.00 | **291.60** |

### 1000mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 522mm | 235 | 456 | 300W | A, A+, C, H | 62.0114 | 243.00 | **291.60** |
| 1000 x 596mm | 268 | 520 | 450W | A, A+, C, H | 62.0115 | 266.00 | **319.20** |

### 1200mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 522mm | 271 | 527 | 450W | A, A+, C, H | 62.0116 | 266.00 | **319.20** |
| 1200 x 596mm | 310 | 602 | 450W | A+, C, H | 62.0117 | 295.00 | **354.00** |

### 1400mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Gloss White**


| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1400 x 522mm | 308 | 598 | 450W | A+, C, H | 62.0118 | 290.00 | **348.00** |
| 1400 x 596mm | 352 | 684 | 450W | A+, C, H | 62.0119 | 323.00 | **387.60** |

### 1800mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 300mm | 218 | 424 | N/A | N/A | 62.0120 | 224.00 | **268.80** |
| 1800 x 374mm | 273 | 530 | N/A | N/A | 62.0121 | 262.00 | **314.40** |
| 1800 x 448mm | 327 | 636 | 450W | A, A+ | 62.0122 | 300.00 | **360.00** |
| 1800 x 522mm | 382 | 741 | 600W | A+ | 62.0123 | 338.00 | **405.60** |
| 1800 x 596mm | 436 | 847 | 600W | A+ | 62.0124 | 376.00 | **451.20** |
| 1800 x 670mm | 491 | 953 | 600W | A+ | 62.0125 | 418.00 | **501.60** |

* Further heat output information available on eastbrooktrade.com **E&OA**




Pictured 62.0122 Gloss White (Fitted Horizontally)



**Single profile construction**

**Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)**



### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. **In vertical installation**, tappings are the width of the rail and approx. 40mm off the wall. **In horizontal installation**, tappings are approx. 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.

## MAGNETIC TOWEL HANGERS



**Round Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0071 | 96.00 | **115.20** |
| 600mm | Chrome | 101.0072 | 102.00 | **122.40** |



**Square Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0073 | 97.00 | **116.40** |
| 600mm | Chrome | 101.0074 | 109.00 | **130.80** |

Both Round & Square towel hangers come in three unassembled pieces.
Please cut 600mm bar to required column-to-column length.
Holds up to 5kg weight.

• NEW PRODUCT HERE •

# Designer Range

## ADDINGTON II TYPE 10 - MATT ANTHRACITE

Warranty 5 Year

Heating

All Electric

Dual-Fuel

HEATING NOTE: Radiators that are electric only are restricted to the heat output of the elements.



Pictured 62.0150 Matt Anthracite with 91.0088 x 2 Towel Hanger

**Bar Dimensions (mm)**

Vertical Bars 70 x 11mm



Pictured 62.0142 Matt Anthracite



**Towel Hangers**
Page 181

Pictured 62.0136 Matt Anthracite

# ADDINGTON II TYPE 10 - MATT ANTHRACITE

Transform your space with the sleek and contemporary Addington II Type 10 radiator. Designed to complement modern interiors, its slim profile and clean flat panels make it a perfect choice for saving space while adding a touch of elegance. Finished in durable powder coating, it's built to look good and last.

**FEATURES**

- Tested to BS EN 442 standards
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric (not all sizes)
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 410-411




Pictured 62.0143 Matt Anthracite (Fitted Horizontally)



**Single profile construction**

**Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)**



## 500mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 500 x 522mm | 143 | 277 | 150W | A, A+, C, E, H | 62.0126 | 186.00 | **223.20** |
| 500 x 596mm | 163 | 316 | 150W | A, A+, C, E, H | 62.0127 | 200.00 | **240.00** |

## 600mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 300mm | 92 | 179 | 150W | A, A+ | 62.0128 | 143.00 | **171.60** |
| 600 x 374mm | 115 | 223 | 150W | A, A+ | 62.0129 | 162.00 | **194.40** |
| 600 x 448mm | 138 | 268 | 150W | A, A+, C, E, H | 62.0130 | 176.00 | **211.20** |
| 600 x 522mm | 161 | 313 | 150W | A, A+, C, E, H | 62.0131 | 195.00 | **234.00** |
| 600 x 596mm | 184 | 357 | 300W | A, A+, C, E, H | 62.0132 | 214.00 | **256.80** |
| 600 x 670mm | 207 | 402 | 300W | A, A+, C, E, H | 62.0133 | 233.00 | **279.60** |
| 600 x 818mm | 253 | 491 | 450W | A, A+, C, E, H | 62.0134 | 266.00 | **319.20** |
| 600 x 1040mm | 322 | 624 | 450W | A, A+, C, E, H | 62.0135 | 323.00 | **387.60** |
| 600 x 1188mm | 367 | 714 | 600W | A, A+, C, E, H | 62.0136 | 357.00 | **428.40** |
| 600 x 1262mm | 390 | 758 | 600W | A, A+, C, E, H | 62.0137 | 376.00 | **451.20** |

## 800mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 522mm | 198 | 384 | 300W | A, A+, C, H | 62.0138 | 219.00 | **262.80** |
| 800 x 596mm | 226 | 439 | 300W | A, A+, C, H | 62.0139 | 243.00 | **291.60** |

## 1000mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 522mm | 235 | 456 | 300W | A, A+, C, H | 62.0140 | 243.00 | **291.60** |
| 1000 x 596mm | 268 | 520 | 450W | A, A+, C, H | 62.0141 | 266.00 | **319.20** |

## 1200mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 522mm | 271 | 527 | 450W | A, A+, C, H | 62.0142 | 266.00 | **319.20** |
| 1200 x 596mm | 310 | 602 | 450W | A+, C, H | 62.0143 | 295.00 | **354.00** |

## 1400mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1400 x 522mm | 308 | 598 | 450W | A+, C, H | 62.0144 | 290.00 | **348.00** |
| 1400 x 596mm | 352 | 684 | 450W | A+, C, H | 62.0145 | 323.00 | **387.60** |

## 1800mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 300mm | 218 | 424 | N/A | N/A | 62.0146 | 224.00 | **268.80** |
| 1800 x 374mm | 273 | 530 | N/A | N/A | 62.0147 | 262.00 | **314.40** |
| 1800 x 448mm | 327 | 636 | 450W | A, A+ | 62.0148 | 300.00 | **360.00** |
| 1800 x 522mm | 382 | 741 | 600W | A+ | 62.0149 | 338.00 | **405.60** |
| 1800 x 596mm | 436 | 847 | 600W | A+ | 62.0150 | 376.00 | **451.20** |
| 1800 x 670mm | 491 | 953 | 600W | A+ | 62.0151 | 418.00 | **501.60** |

* Further heat output information available on eastbrooktrade.com **E&OA**

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. **In vertical installation**, tappings are the width of the rail and approx. 40mm off the wall. **In horizontal installation**, tappings are approx. 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.

## MAGNETIC TOWEL HANGERS



**Round Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0071 | 96.00 | **115.20** |
| 600mm | Chrome | 101.0072 | 102.00 | **122.40** |



**Square Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0073 | 97.00 | **116.40** |
| 600mm | Chrome | 101.0074 | 109.00 | **130.80** |

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

• NEW PRODUCT HERE •

# Designer Range

## ADDINGTON II TYPE 10 - MATT BLACK

Warranty 5 Year

Heating

All Electric

Dual-Fuel

HEATING NOTE: Radiators that are electric only are restricted to the heat output of the elements.



Pictured 62.0177 Matt Black



**Bar Dimensions (mm)**

Vertical Bars 70 x 11mm

Pictured 62.0167 Matt Black with 91.0093 Towel Hanger



**Towel Hangers**
Page 181

Pictured 62.0160 Matt Black

## ADDINGTON II TYPE 10 - MATT BLACK

Transform your space with the sleek and contemporary Addington II Type 10 radiator. Designed to complement modern interiors, its slim profile and clean flat panels make it a perfect choice for saving space while adding a touch of elegance. Finished in durable powder coating, it's built to look good and last.

**FEATURES**
- Tested to BS EN 442 standards
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric (not all sizes)
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 410-411

### 500mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Matt Black**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 500 x 522mm | 143 | 277 | 150W | A, A+, C, E, H | 62.0152 | 186.00 | **223.20** |
| 500 x 596mm | 163 | 316 | 150W | A, A+, C, E, H | 62.0153 | 200.00 | **240.00** |

### 600mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Matt Black**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 300mm | 92 | 179 | 150W | A, A+ | 62.0154 | 143.00 | **171.60** |
| 600 x 374mm | 115 | 223 | 150W | A, A+ | 62.0155 | 162.00 | **194.40** |
| 600 x 448mm | 138 | 268 | 150W | A, A+, C, E, H | 62.0156 | 176.00 | **211.20** |
| 600 x 522mm | 161 | 313 | 150W | A, A+, C, E, H | 62.0157 | 195.00 | **234.00** |
| 600 x 596mm | 184 | 357 | 300W | A, A+, C, E, H | 62.0158 | 214.00 | **256.80** |
| 600 x 670mm | 207 | 402 | 300W | A, A+, C, E, H | 62.0159 | 233.00 | **279.60** |
| 600 x 818mm | 253 | 491 | 450W | A, A+, C, E, H | 62.0160 | 266.00 | **319.20** |
| 600 x 1040mm | 322 | 624 | 450W | A, A+, C, E, H | 62.0161 | 323.00 | **387.60** |
| 600 x 1188mm | 367 | 714 | 600W | A, A+, C, E, H | 62.0162 | 357.00 | **428.40** |
| 600 x 1262mm | 390 | 758 | 600W | A, A+, C, E, H | 62.0163 | 376.00 | **451.20** |

### 800mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Matt Black**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 522mm | 198 | 384 | 300W | A, A+, C, H | 62.0164 | 219.00 | **262.80** |
| 800 x 596mm | 226 | 439 | 300W | A, A+, C, H | 62.0165 | 243.00 | **291.60** |

### 1000mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Matt Black**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 522mm | 235 | 456 | 300W | A, A+, C, H | 62.0166 | 243.00 | **291.60** |
| 1000 x 596mm | 268 | 520 | 450W | A, A+, C, H | 62.0167 | 266.00 | **319.20** |

### 1200mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Matt Black**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 522mm | 271 | 527 | 450W | A, A+, C, H | 62.0168 | 266.00 | **319.20** |
| 1200 x 596mm | 310 | 602 | 450W | A+, C, H | 62.0169 | 295.00 | **354.00** |

### 1400mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Matt Black**


| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1400 x 522mm | 308 | 598 | 450W | A+, C, H | 62.0170 | 290.00 | **348.00** |
| 1400 x 596mm | 352 | 684 | 450W | A+, C, H | 62.0171 | 323.00 | **387.60** |

### 1800mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Matt Black**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 300mm | 218 | 424 | N/A | N/A | 62.0172 | 224.00 | **268.80** |
| 1800 x 374mm | 273 | 530 | N/A | N/A | 62.0173 | 262.00 | **314.40** |
| 1800 x 448mm | 327 | 636 | 450W | A, A+ | 62.0174 | 300.00 | **360.00** |
| 1800 x 522mm | 382 | 741 | 600W | A+ | 62.0175 | 338.00 | **405.60** |
| 1800 x 596mm | 436 | 847 | 600W | A+ | 62.0176 | 376.00 | **451.20** |
| 1800 x 670mm | 491 | 953 | 600W | A+ | 62.0177 | 418.00 | **501.60** |

* Further heat output information available on eastbrooktrade.com **E&OA**



Pictured 62.0167 Matt Black (Fitted Horizontally)



**Single profile construction**

**Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)**



**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. **In vertical installation**, tappings are the width of the rail and approx. 40mm off the wall. **In horizontal installation**, tappings are approx. 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.

## MAGNETIC TOWEL HANGERS



**Round Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0071 | 96.00 | **115.20** |
| 600mm | Chrome | 101.0072 | 102.00 | **122.40** |



**Square Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0073 | 97.00 | **116.40** |
| 600mm | Chrome | 101.0074 | 109.00 | **130.80** |

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

• NEW PRODUCT HERE •

# Designer Range

## ADDINGTON II TYPE 10 - CHROME

Warranty 5 Year

Heating

All Electric

Dual-Fuel

HEATING NOTE: Radiators that are electric only are restricted to the heat output of the elements.



Pictured 62.0200 Chrome with 91.0091 Towel Hanger

**Bar Dimensions (mm)**

Vertical Bars 70 x 11mm



Pictured 62.0195 Chrome



**Towel Hangers**
Page 181

Pictured 62.0180 Chrome

## ADDINGTON II TYPE 10 - CHROME

Transform your space with the sleek and contemporary Addington II Type 10 radiator. Designed to complement modern interiors, its slim profile and clean flat panels make it a perfect choice for saving space while adding a touch of elegance. Finished in stunning chrome, it's built to look good and last.

**FEATURES**

- Tested to BS EN 442 standards
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric (not all sizes)
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 410-411

### 500mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Chrome**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 500 x 522mm | 94 | 182 | 100W | A | 62.0178 | 260.00 | **312.00** |
| 500 x 596mm | 107 | 208 | 150W | A, A+ | 62.0179 | 280.00 | **336.00** |

### 600mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Chrome**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 300mm | 61 | 118 | N/A | N/A | 62.0180 | 200.00 | **240.00** |
| 600 x 374mm | 76 | 147 | 100W | A | 62.0181 | 227.00 | **272.40** |
| 600 x 448mm | 91 | 176 | 150W | A, A+ | 62.0182 | 247.00 | **296.40** |
| 600 x 522mm | 106 | 206 | 150W | A, A+ | 62.0183 | 273.00 | **327.60** |
| 600 x 596mm | 121 | 235 | 150W | A, A+ | 62.0184 | 300.00 | **360.00** |
| 600 x 670mm | 136 | 264 | 150W | A, A+ | 62.0185 | 326.00 | **391.20** |
| 600 x 818mm | 166 | 323 | 150W | A, A+ | 62.0186 | 373.00 | **447.60** |
| 600 x 1040mm | 212 | 411 | 300W | A, A+, C, E, H | 62.0187 | 453.00 | **543.60** |
| 600 x 1188mm | 242 | 469 | 300W | A, A+, C, E, H | 62.0188 | 499.00 | **598.80** |
| 600 x 1262mm | 257 | 499 | 300W | A, A+, C, E, H | 62.0189 | 526.00 | **631.20** |

### 800mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Chrome**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 522mm | 130 | 253 | 150W | A, A+ | 62.0190 | 306.00 | **367.20** |
| 800 x 596mm | 149 | 289 | 150W | A, A+ | 62.0191 | 340.00 | **408.00** |

### 1000mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Chrome**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 522mm | 154 | 300 | 300W | A, A+, C, E, H | 62.0192 | 340.00 | **408.00** |
| 1000 x 596mm | 176 | 342 | 300W | A, A+, C, E, H | 62.0193 | 373.00 | **447.60** |

### 1200mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Chrome**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 522mm | 179 | 347 | 300W | A, A+, C, E, H | 62.0194 | 373.00 | **447.60** |
| 1200 x 596mm | 204 | 396 | 300W | A, A+, C, E, H | 62.0195 | 413.00 | **495.60** |

### 1400mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Chrome**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1400 x 522mm | 203 | 394 | 300W | A, A+, C, E, H | 62.0196 | 406.00 | **487.20** |
| 1400 x 596mm | 232 | 450 | 300W | A, A+, C, E, H | 62.0197 | 453.00 | **543.60** |

### 1800mm Height

**Addington II Type 10 Vertical / Horizontal Radiators - Chrome**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 300mm | 144 | 279 | N/A | N/A | 62.0198 | 313.00 | **375.60** |
| 1800 x 374mm | 179 | 349 | N/A | N/A | 62.0199 | 366.00 | **439.20** |
| 1800 x 448mm | 215 | 418 | 300W | A+ | 62.0200 | 419.00 | **502.80** |
| 1800 x 522mm | 251 | 488 | 300W | A+ | 62.0201 | 473.00 | **567.60** |
| 1800 x 596mm | 287 | 557 | 450W | A+ | 62.0202 | 526.00 | **631.20** |
| 1800 x 670mm | 323 | 627 | 450W | A+ | 62.0203 | 586.00 | **703.20** |

* Further heat output information available on eastbrooktrade.com **E&OA**



Pictured 62.0190 Chrome (Fitted Horizontally)



**Single profile construction**

**Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)**



**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. **In vertical installation**, tappings are the width of the rail and approx. 40mm off the wall. **In horizontal installation**, tappings are approx. 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.

## MAGNETIC TOWEL HANGERS



**Round Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0071 | 96.00 | **115.20** |
| 600mm | Chrome | 101.0072 | 102.00 | **122.40** |



**Square Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0073 | 97.00 | **116.40** |
| 600mm | Chrome | 101.0074 | 109.00 | **130.80** |

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

• NEW PRODUCT HERE •

# Designer Range

## ADDINGTON II TYPE 20 - GLOSS WHITE



Pictured 62.0216 Gloss White

**Bar Dimensions (mm)**

Vertical Bars 70 x 11mm



Pictured 62.0214 Gloss White




Pictured 62.0212 Gloss White

HEATING NOTE: Radiators that are electric only are restricted to the heat output of the elements.

## ADDINGTON II TYPE 20 - GLOSS WHITE

Bring warmth and style together with Addington II Type 20 designer radiator. Its double-panel design delivers powerful heat output, while the slim vertical build and smooth flat panels offer a clean, modern finish. Coated in a tough, long-lasting powder finish—perfect for contemporary spaces.

**FEATURES**
- Tested to BS EN 442 standards
- Double profile construction
- Maximum corrosion resistance
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 412-413



Double profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



**600mm Height**

**Addington II Type 20 Vertical / Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 300mm | 155 | 301 | 100W | A | 62.0204 | 195.00 | **234.00** |
| 600 x 374mm | 194 | 377 | 300W | A, A+ | 62.0205 | 224.00 | **268.80** |
| 600 x 448mm | 233 | 452 | 300W | A, A+, C, E, H | 62.0206 | 257.00 | **308.40** |
| 600 x 522mm | 271 | 527 | 450W | A, A+, C, E, H | 62.0207 | 285.00 | **342.00** |
| 600 x 596mm | 310 | 602 | 450W | A, A+, C, E, H | 62.0208 | 319.00 | **382.80** |
| 600 x 670mm | 349 | 677 | 600W | A, A+, C, E, H | 62.0209 | 352.00 | **422.40** |
| 600 x 818mm | 426 | 828 | 600W | A, A+, C, E, H | 62.0210 | 414.00 | **496.80** |
| 600 x 1040mm | 542 | 1053 | 900W | A, A+, C, E, H | 62.0211 | 504.00 | **604.80** |
| 600 x 1188mm | 620 | 1204 | 1000W | A, A+, C, E, H | 62.0212 | 566.00 | **679.20** |
| 600 x 1262mm | 659 | 1279 | 1000W | A, A+, C, E, H | 62.0213 | 599.00 | **718.80** |

**1800mm Height**

**Addington II Type 20 Vertical / Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 300mm | 408 | 792 | N/A | N/A | 62.0214 | 366.00 | **439.20** |
| 1800 x 374mm | 509 | 989 | N/A | N/A | 62.0215 | 447.00 | **536.40** |
| 1800 x 448mm | 611 | 1187 | 450W | A+ | 62.0216 | 532.00 | **638.40** |
| 1800 x 522mm | 713 | 1385 | 600W | A+ | 62.0217 | 613.00 | **735.60** |
| 1800 x 596mm | 815 | 1582 | 600W | A+ | 62.0218 | 699.00 | **838.80** |
| 1800 x 670mm | 917 | 1780 | 600W | A+ | 62.0219 | 784.00 | **940.80** |

* Further heat output information available on eastbrooktrade.com **E&OA**

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system(only for vertical installations). For indirect heating systems only. **In vertical installation,** tappings are the width of the rail and approx. 63mm off the wall. **In horizontal installation,** tappings are approx. 50mm less than the width of the rail and approx. 63mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.



Pictured 62.0215 Gloss White (Fitted Horizontally)

## MAGNETIC TOWEL HANGERS



**Round Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0071 | 96.00 | **115.20** |
| 600mm | Chrome | 101.0072 | 102.00 | **122.40** |




**Square Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0073 | 97.00 | **116.40** |
| 600mm | Chrome | 101.0074 | 109.00 | **130.80** |

Both Round & Square towel hangers come in three unassembled pieces.
Please cut 600mm bar to required column-to-column length.
Holds up to 5kg weight.

**Multi-Purpose Towel Hangers**
Page 368



**Round Vent Caps**
Page 369



• NEW PRODUCT HERE •

# Designer Range

## ADDINGTON II TYPE 20 - MATT ANTHRACITE



Pictured 62.0234 Matt Anthracite



**Bar Dimensions (mm)**

Vertical Bars 70 x 11mm

Pictured 62.0233 Matt Anthracite




HEATING NOTE: Radiators that are electric only are restricted to the heat output of the elements.

Pictured 62.0227 Matt Anthracite

## ADDINGTON II TYPE 20 - MATT ANTHRACITE

Bring warmth and style together with Addington II Type 20 designer radiator. Its double-panel design delivers powerful heat output, while the slim vertical build and smooth flat panels offer a clean, modern finish. Coated in a tough, long-lasting powder finish—perfect for contemporary spaces.

**FEATURES**
- Tested to BS EN 442 standards
- Double profile construction
- Maximum corrosion resistance
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 412-413



Double profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



**600mm Height**

**Addington II Type 20 Vertical / Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 300mm | 155 | 301 | 100W | A | 62.0220 | 195.00 | **234.00** |
| 600 x 374mm | 194 | 377 | 300W | A, A+ | 62.0221 | 224.00 | **268.80** |
| 600 x 448mm | 233 | 452 | 300W | A, A+, C, E, H | 62.0222 | 257.00 | **308.40** |
| 600 x 522mm | 271 | 527 | 450W | A, A+, C, E, H | 62.0223 | 285.00 | **342.00** |
| 600 x 596mm | 310 | 602 | 450W | A, A+, C, E, H | 62.0224 | 319.00 | **382.80** |
| 600 x 670mm | 349 | 677 | 600W | A, A+, C, E, H | 62.0225 | 352.00 | **422.40** |
| 600 x 818mm | 426 | 828 | 600W | A, A+, C, E, H | 62.0226 | 414.00 | **496.80** |
| 600 x 1040mm | 542 | 1053 | 900W | A, A+, C, E, H | 62.0227 | 504.00 | **604.80** |
| 600 x 1188mm | 620 | 1204 | 1000W | A, A+, C, E, H | 62.0228 | 566.00 | **679.20** |
| 600 x 1262mm | 659 | 1279 | 1000W | A, A+, C, E, H | 62.0229 | 599.00 | **718.80** |

**1800mm Height**


**Addington II Type 20 Vertical / Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 300mm | 408 | 792 | N/A | N/A | 62.0230 | 366.00 | **439.20** |
| 1800 x 374mm | 509 | 989 | N/A | N/A | 62.0231 | 447.00 | **536.40** |
| 1800 x 448mm | 611 | 1187 | 450W | A+ | 62.0232 | 532.00 | **638.40** |
| 1800 x 522mm | 713 | 1385 | 600W | A+ | 62.0233 | 613.00 | **735.60** |
| 1800 x 596mm | 815 | 1582 | 600W | A+ | 62.0234 | 699.00 | **838.80** |
| 1800 x 670mm | 917 | 1780 | 600W | A+ | 62.0235 | 784.00 | **940.80** |

* Further heat output information available on eastbrooktrade.com **E&OA**

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system(only for vertical installations). For indirect heating systems only. **In vertical installation,** tappings are the width of the rail and approx. 63mm off the wall. **In horizontal installation,** tappings are approx. 50mm less than the width of the rail and approx. 63mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.



Pictured 62.00231 Matt Anthracite (Fitted Horizontally)

## MAGNETIC TOWEL HANGERS



**Round Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0071 | 96.00 | **115.20** |
| 600mm | Chrome | 101.0072 | 102.00 | **122.40** |




**Square Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0073 | 97.00 | **116.40** |
| 600mm | Chrome | 101.0074 | 109.00 | **130.80** |

Both Round & Square towel hangers come in three unassembled pieces.
Please cut 600mm bar to required column-to-column length.
Holds up to 5kg weight.

**Multi-Purpose Towel Hangers**
Page 368



**Round Vent Caps**
Page 369



• NEW PRODUCT HERE •

# Designer Range

## ADDINGTON II TYPE 20 - MATT BLACK



Pictured 62.0247 Matt Black with 101.0072 Towel Hanger



**Bar Dimensions (mm)**

Vertical Bars 70 x 11mm

Pictured 62.0249 Matt Black




HEATING NOTE: Radiators that are electric only are restricted to the heat output of the elements.

Pictured 62.0240 Matt Black

## ADDINGTON II TYPE 20 - MATT BLACK

Bring warmth and style together with Addington II Type 20 designer radiator. Its double-panel design delivers powerful heat output, while the slim vertical build and smooth flat panels offer a clean, modern finish. Coated in a tough, long-lasting powder finish—perfect for contemporary spaces.

**FEATURES**
- Tested to BS EN 442 standards
- Double profile construction
- Maximum corrosion resistance
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*


* With conditions

**Technical Tables & Drawings**
Page 412-413



Double profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



**600mm Height**

**Addington II Type 20 Vertical / Horizontal Radiators - Matt Black**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 300mm | 155 | 301 | 100W | A | 62.0236 | 195.00 | **234.00** |
| 600 x 374mm | 194 | 377 | 300W | A, A+ | 62.0237 | 224.00 | **268.80** |
| 600 x 448mm | 233 | 452 | 300W | A, A+, C, E, H | 62.0238 | 257.00 | **308.40** |
| 600 x 522mm | 271 | 527 | 450W | A, A+, C, E, H | 62.0239 | 285.00 | **342.00** |
| 600 x 596mm | 310 | 602 | 450W | A, A+, C, E, H | 62.0240 | 319.00 | **382.80** |
| 600 x 670mm | 349 | 677 | 600W | A, A+, C, E, H | 62.0241 | 352.00 | **422.40** |
| 600 x 818mm | 426 | 828 | 600W | A, A+, C, E, H | 62.0242 | 414.00 | **496.80** |
| 600 x 1040mm | 542 | 1053 | 900W | A, A+, C, E, H | 62.0243 | 504.00 | **604.80** |
| 600 x 1188mm | 620 | 1204 | 1000W | A, A+, C, E, H | 62.0244 | 566.00 | **679.20** |
| 600 x 1262mm | 659 | 1279 | 1000W | A, A+, C, E, H | 62.0245 | 599.00 | **718.80** |

**1800mm Height**

**Addington II Type 20 Vertical / Horizontal Radiators - Matt Black**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 300mm | 408 | 792 | N/A | N/A | 62.0246 | 366.00 | **439.20** |
| 1800 x 374mm | 509 | 989 | N/A | N/A | 62.0247 | 447.00 | **536.40** |
| 1800 x 448mm | 611 | 1187 | 450W | A+ | 62.0248 | 532.00 | **638.40** |
| 1800 x 522mm | 713 | 1385 | 600W | A+ | 62.0249 | 613.00 | **735.60** |
| 1800 x 596mm | 815 | 1582 | 600W | A+ | 62.0250 | 699.00 | **838.80** |
| 1800 x 670mm | 917 | 1780 | 600W | A+ | 62.0251 | 784.00 | **940.80** |

* Further heat output information available on eastbrooktrade.com **E&OA**

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system(only for vertical installations). For indirect heating systems only. **In vertical installation,** tappings are the width of the rail and approx. 63mm off the wall. **In horizontal installation,** tappings are approx. 50mm less than the width of the rail and approx. 63mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.



Pictured 62.0248 Matt Black (Fitted Horizontally)

## MAGNETIC TOWEL HANGERS



**Round Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0071 | 96.00 | **115.20** |
| 600mm | Chrome | 101.0072 | 102.00 | **122.40** |




**Square Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0073 | 97.00 | **116.40** |
| 600mm | Chrome | 101.0074 | 109.00 | **130.80** |

Both Round & Square towel hangers come in three unassembled pieces.
Please cut 600mm bar to required column-to-column length.
Holds up to 5kg weight.

**Multi-Purpose Towel Hangers**
Page 368



**Round Vent Caps**
Page 369



• NEW PRODUCT HERE •

# Designer Range

## ADDINGTON II TYPE 10 TOWEL RAIL - GLOSS WHITE




Pictured 62.00260 Gloss White

### 790mm High



### 1110mm High



### 1750mm High



Brighten your bathroom with Addington II Type 10 Towel Rail in gloss white finish. Featuring slim flat panels and a crisp, clean finish, this designer towel rail adds a fresh, modern touch while keeping towels warm and ready.

**FEATURES**
- Tested to BS EN 442 standards
- Single profile construction
- Maximum corrosion resistance
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 412-413

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, or E. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty 5 Year | Heating | All Electric | Dual-Fuel

**Addington II Type 10 Towel Rails - Gloss White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 790 x 400mm | 161 | 312 | 150W | A, A+, B, E | 62.0252 | 157.00 | **188.40** |
| 790 x 500mm | 182 | 353 | 300W | A, A+, B, E | 62.0253 | 181.00 | **217.20** |
| 790 x 600mm | 203 | 394 | 300W | A, A+, B, E | 62.0254 | 205.00 | **246.00** |
| 1110 x 400mm | 213 | 413 | 300W | A, A+, B, E | 62.0255 | 233.00 | **279.60** |
| 1110 x 500mm | 239 | 464 | 300W | A, A+, B, E | 62.0256 | 243.00 | **291.60** |
| 1110 x 600mm | 265 | 515 | 450W | A, A+, B, E | 62.0257 | 252.00 | **302.40** |
| 1750 x 400mm | 317 | 615 | 450W | A, A+, B, E | 62.0258 | 333.00 | **399.60** |
| 1750 x 500mm | 354 | 687 | 600W | A, A+, B, E | 62.0259 | 347.00 | **416.40** |
| 1750 x 600mm | 390 | 758 | 600W | A, A+, B, E | 62.0260 | 361.00 | **433.20** |

* Further heat output information available on eastbrooktrade.com **E&OA**

**Radiator Valves**
Page 350-365



**Round Vent Caps**
Page 369



## ADDINGTON II TYPE 10 TOWEL RAIL - MATT ANTHRACITE & MATT BLACK



Pictured 62.0274 Matt Black



Pictured 62.0262 Matt Anthracite

Bring depth and sophistication to your space with Addington II Type 10 Towel Rail in Matt Anthracite or Matt Black. The bold, flat panel design and stylish dark finish make it a standout feature, delivering both warmth and contemporary style.

**FEATURES**
- Tested to BS EN 442 standards
- Single profile construction
- Maximum corrosion resistance
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 412-413

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, or E. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty 5 Year | Heating | All Electric | Dual-Fuel

**Addington II Type 10 Towel Rails - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 790 x 400mm | 161 | 312 | 150W | A, A+, B, E | 62.0261 | 157.00 | **188.40** |
| 790 x 500mm | 182 | 353 | 300W | A, A+, B, E | 62.0262 | 181.00 | **217.20** |
| 790 x 600mm | 203 | 394 | 300W | A, A+, B, E | 62.0263 | 205.00 | **246.00** |
| 1110 x 400mm | 213 | 413 | 300W | A, A+, B, E | 62.0264 | 233.00 | **279.60** |
| 1110 x 500mm | 239 | 464 | 300W | A, A+, B, E | 62.0265 | 243.00 | **291.60** |
| 1110 x 600mm | 265 | 515 | 450W | A, A+, B, E | 62.0266 | 252.00 | **302.40** |
| 1750 x 400mm | 317 | 615 | 450W | A, A+, B, E | 62.0267 | 333.00 | **399.60** |
| 1750 x 500mm | 354 | 687 | 600W | A, A+, B, E | 62.0268 | 347.00 | **416.40** |
| 1750 x 600mm | 390 | 758 | 600W | A, A+, B, E | 62.0269 | 361.00 | **433.20** |

**Addington II Type 10 Towel Rails - Matt Black**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 790 x 400mm | 161 | 312 | 150W | A, A+, B, E | 62.0270 | 157.00 | **188.40** |
| 790 x 500mm | 182 | 353 | 300W | A, A+, B, E | 62.0271 | 181.00 | **217.20** |
| 790 x 600mm | 203 | 394 | 300W | A, A+, B, E | 62.0272 | 205.00 | **246.00** |
| 1110 x 400mm | 213 | 413 | 300W | A, A+, B, E | 62.0273 | 233.00 | **279.60** |
| 1110 x 500mm | 239 | 464 | 300W | A, A+, B, E | 62.0274 | 243.00 | **291.60** |
| 1110 x 600mm | 265 | 515 | 450W | A, A+, B, E | 62.0275 | 252.00 | **302.40** |
| 1750 x 400mm | 317 | 615 | 450W | A, A+, B, E | 62.0276 | 333.00 | **399.60** |
| 1750 x 500mm | 354 | 687 | 600W | A, A+, B, E | 62.0277 | 347.00 | **416.40** |
| 1750 x 600mm | 390 | 758 | 600W | A, A+, B, E | 62.0278 | 361.00 | **433.20** |

* Further heat output information available on eastbrooktrade.com **E&OA**

**Radiator Valves**
Page 350-365



**Round Vent Caps**
Page 369



• NEW PRODUCT HERE •


# Designer Range

## ADDINGTON II TYPE 10 TOWEL RAIL - CHROME




Pictured 62.0284 Chrome


### 790mm High



### 1750mm High



### 1110mm High



Add a touch of timeless shine with the Addington II Type 10 Towel Rail in Chrome. The reflective finish and flat panel design blend elegance and practicality, keeping your towels warm while enhancing your bathroom's modern aesthetic.

**FEATURES**
- Tested to BS EN 442 standards
- Single profile construction
- Maximum corrosion resistance
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 412-413

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B or E. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty 5 Year | Heating | All Electric | Dual-Fuel

**Addington II Type 10 Towel Rails - Chrome**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 790 x 400mm | 106 | 205 | 150W | A, A+, B, E | 62.0279 | 220.00 | **264.00** |
| 790 x 500mm | 120 | 232 | 150W | A, A+, B, E | 62.0280 | 253.00 | **303.60** |
| 790 x 600mm | 133 | 259 | 150W | A, A+, B, E | 62.0281 | 286.00 | **343.20** |
| 1110 x 400mm | 140 | 272 | 150W | A, A+, B, E | 62.0282 | 326.00 | **391.20** |
| 1110 x 500mm | 157 | 305 | 150W | A, A+, B, E | 62.0283 | 340.00 | **408.00** |
| 1110 x 600mm | 175 | 339 | 300W | A, A+, B, E | 62.0284 | 353.00 | **423.60** |
| 1750 x 400mm | 208 | 405 | 300W | A, A+, B, E | 62.0285 | 466.00 | **559.20** |
| 1750 x 500mm | 233 | 452 | 300W | A, A+, B, E | 62.0286 | 486.00 | **583.20** |
| 1750 x 600mm | 257 | 499 | 300W | A, A+, B, E | 62.0287 | 506.00 | **607.20** |

* Further heat output information available on eastbrooktrade.com **E&OA**

**Radiator Valves**
Page 350-365



**Round Vent Caps**
Page 369



## ADDINGTON II TYPE 20 TOWEL RAIL



Pictured 62.0288 Gloss White



Pictured 62.0293 Matt Black

The Addington II Type 20 Towel Rail combines high heat output with sleek modern design, thanks to its double horizontal panel construction. Available in a choice of Gloss White, Matt Anthracite, and Matt Black finishes, it offers versatile style to suit any bathroom interior while keeping your space warm and your towels toasty.

**FEATURES**
- Tested to BS EN 442 standards
- Single profile construction
- Maximum corrosion resistance
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 412-413

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B or E. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 50mm less than the width of the rail and approx. 63mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Addington II Type 20 Towel Rails - Gloss White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 790 x 400mm | 370 | 719 | 600W | A, A+, B, E | 62.0288 | 357.00 | **428.40** |
| 790 x 500mm | 538 | 1044 | 750W | A, A+, B, E | 62.0289 | 509.00 | **610.80** |

**Addington II Type 20 Towel Rails - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 790 x 400mm | 370 | 719 | 600W | A, A+, B, E | 62.0290 | 357.00 | **428.40** |
| 790 x 500mm | 538 | 1044 | 750W | A, A+, B, E | 62.0291 | 509.00 | **610.80** |

**Addington II Type 20 Towel Rails - Matt Black**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 790 x 400mm | 370 | 719 | 600W | A, A+, B, E | 62.0292 | 357.00 | **428.40** |
| 790 x 500mm | 538 | 1044 | 750W | A, A+, B, E | 62.0293 | 509.00 | **610.80** |

* Further heat output information available on eastbrooktrade.com **E&OA**

Warranty 5 Year | Heating | All Electric | Dual-Fuel

**Round Vent Caps**
Page 369



# Designer Range

## ADDINGTON TYPE 10 - GLOSS WHITE



Pictured 91.0015 Gloss White (Fitted Vertically) & 91.0081 x2 Towel Hangers



**Bar Dimensions (mm)**

Vertical Bars 70 x 11mm

Pictured 91.0003 Gloss White (Fitted Vertically)




**Towel Hangers**
Page 181



**Round Vent Caps**
Page 369



HEATING NOTE: Radiators that are electric only are restricted to the heat output of the elements.

Pictured 91.0134 Gloss White (Fitted Vertically)

# Designer Range

## ADDINGTON TYPE 10 - GLOSS WHITE

A designer radiator range available to fit both vertically and horizontally designs in a gloss white finishes. Optional extras include flat style and double flat style towel hangers (see Page 159).

**FEATURES**

- Tested to BS EN 442 standards
- Maximum corrosion resistance
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric (not all sizes)
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 412-413



Pictured 91.0014 Gloss White (Fitted Horizontally)



Single profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



### 500mm Height

**Addington Type 10 Vertical / Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 500 x 514mm | 172 | 328 | 150W | A, A+, B, C, E | 91.0001 | 276.00 | **331.20** |
| 500 x 588mm | 196 | 375 | 300W | A, A+, B, C, E | 91.0002 | 303.00 | **363.60** |

### 600mm Height

**Addington Type 10 Vertical / Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 292mm | 117 | 223 | 150W | A, A+ | 91.0127 | 216.00 | **259.20** |
| 600 x 366mm | 146 | 278 | 150W | A, A+ | 91.0128 | 243.00 | **291.60** |
| 600 x 440mm | 175 | 334 | 150W | A, A+, B, C, E | 91.0129 | 268.00 | **321.60** |
| 600 x 514mm | 204 | 390 | 300W | A, A+, B, C, E | 91.0003 | 297.00 | **356.40** |
| 600 x 588mm | 233 | 446 | 300W | A, A+, B, C, E | 91.0004 | 322.00 | **386.40** |
| 600 x 662mm | 262 | 501 | 300W | A, A+, B, C, E | 91.0130 | 351.00 | **421.20** |
| 600 x 810mm | 320 | 612 | 450W | A+, B, C, E | 91.0131 | 402.00 | **482.40** |
| 600 x 1032mm | 408 | 780 | 600W | A, A+, B, C, E | 91.0132 | 486.00 | **583.20** |
| 600 x 1180mm | 466 | 892 | 600W | A, A+, B, C, E | 91.0133 | 540.00 | **648.00** |
| 600 x 1254mm | 495 | 947 | 600W | A, A+, B, C, E | 91.0134 | 565.00 | **678.00** |

### 800mm Height

**Addington Type 10 Vertical / Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 514mm | 266 | 509 | 300W | A, A+, B, C | 91.0005 | 331.00 | **397.20** |
| 800 x 588mm | 304 | 581 | 450W | A, A+, B, C | 91.0006 | 364.00 | **436.80** |

### 1000mm Height

**Addington Type 10 Vertical / Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 514mm | 326 | 624 | 450W | A, A+, B, C | 91.0007 | 368.00 | **441.60** |
| 1000 x 588mm | 360 | 689 | 450W | A, A+, B, C | 91.0008 | 402.00 | **482.40** |

### 1200mm Height

**Addington Type 10 Vertical / Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 514mm | 383 | 732 | 450W | A, A+, B, C | 91.0009 | 402.00 | **482.40** |
| 1200 x 588mm | 437 | 837 | 600W | A+, B, C | 91.0010 | 446.00 | **535.20** |

### 1400mm Height

**Addington Type 10 Vertical / Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1400 x 514mm | 437 | 837 | 600W | A+, B, C | 91.0011 | 441.00 | **529.20** |
| 1400 x 588mm | 500 | 957 | 600W | A+, B, C | 91.0012 | 486.00 | **583.20** |

### 1800mm Height

**Addington Type 10 Vertical / Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 292mm | 309 | 590 | N/A | N/A | 91.0013 | 335.00 | **402.00** |
| 1800 x 366mm | 386 | 739 | N/A | N/A | 91.0014 | 397.00 | **476.40** |
| 1800 x 440mm | 463 | 886 | 450W | A, A+, B | 91.0015 | 453.00 | **543.60** |
| 1800 x 514mm | 540 | 1034 | 600W | A+, B | 91.0016 | 509.00 | **610.80** |
| 1800 x 588mm | 617 | 1181 | 600W | A+, B | 91.0017 | 569.00 | **682.80** |

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. **In vertical installation**, tappings are the width of the rail and approx. 40mm off the wall. **In horizontal installation**, tappings are approx. 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.

## MAGNETIC TOWEL HANGERS



**Round Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0071 | 96.00 | **115.20** |
| 600mm | Chrome | 101.0072 | 102.00 | **122.40** |



**Square Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0073 | 97.00 | **116.40** |
| 600mm | Chrome | 101.0074 | 109.00 | **130.80** |

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

# Designer Range

## ADDINGTON TYPE 10 - MATT ANTHRACITE



Pictured 91.0032 Matt Anthracite (Fitted Vertically) & 91.0111 Towel Hanger



**Bar Dimensions (mm)**

Vertical Bars 70 x 11mm

Pictured 91.0147 Matt Anthracite (Fitted Vertically) & 91.0086 Towel Hanger




**Towel Hangers**
Page 181



**Round Vent Caps**
Page 369



HEATING NOTE: Radiators that are electric only are restricted to the heat output of the elements.

Pictured 91.0049 Matt Anthracite (Fitted Vertically)

# Designer Range

## ADDINGTON TYPE 10 - MATT ANTHRACITE

A designer radiator range available to fit both vertically and horizontally designs in a matt anthracite finish. Optional extras include flat style and double flat style towel hangers (see Page 159).

**FEATURES**

- Tested to BS EN 442 standards
- Cataphoretic painting technology
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric (not all sizes)
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 412-413

### 500mm Height

**Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 500 x 514mm | 172 | 328 | 150W | A, A+, B, C, E | 91.0018 | 276.00 | **331.20** |
| 500 x 588mm | 196 | 375 | 300W | A, A+, B, C, E | 91.0019 | 303.00 | **363.60** |

### 600mm Height

**Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 292mm | 117 | 223 | 150W | A, A+ | 91.0145 | 216.00 | **259.20** |
| 600 x 366mm | 146 | 278 | 150W | A, A+ | 91.0146 | 243.00 | **291.60** |
| 600 x 440mm | 175 | 334 | 150W | A, A+, B, C, E | 91.0147 | 268.00 | **321.60** |
| 600 x 514mm | 204 | 390 | 300W | A, A+, B, C, E | 91.0020 | 297.00 | **356.40** |
| 600 x 588mm | 233 | 446 | 300W | A, A+, B, C, E | 91.0021 | 322.00 | **386.40** |
| 600 x 662mm | 262 | 501 | 300W | A, A+, B, C, E | 91.0148 | 351.00 | **421.20** |
| 600 x 810mm | 320 | 612 | 450W | A+, B, C, E | 91.0149 | 402.00 | **482.40** |
| 600 x 1032mm | 408 | 780 | 600W | A, A+, B, C, E | 91.0150 | 486.00 | **583.20** |
| 600 x 1180mm | 466 | 892 | 600W | A, A+, B, C, E | 91.0151 | 540.00 | **648.00** |
| 600 x 1254mm | 495 | 947 | 600W | A, A+, B, C, E | 91.0152 | 565.00 | **678.00** |

### 800mm Height

**Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 514mm | 266 | 509 | 300W | A, A+, B, C | 91.0022 | 331.00 | **397.20** |
| 800 x 588mm | 304 | 581 | 450W | A, A+, B, C | 91.0023 | 364.00 | **436.80** |

### 1000mm Height

**Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 514mm | 326 | 624 | 450W | A, A+, B, C | 91.0024 | 368.00 | **441.60** |
| 1000 x 588mm | 360 | 689 | 450W | A, A+, B, C | 91.0025 | 402.00 | **482.40** |

### 1200mm Height

**Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 514mm | 383 | 732 | 450W | A, A+, B, C | 91.0026 | 402.00 | **482.40** |
| 1200 x 588mm | 437 | 837 | 600W | A+, B, C | 91.0027 | 446.00 | **535.20** |

### 1400mm Height

**Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1400 x 514mm | 437 | 837 | 600W | A+, B, C | 91.0028 | 441.00 | **529.20** |
| 1400 x 588mm | 500 | 957 | 600W | A+, B, C | 91.0029 | 486.00 | **583.20** |


### 1800mm Height

**Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 292mm | 309 | 590 | N/A | N/A | 91.0030 | 335.00 | **402.00** |
| 1800 x 366mm | 386 | 739 | N/A | N/A | 91.0031 | 397.00 | **476.40** |
| 1800 x 440mm | 463 | 886 | 450W | A, A+, B | 91.0032 | 453.00 | **543.60** |
| 1800 x 514mm | 540 | 1034 | 600W | A+, B | 91.0033 | 509.00 | **610.80** |
| 1800 x 588mm | 617 | 1181 | 600W | A+, B | 91.0034 | 569.00 | **682.80** |




Pictured 91.0032 (Fitted Horizontally)



**Single profile construction**

**Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)**



**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. In vertical installation, tappings are the width of the rail and approx. 40mm off the wall. In horizontal installation, tappings are approx. 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.

## MAGNETIC TOWEL HANGERS



**Round Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0071 | 96.00 | **115.20** |
| 600mm | Chrome | 101.0072 | 102.00 | **122.40** |



**Square Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0073 | 97.00 | **116.40** |
| 600mm | Chrome | 101.0074 | 109.00 | **130.80** |

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

# Designer Range

## ADDINGTON TYPE 10 - TOWEL RAILS



Pictured 91.0065 Gloss White

A designer towel rail available in 3 heights and 2 widths in gloss white, matt anthracite colours.

**FEATURES**
- Tested to BS EN 442 standards
- Single profile construction
- Maximum corrosion resistance
- Cataphoretic painting technology
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 414-415

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty 5 Year | Heating | All Electric | Dual-Fuel

**790mm High**



**1110mm High**



**1750mm High**



**Addington Type 10 Towel Rails - Gloss White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 790 x 400mm | 156 | 298 | 150W | A, A+, B, D, E, F, G | 91.0061 | 278.00 | **333.60** |
| 790 x 500mm | 195 | 373 | 150W | A, A+, B, D, E, F, G | 91.0064 | 321.00 | **385.20** |
| 790 x 600mm | 234 | 447 | 300W | A, A+, B, D, E, F, G | 91.0067 | 363.00 | **435.60** |
| 1110 x 400mm | 205 | 392 | 300W | A, A+, B, D, E, F, G | 91.0062 | 412.00 | **494.40** |
| 1110 x 500mm | 257 | 491 | 300W | A, A+, B, D, E, F, G | 91.0065 | 431.00 | **517.20** |
| 1110 x 600mm | 308 | 589 | 450W | A, A+, B, D, E, F, G | 91.0068 | 448.00 | **537.60** |
| 1750 x 400mm | 306 | 585 | 450W | A, A+, B, D, E, F, G | 91.0063 | 588.00 | **705.60** |
| 1750 x 500mm | 382 | 730 | 450W | A, A+, B, D, E, F, G | 91.0066 | 613.00 | **735.60** |
| 1750 x 600mm | 458 | 875 | 600W | A, A+, B, D, E, F, G | 91.0069 | 639.00 | **766.80** |

**Addington Type 10 Towel Rails - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 790 x 400mm | 156 | 298 | 150W | A, A+, B, D, E, F, G | 91.0070 | 278.00 | **333.60** |
| 790 x 500mm | 195 | 373 | 150W | A, A+, B, D, E, F, G | 91.0073 | 321.00 | **385.20** |
| 790 x 600mm | 234 | 447 | 300W | A, A+, B, D, E, F, G | 91.0076 | 363.00 | **435.60** |
| 1110 x 400mm | 205 | 392 | 300W | A, A+, B, D, E, F, G | 91.0071 | 412.00 | **494.40** |
| 1110 x 500mm | 257 | 491 | 300W | A, A+, B, D, E, F, G | 91.0074 | 431.00 | **517.20** |
| 1110 x 600mm | 308 | 589 | 450W | A, A+, B, D, E, F, G | 91.0077 | 448.00 | **537.60** |
| 1750 x 400mm | 306 | 585 | 450W | A, A+, B, D, E, F, G | 91.0072 | 588.00 | **705.60** |
| 1750 x 500mm | 382 | 730 | 450W | A, A+, B, D, E, F, G | 91.0075 | 613.00 | **735.60** |
| 1750 x 600mm | 458 | 875 | 600W | A, A+, B, D, E, F, G | 91.0078 | 639.00 | **766.80** |

* Further heat output information available on eastbrooktrade.com **E&OA**

**Round Vent Caps**
Page 369




# Designer Range

## ADDINGTON TYPE 10
## ADDINGTON ALUMINIUM TYPE 10
## SINGLE FLAT STYLE TOWEL HANGERS



**Type 10 - Single Flat Style Towel Hangers - Gloss White**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Towel Hanger 292mm | 91.0079 | 65.00 | **78.00** |
| Towel Hanger 366mm | 91.0080 | 66.00 | **79.20** |
| Towel Hanger 440mm | 91.0081 | 67.00 | **80.40** |
| Towel Hanger 514mm | 91.0082 | 69.00 | **82.80** |
| Towel Hanger 588mm | 91.0083 | 69.00 | **82.80** |



**Type10 - Single Flat Style Towel Hangers - Matt Anthracite**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Towel Hanger 292mm | 91.0084 | 65.00 | **78.00** |
| Towel Hanger 366mm | 91.0085 | 66.00 | **79.20** |
| Towel Hanger 440mm | 91.0086 | 67.00 | **80.40** |
| Towel Hanger 514mm | 91.0087 | 69.00 | **82.80** |
| Towel Hanger 588mm | 91.0088 | 69.00 | **82.80** |



**Type10 - Single Flat Style Towel Hangers - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Towel Hanger 292mm | 91.0089 | 98.00 | **117.60** |
| Towel Hanger 366mm | 91.0090 | 100.00 | **120.00** |
| Towel Hanger 440mm | 91.0091 | 102.00 | **122.40** |
| Towel Hanger 514mm | 91.0092 | 103.00 | **123.60** |
| Towel Hanger 588mm | 91.0093 | 107.00 | **128.40** |

**TECHNICAL DETAILS**

The Single Flat Style Towel Hanger is compatible with both **vertical and horizontal installation**. Towel hanger material is steel.

MUST BE FITTED BEFORE INSTALLATION!

Radiators projection from wall 119mm when towel hangers is fitted.

Hanger Fitting Widths
148/222/296/370/444mm



Installation Note: Single Flat Style Towel Hangers are not compatible with Deddington Vertical & Deddington Horizontal radiators.

## ADDINGTON TYPE 10
## ADDINGTON ALUMINIUM TYPE 10
## DOUBLE FLAT STYLE TOWEL HANGERS



**Type 10 - Double Flat Style Towel Hangers - Gloss White**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Towel Hanger 292mm | 91.0099 | 79.00 | **94.80** |
| Towel Hanger 366mm | 91.0100 | 81.00 | **97.20** |
| Towel Hanger 440mm | 91.0101 | 84.00 | **100.80** |
| Towel Hanger 514mm | 91.0102 | 86.00 | **103.20** |
| Towel Hanger 588mm | 91.0103 | 88.00 | **105.60** |



**Type 10 - Double Flat Style Towel Hangers - Matt Anthracite**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Towel Hanger 292mm | 91.0104 | 79.00 | **94.80** |
| Towel Hanger 366mm | 91.0105 | 81.00 | **97.20** |
| Towel Hanger 440mm | 91.0106 | 84.00 | **100.80** |
| Towel Hanger 514mm | 91.0107 | 86.00 | **103.20** |
| Towel Hanger 588mm | 91.0108 | 88.00 | **105.60** |



**Type10 - Double Flat Style Towel Hangers - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Towel Hanger 292mm | 91.0109 | 124.00 | **148.80** |
| Towel Hanger 366mm | 91.0110 | 130.00 | **156.00** |
| Towel Hanger 440mm | 91.0111 | 132.00 | **158.40** |
| Towel Hanger 514mm | 91.0112 | 135.00 | **162.00** |
| Towel Hanger 588mm | 91.0113 | 138.00 | **165.60** |

**TECHNICAL DETAILS**

The Double Flat Style Towel Hanger is compatible with **vertical installation only**. Towel hanger material is steel.

MUST BE FITTED BEFORE INSTALLATION!

Radiators projection from wall 119mm when towel hangers is fitted.

Hanger Fitting Widths
148/222/296/370/444mm



Installation Note: Double Flat Style Towel Hangers are not compatible with Deddington Vertical & Deddington Horizontal radiators.

# Designer Range

## ADDINGTON TYPE 20 - GLOSS WHITE



Pictured 91.0037 Gloss White (Fitted Vertically)



**Bar Dimensions (mm)**

Vertical Bars 70 x 11mm

Pictured 91.0137 Gloss White (Fitted Vertically) with 101.0071 Towel Hanger




HEATING NOTE: Radiators that are electric only are restricted to the heat output of the elements.

Pictured 91.0143 (Fitted Vertically)

# Designer Range

## ADDINGTON TYPE 20 - GLOSS WHITE

A designer radiator range available to fit both vertically and horizontally designs in a gloss white finish.

**FEATURES**
- Tested to BS EN 442 standards
- Double profile construction
- Maximum corrosion resistance
- Cataphoretic painting technology
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 414-415



Pictured 91.0037 (Fitted Horizontally)

### 600mm Height

**Addington Type 20 Vertical / Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 292mm | 166 | 318 | 150W | A, A+ | 91.0135 | 297.00 | **356.40** |
| 600 x 366mm | 208 | 398 | 300W | A, A+ | 91.0136 | 341.00 | **409.20** |
| 600 x 440mm | 250 | 478 | 300W | A, A+, B, C | 91.0137 | 387.00 | **464.40** |
| 600 x 514mm | 291 | 557 | 300W | A, A+, B, C | 91.0138 | 434.00 | **520.80** |
| 600 x 588mm | 333 | 637 | 450W | A, A+, B, C | 91.0139 | 483.00 | **579.60** |
| 600 x 662mm | 374 | 716 | 450W | A, A+, B, C | 91.0140 | 530.00 | **636.00** |
| 600 x 810mm | 458 | 876 | 600W | A, A+, B, C, E | 91.0141 | 622.00 | **746.40** |
| 600 x 1032mm | 583 | 1115 | 750W | A, A+, B, C, E | 91.0142 | 766.00 | **919.20** |
| 600 x 1180mm | 666 | 1273 | 900W | A, A+, B, C, E | 91.0143 | 858.00 | **1029.60** |
| 600 x 1254mm | 707 | 1353 | 1000W | A, A+, B, C, E | 91.0144 | 905.00 | **1086.00** |

### 1800mm Height


**Addington Type 20 Vertical / Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 366mm | 551 | 1054 | 300W | A, A+, B | 91.0035 | 676.00 | **811.20** |
| 1800 x 440mm | 661 | 1265 | 450W | A, A+, B | 91.0036 | 800.00 | **960.00** |
| 1800 x 514mm | 772 | 1476 | 600W | A+, B | 91.0037 | 924.00 | **1108.80** |
| 1800 x 588mm | 882 | 1687 | 600W | A+, B | 91.0038 | 1048.00 | **1257.60** |

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system(only for vertical installations). For indirect heating systems only. In vertical installation, tappings are the width of the rail and approx. 64mm off the wall. In horizontal installation, tappings are approx. 50mm less than the width of the rail and approx. 64mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.

**Multi-Purpose Towel Hangers**
Page 368



**Round Vent Caps**
Page 369





Double profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



## MAGNETIC TOWEL HANGERS



**Round Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0071 | 96.00 | **115.20** |
| 600mm | Chrome | 101.0072 | 102.00 | **122.40** |



**Square Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0073 | 97.00 | **116.40** |
| 600mm | Chrome | 101.0074 | 109.00 | **130.80** |

Both Round & Square towel hangers come in three unassembled pieces.
Please cut 600mm bar to required column-to-column length.
Holds up to 5kg weight.

# Designer Range

## ADDINGTON TYPE 20 - MATT ANTHRACITE




Pictured 91.0042 Matt Anthracite (Fitted Vertically)

**Bar Dimensions (mm)**

Vertical Bars 70 x 11mm



Pictured 91.0157 Matt Anthracite (Fitted Vertically) with 101.0074 Towel Hanger




HEATING NOTE: Radiators that are electric only are restricted to the heat output of the elements.

Pictured 91.0161 (Fitted Vertically)

# Designer Range

## ADDINGTON TYPE 20 - MATT ANTHRACITE

A designer radiator range available to fit both vertically and horizontally designs in a matt anthracite finish.

**FEATURES**
- Tested to BS EN 442 standards
- Double profile construction
- Maximum corrosion resistance
- Cataphoretic painting technology
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 414-415



Pictured 91.0042 (Fitted Horizontally)

**600mm Height**

**Addington Type 20 Vertical / Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 292mm | 166 | 318 | 150W | A, A+ | 91.0153 | 297.00 | **356.40** |
| 600 x 366mm | 208 | 398 | 300W | A, A+ | 91.0154 | 341.00 | **409.20** |
| 600 x 440mm | 250 | 478 | 300W | A, A+, B, C | 91.0155 | 387.00 | **464.40** |
| 600 x 514mm | 291 | 557 | 300W | A, A+, B, C | 91.0156 | 434.00 | **520.80** |
| 600 x 588mm | 333 | 637 | 450W | A, A+, B, C | 91.0157 | 483.00 | **579.60** |
| 600 x 662mm | 374 | 716 | 450W | A, A+, B, C | 91.0158 | 530.00 | **636.00** |
| 600 x 810mm | 458 | 876 | 600W | A, A+, B, C, E | 91.0159 | 622.00 | **746.40** |
| 600 x 1032mm | 583 | 1115 | 750W | A, A+, B, C, E | 91.0160 | 766.00 | **919.20** |
| 600 x 1180mm | 666 | 1273 | 900W | A, A+, B, C, E | 91.0161 | 858.00 | **1029.60** |
| 600 x 1254mm | 707 | 1353 | 1000W | A, A+, B, C, E | 91.0162 | 905.00 | **1086.00** |

**1800mm Height**


**Addington Type 20 Vertical / Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 366mm | 551 | 1054 | 300W | A, A+, B | 91.0039 | 676.00 | **811.20** |
| 1800 x 440mm | 661 | 1265 | 450W | A, A+, B | 91.0040 | 800.00 | **960.00** |
| 1800 x 514mm | 772 | 1476 | 600W | A+, B | 91.0041 | 924.00 | **1108.80** |
| 1800 x 588mm | 882 | 1687 | 600W | A+, B | 91.0042 | 1048.00 | **1257.60** |

### TECHNICAL INFORMATION


All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system(only for vertical installations). For indirect heating systems only. In vertical installation, tappings are the width of the rail and approx. 64mm off the wall. In horizontal installation, tappings are approx. 50mm less than the width of the rail and approx. 64mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.

**Multi-Purpose Towel Hangers**
Page 368




**Round Vent Caps**
Page 369





Double profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



## MAGNETIC TOWEL HANGERS



**Round Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0071 | 96.00 | **115.20** |
| 600mm | Chrome | 101.0072 | 102.00 | **122.40** |



**Square Magnetic Towel Hangers**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Gloss White | 101.0073 | 97.00 | **116.40** |
| 600mm | Chrome | 101.0074 | 109.00 | **130.80** |

Both Round & Square towel hangers come in three unassembled pieces.
Please cut 600mm bar to required column-to-column length.
Holds up to 5kg weight.

# Designer Range

## ADDINGTON TYPE21 - HORIZONTAL

**WHILE STOCKS LAST**

High Output



Double profile construction with one row of convector fins

HEATING NOTE: Radiators that are electric only are restricted to the heat output of the elements.

**Technical Tables & Drawings**
Page 414-415

Warranty 5 Year | Heating | All Electric | Dual-Fuel

Pictured 91.0044 Gloss White

A horizontal only designer radiator range with high heat outputs in gloss white and matt anthracite finishes.

**Addington Type21 Horizontal Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 588 x 600mm | 412 | 789 | 600W | A+ | 91.0043 | 570.00 | **684.00** |
| 588 x 800mm | 549 | 1051 | 600W | A+ | 91.0044 | 691.00 | **829.20** |
| 588 x 1000mm | 702 | 1344 | 600W | A+ | 91.0045 | 786.00 | **943.20** |
| 588 x 1200mm | 822 | 1573 | 600W | A+ | 91.0046 | 932.00 | **1118.40** |

**Addington Type21 Horizontal Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 588 x 600mm | 412 | 789 | 600W | A+ | 91.0047 | 570.00 | **684.00** |
| 588 x 800mm | 549 | 1051 | 600W | A+ | 91.0048 | 691.00 | **829.20** |
| 588 x 1000mm | 702 | 1344 | 600W | A+ | 91.0049 | 786.00 | **943.20** |
| 588 x 1200mm | 822 | 1573 | 600W | A+ | 91.0050 | 932.00 | **1118.40** |

**FEATURES**

- Tested to BS EN 442 standards
- Double profile construction with **one row of convector fins**
- Pre-fitted top grilles
- Maximum corrosion resistance
- Cataphoretic painting technology
- Can only be installed horizontally
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and 75mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Radiator Valves**
Page 350-365




**Round Vent Caps**
Page 369



# Designer Range

## WHILE STOCKS LAST

## ADDINGTON TYPE22 - HORIZONTAL




### Addington Type22 Horizontal Radiators - Gloss White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 292 x 1200mm | 706 | 1351 | N/A | N/A | 91.0055 | 553.00 | **663.60** |
| 588 x 600mm | 519 | 993 | 600W | A+ | 91.0051 | 607.00 | **728.40** |
| 588 x 800mm | 692 | 1325 | 600W | A+ | 91.0052 | 737.00 | **884.40** |
| 588 x 1000mm | 870 | 1665 | 600W | A+ | 91.0053 | 867.00 | **1040.40** |
| 588 x 1200mm | 1045 | 1998 | 600W | A+ | 91.0054 | 994.00 | **1192.80** |

### Addington Type22 Horizontal Radiators - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 292 x 1200mm | 706 | 1351 | N/A | N/A | 91.0060 | 553.00 | **663.60** |
| 588 x 600mm | 519 | 993 | 600W | A+ | 91.0056 | 607.00 | **728.40** |
| 588 x 800mm | 692 | 1325 | 600W | A+ | 91.0057 | 737.00 | **884.40** |
| 588 x 1000mm | 870 | 1665 | 600W | A+ | 91.0058 | 867.00 | **1040.40** |
| 588 x 1200mm | 1045 | 1998 | 600W | A+ | 91.0059 | 994.00 | **1192.80** |

**FEATURES**

- Tested to BS EN 442 standards
- Double profile construction with **two rows of convector fins**
- Pre-fitted top grilles
- Maximum corrosion resistance
- Cataphoretic painting technology
- Can only be installed horizontally
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and 85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Radiator Valves**
Page 350-365



**Round Vent Caps**
Page 369



# Designer Range

## ADDINGTON TYPE 20 - TOWEL RAILS




Pictured 91.0120 Gloss White



Double profile construction



1110mm High



1750mm High

A designer towel rail with high heat output, available in 2 heights in gloss white and matt anthracite colours.

**FEATURES**
- Tested to BS EN 442 standards
- Double profile construction
- Maximum corrosion resistance
- Cataphoretic painting technology
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 416-417

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 50mm less than the width of the rail and approx. 64mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Addington Type 20 Towel Rails - Gloss White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1110 x 500mm | 346 | 661 | 450W | A, A+, B, D, E, F, G | 91.0119 | 634.00 | **760.80** |
| 1750 x 500mm | 485 | 927 | 600W | A, A+, B, D, E, F, G | 91.0120 | 907.00 | **1088.40** |

**Addington Type 20 Towel Rails - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1110 x 500mm | 346 | 661 | 450W | A, A+, B, D, E, F, G | 91.0121 | 634.00 | **760.80** |
| 1750 x 500mm | 485 | 927 | 600W | A, A+, B, D, E, F, G | 91.0122 | 907.00 | **1088.40** |

* Further heat output information available on eastbrooktrade.com **E&OA**

**Radiator Valves**
Page 350-365



**Round Vent Caps**
Page 369



# Designer Range

## WHILE STOCKS LAST

## ADDINGTON TYPE 21 - TOWEL RAILS

Warranty 5 Year

Heating

All Electric

Dual-Fuel



Pictured 91.0125 Matt Anthracite



Double profile construction with one row of convector fins



1110mm High



1750mm High

A designer towel rail with high heat output, available in 2 heights in gloss white and matt anthracite colours.

**FEATURES**

- Tested to BS EN 442 standards
- Double profile construction with **one row of convector fins**
- Maximum corrosion resistance
- Cataphoretic painting technology
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 416-417

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 50mm less than the width of the rail and approx. 75mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Addington Type 21 Towel Rails - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1110 x 500mm | 440 | 841 | 600W | A, A+, B, D, E, F, G | 91.0123 | 746.00 | **895.20** |
| 1750 x 500mm | 603 | 1152 | 900W | A, A+, B, D, E, F, G | 91.0124 | 1054.00 | **1264.80** |

**Addington Type 21 Towel Rails - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1110 x 500mm | 440 | 841 | 600W | A, A+, B, D, E, F, G | 91.0125 | 746.00 | **895.20** |
| 1750 x 500mm | 603 | 1152 | 900W | A, A+, B, D, E, F, G | 91.0126 | 1054.00 | **1264.80** |

* Further heat output information available on eastbrooktrade.com **E&OA**

**Radiator Valves**
Page 350-365



**Round Vent Caps**
Page 369





# Compact Panel Range

Introducing our latest range of Compact Panel radiators. Offering a selection of approximately 200 sizes, you can be confident in discovering the ideal solution for efficient home heating that perfectly matches your space.

Contents


| | |
|---|---|
| Type 11 Compact Panel Radiator | 192 |
| Type 21 Compact Panel Radiator | 193 |
| Type 22 Compact Panel Radiator - **NEW SIZES** | 194-195 |
| Type 11, 21 & 22 Compact Panel Radiator, Matt Anthracite | 196 |
| Type 11, 21 & 22 Compact Panel Radiator, Matt Black | 197 |
| Type 22 Keynsham Radiator with Flat Cover, Available in 3 colours | 200 |
| Type 22 Keynsham Radiator with Lined Cover, Available in 3 colours | 201 |
| Flat Cover Plates, Available in 3 colours | 202 |
| Flat Cover Plates with Lines, Available in 3 colours | 203 |
| Compact Panel Radiator Towel Hangers, Available in 3 colours | 204 |
| Pipe Shrouds & Collar Kits, Available in 11 colours | 204 |




# Type 11 - Gloss White



## COMPACT PANEL TYPE 11 - GLOSS WHITE

| Height H | Width W | Heat Output ΔT30°C | | Heat Output ΔT50°C | | Water Content / Litres | Weight / Kg | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|---|---|---|
| mm | mm | Watts | BTU | Watts | BTU | | | | | |
| 300 | 400 | 104 | 355 | 201 | 688 | 0.68 | 3.91 | 25.0010 | 73.65 | **88.38** |
| | 500 | 130 | 444 | 252 | 860 | 0.85 | 4.64 | 25.0011 | 92.01 | **110.41** |
| | 600 | 156 | 532 | 302 | 1032 | 1.02 | 5.38 | 25.0012 | 110.43 | **132.51** |
| | 800 | 208 | 710 | 403 | 1375 | 1.36 | 6.93 | 25.0013 | 128.84 | **154.60** |
| | 1000 | 260 | 887 | 504 | 1719 | 1.70 | 8.41 | 25.0014 | 184.07 | **220.88** |
| | 1200 | 312 | 1065 | 604 | 2063 | 2.04 | 9.89 | 25.0015 | 220.88 | **265.05** |
| | 1400 | 364 | 1242 | 705 | 2407 | 2.38 | 11.44 | 25.0016 | 257.69 | **309.22** |
| | 1600 | 416 | 1420 | 806 | 2751 | 2.72 | 12.92 | 25.0017 | 294.49 | **353.38** |
| | 2000 | 520 | 1774 | 1007 | 3439 | 3.40 | 16.05 | 25.0018 | 368.12 | **441.74** |


Type 11 - Height 300mm

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 400 | 400 | 134 | 458 | 262 | 895 | 0.84 | 5.03 | 25.0019 | 94.99 | **113.98** |
| | 500 | 168 | 572 | 328 | 1118 | 1.05 | 6.02 | 25.0020 | 118.74 | **142.48** |
| | 600 | 201 | 686 | 393 | 1342 | 1.26 | 7.00 | 25.0021 | 142.47 | **170.96** |
| | 700 | 235 | 801 | 459 | 1566 | 1.50 | 7.98 | 25.0022 | 166.23 | **199.47** |
| | 800 | 268 | 915 | 524 | 1789 | 1.68 | 9.03 | 25.0023 | 189.95 | **227.94** |
| | 900 | 302 | 1030 | 590 | 2013 | 1.90 | 10.02 | 25.0024 | 213.71 | **256.45** |
| | 1000 | 335 | 1144 | 655 | 2237 | 2.10 | 11.00 | 25.0025 | 237.43 | **284.91** |
| | 1100 | 369 | 1258 | 721 | 2460 | 2.30 | 11.97 | 25.0026 | 261.17 | **313.40** |
| | 1200 | 402 | 1373 | 786 | 2684 | 2.52 | 12.95 | 25.0027 | 284.93 | **341.91** |
| | 1400 | 469 | 1602 | 917 | 3131 | 2.94 | 15.00 | 25.0028 | 332.42 | **398.90** |
| | 1600 | 536 | 1831 | 1048 | 3579 | 3.36 | 16.96 | 25.0029 | 379.90 | **455.88** |
| | 1800 | 603 | 2059 | 1179 | 4026 | 3.80 | 18.43 | 25.0030 | 427.39 | **512.86** |
| | 2000 | 670 | 2288 | 1310 | 4473 | 4.20 | 21.11 | 25.0031 | 474.89 | **569.86** |


Type 11 - Height 400mm

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 500 | 400 | 164 | 558 | 319 | 1089 | 1.04 | 6.18 | 25.0032 | 114.85 | **137.82** |
| | 500 | 204 | 698 | 399 | 1361 | 1.30 | 7.41 | 25.0033 | 143.58 | **172.29** |
| | 600 | 245 | 838 | 478 | 1634 | 1.56 | 8.64 | 25.0034 | 172.25 | **206.70** |
| | 700 | 286 | 977 | 558 | 1906 | 1.80 | 9.87 | 25.0035 | 201.03 | **241.23** |
| | 800 | 327 | 1117 | 638 | 2178 | 2.08 | 11.17 | 25.0036 | 229.72 | **275.66** |
| | 900 | 368 | 1256 | 718 | 2450 | 2.30 | 12.40 | 25.0037 | 258.42 | **310.10** |
| | 1000 | 409 | 1396 | 797 | 2723 | 2.60 | 13.64 | 25.0038 | 287.15 | **344.58** |
| | 1100 | 450 | 1536 | 877 | 2995 | 2.90 | 14.87 | 25.0039 | 315.85 | **379.02** |
| | 1200 | 491 | 1675 | 957 | 3267 | 3.12 | 16.10 | 25.0040 | 344.57 | **413.48** |
| | 1300 | 532 | 1815 | 1037 | 3539 | 3.40 | 17.40 | 25.0041 | 373.29 | **447.94** |
| | 1400 | 572 | 1954 | 1116 | 3812 | 3.64 | 18.63 | 25.0042 | 402.00 | **482.40** |
| | 1500 | 613 | 2094 | 1196 | 4084 | 3.90 | 19.87 | 25.0043 | 430.72 | **516.86** |
| | 1600 | 654 | 2233 | 1276 | 4356 | 4.16 | 21.10 | 25.0044 | 459.43 | **551.31** |
| | 1800 | 736 | 2513 | 1435 | 4901 | 4.70 | 23.83 | 25.0045 | 516.87 | **620.24** |
| | 2000 | 818 | 2792 | 1595 | 5445 | 5.20 | 26.29 | 25.0046 | 574.26 | **689.11** |


Type 11 - Height 500mm

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 400 | 193 | 660 | 375 | 1280 | 1.24 | 7.34 | 25.0047 | 133.71 | **160.45** |
| | 500 | 242 | 825 | 469 | 1600 | 1.55 | 8.82 | 25.0048 | 167.13 | **200.55** |
| | 600 | 290 | 989 | 562 | 1920 | 1.86 | 10.30 | 25.0049 | 200.56 | **240.67** |
| | 700 | 338 | 1154 | 656 | 2240 | 2.20 | 11.79 | 25.0050 | 233.99 | **280.78** |
| | 800 | 386 | 1319 | 750 | 2560 | 2.48 | 13.34 | 25.0051 | 267.40 | **320.88** |
| | 900 | 435 | 1484 | 843 | 2880 | 2.80 | 14.82 | 25.0052 | 300.85 | **361.02** |
| | 1000 | 483 | 1649 | 937 | 3200 | 3.10 | 16.30 | 25.0053 | 334.26 | **401.11** |
| | 1100 | 531 | 1814 | 1031 | 3520 | 3.40 | 17.78 | 25.0054 | 367.68 | **441.21** |
| | 1200 | 580 | 1979 | 1125 | 3840 | 3.72 | 19.27 | 25.0055 | 401.11 | **481.33** |
| | 1300 | 628 | 2144 | 1218 | 4159 | 4.00 | 20.82 | 25.0056 | 434.52 | **521.42** |
| | 1400 | 676 | 2309 | 1312 | 4479 | 4.34 | 22.30 | 25.0057 | 467.96 | **561.55** |
| | 1500 | 725 | 2474 | 1406 | 4799 | 4.70 | 23.78 | 25.0058 | 501.39 | **601.66** |
| | 1600 | 773 | 2639 | 1499 | 5119 | 4.96 | 25.26 | 25.0059 | 534.79 | **641.74** |
| | 1800 | 869 | 2968 | 1687 | 5759 | 5.60 | 28.55 | 25.0060 | 601.68 | **722.01** |
| | 2000 | 966 | 3298 | 1874 | 6399 | 6.20 | 31.51 | 25.0061 | 668.52 | **802.22** |


Type 11 - Height 600mm

Manufacturer's Warranty 10 Years

Central Heating System

UK CA CE



# Type 21 - Gloss White

## COMPACT PANEL TYPE 21 - GLOSS WHITE

| Height H | Width W | Heat Output ΔT30°C | | Heat Output ΔT50°C | | Water Content / Litres | Weight / Kg | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|---|---|---|
| mm | mm | Watts | BTU | Watts | BTU | | | | | |
| 400 | 400 | 189 | 646 | 372 | 1270 | 1.68 | 7.84 | 25.0078 | 145.17 | **174.20** |
| | 500 | 237 | 808 | 465 | 1587 | 2.10 | 9.51 | 25.0079 | 181.49 | **217.78** |
| | 600 | 284 | 969 | 558 | 1905 | 2.52 | 11.19 | 25.0080 | 217.79 | **261.34** |
| | 700 | 331 | 1131 | 651 | 2222 | 2.90 | 12.86 | 25.0081 | 254.07 | **304.88** |
| | 800 | 379 | 1293 | 744 | 2540 | 3.36 | 14.61 | 25.0082 | 290.39 | **348.46** |
| | 900 | 426 | 1454 | 837 | 2857 | 3.80 | 16.28 | 25.0083 | 326.69 | **392.02** |
| | 1000 | 473 | 1616 | 930 | 3175 | 4.20 | 17.95 | 25.0084 | 362.97 | **435.56** |
| | 1100 | 521 | 1777 | 1023 | 3492 | 4.60 | 19.61 | 25.0085 | 399.29 | **479.14** |
| | 1200 | 568 | 1939 | 1116 | 3810 | 5.04 | 21.27 | 25.0086 | 435.57 | **522.68** |
| | 1400 | 663 | 2262 | 1302 | 4445 | 5.88 | 24.72 | 25.0087 | 508.17 | **609.80** |
| | 1600 | 757 | 2585 | 1488 | 5080 | 6.72 | 28.07 | 25.0088 | 580.76 | **696.91** |
| | 1800 | 852 | 2908 | 1674 | 5715 | 7.60 | 30.19 | 25.0089 | 653.35 | **784.02** |
| | 2000 | 946 | 3231 | 1860 | 6350 | 8.40 | 34.99 | 25.0090 | 725.95 | **871.14** |



Type 21 - Height 400mm

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 500 | 400 | 226 | 770 | 444 | 1516 | 2.08 | 9.68 | 25.0091 | 173.43 | **208.11** |
| | 500 | 282 | 963 | 555 | 1895 | 2.60 | 11.79 | 25.0092 | 216.84 | **260.20** |
| | 600 | 338 | 1155 | 666 | 2274 | 3.12 | 13.89 | 25.0093 | 260.19 | **312.22** |
| | 700 | 395 | 1348 | 777 | 2653 | 3.60 | 15.99 | 25.0094 | 303.56 | **364.27** |
| | 800 | 451 | 1540 | 888 | 3032 | 4.16 | 18.16 | 25.0095 | 346.93 | **416.31** |
| | 900 | 508 | 1733 | 999 | 3411 | 4.70 | 20.27 | 25.0096 | 390.30 | **468.36** |
| | 1000 | 564 | 1925 | 1110 | 1417 | 5.20 | 22.37 | 25.0097 | 433.66 | **520.39** |
| | 1100 | 620 | 2118 | 1221 | 4168 | 5.70 | 24.47 | 25.0098 | 477.00 | **572.40** |
| | 1200 | 677 | 2310 | 1332 | 4547 | 6.24 | 26.58 | 25.0099 | 521.49 | **625.78** |
| | 1400 | 790 | 2696 | 1554 | 5305 | 7.28 | 30.85 | 25.0100 | 607.10 | **728.52** |
| | 1600 | 902 | 3081 | 1776 | 6063 | 8.32 | 35.06 | 25.0101 | 693.84 | **832.60** |
| | 1800 | 1015 | 3466 | 1998 | 6821 | 9.40 | 39.53 | 25.0102 | 780.58 | **936.69** |
| | 2000 | 1128 | 3851 | 2220 | 7579 | 10.40 | 43.74 | 25.0103 | 867.30 | **1040.76** |



Type 21 - Height 500mm

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 400 | 262 | 895 | 516 | 1761 | 2.48 | 11.55 | 25.0104 | 199.24 | **239.08** |
| | 500 | 328 | 1118 | 645 | 2201 | 3.10 | 14.08 | 25.0105 | 249.05 | **298.86** |
| | 600 | 393 | 1342 | 773 | 2641 | 3.72 | 16.61 | 25.0106 | 298.86 | **358.63** |
| | 700 | 459 | 1565 | 902 | 3081 | 4.30 | 19.14 | 25.0107 | 348.66 | **418.39** |
| | 800 | 524 | 1789 | 1031 | 3521 | 4.96 | 21.75 | 25.0108 | 398.45 | **478.14** |
| | 900 | 590 | 2013 | 1160 | 3961 | 5.60 | 24.28 | 25.0109 | 448.29 | **537.94** |
| | 1000 | 655 | 2236 | 1289 | 4401 | 6.20 | 26.81 | 25.0110 | 498.09 | **597.70** |
| | 1100 | 721 | 2460 | 1418 | 4841 | 6.80 | 29.34 | 25.0111 | 547.90 | **657.48** |
| | 1200 | 786 | 2684 | 1547 | 5282 | 7.44 | 31.87 | 25.0112 | 597.70 | **717.24** |
| | 1300 | 852 | 2907 | 1676 | 5722 | 8.10 | 34.48 | 25.0113 | 647.51 | **777.01** |
| | 1400 | 917 | 3131 | 1805 | 6162 | 8.68 | 37.01 | 25.0114 | 697.33 | **836.79** |
| | 1500 | 983 | 3355 | 1934 | 6602 | 9.30 | 39.54 | 25.0115 | 747.11 | **896.53** |
| | 1600 | 1048 | 3578 | 2063 | 7042 | 9.92 | 42.07 | 25.0116 | 796.93 | **956.31** |
| | 1800 | 1179 | 4026 | 2320 | 7922 | 11.20 | 47.45 | 25.0117 | 896.54 | **1075.84** |
| | 2000 | 1310 | 4473 | 2578 | 8803 | 12.40 | 52.52 | 25.0118 | 996.17 | **1195.40** |



Type 21 - Height 600mm

**FEATURES - TYPE 11 & 21 RADIATORS**

- Tested to BS EN 442 standards
- Manufactured in automatic production lines
- Hot water central heating systems only
- Max operating pressure 4 bars
- Complete with fitted top grill & side panels
- Radiators have 4 x 1/2" connections
- Powder coated in RAL 9016 Gloss White
- Installation kit included in packaging
- 10 Year Manufacturer's Warranty*


* With conditions

Manufacturer's Warranty 10 Years


Central Heating System

UK CA CE

**Flat Panel Covers**
Page 202



**Flat Panel Covers With Lines**
Page 203



**TECHNICAL INFORMATION (TYPE 11 & 21)**

All measurements in Height by Width. Heat outputs stated are based on ▲T30˚C & ▲T50˚C. Radiators are only suitable for two-pipe installations. Pipework installation is recommended after receipt of radiator. High quality mild steel material, 1.11mm thickness. Air vent and blanking plug included in installation kit. Tappings are the width of the radiator.

**Valves**
Page 350-365



# Type 22 - Gloss White



## COMPACT PANEL TYPE 22 - GLOSS WHITE

| Height H | Width W | Heat Output ΔT30°C | | Heat Output ΔT50°C | | Water Content / Litres | Weight / Kg | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|---|---|---|
| mm | mm | Watts | BTU | Watts | BTU | | | | | |
| 300 | 400 | 189 | 646 | 370 | 1264 | 1.36 | 6.68 | 25.0135 | 147.69 | **177.22** |
| | 600 | 284 | 970 | 555 | 1896 | 2.04 | 9.41 | 25.0136 | 221.55 | **265.86** |
| | 800 | 379 | 1293 | 740 | 2528 | 2.72 | 12.21 | 25.0137 | 295.39 | **354.46** |
| | 1000 | 473 | 1616 | 925 | 3160 | 3.40 | 14.93 | 25.0138 | 369.24 | **443.08** |
| | 1200 | 568 | 1939 | 1111 | 3792 | 4.08 | 17.66 | 25.0139 | 443.08 | **531.69** |
| | 1400 | 663 | 2263 | 1296 | 4423 | 4.76 | 20.46 | 25.0140 | 516.92 | **620.30** |
| | 1600 | 757 | 2586 | 1481 | 5055 | 5.44 | 23.19 | 25.0141 | 590.77 | **708.92** |
| | 2000 | 947 | 3232 | 1851 | 6319 | 6.80 | 28.82 | 25.0142 | 738.50 | **886.20** |
| 400 | 400 | 238 | 814 | 472 | 1611 | 1.68 | 8.80 | 25.0143 | 187.60 | **225.12** |
| | 500 | 298 | 1017 | 590 | 2014 | 2.10 | 10.65 | 25.0144 | 234.49 | **281.38** |
| | 600 | 358 | 1221 | 708 | 2417 | 2.52 | 12.49 | 25.0145 | 281.41 | **337.69** |
| | 700 | 417 | 1424 | 826 | 2820 | 2.90 | 14.34 | 25.0146 | 328.30 | **393.96** |
| | 800 | 477 | 1628 | 944 | 3222 | 3.36 | 16.25 | 25.0147 | 375.20 | **450.24** |
| | 900 | 536 | 1831 | 1062 | 3625 | 3.80 | 18.10 | 25.0148 | 422.11 | **506.53** |
| | 1000 | 596 | 2035 | 1180 | 4028 | 4.20 | 19.94 | 25.0149 | 468.97 | **562.76** |
| | 1100 | 656 | 2238 | 1298 | 4431 | 4.60 | 21.76 | 25.0150 | 515.91 | **619.09** |
| | 1200 | 715 | 2442 | 1416 | 4834 | 5.04 | 23.60 | 25.0151 | 562.79 | **675.34** |
| | 1400 | 834 | 2849 | 1652 | 5639 | 5.88 | 27.39 | 25.0152 | 656.57 | **787.88** |
| | 1600 | 954 | 3256 | 1888 | 6445 | 6.72 | 31.08 | 25.0153 | 750.37 | **900.44** |
| | 1800 | 1073 | 3663 | 2124 | 7250 | 7.60 | 33.53 | 25.0154 | 844.21 | **1013.05** |
| | 2000 | 1192 | 4070 | 2360 | 8056 | 8.40 | 38.67 | 25.0155 | 938.01 | **1125.61** |
| 500 | 400 | 287 | 978 | 567 | 1935 | 2.08 | 10.93 | 25.0156 | 224.40 | **269.28** |
| | 500 | 358 | 1223 | 708 | 2418 | 2.60 | 13.27 | 25.0157 | 280.52 | **336.62** |
| | 600 | 430 | 1468 | 850 | 2902 | 3.12 | 15.60 | 25.0158 | 336.61 | **403.93** |
| | 700 | 501 | 1712 | 992 | 3386 | 3.60 | 17.93 | 25.0159 | 392.72 | **471.26** |
| | 800 | 573 | 1957 | 1133 | 3869 | 4.16 | 20.34 | 25.0160 | 448.84 | **538.60** |
| | 900 | 645 | 2201 | 1275 | 4353 | 4.70 | 22.67 | 25.0161 | 504.91 | **605.89** |
| | 1000 | 716 | 2446 | 1417 | 4837 | 5.20 | 25.01 | 25.0162 | 561.05 | **673.26** |
| | 1100 | 788 | 2691 | 1558 | 5320 | 5.70 | 27.34 | 25.0163 | 617.14 | **740.56** |
| | 1200 | 860 | 2935 | 1700 | 5804 | 6.24 | 29.67 | 25.0164 | 673.24 | **807.88** |
| | 1300 | 931 | 3180 | 1842 | 6288 | 6.80 | 32.08 | 25.0165 | 729.33 | **875.19** |
| | 1400 | 1003 | 3424 | 1983 | 6771 | 7.28 | 34.41 | 25.0166 | 785.43 | **942.51** |
| | 1500 | 1075 | 3669 | 2125 | 7255 | 7.80 | 36.75 | 25.0167 | 841.55 | **1009.86** |
| | 1600 | 1146 | 3914 | 2267 | 7739 | 8.32 | 39.08 | 25.0168 | 897.62 | **1077.14** |
| | 1800 | 1290 | 4403 | 2550 | 8706 | 9.40 | 44.02 | 25.0169 | 1009.83 | **1211.79** |
| | 2000 | 1433 | 4892 | 2833 | 9674 | 10.40 | 48.69 | 25.0170 | 1122.05 | **1346.46** |


Type 22 - Height 300mm


Type 22 - Height 400mm


Type 22 - Height 500mm

**FEATURES - TYPE 22 RADIATORS**
- Tested to BS EN 442 standards
- Manufactured in automatic production lines
- Hot water central heating systems only
- Max operating pressure 4 bars
- Complete with fitted top grill & side panels
- Radiators have 4 x 1/2" connections
- Powder coated in RAL 9016 Gloss White
- Installation kit included in packaging
- 10 Year Manufacturer's Warranty*


* With conditions

Manufacturer's Warranty 10 Years


Central Heating System

UK CA CE

**Flat Panel Covers**
Page 202



**Flat Panel Covers With Lines**
Page 203



**TECHNICAL INFORMATION (TYPE 22)**

All measurements in Height by Width. Heat outputs stated are based on ▲T30˚C & ▲T50˚C. Radiators are only suitable for two-pipe installations. Pipework installation is recommended after receipt of radiator. High quality mild steel material, 1.11mm thickness. Air vent and blanking plug included in installation kit. Tappings are the width of the radiator.

**Valves**
Page 350-365



# Type 22 - Gloss White

## COMPACT PANEL TYPE 22 - GLOSS WHITE

| Height H | Width W | Heat Output ΔT30°C | | Heat Output ΔT50°C | | Water Content / Litres | Weight / Kg | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|---|---|---|
| mm | mm | Watts | BTU | Watts | BTU | | | | | |
| 600 | 400 | 335 | 1143 | 660 | 2253 | 2.48 | 13.05 | 25.0171 | 258.28 | **309.93** |
| | 500 | 419 | 1429 | 825 | 2816 | 3.10 | 15.89 | 25.0172 | 322.83 | **387.39** |
| | 600 | 502 | 1715 | 990 | 3380 | 3.72 | 18.72 | 25.0173 | 387.44 | **464.92** |
| | 700 | 586 | 2001 | 1155 | 3943 | 4.30 | 21.55 | 25.0174 | 451.97 | **542.36** |
| | 800 | 670 | 2287 | 1320 | 4506 | 4.96 | 24.45 | 25.0175 | 516.56 | **619.87** |
| | 900 | 754 | 2573 | 1485 | 5070 | 5.60 | 27.28 | 25.0176 | 581.12 | **697.34** |
| | 1000 | 837 | 2859 | 1650 | 5633 | 6.20 | 30.10 | 25.0177 | 645.69 | **774.82** |
| | 1100 | 921 | 3145 | 1815 | 6196 | 6.80 | 32.93 | 25.0178 | 710.27 | **852.32** |
| | 1200 | 1005 | 3430 | 1980 | 6760 | 7.44 | 35.76 | 25.0179 | 774.84 | **929.80** |
| | 1300 | 1088 | 3716 | 2145 | 7323 | 8.10 | 38.66 | 25.0180 | 818.74 | **982.48** |
| | 1400 | 1172 | 4002 | 2310 | 7886 | 8.68 | 41.49 | 25.0181 | 903.97 | **1084.76** |
| | 1500 | 1256 | 4288 | 2475 | 8449 | 9.30 | 44.31 | 25.0182 | 968.54 | **1162.24** |
| | 1600 | 1340 | 4574 | 2640 | 9013 | 9.92 | 47.14 | 25.0183 | 1033.13 | **1239.75** |
| | 1800 | 1507 | 5146 | 2970 | 10139 | 11.20 | 53.12 | 25.0184 | 1162.27 | **1394.72** |
| | 2000 | 1675 | 5717 | 3300 | 11266 | 12.40 | 58.77 | 25.0185 | 1291.41 | **1549.69** |



Type 22 - Height 600mm

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 750 | 400 | 398 | 1360 | 786 | 2682 | 3.68 | 17.13 | 25.0202 | 288.15 | **345.78** |
| | 500 | 498 | 1700 | 982 | 3353 | 4.42 | 21.30 | 25.0203 | 360.22 | **432.26** |
| | 600 | 598 | 2040 | 1178 | 4024 | 5.15 | 25.84 | 25.0204 | 432.30 | **518.76** |
| | 800 | 797 | 2720 | 1571 | 5365 | 5.89 | 34.92 | 25.0205 | 576.29 | **691.54** |
| | 1000 | 996 | 3400 | 1964 | 6706 | 7.36 | 43.40 | 25.0206 | 720.44 | **864.52** |
| | 1200 | 1195 | 4080 | 2357 | 8047 | 8.83 | 51.98 | 25.0207 | 864.59 | **1037.50** |



Type 22 - Height 750mm

NEW




Pictured 25.0181 Gloss White

# Type 11, 21 & 22 - Matt Anthracite

## COMPACT PANEL TYPE 11 - MATT ANTHRACITE

| Height H | Width W | Heat Output ΔT30°C | | Heat Output ΔT50°C | | Water Content / Litres | Weight / Kg | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|---|---|---|
| mm | mm | Watts | BTU | Watts | BTU | | | | | |
| 600 | 400 | 193 | 660 | 375 | 1280 | 1.24 | 7.34 | 25.0062 | 147.08 | **176.49** |
| | 600 | 290 | 989 | 562 | 1920 | 1.86 | 10.30 | 25.0063 | 220.62 | **264.74** |
| | 800 | 386 | 1319 | 750 | 2560 | 2.48 | 13.34 | 25.0064 | 294.14 | **352.96** |
| | 1000 | 483 | 1649 | 937 | 3200 | 3.10 | 16.30 | 25.0065 | 367.69 | **441.22** |
| | 1200 | 580 | 1979 | 1125 | 3840 | 3.72 | 19.27 | 25.0066 | 441.22 | **529.46** |
| | 1400 | 676 | 2309 | 1312 | 4479 | 4.34 | 22.30 | 25.0067 | 514.75 | **617.70** |
| | 1600 | 773 | 2639 | 1499 | 5119 | 4.96 | 25.26 | 25.0068 | 588.26 | **705.91** |
| | 1800 | 869 | 2968 | 1687 | 5759 | 5.60 | 28.55 | 25.0069 | 661.85 | **794.22** |


Type 11 - Height 600mm

## COMPACT PANEL TYPE 21 - MATT ANTHRACITE

| Height H | Width W | Heat Output ΔT30°C | | Heat Output ΔT50°C | | Water Content / Litres | Weight / Kg | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|---|---|---|
| mm | mm | Watts | BTU | Watts | BTU | | | | | |
| 600 | 400 | 262 | 895 | 516 | 1761 | 2.48 | 11.55 | 25.0119 | 219.16 | **262.99** |
| | 600 | 393 | 1342 | 773 | 2641 | 3.72 | 16.61 | 25.0120 | 328.74 | **394.48** |
| | 800 | 524 | 1789 | 1031 | 3521 | 4.96 | 21.75 | 25.0121 | 438.30 | **525.96** |
| | 1000 | 655 | 2236 | 1289 | 4401 | 6.20 | 26.81 | 25.0122 | 547.89 | **657.46** |
| | 1200 | 786 | 2684 | 1547 | 5282 | 7.44 | 31.87 | 25.0123 | 657.47 | **788.96** |
| | 1400 | 917 | 3131 | 1805 | 6162 | 8.68 | 37.01 | 25.0124 | 767.07 | **920.48** |
| | 1600 | 1048 | 3578 | 2063 | 7042 | 9.92 | 42.07 | 25.0125 | 876.61 | **1051.93** |
| | 1800 | 1179 | 4026 | 2320 | 7922 | 11.20 | 47.45 | 25.0126 | 986.19 | **1183.42** |


Type 21 - Height 600mm

## COMPACT PANEL TYPE 22 - MATT ANTHRACITE

| Height H | Width W | Heat Output ΔT30°C | | Heat Output ΔT50°C | | Water Content / Litres | Weight / Kg | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|---|---|---|
| mm | mm | Watts | BTU | Watts | BTU | | | | | |
| 600 | 400 | 335 | 1143 | 660 | 2253 | 2.48 | 13.07 | 25.0186 | 284.10 | **340.92** |
| | 600 | 502 | 1715 | 990 | 3380 | 3.72 | 18.72 | 25.0187 | 426.18 | **511.41** |
| | 800 | 670 | 2287 | 1320 | 4506 | 4.96 | 24.45 | 25.0188 | 568.22 | **681.86** |
| | 1000 | 837 | 2859 | 1650 | 5633 | 6.20 | 30.10 | 25.0189 | 710.26 | **852.31** |
| | 1200 | 1005 | 3430 | 1980 | 6760 | 7.44 | 35.76 | 25.0190 | 852.33 | **1022.79** |
| | 1400 | 1172 | 4002 | 2310 | 7886 | 8.68 | 41.49 | 25.0191 | 994.36 | **1193.23** |
| | 1600 | 1340 | 4574 | 2640 | 9013 | 9.92 | 47.14 | 25.0192 | 1136.44 | **1363.72** |
| | 1800 | 1507 | 5146 | 2970 | 10139 | 11.20 | 53.12 | 25.0193 | 1278.49 | **1534.18** |


Type 22 - Height 600mm

**FEATURES - TYPE 11, 21 & 22 RADIATORS**

- Tested to BS EN 442 standards
- Manufactured in automatic production lines
- Hot water central heating systems only
- Max operating pressure 4 bars
- Complete with fitted top grill & side panels
- Radiators have 4 x 1/2" connections
- Installation kit included in packaging
- Powder coated in RAL 9016 Gloss White or Matt Anthracite special colour mixture (closest colour RAL 7016 Matt)
- 10 Year Manufacturer's Warranty*

* With conditions

Manufacturer's Warranty 10 Years


Heating

UK CA CE

**Flat Panel Covers**
Page 202



**Flat Panel Covers With Lines**
Page 203



**TECHNICAL INFORMATION (TYPE 11, 21 & 22)**

All measurements in Height by Width. Heat outputs stated are based on ▲T30˚C & ▲T50˚C. Radiators are only suitable for two-pipe installations. Pipework installation is recommended after receipt of radiator. High quality mild steel material, 1.11mm thickness. Air vent and blanking plug included in installation kit. Tappings are the width of the radiator.

**Valves**
Page 350-365



# Type 11, 21 & 22 - Matt Black

## COMPACT PANEL TYPE 11 - MATT BLACK

| Height H | Width W | Heat Output ΔT30°C | | Heat Output ΔT50°C | | Water Content / Litres | Weight / Kg | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|---|---|---|
| mm | mm | Watts | BTU | Watts | BTU | | | | | |
| 600 | 400 | 193 | 660 | 375 | 1280 | 1.24 | 7.34 | 25.0070 | 147.08 | **176.49** |
| | 600 | 290 | 989 | 562 | 1920 | 1.86 | 10.30 | 25.0071 | 220.62 | **264.74** |
| | 800 | 386 | 1319 | 750 | 2560 | 2.48 | 13.34 | 25.0072 | 294.14 | **352.96** |
| | 1000 | 483 | 1649 | 937 | 3200 | 3.10 | 16.30 | 25.0073 | 367.69 | **441.22** |
| | 1200 | 580 | 1979 | 1125 | 3840 | 3.72 | 19.27 | 25.0074 | 441.22 | **529.46** |
| | 1400 | 676 | 2309 | 1312 | 4479 | 4.34 | 22.30 | 25.0075 | 514.75 | **617.70** |
| | 1600 | 773 | 2639 | 1499 | 5119 | 4.96 | 25.26 | 25.0076 | 588.26 | **705.91** |
| | 1800 | 869 | 2968 | 1687 | 5759 | 5.60 | 28.55 | 25.0077 | 661.85 | **794.22** |


Type 11 - Height 600mm

## COMPACT PANEL TYPE 21 - MATT BLACK

| Height H | Width W | Heat Output ΔT30°C | | Heat Output ΔT50°C | | Water Content / Litres | Weight / Kg | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|---|---|---|
| mm | mm | Watts | BTU | Watts | BTU | | | | | |
| 600 | 400 | 262 | 895 | 516 | 1761 | 2.48 | 11.55 | 25.0127 | 219.16 | **262.99** |
| | 600 | 393 | 1342 | 773 | 2641 | 3.72 | 16.61 | 25.0128 | 328.74 | **394.48** |
| | 800 | 524 | 1789 | 1031 | 3521 | 4.96 | 21.75 | 25.0129 | 438.30 | **525.96** |
| | 1000 | 655 | 2236 | 1289 | 4401 | 6.20 | 26.81 | 25.0130 | 547.89 | **657.46** |
| | 1200 | 786 | 2684 | 1547 | 5282 | 7.44 | 31.87 | 25.0131 | 657.47 | **788.96** |
| | 1400 | 917 | 3131 | 1805 | 6162 | 8.68 | 37.01 | 25.0132 | 767.07 | **920.48** |
| | 1600 | 1048 | 3578 | 2063 | 7042 | 9.92 | 42.07 | 25.0133 | 876.61 | **1051.93** |
| | 1800 | 1179 | 4026 | 2320 | 7922 | 11.20 | 47.45 | 25.0134 | 986.19 | **1183.42** |


Type 21 - Height 600mm

## COMPACT PANEL TYPE 22 - MATT BLACK

| Height H | Width W | Heat Output ΔT30°C | | Heat Output ΔT50°C | | Water Content / Litres | Weight / Kg | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|---|---|---|
| mm | mm | Watts | BTU | Watts | BTU | | | | | |
| 600 | 400 | 335 | 1143 | 660 | 2253 | 2.48 | 13.07 | 25.0194 | 284.10 | **340.92** |
| | 600 | 502 | 1715 | 990 | 3380 | 3.72 | 18.72 | 25.0195 | 426.18 | **511.41** |
| | 800 | 670 | 2287 | 1320 | 4506 | 4.96 | 24.45 | 25.0196 | 568.22 | **681.86** |
| | 1000 | 837 | 2859 | 1650 | 5633 | 6.20 | 30.10 | 25.0197 | 710.26 | **852.31** |
| | 1200 | 1005 | 3430 | 1980 | 6760 | 7.44 | 35.76 | 25.0198 | 852.33 | **1022.79** |
| | 1400 | 1172 | 4002 | 2310 | 7886 | 8.68 | 41.49 | 25.0199 | 994.36 | **1193.23** |
| | 1600 | 1340 | 4574 | 2640 | 9013 | 9.92 | 47.14 | 25.0200 | 1136.44 | **1363.72** |
| | 1800 | 1507 | 5146 | 2970 | 10139 | 11.20 | 53.12 | 25.0201 | 1278.49 | **1534.18** |


Type 22 - Height 600mm

**FEATURES - TYPE 11, 21 & 22 RADIATORS**

- Tested to BS EN 442 standards
- Manufactured in automatic production lines
- Hot water central heating systems only
- Max operating pressure 4 bars
- Complete with fitted top grill & side panels
- Radiators have 4 x 1/2" connections
- Installation kit included in packaging
- Powder coated in RAL 9016 Gloss White or RAL 9005 Matt Black
- 10 Year Manufacturer's Warranty*

* With conditions

Manufacturer's Warranty 10 Years


Heating

UK CA CE

**Flat Panel Covers**
Page 202



**Flat Panel Covers With Lines**
Page 203



**TECHNICAL INFORMATION (TYPE 11, 21 & 22)**


All measurements in Height by Width. Heat outputs stated are based on ▲T30˚C & ▲T50˚C. Radiators are only suitable for two-pipe installations. Pipework installation is recommended after receipt of radiator. High quality mild steel material, 1.11mm thickness. Air vent and blanking plug included in installation kit. Tappings are the width of the radiator.

**Valves**
Page 350-365



# Technical Information


## Type 11 - Technical Drawing




| Height H (mm.) | Horizontal Tappings L (mm.) | Vertical Tappings B (mm.) | Radiator Depth C (mm.) | Tappings from Wall D (mm.) |
|---|---|---|---|---|
| 300 | W | 245 | 50 | 38 / 50 |
| 400 | W | 345 | 50 | 38 / 50 |
| 500 | W | 445 | 50 | 38 / 50 |
| 600 | W | 545 | 50 | 38 / 50 |

* Radiators have 4 tappings in total.


## Type 21 - Technical Drawing




| Height H (mm.) | Horizontal Tappings L (mm.) | Vertical Tappings B (mm.) | Radiator Depth C (mm.) | Tappings from Wall D (mm.) |
|---|---|---|---|---|
| 400 | W | 345 | 70 | 56 / 68 |
| 500 | W | 445 | 70 | 56 / 68 |
| 600 | W | 545 | 70 | 56 / 68 |

* Radiators have 4 tappings in total.


## Type 22 - Technical Drawing




| Height H (mm.) | Horizontal Tappings L (mm.) | Vertical Tappings B (mm.) | Radiator Depth C (mm.) | Tappings from Wall D (mm.) |
|---|---|---|---|---|
| 300 | W | 245 | 102 | 72 / 84 |
| 400 | W | 345 | 102 | 72 / 84 |
| 500 | W | 445 | 102 | 72 / 84 |
| 600 | W | 545 | 102 | 72 / 84 |
| 750 | W | 695 | 102 | 72 / 84 |

* Radiators have 4 tappings in total.

## Wall Brackets





| Radiator Height (mm.) | Bracket Length F (mm.) | Bracket Drilling Centre E (mm.) | Wall Bracket Code for 2 pcs | Wall Bracket Code for 3 pcs | Wall Bracket Quantity | |
|---|---|---|---|---|---|---|
| | | | | | 2 pieces | 3 pieces |
| 300 | 108 | - | 25.9001 | 25.9005 | Radiator Width 400 to 1600mm | Radiator Width 1800 to 2000mm |
| 400 | 210 | 99 | 25.9002 | 25.9006 | | |
| 500 | 309 | 198 | 25.9003 | 25.9007 | | |
| 600 | 407 | 296 | 25.9004 | 25.9008 | | |

*All wall brackets for all colour radiators come in galvanised colour (nickel).

All radiators come with wall fixings and wall brackets. Wall Bracket codes are stated above for spare part requests.


## Bracket Positioning




| Radiator Width W (mm.) | Type 11 / Type 21 / Type 22 | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | a (mm.) | b (mm.) | c (mm.) | | d (mm.) | | e (mm.) | f (mm.) |
| | | | Type 11 | Type 21 / 22 | Type 11 | Type 21 / 22 | | |
| 400 - 1600 | W - 266.6 | - | 117 | 133.3 | 117 | 133.3 | - | - |
| 1800 - 2000 | (W / 2) - 133.3 | (W / 2) - 133.3 | 133.3 | | 133.3 | | W / 2 | W / 2 |

# Technical Imagery

**Connection Options for Compact Panel Radiators**





Pictured 25.7021 Gloss White



Pictured 25.0191 Matt Anthracite Panel Radiator with 25.5125 with Lined Cover

# Type 22 Keynsham Radiator with Flat Cover



Pictured 25.7005 Gloss White

Introducing Type 22 Keynsham Radiator; a compact panel radiator paired with an ultra-modern design cover. The cover is incredibly easy to fit, enhancing the style of the radiator. Available in three stunning colours.


**FEATURES - TYPE 22 KEYNSHAM RADIATORS**

- Tested to BS EN 442 standards
- Manufactured in automatic production lines
- Hot water central heating systems only
- Max operating pressure 4 bars
- Radiators come complete with fitted top grill & side panels
- Remove radiator's top grill & side panels to fit cover
- Radiators have 4 x 1/2" connections
- Radiator fixing kit included in packaging
- Powder coated in RAL 9016 Gloss White, Matt Anthracite or RAL 9005 Matt Black
- 10 Year Manufacturer's Warranty*

* With conditions

**TECHNICAL INFORMATION (TYPE 22 RADIATOR)**

All measurements in Height by Width. Heat outputs stated are based on ▲T30˚C & ▲T50˚C. Radiators are only suitable for two-pipe installations. Pipework installation is recommended after receipt of radiator. High quality mild steel material, 1.11mm thickness. Air vent and blanking plug included in installation kit. Tappings are the width of the radiator.




## KEYNSHAM PANEL RADIATOR - GLOSS WHITE

| Height H | Width W | Heat Output ΔT30°C | | Heat Output ΔT50°C | | Water Content / Litres | Weight / Kg | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|---|---|---|
| mm | mm | Watts | BTU | Watts | BTU | | | | | |
| 600 | 400 | 335 | 1143 | 660 | 2253 | 2.48 | 15.57 | 25.7000 | 545.28 | **654.33** |
| | 500 | 419 | 1429 | 825 | 2816 | 3.10 | 18.89 | 25.7001 | 635.83 | **762.99** |
| | 600 | 502 | 1715 | 990 | 3380 | 3.72 | 22.12 | 25.7002 | 728.44 | **874.12** |
| | 800 | 670 | 2287 | 1320 | 4506 | 4.96 | 28.75 | 25.7003 | 870.56 | **1044.67** |
| | 1000 | 837 | 2859 | 1650 | 5633 | 6.20 | 35.40 | 25.7004 | 1046.69 | **1256.02** |
| | 1200 | 1005 | 3430 | 1980 | 6760 | 7.44 | 41.96 | 25.7005 | 1228.84 | **1474.60** |


Radiator & Cover - Gloss White

## KEYNSHAM PANEL RADIATOR - MATT ANTHRACITE

| Height H | Width W | Heat Output ΔT30°C | | Heat Output ΔT50°C | | Water Content / Litres | Weight / Kg | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|---|---|---|
| mm | mm | Watts | BTU | Watts | BTU | | | | | |
| 600 | 400 | 335 | 1143 | 660 | 2253 | 2.48 | 15.57 | 25.7006 | 599.10 | **718.92** |
| | 600 | 502 | 1715 | 990 | 3380 | 3.72 | 22.12 | 25.7007 | 800.18 | **960.21** |
| | 800 | 670 | 2287 | 1320 | 4506 | 4.96 | 28.75 | 25.7008 | 957.22 | **1148.66** |
| | 1000 | 837 | 2859 | 1650 | 5633 | 6.20 | 35.40 | 25.7009 | 1151.26 | **1381.51** |
| | 1200 | 1005 | 3430 | 1980 | 6760 | 7.44 | 41.96 | 25.7010 | 1351.33 | **1621.59** |


Radiator & Cover - Matt Anthracite

## KEYNSHAM PANEL RADIATOR - MATT BLACK

| Height H | Width W | Heat Output ΔT30°C | | Heat Output ΔT50°C | | Water Content / Litres | Weight / Kg | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|---|---|---|
| mm | mm | Watts | BTU | Watts | BTU | | | | | |
| 600 | 400 | 335 | 1143 | 660 | 2253 | 2.48 | 15.57 | 25.7011 | 599.10 | **718.92** |
| | 600 | 502 | 1715 | 990 | 3380 | 3.72 | 22.12 | 25.7012 | 800.18 | **960.21** |
| | 800 | 670 | 2287 | 1320 | 4506 | 4.96 | 28.75 | 25.7013 | 957.22 | **1148.66** |
| | 1000 | 837 | 2859 | 1650 | 5633 | 6.20 | 35.40 | 25.7014 | 1151.26 | **1381.51** |
| | 1200 | 1005 | 3430 | 1980 | 6760 | 7.44 | 41.96 | 25.7015 | 1351.33 | **1621.59** |


Radiator & Cover - Matt Black

# Type 22 Keynsham Radiator with Lined Cover



Pictured 25.7020 Matt Anthracite

Introducing Type 22 Keynsham Radiator; a compact panel radiator paired with an ultra-modern design cover. The cover is incredibly easy to fit, enhancing the style of the radiator. Available in three stunning colours.

**FEATURES - TYPE 22 KEYNSHAM RADIATORS**

- Tested to BS EN 442 standards
- Manufactured in automatic production lines
- Hot water central heating systems only
- Max operating pressure 4 bars
- Radiators come complete with fitted top grill & side panels
- Remove radiator's top grill & side panels to fit cover
- Radiators have 4 x 1/2" connections
- Radiator fixing kit included in packaging
- Powder coated in RAL 9016 Gloss White, Matt Anthracite or RAL 9005 Matt Black
- 10 Year Manufacturer's Warranty*

* With conditions

**TECHNICAL INFORMATION (TYPE 22 RADIATOR)**

All measurements in Height by Width. Heat outputs stated are based on ▲T30˚C & ▲T50˚C. Radiators are only suitable for two-pipe installations. Pipework installation is recommended after receipt of radiator. High quality mild steel material, 1.11mm thickness. Air vent and blanking plug included in installation kit. Tappings are the width of the radiator.

Manufacturer's Warranty 10 Years | Heating | UK CA CE

## KEYNSHAM PANEL RADIATOR - GLOSS WHITE

| Height H | Width W | Heat Output ΔT30°C | | Heat Output ΔT50°C | | Water Content / Litres | Weight / Kg | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|---|---|---|
| mm | mm | Watts | BTU | Watts | BTU | | | | | |
| 600 | 400 | 335 | 1143 | 660 | 2253 | 2.48 | 15.57 | 25.7016 | 556.28 | **667.53** |
| | 500 | 419 | 1429 | 825 | 2816 | 3.10 | 18.89 | 25.7017 | 646.83 | **776.19** |
| | 600 | 502 | 1715 | 990 | 3380 | 3.72 | 22.12 | 25.7018 | 738.44 | **886.12** |
| | 800 | 670 | 2287 | 1320 | 4506 | 4.96 | 28.75 | 25.7019 | 881.56 | **1057.87** |
| | 1000 | 837 | 2859 | 1650 | 5633 | 6.20 | 35.40 | 25.7020 | 1056.69 | **1268.02** |
| | 1200 | 1005 | 3430 | 1980 | 6760 | 7.44 | 41.96 | 25.7021 | 1239.84 | **1487.80** |


Radiator & Cover - Gloss White

## KEYNSHAM PANEL RADIATOR - MATT ANTHRACITE

| Height H | Width W | Heat Output ΔT30°C | | Heat Output ΔT50°C | | Water Content / Litres | Weight / Kg | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|---|---|---|
| mm | mm | Watts | BTU | Watts | BTU | | | | | |
| 600 | 400 | 335 | 1143 | 660 | 2253 | 2.48 | 15.57 | 25.7022 | 611.10 | **733.32** |
| | 600 | 502 | 1715 | 990 | 3380 | 3.72 | 22.12 | 25.7023 | 812.18 | **974.61** |
| | 800 | 670 | 2287 | 1320 | 4506 | 4.96 | 28.75 | 25.7024 | 969.22 | **1163.06** |
| | 1000 | 837 | 2859 | 1650 | 5633 | 6.20 | 35.40 | 25.7025 | 1163.26 | **1395.91** |
| | 1200 | 1005 | 3430 | 1980 | 6760 | 7.44 | 41.96 | 25.7026 | 1363.33 | **1635.99** |


Radiator & Cover - Matt Anthracite

## KEYNSHAM PANEL RADIATOR - MATT BLACK

| Height H | Width W | Heat Output ΔT30°C | | Heat Output ΔT50°C | | Water Content / Litres | Weight / Kg | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|---|---|---|
| mm | mm | Watts | BTU | Watts | BTU | | | | | |
| 600 | 400 | 335 | 1143 | 660 | 2253 | 2.48 | 15.57 | 25.7027 | 611.10 | **733.32** |
| | 600 | 502 | 1715 | 990 | 3380 | 3.72 | 22.12 | 25.7028 | 812.18 | **974.61** |
| | 800 | 670 | 2287 | 1320 | 4506 | 4.96 | 28.75 | 25.7029 | 969.22 | **1163.06** |
| | 1000 | 837 | 2859 | 1650 | 5633 | 6.20 | 35.40 | 25.7030 | 1163.26 | **1395.91** |
| | 1200 | 1005 | 3430 | 1980 | 6760 | 7.44 | 41.96 | 25.7031 | 1363.33 | **1635.99** |



Radiator & Cover - Matt Black


# Flat Cover Plates










## FLAT COVER PLATES - GLOSS WHITE

| Height H mm | Width W mm | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 300 | 400 | 25.5000 | 252.00 | **302.40** |
| | 500 | 25.5001 | 265.00 | **318.00** |
| | 600 | 25.5002 | 279.00 | **334.80** |
| | 800 | 25.5003 | 305.00 | **366.00** |
| | 1000 | 25.5004 | 331.00 | **397.20** |
| | 1200 | 25.5005 | 357.00 | **428.40** |
| | 1400 | 25.5006 | 411.00 | **493.20** |
| | 1600 | 25.5007 | 437.00 | **524.40** |
| | 2000 | 25.5008 | 490.00 | **588.00** |

| Height H mm | Width W mm | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 400 | 400 | 25.5009 | 264.00 | **316.80** |
| | 500 | 25.5010 | 281.00 | **337.20** |
| | 600 | 25.5011 | 297.00 | **356.40** |
| | 700 | 25.5012 | 312.00 | **374.40** |
| | 800 | 25.5013 | 329.00 | **394.80** |
| | 900 | 25.5014 | 345.00 | **414.00** |
| | 1000 | 25.5015 | 361.00 | **433.20** |
| | 1100 | 25.5016 | 377.00 | **452.40** |
| | 1200 | 25.5017 | 393.00 | **471.60** |
| | 1400 | 25.5018 | 453.00 | **543.60** |
| | 1600 | 25.5019 | 486.00 | **583.20** |
| | 1800 | 25.5020 | 517.00 | **620.40** |
| | 2000 | 25.5021 | 550.00 | **660.00** |

Flat Cover Plate installation video

Quick & Easy!

| Height H mm | Width W mm | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 500 | 400 | 25.5022 | 277.00 | **332.40** |
| | 500 | 25.5023 | 296.00 | **355.20** |
| | 600 | 25.5024 | 315.00 | **378.00** |
| | 700 | 25.5025 | 334.00 | **400.80** |
| | 800 | 25.5026 | 353.00 | **423.60** |
| | 900 | 25.5027 | 372.00 | **446.40** |
| | 1000 | 25.5028 | 391.00 | **469.20** |
| | 1100 | 25.5029 | 410.00 | **492.00** |
| | 1200 | 25.5030 | 430.00 | **516.00** |
| | 1300 | 25.5031 | 476.00 | **571.20** |
| | 1400 | 25.5032 | 495.00 | **594.00** |
| | 1500 | 25.5033 | 514.00 | **616.80** |
| | 1600 | 25.5034 | 533.00 | **639.60** |
| | 1800 | 25.5035 | 572.00 | **686.40** |
| | 2000 | 25.5036 | 609.00 | **730.80** |

| Height H mm | Width W mm | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600 | 400 | 25.5037 | 288.00 | **345.60** |
| | 500 | 25.5038 | 310.00 | **372.00** |
| | 600 | 25.5039 | 332.00 | **398.40** |
| | 700 | 25.5040 | 353.00 | **423.60** |
| | 800 | 25.5041 | 375.00 | **450.00** |
| | 900 | 25.5042 | 397.00 | **476.40** |
| | 1000 | 25.5043 | 409.00 | **490.80** |
| | 1100 | 25.5044 | 440.00 | **528.00** |
| | 1200 | 25.5045 | 462.00 | **554.40** |
| | 1300 | 25.5046 | 512.00 | **614.40** |
| | 1400 | 25.5047 | 534.00 | **640.80** |
| | 1500 | 25.5048 | 555.00 | **666.00** |
| | 1600 | 25.5049 | 577.00 | **692.40** |
| | 1800 | 25.5050 | 620.00 | **744.00** |
| | 2000 | 25.5051 | 664.00 | **796.80** |

## FLAT COVER PLATES - MATT ANTHRACITE

| Height H mm | Width W mm | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600 | 400 | 25.5052 | 288.00 | **345.60** |
| | 600 | 25.5053 | 332.00 | **398.40** |
| | 800 | 25.5054 | 375.00 | **450.00** |
| | 1000 | 25.5055 | 409.00 | **490.80** |
| | 1200 | 25.5056 | 462.00 | **554.40** |
| | 1400 | 25.5057 | 534.00 | **640.80** |
| | 1600 | 25.5058 | 577.00 | **692.40** |
| | 1800 | 25.5059 | 620.00 | **744.00** |

## FLAT COVER PLATES - MATT BLACK

| Height H mm | Width W mm | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600 | 400 | 25.5060 | 288.00 | **345.60** |
| | 600 | 25.5061 | 332.00 | **398.40** |
| | 800 | 25.5062 | 375.00 | **450.00** |
| | 1000 | 25.5063 | 409.00 | **490.80** |
| | 1200 | 25.5064 | 462.00 | **554.40** |
| | 1400 | 25.5065 | 534.00 | **640.80** |
| | 1600 | 25.5066 | 577.00 | **692.40** |
| | 1800 | 25.5067 | 620.00 | **744.00** |

**FEATURES - FLAT COVER PLATES**

- 1mm mild steel material
- Both sides finished in high quality powder coating that matches radiator colour
- Installation kit with clips & magnets included
- Quick & Easy installation, please see QR video
- Radiators sold separately
- 10 Year Manufacturer's Warranty*


* With conditions


# Flat Cover Plates with Lines





Gloss White Cover


Matt Anthracite Cover


Matt Black Cover

## FLAT COVER PLATES WITH LINES - GLOSS WHITE

| Height H mm | Width W mm | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 300 | 400 | 25.5068 | 258.00 | **309.60** |
| | 500 | 25.5069 | 270.00 | **324.00** |
| | 600 | 25.5070 | 284.00 | **340.80** |
| | 800 | 25.5071 | 310.00 | **372.00** |
| | 1000 | 25.5072 | 336.00 | **403.20** |
| | 1200 | 25.5073 | 363.00 | **435.60** |
| | 1400 | 25.5074 | 416.00 | **499.20** |
| | 1600 | 25.5075 | 443.00 | **531.60** |
| | 2000 | 25.5076 | 495.00 | **594.00** |

| Height H mm | Width W mm | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 400 | 400 | 25.5077 | 269.00 | **322.80** |
| | 500 | 25.5078 | 286.00 | **343.20** |
| | 600 | 25.5079 | 302.00 | **362.40** |
| | 700 | 25.5080 | 318.00 | **381.60** |
| | 800 | 25.5081 | 334.00 | **400.80** |
| | 900 | 25.5082 | 350.00 | **420.00** |
| | 1000 | 25.5083 | 366.00 | **439.20** |
| | 1100 | 25.5084 | 383.00 | **459.60** |
| | 1200 | 25.5085 | 398.00 | **477.60** |
| | 1400 | 25.5086 | 458.00 | **549.60** |
| | 1600 | 25.5087 | 491.00 | **589.20** |
| | 1800 | 25.5088 | 522.00 | **626.40** |
| | 2000 | 25.5089 | 555.00 | **666.00** |

Flat Cover Plate installation video

Quick & Easy!

| Height H mm | Width W mm | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 500 | 400 | 25.5090 | 282.00 | **338.40** |
| | 500 | 25.5091 | 301.00 | **361.20** |
| | 600 | 25.5092 | 321.00 | **385.20** |
| | 700 | 25.5093 | 340.00 | **408.00** |
| | 800 | 25.5094 | 359.00 | **430.80** |
| | 900 | 25.5095 | 377.00 | **452.40** |
| | 1000 | 25.5096 | 396.00 | **475.20** |
| | 1100 | 25.5097 | 415.00 | **498.00** |
| | 1200 | 25.5098 | 435.00 | **522.00** |
| | 1300 | 25.5099 | 481.00 | **577.20** |
| | 1400 | 25.5100 | 500.00 | **600.00** |
| | 1500 | 25.5101 | 519.00 | **622.80** |
| | 1600 | 25.5102 | 538.00 | **645.60** |
| | 1800 | 25.5103 | 577.00 | **692.40** |
| | 2000 | 25.5104 | 615.00 | **738.00** |

| Height H mm | Width W mm | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600 | 400 | 25.5105 | 293.00 | **351.60** |
| | 500 | 25.5106 | 315.00 | **378.00** |
| | 600 | 25.5107 | 338.00 | **405.60** |
| | 700 | 25.5108 | 359.00 | **430.80** |
| | 800 | 25.5109 | 381.00 | **457.20** |
| | 900 | 25.5110 | 403.00 | **483.60** |
| | 1000 | 25.5111 | 414.00 | **496.80** |
| | 1100 | 25.5112 | 446.00 | **535.20** |
| | 1200 | 25.5113 | 468.00 | **561.60** |
| | 1300 | 25.5114 | 517.00 | **620.40** |
| | 1400 | 25.5115 | 539.00 | **646.80** |
| | 1500 | 25.5116 | 560.00 | **672.00** |
| | 1600 | 25.5117 | 582.00 | **698.40** |
| | 1800 | 25.5118 | 625.00 | **750.00** |
| | 2000 | 25.5119 | 669.00 | **802.80** |

## FLAT COVER PLATES WITH LINES - MATT ANTHRACITE

| Height H mm | Width W mm | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600 | 400 | 25.5120 | 293.00 | **351.60** |
| | 600 | 25.5121 | 338.00 | **405.60** |
| | 800 | 25.5122 | 381.00 | **457.20** |
| | 1000 | 25.5123 | 414.00 | **496.80** |
| | 1200 | 25.5124 | 468.00 | **561.60** |
| | 1400 | 25.5125 | 539.00 | **646.80** |
| | 1600 | 25.5126 | 582.00 | **698.40** |
| | 1800 | 25.5127 | 625.00 | **750.00** |

## FLAT COVER PLATES WITH LINES - MATT BLACK

| Height H mm | Width W mm | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600 | 400 | 25.5128 | 293.00 | **351.60** |
| | 600 | 25.5129 | 338.00 | **405.60** |
| | 800 | 25.5130 | 381.00 | **457.20** |
| | 1000 | 25.5131 | 414.00 | **496.80** |
| | 1200 | 25.5132 | 468.00 | **561.60** |
| | 1400 | 25.5133 | 539.00 | **646.80** |
| | 1600 | 25.5134 | 582.00 | **698.40** |
| | 1800 | 25.5135 | 625.00 | **750.00** |

**FEATURES - FLAT COVER PLATES WITH LINES**

- 1mm mild steel material
- Both sides finished in high quality powder coating that matches radiator colour
- Installation kit with clips & magnets included
- Quick & Easy installation, please see QR video
- Radiators sold separately
- 10 Year Manufacturer's Warranty*

* With conditions

• NEW COLOUR HERE •

# Compact Panel Accessories

## Compact Panel Radiator Towel Hangers



**Towel Hangers - Gloss White**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Towel Hanger 490mm. (for 600mm. width radiators) | 25.5136 | 59.00 | **70.80** |
| Towel Hanger 690mm. (for 800mm. width radiators) | 25.5137 | 65.00 | **78.00** |
| Towel Hanger 890mm. (for 1000mm width radiators) | 25.5138 | 70.00 | **84.00** |

Fits on Compact Panel Radiators only



**Towel Hangers - Anthracite**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Towel Hanger 490mm. (for 600mm. width radiators) | 25.5139 | 59.00 | **70.80** |
| Towel Hanger 690mm. (for 800mm. width radiators) | 25.5140 | 65.00 | **78.00** |
| Towel Hanger 890mm. (for 1000mm width radiators) | 25.5141 | 70.00 | **84.00** |

Fits on Compact Panel Radiators only



**Towel Hangers - Black**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Towel Hanger 490mm. (for 600mm. width radiators) | 25.5142 | 59.00 | **70.80** |
| Towel Hanger 690mm. (for 800mm. width radiators) | 25.5143 | 65.00 | **78.00** |
| Towel Hanger 890mm. (for 1000mm width radiators) | 25.5144 | 70.00 | **84.00** |

Fits on Compact Panel Radiators only

## Pipe Shrouds and Collar Kits (Slide On)

**Pipe Shrouds and Collar Kits - Slide On**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 15mm Pipe Shroud & Collar Kit Gloss White | 41.0597 | 23.00 | **27.60** |
| 15mm Pipe Shroud & Collar Kit Matt White | 41.0598 | 23.00 | **27.60** |
| 15mm Pipe Shroud & Collar Kit Matt Grey | 41.0599 | 23.00 | **27.60** |
| 15mm Pipe Shroud & Collar Kit Matt Cappuccino | 41.0600 | 23.00 | **27.60** |
| 15mm Pipe Shroud & Collar Kit Matt Anthracite | 41.0601 | 23.00 | **27.60** |
| 15mm Pipe Shroud & Collar Kit Matt Black | 41.0602 | 23.00 | **27.60** |
| 15mm Pipe Shroud & Collar Kit Chrome | 41.0603 | 21.00 | **25.20** |
| 15mm Pipe Shroud & Collar Kit Brushed Brass | 41.0604 | 29.00 | **34.80** |
| 15mm Pipe Shroud & Collar Kit Satin Nickel | 41.0605 | 29.00 | **34.80** |
| 15mm Pipe Shroud & Collar Kit Black Gold | 41.0988 | 29.00 | **34.80** |
| 15mm Pipe Shroud & Collar Kit Brushed Gunmetal | 41.0989 | 29.00 | **34.80** |

**FEATURES**
- Manufactured from high quality brass
- Suitable for 15mm pipes, must be fitted together with radiator installation
- Each kit includes two pipe shrouds and two collars
- Shroud length 200mm., can be cut to desired length




## Pipe Shrouds and Collar Kits (Clip On)













**Pipe Shrouds and Collar Kits - Clip On**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 15mm Pipe Shroud & Collar Kit White | 92.0001 | 14.00 | **16.80** |
| 15mm Pipe Shroud & Collar Kit Chrome | 92.0002 | 21.00 | **25.20** |
| 15mm Pipe Shroud & Collar Kit Anthracite | 92.0003 | 15.00 | **18.00** |
| 15mm Pipe Shroud & Collar Kit Black | 92.0004 | 15.00 | **18.00** |

**FEATURES**
- Manufactured from high grade polypropylene
- Suitable for 15mm pipes, easy-fit after radiator installation
- Available in white, anthracite, black and chrome
- Each kit includes two pipe shrouds and two collars
- Shroud length 200mm., can be cut to desired length
- Easy push-fit installation







# Manufacturing & Packaging

The Eastbrook compact panel radiators range offers 3 types of radiators in over 140 sizes and 3 colours; gloss white, matt anthracite and matt black that are available from stock.

Eastbrook compact panel radiators are produced in fully automated state-of-the-art production lines and each radiator is first degreased then zinc phosphated before being dipped in a water based cataphoretic paint. The final coat is applied by automatic robots using epoxy polyester electrostatic powder coating.

**Our compact panel radiators are packed in heavy duty, protective packaging.**
Full size front carton, side cartons, bubble wrap, front surface cardboard protection*, plastic corner protection and shrink wrap




## 10 YEAR MANUFACTURER'S WARRANTY

Our compact panel radiators are individually tested and supplied complete with a 10 Year Manufacturer's Warranty against any manufacturing or material fault. All our compact panel radiators have a working pressure of 4 Bars.

## COMPLETE WITH FIXING KITS

Each compact panel radiator is supplied with complete concealed wall brackets including air vent and blanking plug.

## QUALITY

All our compact panel radiators are manufactured under ISO 9001:2015 and comply to UKCA & CE standards.

## AFTERSALES

In the event of any questions or concerns, we have a dedicated Technical and Aftersales team that will be able to assist with regarding the installation of the radiators.

## Important Installation Notes

- Compact panel radiators must be installed by a qualified engineer. Instruction manual is to be followed to avoid any issues during installation.
- Consider using an Eastbrook valve set to get the perfect colour match.
  Have your system vented properly. A general cause of corrosion and leak problems are due to trapped air in the system.
- Make sure that the drain points are at lowest in the system and your system is throughly flushed before commissioning.
- System must be clean of residues such as metal, flux etc, this can cause pin-holes.
  Do not over pump the system which will case negative pressure aeration that can also cause corrosion.
- It is recommended that an appropriately approved corrosion inhibitor must be subsequently added to the system in order to protect the radiator and other parts of the system to promote extended operating lifespan. Please ensure that, when adding inhibitor, not to underdose or overdose and follow the inhibitor instructions. The Ph level of the system water should be between 6.5 and 7.5.
- If the system water is too acidic then the metals in the system would corrode. If the system water is too alkaline, then there is a higher risk of electrolysis.
- Our compact panel radiators come with an instruction manual. Please follow the basic guidance above and in the instructions to protect your 10 year manufacturer's warranty and trouble free operating lifespan of your radiator.



Sub Section

# Aluminium Range

A huge variety of contemporary aluminium radiators and towel rails, from flat panel to ladder rail styles to suit any room.

Statement piece accessory towel hangers complement both vertical and horizontal designs allowing room for towels.

Contents


| | |
|---|---|
| Kingswood Slimline Vertical & Horizontal, Available in 3 colours | 208-209 |
| Kingswood Slimline Towel Rail, Available in 3 colours | 210-211 |
| Queenswood Vertical & Horizontal, Available in 3 colours - **NEW PRODUCT** | 212-215 |
| Mersey Vertical, Available in 3 colours | 216-217 |
| Trent Vertical, Available in 3 colours | 218-219 |
| Addington Aluminium Type10, Gloss White & Matt Anthracite | 220-223 |
| Addington Aluminium Type20, Gloss White & Matt Anthracite | 224-227 |
| Charlton Vertical & Horizontal, Available in 3 colours | 228-230 |
| Charlton Towel Hangers | 231 |
| Withington Vertical & Horizontal, Available in 4 colours | 232-234 |
| Withington Towel Hangers | 235 |
| Malmesbury Vertical & Horizontal, Available in 4 colours - **NEW COLOUR** | 236-240 |
| Malmesbury Towel Hangers | 241 |
| Rosano Vertical & Horizontal, Available in 3 colours | 242-245 |
| Rosano Towel Hangers | 246-247 |
| Peretti Vertical & Horizontal, Available in 4 colours | 248-251 |
| Peretti Towel Hangers | 252-253 |
| Sandhurst Vertical & Horizontal, Available in 3 colours | 254-256 |
| Berkeley Horizontal, Available in 3 colours | 257 |
| Tordino Vertical & Horizontal, Available in 4 colours | 258-261 |
| Guardia Vertical & Horizontal, Available in 4 colours | 262-265 |
| Hadleigh Vertical & Horizontal, Available in 3 colours | 266-269 |
| Vesima Vertical & Horizontal, Available in 3 colours | 270-273 |
| Preston Vertical, Available in 3 colours | 274-275 |
| Berlini Vertical, Available in 4 colours | 276-277 |
| Fairford Vertical & Horizontal, Matt White & Matt Anthracite | 278-279 |
| Burford Vertical & Horizontal, Matt White & Matt Anthracite | 280-281 |
| Kelmscott Vertical & Horizontal, Matt White & Matt Anthracite | 282-283 |
| Witney Vertical & Horizontal, Matt White & Matt Anthracite | 284-285 |
| Pelago Towel Rail, Available in 3 colours | 286 |
| Velor Towel Rail, Matt White & Matt Anthracite | 287 |

# Aluminium Range

## KINGSWOOD SLIMLINE - VERTICAL

Warranty 5 Year

Heating



Pictured 86.0528 Matt Anthracite



**Guardia Towel Hangers**

Can be used with Kingswood Slimline Vertical radiators.

Refer to Page 263

Pictured 86.0523 Matt White, with 86.0227 Guardia Towel Hanger

Presenting the Kingswood Slimline, an aluminium radiator crafted with sleek vertical profiles that resemble a designer masterpiece. Exceptional craftsmanship and superior design allow us to offer this radiator in three exquisite colours.

**FEATURES for Vertical & Horizontal Sizes**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Available in three colours
- Rear grilles for increased heat output
- Not suitable for elements
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**

Page 416-417

**Kingswood Slimline Vertical Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts* | △T50 Watts* | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 310mm | 275 | 571 | 86.0522 | 277.00 | **332.40** |
| 1800 x 410mm | 367 | 761 | 86.0523 | 350.00 | **420.00** |
| 1800 x 510mm | 459 | 951 | 86.0524 | 425.00 | **510.00** |
| 1800 x 610mm | 550 | 1141 | 86.0525 | 498.00 | **597.60** |

**Kingswood Slimline Vertical Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 310mm | 275 | 571 | 86.0526 | 277.00 | **332.40** |
| 1800 x 410mm | 367 | 761 | 86.0527 | 350.00 | **420.00** |
| 1800 x 510mm | 459 | 951 | 86.0528 | 425.00 | **510.00** |
| 1800 x 610mm | 550 | 1141 | 86.0529 | 498.00 | **597.60** |

**Kingswood Slimline Vertical Aluminium Radiators - Matt Black**

| Size H x W | △T30 Watts* | △T50 Watts* | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 310mm | 275 | 571 | 86.0530 | 277.00 | **332.40** |
| 1800 x 410mm | 367 | 761 | 86.0531 | 350.00 | **420.00** |
| 1800 x 510mm | 459 | 951 | 86.0532 | 425.00 | **510.00** |
| 1800 x 610mm | 550 | 1141 | 86.0533 | 498.00 | **597.60** |

* Further heat output information available on eastbrooktrade.com **E&OA**

Prices include radiator and wall fixing sets, valves and accessories extra.

**TECHNICAL INFORMATION for Vertical & Horizontal Sizes**

All measurements in Height by Width. Not suitable for elements. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must be fitted in the bottom header as shown in the instructions. For indirect heating systems only. Tappings are the width of the rail and 50 or 70mm off the wall. Projection from wall is 70 or 90mm.

# Aluminium Range

## KINGSWOOD SLIMLINE - HORIZONTAL




Pictured 86.0540 Matt White

**Technical Tables & Drawings**
Page 416-417

### Kingswood Slimline Horizontal Aluminium Radiators - Matt White

| Size H x W | △T30 Watts* | △T50 Watts* | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 600 x 410mm | 170 | 335 | 86.0534 | 165.00 | **198.00** |
| 600 x 510mm | 213 | 418 | 86.0535 | 195.00 | **234.00** |
| 600 x 610mm | 255 | 502 | 86.0536 | 226.00 | **271.20** |
| 600 x 810mm | 340 | 669 | 86.0537 | 289.00 | **346.80** |
| 600 x 1010mm | 425 | 836 | 86.0538 | 352.00 | **422.40** |
| 600 x 1210mm | 510 | 1004 | 86.0539 | 416.00 | **499.20** |
| 600 x 1410mm | 595 | 1171 | 86.0540 | 465.00 | **558.00** |

### Kingswood Slimline Horizontal Aluminium Radiators - Matt Anthracite

| Size H x W | △T30 Watts* | △T50 Watts* | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 600 x 410mm | 170 | 335 | 86.0541 | 165.00 | **198.00** |
| 600 x 510mm | 213 | 418 | 86.0542 | 195.00 | **234.00** |
| 600 x 610mm | 255 | 502 | 86.0543 | 226.00 | **271.20** |
| 600 x 810mm | 340 | 669 | 86.0544 | 289.00 | **346.80** |
| 600 x 1010mm | 425 | 836 | 86.0545 | 352.00 | **422.40** |
| 600 x 1210mm | 510 | 1004 | 86.0546 | 416.00 | **499.20** |
| 600 x 1410mm | 595 | 1171 | 86.0547 | 465.00 | **558.00** |

### Kingswood Slimline Horizontal Aluminium Radiators - Matt Black

| Size H x W | △T30 Watts* | △T50 Watts* | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 600 x 410mm | 170 | 335 | 86.0548 | 165.00 | **198.00** |
| 600 x 510mm | 213 | 418 | 86.0549 | 195.00 | **234.00** |
| 600 x 610mm | 255 | 502 | 86.0550 | 226.00 | **271.20** |
| 600 x 810mm | 340 | 669 | 86.0551 | 289.00 | **346.80** |
| 600 x 1010mm | 425 | 836 | 86.0552 | 352.00 | **422.40** |
| 600 x 1210mm | 510 | 1004 | 86.0553 | 416.00 | **499.20** |
| 600 x 1410mm | 595 | 1171 | 86.0554 | 465.00 | **558.00** |

* Further heat output information available on eastbrooktrade.com **E&OA**

Prices include radiator and wall fixing sets, valves and accessories extra.

**Matt White**




**Matt Anthracite**



**Matt Black**





**Rear grilles for increased heat output**

# Aluminium Range

## KINGSWOOD SLIMLINE - TOWEL RAIL



Pictured 86.0569 Matt Black



Pictured 86.0565 Matt Anthracite

Introducing the Kingswood Slimline Towel Rail – an aluminium towel rail masterpiece with sleek horizontal profiles that exude designer elegance. Meticulously crafted with exceptional precision, this towel rail is available in three stunning colours to complement any modern bathroom.

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Available in three colours
- Tested to BS EN 442 standards
- Can be single or dual fuel, or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 416-417


**TECHNICAL INFORMATION**

All measurements in Height by Width.

For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 29mm less than the width of the rail and approx. 90-110mm off the wall. Projection from wall is 108-128mm. Price includes radiator and wall fixing sets, valves extra.

# Aluminium Range

## KINGSWOOD SLIMLINE - TOWEL RAIL




Pictured 86.0556 Matt White

### Kingswood Slimline Aluminium Towel Rails - Matt White

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 820 x 500mm | 188 | 351 | 150W | A, A+ | 86.0555 | 236.00 | **283.20** |
| 820 x 600mm | 225 | 421 | 150W | A, A+ | 86.0556 | 257.00 | **308.40** |
| 1220 x 500mm | 259 | 492 | 300W | A, A+ | 86.0557 | 312.00 | **374.40** |
| 1220 x 600mm | 311 | 590 | 300W | A, A+ | 86.0558 | 339.00 | **406.80** |
| 1820 x 500mm | 386 | 734 | 600W | A, A+ | 86.0559 | 443.00 | **531.60** |
| 1820 x 600mm | 464 | 880 | 750W | A, A+ | 86.0560 | 483.00 | **579.60** |

### Kingswood Slimline Aluminium Towel Rails - Matt Anthracite

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 820 x 500mm | 188 | 351 | 150W | A, A+ | 86.0561 | 236.00 | **283.20** |
| 820 x 600mm | 225 | 421 | 150W | A, A+ | 86.0562 | 257.00 | **308.40** |
| 1220 x 500mm | 259 | 492 | 300W | A, A+ | 86.0563 | 312.00 | **374.40** |
| 1220 x 600mm | 311 | 590 | 300W | A, A+ | 86.0564 | 339.00 | **406.80** |
| 1820 x 500mm | 386 | 734 | 600W | A, A+ | 86.0565 | 443.00 | **531.60** |
| 1820 x 600mm | 464 | 880 | 750W | A, A+ | 86.0566 | 483.00 | **579.60** |

### Kingswood Slimline Aluminium Towel Rails - Matt Black

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 820 x 500mm | 188 | 351 | 150W | A, A+ | 86.0567 | 236.00 | **283.20** |
| 820 x 600mm | 225 | 421 | 150W | A, A+ | 86.0568 | 257.00 | **308.40** |
| 1220 x 500mm | 259 | 492 | 300W | A, A+ | 86.0569 | 312.00 | **374.40** |
| 1220 x 600mm | 311 | 590 | 300W | A, A+ | 86.0570 | 339.00 | **406.80** |
| 1820 x 500mm | 386 | 734 | 600W | A, A+ | 86.0571 | 443.00 | **531.60** |
| 1820 x 600mm | 464 | 880 | 750W | A, A+ | 86.0572 | 483.00 | **579.60** |

* Further heat output information available on eastbrooktrade.com **E&OA**

**Matt White**



**Matt Anthracite**



**Matt Black**



**Radiator Valves**
Page 350-365





• NEW PRODUCT HERE •

# Aluminium Range

## QUEENSWOOD VERTICAL



Pictured 81.0264 Matt White with 86.0347 Towel Hanger



**Guardia Towel Hangers**

Can be used with Kingswood Slimline Vertical radiators.

Refer to Page 263

Pictured 81.0286 Matt Black

Featuring a sophisticated vertical double-profile design, this radiator exudes elegance and modern appeal. Perfectly crafted for both style and functionality, Queenswood seamlessly enhances any space with its refined aesthetic. Vertical & horizontal sizes available in three colours.

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Comes with built-in flow diverter
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Not suitable for elements

* With conditions

**Queenswood Vertical Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 291mm | 429 | 867 | 81.0261 | 320.00 | **384.00** |
| 1800 x 388mm | 572 | 1156 | 81.0262 | 416.00 | **499.20** |
| 1800 x 485mm | 715 | 1446 | 81.0263 | 501.00 | **601.20** |
| 1800 x 582mm | 858 | 1735 | 81.0264 | 621.00 | **745.20** |

**Queenswood Vertical Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 291mm | 429 | 867 | 81.0273 | 320.00 | **384.00** |
| 1800 x 388mm | 572 | 1156 | 81.0274 | 416.00 | **499.20** |
| 1800 x 485mm | 715 | 1446 | 81.0275 | 501.00 | **601.20** |
| 1800 x 582mm | 858 | 1735 | 81.0276 | 621.00 | **745.20** |

**Queenswood Vertical Aluminium Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 291mm | 429 | 867 | 81.0285 | 320.00 | **384.00** |
| 1800 x 388mm | 572 | 1156 | 81.0286 | 416.00 | **499.20** |
| 1800 x 485mm | 715 | 1446 | 81.0287 | 501.00 | **601.20** |
| 1800 x 582mm | 858 | 1735 | 81.0288 | 621.00 | **745.20** |

Prices include radiator and wall fixing sets, valves and accessories extra.

# Aluminium Range

## QUEENSWOOD VERTICAL




**Technical Tables & Drawings**
Page 418-419

Warranty 5 Year

Heating

**Guardia Towel Hangers**

Can be used with Kingswood Slimline Vertical radiators.

Refer to Page 263

Pictured 81.0275 Matt Anthracite



Double profile construction

### TECHNICAL INFORMATION

All measurements in Height by Width. Not suitable for elements. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and approx 59mm off the wall. Projection from wall is 93mm.


**Matt White**



**Matt Anthracite**




**Matt Black**



• NEW PRODUCT HERE •

# Aluminium Range

## QUEENSWOOD HORIZONTAL




**Technical Tables & Drawings**
Page 418-419

Pictured 81.0269 Matt White

Featuring a sophisticated vertical double-profile design, this radiator exudes elegance and modern appeal. Perfectly crafted for both style and functionality, Queenswood seamlessly enhances any space with its refined aesthetic. Vertical & horizontal sizes available in three colours.

**FEATURES**
- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Does not come with flow diverter
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Queenswood Horizontal Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 485mm | 292 | 582 | 450W | A, A+ | 81.0265 | 265.00 | **318.00** |
| 600 x 582mm | 351 | 699 | 450W | A, A+ | 81.0266 | 310.00 | **372.00** |
| 600 x 679mm | 409 | 815 | 600W | A+ | 81.0267 | 346.00 | **415.20** |
| 600 x 873mm | 526 | 1048 | 900W | A+ | 81.0268 | 435.00 | **522.00** |
| 600 x 1067mm | 643 | 1281 | 900W | A+ | 81.0269 | 515.00 | **618.00** |
| 600 x 1261mm | 760 | 1513 | 1200W | A, A+ | 81.0270 | 607.00 | **728.40** |
| 600 x 1455mm | 877 | 1746 | 1200W | A, A+ | 81.0271 | 711.00 | **853.20** |
| 600 x 1649mm | 993 | 1979 | 1200W | A, A+ | 81.0272 | 803.00 | **963.60** |

Prices include radiator and wall fixing sets, valves and accessories extra.

# Aluminium Range

## QUEENSWOOD HORIZONTAL



Pictured 81.0283 Matt Anthracite



Pictured 81.0292 Matt Black

**Queenswood Horizontal Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 485mm | 292 | 582 | 450W | A, A+ | 81.0277 | 265.00 | **318.00** |
| 600 x 582mm | 351 | 699 | 450W | A, A+ | 81.0278 | 310.00 | **372.00** |
| 600 x 679mm | 409 | 815 | 600W | A+ | 81.0279 | 346.00 | **415.20** |
| 600 x 873mm | 526 | 1048 | 900W | A+ | 81.0280 | 435.00 | **522.00** |
| 600 x 1067mm | 643 | 1281 | 900W | A+ | 81.0281 | 515.00 | **618.00** |
| 600 x 1261mm | 760 | 1513 | 1200W | A, A+ | 81.0282 | 607.00 | **728.40** |
| 600 x 1455mm | 877 | 1746 | 1200W | A, A+ | 81.0283 | 711.00 | **853.20** |
| 600 x 1649mm | 993 | 1979 | 1200W | A, A+ | 81.0284 | 803.00 | **963.60** |

Prices include radiator and wall fixing sets, valves and accessories extra.

**Queenswood Horizontal Aluminium Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 485mm | 292 | 582 | 450W | A, A+ | 81.0289 | 265.00 | **318.00** |
| 600 x 582mm | 351 | 699 | 450W | A, A+ | 81.0290 | 310.00 | **372.00** |
| 600 x 679mm | 409 | 815 | 600W | A+ | 81.0291 | 346.00 | **415.20** |
| 600 x 873mm | 526 | 1048 | 900W | A+ | 81.0292 | 435.00 | **522.00** |
| 600 x 1067mm | 643 | 1281 | 900W | A+ | 81.0293 | 515.00 | **618.00** |
| 600 x 1261mm | 760 | 1513 | 1200W | A, A+ | 81.0294 | 607.00 | **728.40** |
| 600 x 1455mm | 877 | 1746 | 1200W | A, A+ | 81.0295 | 711.00 | **853.20** |
| 600 x 1649mm | 993 | 1979 | 1200W | A, A+ | 81.0296 | 803.00 | **963.60** |

Prices include radiator and wall fixing sets, valves and accessories extra.



Double profile construction


**Matt White**



**Matt Anthracite**



**Matt Black**



### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. For indirect heating systems only. Tappings are the width of the rail and approx 59mm off the wall. Projection from wall is 93mm.

**For element types see pages 336-349.**

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements.



# Aluminium Range

## MERSEY VERTICAL



Pictured 41.0450 Matt White with 41.0465 Towel Hangers



Brushed Brass colour setup

Pictured 41.0457 Matt Anthracite with 41.0472 Towel Hanger and 41.0722 Cover Caps x 2

Mersey Aluminium Radiators with ridged front panels will stand out in every room, with adding from a choice of towel hangers, your bathroom can also be heated while drying your towels. Available only in vertical sizes and 3 colours options.

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with chrome cover caps on top and bottom
- Not suitable for elements
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 418-419

Warranty 5 Year

Heating

**Bleed Valve & Blanking Plug Set - Brushed Brass**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.0732 | 11.00 | **13.20** |

### TECHNICAL INFORMATION

All measurements in Height by Width. Not suitable for elements. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and 38mm off the wall. Projection from wall is 76mm.

# Aluminium Range

## MERSEY VERTICAL

### Mersey Vertical Aluminium Radiators - Matt White

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 280mm | 314 | 612 | 41.0449 | 236.00 | **283.20** |
| 1800 x 375mm | 418 | 816 | 41.0450 | 289.00 | **346.80** |
| 1800 x 470mm | 523 | 1019 | 41.0451 | 344.00 | **412.80** |
| 1800 x 565mm | 627 | 1223 | 41.0452 | 398.00 | **477.60** |
| 1800 x 660mm | 732 | 1427 | 41.0453 | 439.00 | **526.80** |

### Mersey Vertical Aluminium Radiators - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 280mm | 314 | 612 | 41.0454 | 236.00 | **283.20** |
| 1800 x 375mm | 418 | 816 | 41.0455 | 289.00 | **346.80** |
| 1800 x 470mm | 523 | 1019 | 41.0456 | 344.00 | **412.80** |
| 1800 x 565mm | 627 | 1223 | 41.0457 | 398.00 | **477.60** |
| 1800 x 660mm | 732 | 1427 | 41.0458 | 439.00 | **526.80** |

### Mersey Vertical Aluminium Radiators - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 280mm | 314 | 612 | 41.0459 | 236.00 | **283.20** |
| 1800 x 375mm | 418 | 816 | 41.0460 | 289.00 | **346.80** |
| 1800 x 470mm | 523 | 1019 | 41.0461 | 344.00 | **412.80** |
| 1800 x 565mm | 627 | 1223 | 41.0462 | 398.00 | **477.60** |
| 1800 x 660mm | 732 | 1427 | 41.0463 | 439.00 | **526.80** |

Prices include radiator and wall fixing sets, valves and accessories extra.



### Mersey Cover Cap Sets - Brass Effect

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 280mm | 41.0719 | 9.00 | **10.80** |
| Cover Cap Set 375mm | 41.0720 | 11.00 | **13.20** |
| Cover Cap Set 470mm | 41.0721 | 13.00 | **15.60** |
| Cover Cap Set 565mm | 41.0722 | 16.00 | **19.20** |
| Cover Cap Set 660mm | 41.0723 | 18.00 | **21.60** |

Cover cap sets only include cover caps for the top or bottom of the radiator.



Pictured 41.0461 Matt Black



### Towel Hanger - Mirror Polished Premium

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Towel Hanger 280mm | 41.0464 | 53.00 | **63.60** |
| Towel Hanger 375mm | 41.0465 | 58.00 | **69.60** |
| Towel Hanger 470mm | 41.0466 | 63.00 | **75.60** |
| Towel Hanger 565mm | 41.0467 | 69.00 | **82.80** |
| Towel Hanger 660mm | 41.0468 | 74.00 | **88.80** |

**Must be fitted before installation!**



### Towel Hanger - Brushed Brass

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Towel Hanger 280mm | 41.0469 | 53.00 | **63.60** |
| Towel Hanger 375mm | 41.0470 | 55.00 | **66.00** |
| Towel Hanger 470mm | 41.0471 | 58.00 | **69.60** |
| Towel Hanger 565mm | 41.0472 | 62.00 | **74.40** |
| Towel Hanger 660mm | 41.0473 | 66.00 | **79.20** |

**Must be fitted before installation!**

# Aluminium Range

## TRENT VERTICAL



Pictured 41.0476 Matt White with 41.0466 Towel Hangers



Pictured 41.0482 Matt Anthracite

Trent Aluminium Radiators with ridged front panels and curved flat end panels will stand out in every room, with adding from a choice of towel hangers, your bathroom can also be heated while drying your towels. Available only in vertical sizes and 3 colours options.

**FEATURES**
- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with chrome cover caps on top and bottom
- Not suitable for elements
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

Warranty 5 Year

Heating

**Technical Tables & Drawings**
Page 418-419

**TECHNICAL INFORMATION**

All measurements in Height by Width. Not suitable for elements.For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and 38mm off the wall. Projection from wall is 76mm.

# Aluminium Range

## TRENT VERTICAL

### Trent Vertical Aluminium Radiators - Matt White

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 280mm | 301 | 597 | 41.0474 | 220.00 | **264.00** |
| 1800 x 375mm | 401 | 796 | 41.0475 | 273.00 | **327.60** |
| 1800 x 470mm | 501 | 995 | 41.0476 | 329.00 | **394.80** |
| 1800 x 565mm | 602 | 1194 | 41.0477 | 383.00 | **459.60** |
| 1800 x 660mm | 702 | 1393 | 41.0478 | 426.00 | **511.20** |

### Trent Vertical Aluminium Radiators - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 280mm | 301 | 597 | 41.0479 | 220.00 | **264.00** |
| 1800 x 375mm | 401 | 796 | 41.0480 | 273.00 | **327.60** |
| 1800 x 470mm | 501 | 995 | 41.0481 | 329.00 | **394.80** |
| 1800 x 565mm | 602 | 1194 | 41.0482 | 383.00 | **459.60** |
| 1800 x 660mm | 702 | 1393 | 41.0483 | 426.00 | **511.20** |

### Trent Vertical Aluminium Radiators - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|
| 1800 x 280mm | 301 | 597 | 41.0484 | 220.00 | **264.00** |
| 1800 x 375mm | 401 | 796 | 41.0485 | 273.00 | **327.60** |
| 1800 x 470mm | 501 | 995 | 41.0486 | 329.00 | **394.80** |
| 1800 x 565mm | 602 | 1194 | 41.0487 | 383.00 | **459.60** |
| 1800 x 660mm | 702 | 1393 | 41.0488 | 426.00 | **511.20** |

Prices include radiator and wall fixing sets, valves and accessories extra.



### Trent Cover Cap Sets - Brass Effect

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 280mm | 41.0724 | 9.00 | **10.80** |
| Cover Cap Set 375mm | 41.0725 | 11.00 | **13.20** |
| Cover Cap Set 470mm | 41.0726 | 13.00 | **15.60** |
| Cover Cap Set 565mm | 41.0727 | 15.00 | **18.00** |
| Cover Cap Set 660mm | 41.0728 | 18.00 | **21.60** |

Cover cap sets only include cover caps for the top or bottom of the radiator.




### Bleed Valve & Blanking Plug Set - Brushed Brass

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.0732 | 11.00 | **13.20** |

Pictured 41.0485 Matt Black with 41.0470 Towel Hangers and 41.0725 Cover Caps x 2



### Towel Hanger - Mirror Polished Premium

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Towel Hanger 280mm | 41.0464 | 53.00 | **63.60** |
| Towel Hanger 375mm | 41.0465 | 58.00 | **69.60** |
| Towel Hanger 470mm | 41.0466 | 63.00 | **75.60** |
| Towel Hanger 565mm | 41.0467 | 69.00 | **82.80** |
| Towel Hanger 660mm | 41.0468 | 74.00 | **88.80** |

**Must be fitted before installation!**



### Towel Hanger - Brushed Brass

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Towel Hanger 280mm | 41.0469 | 53.00 | **63.60** |
| Towel Hanger 375mm | 41.0470 | 55.00 | **66.00** |
| Towel Hanger 470mm | 41.0471 | 58.00 | **69.60** |
| Towel Hanger 565mm | 41.0472 | 62.00 | **74.40** |
| Towel Hanger 660mm | 41.0473 | 66.00 | **79.20** |

**Must be fitted before installation!**

# Aluminium Range

## ADDINGTON ALUMINIUM TYPE 10 - GLOSS WHITE



Pictured 86.0372 Gloss White with 91.0113 Towel Hanger



**Towel Hangers**
Page 181

Pictured 86.0360 Gloss White with 91.0082 Towel Hanger



**Single profile construction**



Warranty 5 Year

Heating

All Electric

Dual-Fuel

Pictured 86.0358 Gloss White

**Bar Dimensions (mm)**

Vertical Bars 70 x 11mm

# Aluminium Range

## ADDINGTON ALUMINIUM TYPE 10 - GLOSS WHITE

A luxurious flat panelled radiator range with stunning clean lines which will be the focus of any room is now available also in aluminium. Available in horizontal or vertical sizes and different heights. Stunning towel hangers will complement the vertical design allowing room for your towels.

### FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom, the same colour as the radiator

* With conditions

**Technical Tables & Drawings**
Page 420-421

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 45mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**500mm Height**

**Addington Aluminium Type 10 Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 500 x 514mm | 171 | 339 | 150W | A | 86.0348 | 301.00 | **361.20** |
| 500 x 588mm | 196 | 387 | 150W | A | 86.0349 | 331.00 | **397.20** |

**600mm Height**

**Addington Aluminium Type 10 Radiators - Gloss White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 292mm | 137 | 253 | 150W | A | 86.0350 | 223.00 | **267.60** |
| 600 x 366mm | 171 | 316 | 150W | A | 86.0351 | 258.00 | **309.60** |
| 600 x 440mm | 205 | 379 | 150W | A | 86.0352 | 291.00 | **349.20** |
| 600 x 514mm | 239 | 442 | 300W | A | 86.0353 | 326.00 | **391.20** |
| 600 x 588mm | 273 | 506 | 300W | A | 86.0354 | 361.00 | **433.20** |
| 600 x 662mm | 307 | 569 | 300W | A | 86.0355 | 395.00 | **474.00** |
| 600 x 810mm | 376 | 695 | 300W | A | 86.0356 | 462.00 | **554.40** |
| 600 x 1032mm | 478 | 884 | 600W | A | 86.0357 | 569.00 | **682.80** |
| 600 x 1180mm | 546 | 1011 | 600W | A | 86.0358 | 636.00 | **763.20** |
| 600 x 1254mm | 580 | 1074 | 600W | A | 86.0359 | 666.00 | **799.20** |
| 600 x 1402mm | 648 | 1200 | 750W | A | 86.0508 | 737.00 | **884.40** |
| 600 x 1624mm | 751 | 1389 | 900W | A | 86.0509 | 847.00 | **1016.40** |
| 600 x 1772mm | 819 | 1516 | 900W | A | 86.0510 | 921.00 | **1105.20** |

**800mm Height**

**Addington Aluminium Type10 Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 514mm | 256 | 521 | 300W | A | 86.0360 | 375.00 | **450.00** |
| 800 x 588mm | 292 | 595 | 300W | A | 86.0361 | 416.00 | **499.20** |

**1000mm Height**

**Addington Aluminium Type 10 Radiators - Gloss White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 514mm | 312 | 635 | 300W | A | 86.0362 | 427.00 | **512.40** |
| 1000 x 588mm | 356 | 726 | 300W | A | 86.0363 | 474.00 | **568.80** |

**1200mm Height**

**Addington Aluminium Type 10 Radiators - Gloss White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 514mm | 346 | 681 | 300W | A | 86.0364 | 477.00 | **572.40** |
| 1200 x 588mm | 395 | 779 | 600W | A | 86.0365 | 532.00 | **638.40** |

**1400mm Height**

**Addington Aluminium Type 10 Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1400 x 514mm | 402 | 792 | 600W | A | 86.0366 | 527.00 | **632.40** |
| 1400 x 588mm | 459 | 905 | 600W | A | 86.0367 | 587.00 | **704.40** |

**1800mm Height**

**Addington Aluminium Type 10 Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 292mm | 294 | 606 | 600W | A | 86.0368 | 396.00 | **475.20** |
| 1800 x 366mm | 367 | 758 | 600W | A | 86.0369 | 472.00 | **566.40** |
| 1800 x 440mm | 441 | 909 | 600W | A | 86.0370 | 543.00 | **651.60** |
| 1800 x 514mm | 514 | 1060 | 900W | A | 86.0371 | 617.00 | **740.40** |
| 1800 x 588mm | 587 | 1212 | 900W | A | 86.0372 | 686.00 | **823.20** |
| 1800 x 662mm | 661 | 1363 | 900W | A | 86.0506 | 769.00 | **922.80** |

* Further heat output information available on eastbrooktrade.com **E&OA**

**For element types see pages 336-349.**

For 500 and 600mm Heights : Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements.



**For element types see pages 336-349.**

For 800, 1000, 1200, 1400 and 1800mm Heights: Element can be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. For dual fuel installations, element must be installed on flow side.



## ADDINGTON ALUMINIUM TYPE10 COVER CAP SETS - CHROME



**Addington Aluminium Type10 Cover Cap Sets - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 292mm | 86.0426 | 34.00 | **40.80** |
| Cover Cap Set 366mm | 86.0427 | 39.00 | **46.80** |
| Cover Cap Set 440mm | 86.0428 | 42.00 | **50.40** |
| Cover Cap Set 514mm | 86.0429 | 49.00 | **58.80** |
| Cover Cap Set 588mm | 86.0430 | 53.00 | **63.60** |
| Cover Cap Set 662mm | 86.0431 | 56.00 | **67.20** |
| Cover Cap Set 810mm | 86.0432 | 67.00 | **80.40** |
| Cover Cap Set 1032mm | 86.0433 | 81.00 | **97.20** |
| Cover Cap Set 1180mm | 86.0434 | 91.00 | **109.20** |
| Cover Cap Set 1254mm | 86.0435 | 96.00 | **115.20** |
| Cover Cap Set 1402mm | 86.0576 | 104.00 | **124.80** |
| Cover Cap Set 1624mm | 86.0577 | 115.00 | **138.00** |
| Cover Cap Set 1772mm | 86.0578 | 123.00 | **147.60** |

Cover cap sets only include cover caps for the top or bottom of the radiator.

# Aluminium Range

## ADDINGTON ALUMINIUM TYPE 10 - MATT ANTHRACITE




Pictured 86.0395 Matt Anthracite with 91.0086 Towel Hangers x2

**Towel Hangers**
Page 181





**Single profile construction**



Pictured 86.0379 Matt Anthracite with 91.0093 Towel Hanger



Pictured 86.0382 Matt Anthracite

**Bar Dimensions (mm)**

Vertical Bars 70 x 11mm

# Aluminium Range

## ADDINGTON ALUMINIUM TYPE 10 - MATT ANTHRACITE

### 500mm Height

**Addington Aluminium Type 10 Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 500 x 514mm | 171 | 339 | 150W | A | 86.0373 | 301.00 | **361.20** |
| 500 x 588mm | 196 | 387 | 150W | A | 86.0374 | 331.00 | **397.20** |

### 600mm Height

**Addington Aluminium Type 10 Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 292mm | 137 | 253 | 150W | A | 86.0375 | 223.00 | **267.60** |
| 600 x 366mm | 171 | 316 | 150W | A | 86.0376 | 258.00 | **309.60** |
| 600 x 440mm | 205 | 379 | 150W | A | 86.0377 | 291.00 | **349.20** |
| 600 x 514mm | 239 | 442 | 300W | A | 86.0378 | 326.00 | **391.20** |
| 600 x 588mm | 273 | 506 | 300W | A | 86.0379 | 361.00 | **433.20** |
| 600 x 662mm | 307 | 569 | 300W | A | 86.0380 | 395.00 | **474.00** |
| 600 x 810mm | 376 | 695 | 300W | A | 86.0381 | 462.00 | **554.40** |
| 600 x 1032mm | 478 | 884 | 600W | A | 86.0382 | 569.00 | **682.80** |
| 600 x 1180mm | 546 | 1011 | 600W | A | 86.0383 | 636.00 | **763.20** |
| 600 x 1254mm | 580 | 1074 | 600W | A | 86.0384 | 666.00 | **799.20** |
| 600 x 1402mm | 648 | 1200 | 750W | A | 86.0511 | 737.00 | **884.40** |
| 600 x 1624mm | 751 | 1389 | 900W | A | 86.0512 | 847.00 | **1016.40** |
| 600 x 1772mm | 819 | 1516 | 900W | A | 86.0513 | 921.00 | **1105.20** |

### 800mm Height

**Addington Aluminium Type10 Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 800 x 514mm | 256 | 521 | 300W | A | 86.0385 | 375.00 | **450.00** |
| 800 x 588mm | 292 | 595 | 300W | A | 86.0386 | 416.00 | **499.20** |

### 1000mm Height

**Addington Aluminium Type 10 Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1000 x 514mm | 312 | 635 | 300W | A | 86.0387 | 427.00 | **512.40** |
| 1000 x 588mm | 356 | 726 | 300W | A | 86.0388 | 474.00 | **568.80** |

### 1200mm Height

**Addington Aluminium Type 10 Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 514mm | 346 | 681 | 300W | A | 86.0389 | 477.00 | **572.40** |
| 1200 x 588mm | 395 | 779 | 600W | A | 86.0390 | 532.00 | **638.40** |

### 1400mm Height

**Addington Aluminium Type 10 Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1400 x 514mm | 402 | 792 | 600W | A | 86.0391 | 527.00 | **632.40** |
| 1400 x 588mm | 459 | 905 | 600W | A | 86.0392 | 587.00 | **704.40** |

### 1800mm Height

**Addington Aluminium Type 10 Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 292mm | 294 | 606 | 600W | A | 86.0393 | 396.00 | **475.20** |
| 1800 x 366mm | 367 | 758 | 600W | A | 86.0394 | 472.00 | **566.40** |
| 1800 x 440mm | 441 | 909 | 600W | A | 86.0395 | 543.00 | **651.60** |
| 1800 x 514mm | 514 | 1060 | 900W | A | 86.0396 | 617.00 | **740.40** |
| 1800 x 588mm | 587 | 1212 | 900W | A | 86.0397 | 686.00 | **823.20** |
| 1800 x 662mm | 661 | 1363 | 900W | A | 86.0507 | 769.00 | **922.80** |

* Further heat output information available on eastbrooktrade.com **E&OA**

A luxurious flat panelled radiator range with stunning clean lines which will be the focus of any room is now available also in aluminium. Available in horizontal or vertical sizes and different heights. Stunning towel hangers will complement the vertical design allowing room for your towels.

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom, the same colour as the radiator

* With conditions

**Technical Tables & Drawings**
Page 420-421

**TECHNICAL INFORMATION**

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 45mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**For element types see pages 336-349.**

For 500 and 600mm Heights : Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements.




**For element types see pages 336-349.**

For 800, 1000, 1200, 1400 and 1800mm Heights: Element can be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. For dual fuel installations, element must be installed on flow side.



## ADDINGTON ALUMINIUM TYPE10 COVER CAP SETS - CHROME



**Addington Aluminium Type10 Cover Cap Sets - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 292mm | 86.0426 | 34.00 | **40.80** |
| Cover Cap Set 366mm | 86.0427 | 39.00 | **46.80** |
| Cover Cap Set 440mm | 86.0428 | 42.00 | **50.40** |
| Cover Cap Set 514mm | 86.0429 | 49.00 | **58.80** |
| Cover Cap Set 588mm | 86.0430 | 53.00 | **63.60** |
| Cover Cap Set 662mm | 86.0431 | 56.00 | **67.20** |
| Cover Cap Set 810mm | 86.0432 | 67.00 | **80.40** |
| Cover Cap Set 1032mm | 86.0433 | 81.00 | **97.20** |
| Cover Cap Set 1180mm | 86.0434 | 91.00 | **109.20** |
| Cover Cap Set 1254mm | 86.0435 | 96.00 | **115.20** |
| Cover Cap Set 1402mm | 86.0576 | 104.00 | **124.80** |
| Cover Cap Set 1624mm | 86.0577 | 115.00 | **138.00** |
| Cover Cap Set 1772mm | 86.0578 | 123.00 | **147.60** |

Cover cap sets only include cover caps for the top or bottom of the radiator.

# Aluminium Range

## ADDINGTON ALUMINIUM TYPE 20 - GLOSS WHITE




Pictured 86.0409 Gloss White



Pictured 86.0402 Gloss White



Pictured 86.0406 Gloss White

**Bar Dimensions (mm)**

Vertical Bars 70 x 11mm

# Aluminium Range

## ADDINGTON ALUMINIUM TYPE 20 - GLOSS WHITE

A luxurious double flat panelled radiator range with stunning clean lines which will be the focus of any room is now available also in aluminium. Available in horizontal or vertical sizes and different heights.

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom, the same colour as the radiator

* With conditions

**Technical Tables & Drawings**
Page 420-421

**TECHNICAL INFORMATION**

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**For element types see pages 336-349.**

For 600mm Heights : Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements.



**For element types see pages 336-349.**

For 1800mm Heights: Element can be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. For dual fuel installations, element must be installed on flow side.



### 600mm Height

**Addington Aluminium Type 20 Radiators - Gloss White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 292mm | 186 | 352 | 150W | A | 86.0398 | 283.00 | **339.60** |
| 600 x 366mm | 232 | 440 | 300W | A | 86.0399 | 329.00 | **394.80** |
| 600 x 440mm | 278 | 528 | 300W | A | 86.0400 | 374.00 | **448.80** |
| 600 x 514mm | 325 | 616 | 300W | A | 86.0401 | 424.00 | **508.80** |
| 600 x 588mm | 371 | 704 | 300W | A | 86.0402 | 472.00 | **566.40** |
| 600 x 662mm | 417 | 792 | 300W | A | 86.0403 | 527.00 | **632.40** |
| 600 x 810mm | 510 | 968 | 600W | A | 86.0404 | 622.00 | **746.40** |
| 600 x 1032mm | 649 | 1232 | 600W | A | 86.0405 | 767.00 | **920.40** |
| 600 x 1180mm | 742 | 1408 | 900W | A | 86.0406 | 864.00 | **1036.80** |
| 600 x 1254mm | 788 | 1496 | 900W | A | 86.0407 | 915.00 | **1098.00** |
| 600 x 1402mm | 881 | 1672 | 900W | A | 86.0516 | 1019.00 | **1222.80** |
| 600 x 1624mm | 1020 | 1936 | 900W | A | 86.0517 | 1174.00 | **1408.80** |
| 600 x 1772mm | 1112 | 2112 | 900W | A | 86.0518 | 1279.00 | **1534.80** |

### 1800mm Height

**Addington Aluminium Type 20 Radiators - Gloss White**


| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 366mm | 452 | 910 | 600W | A | 86.0408 | 680.00 | **816.00** |
| 1800 x 440mm | 543 | 1092 | 900W | A | 86.0409 | 808.00 | **969.60** |
| 1800 x 514mm | 633 | 1274 | 900W | A | 86.0410 | 947.00 | **1136.40** |
| 1800 x 588mm | 724 | 1455 | 900W | A | 86.0411 | 1074.00 | **1288.80** |
| 1800 x 662mm | 814 | 1637 | 900W | A | 86.0514 | 1204.00 | **1444.80** |

* Further heat output information available on eastbrooktrade.com **E&OA**




Double profile construction

**Radiator Valves**
Page 350-365



**Multi-Purpose Towel Hangers**
Page 368



## ADDINGTON ALUMINIUM TYPE 20 COVER CAP SETS - CHROME



**Addington Aluminium Type 20 Cover Cap Sets - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 292mm | 86.0436 | 53.00 | **63.60** |
| Cover Cap Set 366mm | 86.0437 | 62.00 | **74.40** |
| Cover Cap Set 440mm | 86.0438 | 74.00 | **88.80** |
| Cover Cap Set 514mm | 86.0439 | 81.00 | **97.20** |
| Cover Cap Set 588mm | 86.0440 | 91.00 | **109.20** |
| Cover Cap Set 662mm | 86.0441 | 101.00 | **121.20** |
| Cover Cap Set 810mm | 86.0442 | 121.00 | **145.20** |
| Cover Cap Set 1032mm | 86.0443 | 149.00 | **178.80** |
| Cover Cap Set 1180mm | 86.0444 | 167.00 | **200.40** |
| Cover Cap Set 1254mm | 86.0445 | 156.00 | **187.20** |
| Cover Cap Set 1402mm | 86.0579 | 172.00 | **206.40** |
| Cover Cap Set 1624mm | 86.0580 | 194.00 | **232.80** |
| Cover Cap Set 1772mm | 86.0581 | 207.00 | **248.40** |

Cover cap sets only include cover caps for the top or bottom of the radiator.

# Aluminium Range

## ADDINGTON ALUMINIUM TYPE 20 - MATT ANTHRACITE



Pictured 86.0425 Matt Anthracite



Pictured 86.0417 Matt Anthracite




Pictured 86.0421 Matt Anthracite

**Bar Dimensions (mm)**

Vertical Bars 70 x 11mm

# Aluminium Range

## ADDINGTON ALUMINIUM TYPE 20 - MATT ANTHRACITE

A luxurious double flat panelled radiator range with stunning clean lines which will be the focus of any room is now available also in aluminium. Available in horizontal or vertical sizes and different heights.

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom, the same colour as the radiator

* With conditions

**Technical Tables & Drawings**
Page 420-421

**TECHNICAL INFORMATION**

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**For element types see pages 336-349.**

For 600mm Heights : Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements.



**For element types see pages 336-349.**

For 1800mm Heights: Element can be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. For dual fuel installations, element must be installed on flow side.



### 600mm Height

**Addington Aluminium Type 20 Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 292mm | 186 | 352 | 150W | A | 86.0412 | 283.00 | **339.60** |
| 600 x 366mm | 232 | 440 | 300W | A | 86.0413 | 329.00 | **394.80** |
| 600 x 440mm | 278 | 528 | 300W | A | 86.0414 | 374.00 | **448.80** |
| 600 x 514mm | 325 | 616 | 300W | A | 86.0415 | 424.00 | **508.80** |
| 600 x 588mm | 371 | 704 | 300W | A | 86.0416 | 472.00 | **566.40** |
| 600 x 662mm | 417 | 792 | 300W | A | 86.0417 | 527.00 | **632.40** |
| 600 x 810mm | 510 | 968 | 600W | A | 86.0418 | 622.00 | **746.40** |
| 600 x 1032mm | 649 | 1232 | 600W | A | 86.0419 | 767.00 | **920.40** |
| 600 x 1180mm | 742 | 1408 | 900W | A | 86.0420 | 864.00 | **1036.80** |
| 600 x 1254mm | 788 | 1496 | 900W | A | 86.0421 | 915.00 | **1098.00** |
| 600 x 1402mm | 881 | 1672 | 900W | A | 86.0519 | 1019.00 | **1222.80** |
| 600 x 1624mm | 1020 | 1936 | 900W | A | 86.0520 | 1174.00 | **1408.80** |
| 600 x 1772mm | 1112 | 2112 | 900W | A | 86.0521 | 1279.00 | **1534.80** |

### 1800mm Height

**Addington Aluminium Type 20 Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 366mm | 452 | 910 | 600W | A | 86.0422 | 680.00 | **816.00** |
| 1800 x 440mm | 543 | 1092 | 900W | A | 86.0423 | 808.00 | **969.60** |
| 1800 x 514mm | 633 | 1274 | 900W | A | 86.0424 | 947.00 | **1136.40** |
| 1800 x 588mm | 724 | 1455 | 900W | A | 86.0425 | 1074.00 | **1288.80** |
| 1800 x 662mm | 814 | 1637 | 900W | A | 86.0515 | 1204.00 | **1444.80** |

* Further heat output information available on eastbrooktrade.com **E&OA**




Double profile construction


**Radiator Valves**
Page 350-365





**Multi-Purpose Towel Hangers**
Page 368





## ADDINGTON ALUMINIUM TYPE 20 COVER CAP SETS - CHROME



**Addington Aluminium Type 20 Cover Cap Sets - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 292mm | 86.0436 | 53.00 | **63.60** |
| Cover Cap Set 366mm | 86.0437 | 62.00 | **74.40** |
| Cover Cap Set 440mm | 86.0438 | 74.00 | **88.80** |
| Cover Cap Set 514mm | 86.0439 | 81.00 | **97.20** |
| Cover Cap Set 588mm | 86.0440 | 91.00 | **109.20** |
| Cover Cap Set 662mm | 86.0441 | 101.00 | **121.20** |
| Cover Cap Set 810mm | 86.0442 | 121.00 | **145.20** |
| Cover Cap Set 1032mm | 86.0443 | 149.00 | **178.80** |
| Cover Cap Set 1180mm | 86.0444 | 167.00 | **200.40** |
| Cover Cap Set 1254mm | 86.0445 | 156.00 | **187.20** |
| Cover Cap Set 1402mm | 86.0579 | 172.00 | **206.40** |
| Cover Cap Set 1624mm | 86.0580 | 194.00 | **232.80** |
| Cover Cap Set 1772mm | 86.0581 | 207.00 | **248.40** |

Cover cap sets only include cover caps for the top or bottom of the radiator.


# Aluminium Range

## CHARLTON VERTICAL



Pictured 89.0128 Matt White with 89.0134 Towel Hangers x3

For all Charlton Towel Hangers, please refer to **page 231.**



Pictured 89.0764 Matt Black

A contemporary versatile aluminium radiator style, that come in a variety of sizes and three finishes, with an optional extra of stylish towel hangers.

All Electric | Dual-Fuel | Warranty 5 Year | Heating

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour.
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 422-423

# Aluminium Range

## CHARLTON VERTICAL



Matt White | Matt Anthracite | Matt Black



Pictured 89.0960 Matt Anthracite with 89.0182 Towel Hangers x2

### Charlton Vertical Aluminium Radiators - Matt White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 280mm | 123 | 240 | 150W | A, A+, F, G | 89.0758 | 182.00 | **218.40** |
| 1200 x 280mm | 238 | 461 | 300W | A, A+, F, G | 89.0925 | 251.00 | **301.20** |
| 1200 x 375mm | 315 | 611 | 300W | A, A+, F, G | 89.0926 | 323.00 | **387.60** |
| 1200 x 470mm | 392 | 760 | 450W | A, A+, F, G | 89.0927 | 395.00 | **474.00** |
| 1200 x 565mm | 468 | 908 | 600W | A, A+, F, G | 89.0928 | 472.00 | **566.40** |
| 1800 x 280mm | 345 | 667 | 450W | A, A+, F, G | 89.0128 | 307.00 | **368.40** |
| 1800 x 375mm | 457 | 884 | 600W | A, A+, F, G | 89.0130 | 397.00 | **476.40** |
| 1800 x 470mm | 569 | 1099 | 750W | A, A+, F, G | 89.0132 | 479.00 | **574.80** |
| 1800 x 565mm | 679 | 1313 | 1000W | A, A+, F, G | 89.0759 | 595.00 | **714.00** |

### Charlton Vertical Aluminium Radiators - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 280mm | 123 | 240 | 150W | A, A+, F, G | 89.0760 | 182.00 | **218.40** |
| 1200 x 280mm | 238 | 461 | 300W | A, A+, F, G | 89.0958 | 251.00 | **301.20** |
| 1200 x 375mm | 315 | 611 | 300W | A, A+, F, G | 89.0959 | 323.00 | **387.60** |
| 1200 x 470mm | 392 | 760 | 450W | A, A+, F, G | 89.0960 | 395.00 | **474.00** |
| 1200 x 565mm | 468 | 908 | 600W | A, A+, F, G | 89.0961 | 472.00 | **566.40** |
| 1800 x 280mm | 345 | 667 | 450W | A, A+, F, G | 89.0129 | 307.00 | **368.40** |
| 1800 x 375mm | 457 | 884 | 600W | A, A+, F, G | 89.0131 | 397.00 | **476.40** |
| 1800 x 470mm | 569 | 1099 | 750W | A, A+, F, G | 89.0133 | 479.00 | **574.80** |
| 1800 x 565mm | 679 | 1313 | 1000W | A, A+, F, G | 89.0761 | 595.00 | **714.00** |

### Charlton Vertical Aluminium Radiators - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 280mm | 123 | 240 | 150W | A, A+, F, G | 89.0762 | 182.00 | **218.40** |
| 1200 x 280mm | 238 | 461 | 300W | A, A+, F, G | 89.0979 | 251.00 | **301.20** |
| 1200 x 375mm | 315 | 611 | 300W | A, A+, F, G | 89.0980 | 323.00 | **387.60** |
| 1200 x 470mm | 392 | 760 | 450W | A, A+, F, G | 89.0981 | 395.00 | **474.00** |
| 1200 x 565mm | 468 | 908 | 600W | A, A+, F, G | 89.0982 | 472.00 | **566.40** |
| 1800 x 280mm | 345 | 667 | 450W | A, A+, F, G | 89.0763 | 307.00 | **368.40** |
| 1800 x 375mm | 457 | 884 | 600W | A, A+, F, G | 89.0764 | 397.00 | **476.40** |
| 1800 x 470mm | 569 | 1099 | 750W | A, A+, F, G | 89.0765 | 479.00 | **574.80** |
| 1800 x 565mm | 679 | 1313 | 1000W | A, A+, F, G | 89.0766 | 595.00 | **714.00** |

Prices include radiator and wall fixing sets, valves and accessories extra.

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.



### Charlton Cover Cap Sets - Chrome

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 280mm | 89.0165 | 18.00 | **21.60** |
| Cover Cap Set 375mm | 89.0166 | 21.00 | **25.20** |
| Cover Cap Set 470mm | 89.0167 | 23.00 | **27.60** |
| Cover Cap Set 565mm | 89.0837 | 28.00 | **33.60** |

Cover cap sets only include cover caps for the top or bottom of the radiator.

**For element types see pages 336-349.**

Element can only be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



# Aluminium Range

## CHARLTON HORIZONTAL



Pictured 89.0751 Matt Anthracite

A contemporary versatile aluminium radiator style, that come in three finishes, with an optional extra of stylish towel hangers.

**Charlton Horizontal Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 203 | 396 | 300W | A, A+, C, H | 89.0743 | 252.00 | **302.40** |
| 600 x 660mm | 282 | 550 | 450W | A, A+, C, H | 89.0744 | 332.00 | **398.40** |
| 600 x 850mm | 360 | 701 | 600W | A, A+, C, H | 89.0745 | 415.00 | **498.00** |
| 600 x 1040mm | 437 | 852 | 750W | A, A+, C, H | 89.0746 | 493.00 | **591.60** |
| 600 x 1230mm | 514 | 1002 | 900W | A, A+, C, H | 89.0747 | 580.00 | **696.00** |
| 600 x 1420mm | 590 | 1151 | 900W | A, A+, C, H | 89.0929 | 679.00 | **814.80** |

**Charlton Horizontal Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 203 | 396 | 300W | A, A+, C, H | 89.0748 | 252.00 | **302.40** |
| 600 x 660mm | 282 | 550 | 450W | A, A+, C, H | 89.0749 | 332.00 | **398.40** |
| 600 x 850mm | 360 | 701 | 600W | A, A+, C, H | 89.0750 | 415.00 | **498.00** |
| 600 x 1040mm | 437 | 852 | 750W | A, A+, C, H | 89.0751 | 493.00 | **591.60** |
| 600 x 1230mm | 514 | 1002 | 900W | A, A+, C, H | 89.0752 | 580.00 | **696.00** |
| 600 x 1420mm | 590 | 1151 | 900W | A, A+, C, H | 89.0962 | 679.00 | **814.80** |

**Charlton Horizontal Aluminium Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 203 | 396 | 300W | A, A+, C, H | 89.0753 | 252.00 | **302.40** |
| 600 x 660mm | 282 | 550 | 450W | A, A+, C, H | 89.0754 | 332.00 | **398.40** |
| 600 x 850mm | 360 | 701 | 600W | A, A+, C, H | 89.0755 | 415.00 | **498.00** |
| 600 x 1040mm | 437 | 852 | 750W | A, A+, C, H | 89.0756 | 493.00 | **591.60** |
| 600 x 1230mm | 514 | 1002 | 900W | A, A+, C, H | 89.0757 | 580.00 | **696.00** |
| 600 x 1420mm | 590 | 1151 | 900W | A, A+, C, H | 89.0983 | 679.00 | **814.80** |

Prices include radiator and wall fixing sets, valves and accessories extra.

Warranty 5 Year | Heating | All Electric | Dual-Fuel

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour.
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 422-423

**TECHNICAL INFORMATION**

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall. Price includes radiator and wall fixing sets, valves extra.



**Charlton Cover Cap Sets - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 470mm | 89.0167 | 23.00 | **27.60** |
| Cover Cap Set 660mm | 89.0838 | 33.00 | **39.60** |
| Cover Cap Set 850mm | 89.0839 | 40.00 | **48.00** |
| Cover Cap Set 1040mm | 89.0840 | 47.00 | **56.40** |
| Cover Cap Set 1230mm | 89.0841 | 56.00 | **67.20** |
| Cover Cap Set 1420mm | 89.1404 | 61.00 | **73.20** |

Cover cap sets only include cover caps for the top or bottom of the radiator.

**For element types see pages 336-349.**

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).




# Aluminium Range

## CHARLTON STANDARD TOWEL HANGERS




**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0177 | 62.00 | **74.40** |
| 375mm | 89.0178 | 66.00 | **79.20** |
| 470mm | 89.0179 | 74.00 | **88.80** |
| 565mm | 86.0333 | 78.00 | **93.60** |




**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0180 | 62.00 | **74.40** |
| 375mm | 89.0181 | 66.00 | **79.20** |
| 470mm | 89.0182 | 74.00 | **88.80** |
| 565mm | 86.0334 | 78.00 | **93.60** |



**Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0183 | 62.00 | **74.40** |
| 375mm | 89.0184 | 66.00 | **79.20** |
| 470mm | 89.0185 | 74.00 | **88.80** |
| 565mm | 86.0335 | 78.00 | **93.60** |



**Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0134 | 53.00 | **63.60** |
| 375mm | 89.0135 | 56.00 | **67.20** |
| 470mm | 89.0136 | 65.00 | **78.00** |
| 565mm | 86.0336 | 72.00 | **86.40** |

### TECHNICAL INFORMATION

Material: **Steel (Premium: Stainless Steel - Grade 304)**

1200mm radiators come with 2 pre-drilled towel hanger locations with a maximum of 2 towel hangers and 1800mm height radiators come with 3 pre-drilled towel hanger locations with a maximum of 3 towel hangers - all widths; 280, 375, 470 and 565mm. 600mm height radiators come with 1 pre-drilled towel hanger location, with a maximum of 1 towel hanger - 280mm width. The Charlton Standard Towel Hangers will add approx 8mm width on each side once fitted to the radiator.

600mm height x 470mm width radiator can have one towel hanger.

**Can be fitted after installation only on high adjustment bracket fitting.**



**Towel Hanger - Brushed Brass**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 41.0616 | 56.00 | **67.20** |
| 375mm | 41.0617 | 63.00 | **75.60** |
| 470mm | 41.0618 | 72.00 | **86.40** |
| 565mm | 41.0619 | 76.00 | **91.20** |



**Towel Hanger - Mirror Polished Premium**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 86.0198 | 73.00 | **87.60** |
| 375mm | 86.0199 | 80.00 | **96.00** |
| 470mm | 86.0200 | 87.00 | **104.40** |
| 565mm | 86.0337 | 93.00 | **111.60** |


## CHARLTON FLAT STYLE TOWEL HANGERS

### SINGLE FLAT STYLE




**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0283 | 72.00 | **86.40** |
| 375mm | 89.0284 | 79.00 | **94.80** |
| 470mm | 89.0285 | 89.00 | **106.80** |
| 565mm | 91.0163 | 95.00 | **114.00** |
| 660mm | 89.0286 | 100.00 | **120.00** |
| 850mm | 89.0287 | 112.00 | **134.40** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0288 | 72.00 | **86.40** |
| 375mm | 89.0289 | 79.00 | **94.80** |
| 470mm | 89.0290 | 89.00 | **106.80** |
| 565mm | 91.0164 | 95.00 | **114.00** |
| 660mm | 89.0291 | 100.00 | **120.00** |
| 850mm | 89.0292 | 112.00 | **134.40** |



**Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0293 | 72.00 | **86.40** |
| 375mm | 89.0294 | 79.00 | **94.80** |
| 470mm | 89.0295 | 89.00 | **106.80** |
| 565mm | 91.0165 | 95.00 | **114.00** |
| 660mm | 89.0296 | 100.00 | **120.00** |
| 850mm | 89.0297 | 112.00 | **134.40** |



**Towel Hanger - Chrome**


| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 91.0094 | 98.00 | **117.60** |
| 375mm | 91.0095 | 100.00 | **120.00** |
| 470mm | 91.0096 | 102.00 | **122.40** |
| 565mm | 91.0166 | 103.00 | **123.60** |
| 660mm | 91.0097 | 108.00 | **129.60** |
| 850mm | 91.0098 | 115.00 | **138.00** |

### DOUBLE FLAT STYLE




**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0369 | 88.00 | **105.60** |
| 375mm | 89.0370 | 92.00 | **110.40** |
| 470mm | 89.0371 | 103.00 | **123.60** |
| 565mm | 91.0167 | 114.00 | **136.80** |
| 660mm | 89.0372 | 121.00 | **145.20** |
| 850mm | 89.0373 | 135.00 | **162.00** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0374 | 88.00 | **105.60** |
| 375mm | 89.0375 | 92.00 | **110.40** |
| 470mm | 89.0376 | 103.00 | **123.60** |
| 565mm | 91.0168 | 114.00 | **136.80** |
| 660mm | 89.0377 | 121.00 | **145.20** |
| 850mm | 89.0378 | 135.00 | **162.00** |



**Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0379 | 88.00 | **105.60** |
| 375mm | 89.0380 | 92.00 | **110.40** |
| 470mm | 89.0381 | 103.00 | **123.60** |
| 565mm | 91.0169 | 114.00 | **136.80** |
| 660mm | 89.0382 | 121.00 | **145.20** |
| 850mm | 89.0383 | 135.00 | **162.00** |



**Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 91.0114 | 124.00 | **148.80** |
| 375mm | 91.0115 | 130.00 | **156.00** |
| 470mm | 91.0116 | 132.00 | **158.40** |
| 565mm | 91.0170 | 138.00 | **165.60** |
| 660mm | 91.0117 | 142.00 | **170.40** |
| 850mm | 91.0118 | 154.00 | **184.80** |

### TECHNICAL INFORMATION

Material: **Steel**

**Vertical and Horizontal Radiators:**


Flat & Double Flat Style Hangers are compatible with both Vertical and Horizontal radiators.(Depending on the radiators and hangers width)

**Must be fitted before installation!**

Hanger Fitting Widths
96/191/286/381/476/666mm



Hanger Fitting Widths
96/191/286/381/476/666mm



# Aluminium Range

## WITHINGTON VERTICAL



For all Withington Towel Hangers, please refer to **page 235.**

Pictured 89.0142 Matt Anthracite with 86.0079 Towel Hangers x3 & 89.0170 Cover Caps x2



Pictured 89.0139 Matt White with 101.0058 Towel Hanger

An elegant aluminium radiator with clean lines which will be the centre of attention in any room. Towel hangers and chrome caps are available as an additional extras.

Warranty 5 Year | Heating | All Electric | Dual-Fuel

**FEATURES**


- Excellent heat conductivity and lightweight
- Heats up very quickly
- Only requires a low water volume
- Radiators come with cover caps on top and bottom, same as radiator colour. Matt Cobalt Blue radiators come with Chrome Cover Caps
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 422-423

# Aluminium Range

## WITHINGTON VERTICAL



Matt White | Matt Anthracite | Matt Black | Matt Cobalt Blue



Pictured 89.0987 Matt Black

For all Withington Towel Hangers, please refer to **page 235.**

### Withington Aluminium Radiators - Matt White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 280mm | 122 | 240 | 150W | A, A+, F, G | 89.0782 | 182.00 | **218.40** |
| 1200 x 280mm | 223 | 439 | 300W | A, A+, F, G | 89.0930 | 251.00 | **301.20** |
| 1200 x 375mm | 296 | 583 | 300W | A, A+, F, G | 89.0931 | 323.00 | **387.60** |
| 1200 x 470mm | 368 | 724 | 450W | A, A+, F, G | 89.0932 | 395.00 | **474.00** |
| 1200 x 565mm | 440 | 865 | 600W | A, A+, F, G | 89.0933 | 472.00 | **566.40** |
| 1800 x 280mm | 322 | 636 | 450W | A, A+, F, G | 89.0137 | 307.00 | **368.40** |
| 1800 x 375mm | 427 | 844 | 600W | A, A+, F, G | 89.0139 | 397.00 | **476.40** |
| 1800 x 470mm | 531 | 1049 | 750W | A, A+, F, G | 89.0141 | 479.00 | **574.80** |
| 1800 x 565mm | 634 | 1253 | 1000W | A, A+, F, G | 89.0783 | 595.00 | **714.00** |

### Withington Aluminium Radiators - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 280mm | 122 | 240 | 150W | A, A+, F, G | 89.0784 | 182.00 | **218.40** |
| 1200 x 280mm | 223 | 439 | 300W | A, A+, F, G | 89.0963 | 251.00 | **301.20** |
| 1200 x 375mm | 296 | 583 | 300W | A, A+, F, G | 89.0964 | 323.00 | **387.60** |
| 1200 x 470mm | 368 | 724 | 450W | A, A+, F, G | 89.0965 | 395.00 | **474.00** |
| 1200 x 565mm | 440 | 865 | 600W | A, A+, F, G | 89.0966 | 472.00 | **566.40** |
| 1800 x 280mm | 322 | 636 | 450W | A, A+, F, G | 89.0138 | 307.00 | **368.40** |
| 1800 x 375mm | 427 | 844 | 600W | A, A+, F, G | 89.0140 | 397.00 | **476.40** |
| 1800 x 470mm | 531 | 1049 | 750W | A, A+, F, G | 89.0142 | 479.00 | **574.80** |
| 1800 x 565mm | 634 | 1253 | 1000W | A, A+, F, G | 89.0785 | 595.00 | **714.00** |

### Withington Aluminium Radiators - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 280mm | 122 | 240 | 150W | A, A+, F, G | 89.0786 | 182.00 | **218.40** |
| 1200 x 280mm | 223 | 439 | 300W | A, A+, F, G | 89.0984 | 251.00 | **301.20** |
| 1200 x 375mm | 296 | 583 | 300W | A, A+, F, G | 89.0985 | 323.00 | **387.60** |
| 1200 x 470mm | 368 | 724 | 450W | A, A+, F, G | 89.0986 | 395.00 | **474.00** |
| 1200 x 565mm | 440 | 865 | 600W | A, A+, F, G | 89.0987 | 472.00 | **566.40** |
| 1800 x 280mm | 322 | 636 | 450W | A, A+, F, G | 89.0787 | 307.00 | **368.40** |
| 1800 x 375mm | 427 | 844 | 600W | A, A+, F, G | 89.0788 | 397.00 | **476.40** |
| 1800 x 470mm | 531 | 1049 | 750W | A, A+, F, G | 89.0789 | 479.00 | **574.80** |
| 1800 x 565mm | 634 | 1253 | 1000W | A, A+, F, G | 89.0790 | 595.00 | **714.00** |

### Withington Aluminium Radiators - Matt Cobalt Blue

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 280mm | 322 | 636 | 450W | A, A+, F, G | 89.1608 | 307.00 | **368.40** |
| 1800 x 375mm | 427 | 844 | 600W | A, A+, F, G | 89.1609 | 397.00 | **476.40** |
| 1800 x 470mm | 531 | 1049 | 750W | A, A+, F, G | 89.1610 | 479.00 | **574.80** |

Prices include radiator and wall fixing sets, valves and accessories extra.

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.



### Withington Cover Cap Sets - Chrome

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 280mm | 89.0168 | 18.00 | **21.60** |
| Cover Cap Set 375mm | 89.0169 | 21.00 | **25.20** |
| Cover Cap Set 470mm | 89.0170 | 23.00 | **27.60** |
| Cover Cap Set 565mm | 89.0842 | 28.00 | **33.60** |

Cover cap sets only include cover caps for the top or bottom of the radiator.

**Round Vent Caps**
Page 369



**For element types see pages 336-349.**

Element can only be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.




# Aluminium Range

## WITHINGTON HORIZONTAL



Pictured 89.0767 Matt White



Pictured 89.1612 Matt Cobalt Blue

A contemporary versatile radiator style, that come in four finishes, with an optional extra of stylish towel hangers.

**Withington Horizontal Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 202 | 395 | 300W | A, A+, C, H | 89.0767 | 252.00 | **302.40** |
| 600 x 660mm | 280 | 548 | 450W | A, A+, C, H | 89.0768 | 332.00 | **398.40** |
| 600 x 850mm | 358 | 700 | 600W | A, A+, C, H | 89.0769 | 415.00 | **498.00** |
| 600 x 1040mm | 434 | 850 | 750W | A, A+, C, H | 89.0770 | 493.00 | **591.60** |
| 600 x 1230mm | 511 | 1000 | 900W | A, A+, C, H | 89.0771 | 580.00 | **696.00** |
| 600 x 1420mm | 587 | 1148 | 900W | A, A+, C, H | 89.0934 | 679.00 | **814.80** |

**Withington Horizontal Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 202 | 395 | 300W | A, A+, C, H | 89.0772 | 252.00 | **302.40** |
| 600 x 660mm | 280 | 548 | 450W | A, A+, C, H | 89.0773 | 332.00 | **398.40** |
| 600 x 850mm | 358 | 700 | 600W | A, A+, C, H | 89.0774 | 415.00 | **498.00** |
| 600 x 1040mm | 434 | 850 | 750W | A, A+, C, H | 89.0775 | 493.00 | **591.60** |
| 600 x 1230mm | 511 | 1000 | 900W | A, A+, C, H | 89.0776 | 580.00 | **696.00** |
| 600 x 1420mm | 587 | 1148 | 900W | A, A+, C, H | 89.0967 | 679.00 | **814.80** |

**Withington Horizontal Aluminium Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 202 | 395 | 300W | A, A+, C, H | 89.0777 | 252.00 | **302.40** |
| 600 x 660mm | 280 | 548 | 450W | A, A+, C, H | 89.0778 | 332.00 | **398.40** |
| 600 x 850mm | 358 | 700 | 600W | A, A+, C, H | 89.0779 | 415.00 | **498.00** |
| 600 x 1040mm | 434 | 850 | 750W | A, A+, C, H | 89.0780 | 493.00 | **591.60** |
| 600 x 1230mm | 511 | 1000 | 900W | A, A+, C, H | 89.0781 | 580.00 | **696.00** |
| 600 x 1420mm | 587 | 1148 | 900W | A, A+, C, H | 89.0988 | 679.00 | **814.80** |

**Withington Horizontal Aluminium Radiators - Matt Cobalt Blue**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 202 | 395 | 300W | A, A+, C, H | 89.1611 | 252.00 | **302.40** |
| 600 x 660mm | 280 | 548 | 450W | A, A+, C, H | 89.1612 | 332.00 | **398.40** |
| 600 x 850mm | 358 | 700 | 600W | A, A+, C, H | 89.1613 | 415.00 | **498.00** |
| 600 x 1040mm | 434 | 850 | 750W | A, A+, C, H | 89.1614 | 493.00 | **591.60** |
| 600 x 1230mm | 511 | 1000 | 900W | A, A+, C, H | 89.1615 | 580.00 | **696.00** |

Warranty 5 Year | Heating | All Electric | Dual-Fuel

### FEATURES

- Excellent heat conductivity and lightweight
- Heats up very quickly
- Only requires a low water volume
- Radiators come with cover caps on top and bottom, same as radiator colour. Matt Cobalt Blue radiators come with Chrome Cover Caps
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 422-423

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.



**Withington Cover Cap Sets - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 470mm | 89.0170 | 23.00 | **27.60** |
| Cover Cap Set 660mm | 89.0843 | 33.00 | **39.60** |
| Cover Cap Set 850mm | 89.0844 | 40.00 | **48.00** |
| Cover Cap Set 1040mm | 89.0845 | 47.00 | **56.40** |
| Cover Cap Set 1230mm | 89.0846 | 56.00 | **67.20** |
| Cover Cap Set 1420mm | 89.1405 | 61.00 | **73.20** |

Cover cap sets only include cover caps for the top or bottom of the radiator.

**For element types see pages 336-349.**

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).




# Aluminium Range

## WITHINGTON STANDARD TOWEL HANGERS



**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0186 | 62.00 | **74.40** |
| 375mm | 89.0187 | 66.00 | **79.20** |
| 470mm | 89.0188 | 74.00 | **88.80** |
| 565mm | 86.0338 | 78.00 | **93.60** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0189 | 62.00 | **74.40** |
| 375mm | 89.0190 | 66.00 | **79.20** |
| 470mm | 89.0191 | 74.00 | **88.80** |
| 565mm | 86.0339 | 78.00 | **93.60** |



**Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0192 | 62.00 | **74.40** |
| 375mm | 89.0193 | 66.00 | **79.20** |
| 470mm | 89.0194 | 74.00 | **88.80** |
| 565mm | 86.0340 | 78.00 | **93.60** |




**Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 86.0077 | 53.00 | **63.60** |
| 375mm | 86.0078 | 62.00 | **74.40** |
| 470mm | 86.0079 | 69.00 | **82.80** |
| 565mm | 86.0341 | 72.00 | **86.40** |



**Towel Hanger - Mirror Polished Premium**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 86.0201 | 73.00 | **87.60** |
| 375mm | 86.0202 | 80.00 | **96.00** |
| 470mm | 86.0203 | 87.00 | **104.40** |
| 565mm | 86.0342 | 93.00 | **111.60** |



**Towel Hanger - Brushed Brass**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 41.0612 | 59.00 | **70.80** |
| 375mm | 41.0613 | 68.00 | **81.60** |
| 470mm | 41.0614 | 77.00 | **92.40** |
| 565mm | 41.0615 | 81.00 | **97.20** |

### TECHNICAL INFORMATION

Material: **Steel (Premium: Stainless Steel - Grade 304)**

1200mm radiators come with 2 pre-drilled towel hanger locations with a maximum of 2 towel hangers and 1800mm height radiators come with 3 pre-drilled towel hanger locations with a maximum of 3 towel hangers - all widths; 280, 375, 470 and 565mm. 600mm height radiators come with 1 pre-drilled towel hanger location, with a maximum of 1 towel hanger - 280mm width. The Withington Standard Towel Hangers will add approx 8mm width on each side once fitted to the radiator.

600mm height x 470mm width radiator can have one towel hanger.

**Can be fitted after installation only on high adjustment bracket fitting.**


## WITHINGTON FLAT STYLE TOWEL HANGERS

### SINGLE FLAT STYLE




**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0283 | 72.00 | **86.40** |
| 375mm | 89.0284 | 79.00 | **94.80** |
| 470mm | 89.0285 | 89.00 | **106.80** |
| 565mm | 91.0163 | 95.00 | **114.00** |
| 660mm | 89.0286 | 100.00 | **120.00** |
| 850mm | 89.0287 | 112.00 | **134.40** |




**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0288 | 72.00 | **86.40** |
| 375mm | 89.0289 | 79.00 | **94.80** |
| 470mm | 89.0290 | 89.00 | **106.80** |
| 565mm | 91.0164 | 95.00 | **114.00** |
| 660mm | 89.0291 | 100.00 | **120.00** |
| 850mm | 89.0292 | 112.00 | **134.40** |



**Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0293 | 72.00 | **86.40** |
| 375mm | 89.0294 | 79.00 | **94.80** |
| 470mm | 89.0295 | 89.00 | **106.80** |
| 565mm | 91.0165 | 95.00 | **114.00** |
| 660mm | 89.0296 | 100.00 | **120.00** |
| 850mm | 89.0297 | 112.00 | **134.40** |



**Towel Hanger - Chrome**


| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 91.0094 | 98.00 | **117.60** |
| 375mm | 91.0095 | 100.00 | **120.00** |
| 470mm | 91.0096 | 102.00 | **122.40** |
| 565mm | 91.0166 | 103.00 | **123.60** |
| 660mm | 91.0097 | 108.00 | **129.60** |
| 850mm | 91.0098 | 115.00 | **138.00** |

### DOUBLE FLAT STYLE




**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0369 | 88.00 | **105.60** |
| 375mm | 89.0370 | 92.00 | **110.40** |
| 470mm | 89.0371 | 103.00 | **123.60** |
| 565mm | 91.0167 | 114.00 | **136.80** |
| 660mm | 89.0372 | 121.00 | **145.20** |
| 850mm | 89.0373 | 135.00 | **162.00** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0374 | 88.00 | **105.60** |
| 375mm | 89.0375 | 92.00 | **110.40** |
| 470mm | 89.0376 | 103.00 | **123.60** |
| 565mm | 91.0168 | 114.00 | **136.80** |
| 660mm | 89.0377 | 121.00 | **145.20** |
| 850mm | 89.0378 | 135.00 | **162.00** |



**Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0379 | 88.00 | **105.60** |
| 375mm | 89.0380 | 92.00 | **110.40** |
| 470mm | 89.0381 | 103.00 | **123.60** |
| 565mm | 91.0169 | 114.00 | **136.80** |
| 660mm | 89.0382 | 121.00 | **145.20** |
| 850mm | 89.0383 | 135.00 | **162.00** |



**Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 91.0114 | 124.00 | **148.80** |
| 375mm | 91.0115 | 130.00 | **156.00** |
| 470mm | 91.0116 | 132.00 | **158.40** |
| 565mm | 91.0170 | 138.00 | **165.60** |
| 660mm | 91.0117 | 142.00 | **170.40** |
| 850mm | 91.0118 | 154.00 | **184.80** |

### TECHNICAL INFORMATION

Material: **Steel**

**Vertical and Horizontal Radiators:**


Flat & Double Flat Style Hangers are compatible with both Vertical and Horizontal radiators.(Depending on the radiators and hangers width)

**Must be fitted before installation!**

Hanger Fitting Widths
96/191/286/381/476/666mm



Hanger Fitting Widths
96/191/286/381/476/666mm



# Aluminium Range

## MALMESBURY VERTICAL

**Round Vent Caps**
Page 369



An aluminium radiator range available in both Vertical and Horizontal designs in Matt White, Matt Anthracite, Matt Cappuccino, Matt Grey or Matt Black finishes. Optional extras include chrome cover caps and towel hangers.

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 424-425

Warranty 5 Year

Heating

All Electric

Dual-Fuel

For all Multi-Purpose Towel Hangers, please refer to **page 368.**

Pictured 89.0148 Matt White with 89.0883L Multi-Purpose Towel Hanger



Pictured 89.0279 Matt Grey with 89.0301 Towel Hangers

# Aluminium Range

## MALMESBURY VERTICAL

### Malmesbury Vertical Aluminium Radiators - Matt White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 185mm | 153 | 296 | 150W | A, A+, F, G | 89.0935 | 187.00 | **224.40** |
| 1200 x 280mm | 226 | 437 | 300W | A, A+, F, G | 89.0936 | 266.00 | **319.20** |
| 1200 x 375mm | 297 | 576 | 300W | A, A+, F, G | 89.0937 | 343.00 | **411.60** |
| 1200 x 470mm | 368 | 713 | 450W | A, A+, F, G | 89.0938 | 418.00 | **501.60** |
| 1200 x 565mm | 437 | 848 | 600W | A, A+, F, G | 89.0939 | 500.00 | **600.00** |
| 1800 x 185mm | 220 | 429 | 300W | A, A+, F, G | 89.0277 | 231.00 | **277.20** |
| 1800 x 280mm | 325 | 634 | 450W | A, A+, F, G | 89.0146 | 327.00 | **392.40** |
| 1800 x 375mm | 428 | 835 | 600W | A, A+, F, G | 89.0148 | 416.00 | **499.20** |
| 1800 x 470mm | 530 | 1033 | 750W | A, A+, F, G | 89.0150 | 509.00 | **610.80** |
| 1800 x 565mm | 630 | 1229 | 1000W | A, A+, F, G | 89.0739 | 613.00 | **735.60** |

### Malmesbury Vertical Aluminium Radiators - Matt Grey

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 185mm | 153 | 296 | 150W | A, A+, F, G | 89.0946 | 187.00 | **224.40** |
| 1200 x 280mm | 226 | 437 | 300W | A, A+, F, G | 89.0947 | 266.00 | **319.20** |
| 1200 x 375mm | 297 | 576 | 300W | A, A+, F, G | 89.0948 | 343.00 | **411.60** |
| 1200 x 470mm | 368 | 713 | 450W | A, A+, F, G | 89.0949 | 418.00 | **501.60** |
| 1200 x 565mm | 437 | 848 | 600W | A, A+, F, G | 89.0950 | 500.00 | **600.00** |
| 1800 x 185mm | 220 | 429 | 300W | A, A+, F, G | 89.0279 | 231.00 | **277.20** |
| 1800 x 280mm | 325 | 634 | 450W | A, A+, F, G | 89.0280 | 327.00 | **392.40** |
| 1800 x 375mm | 428 | 835 | 600W | A, A+, F, G | 89.0281 | 416.00 | **499.20** |
| 1800 x 470mm | 530 | 1033 | 750W | A, A+, F, G | 89.0282 | 509.00 | **610.80** |
| 1800 x 565mm | 630 | 1229 | 1000W | A, A+, F, G | 89.0740 | 613.00 | **735.60** |

### Malmesbury Vertical Aluminium Radiators - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 185mm | 153 | 296 | 150W | A, A+, F, G | 89.0968 | 187.00 | **224.40** |
| 1200 x 280mm | 226 | 437 | 300W | A, A+, F, G | 89.0969 | 266.00 | **319.20** |
| 1200 x 375mm | 297 | 576 | 300W | A, A+, F, G | 89.0970 | 343.00 | **411.60** |
| 1200 x 470mm | 368 | 713 | 450W | A, A+, F, G | 89.0971 | 418.00 | **501.60** |
| 1200 x 565mm | 437 | 848 | 600W | A, A+, F, G | 89.0972 | 500.00 | **600.00** |
| 1800 x 185mm | 220 | 429 | 300W | A, A+, F, G | 89.0278 | 231.00 | **277.20** |
| 1800 x 280mm | 325 | 634 | 450W | A, A+, F, G | 89.0147 | 327.00 | **392.40** |
| 1800 x 375mm | 428 | 835 | 600W | A, A+, F, G | 89.0149 | 416.00 | **499.20** |
| 1800 x 470mm | 530 | 1033 | 750W | A, A+, F, G | 89.0151 | 509.00 | **610.80** |
| 1800 x 565mm | 630 | 1229 | 1000W | A, A+, F, G | 89.0742 | 613.00 | **735.60** |

### Malmesbury Vertical Aluminium Radiators - Matt Cappuccino

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 185mm | 153 | 296 | 150W | A, A+, F, G | 89.0952 | 187.00 | **224.40** |
| 1200 x 280mm | 226 | 437 | 300W | A, A+, F, G | 89.0953 | 266.00 | **319.20** |
| 1200 x 375mm | 297 | 576 | 300W | A, A+, F, G | 89.0954 | 343.00 | **411.60** |
| 1200 x 470mm | 368 | 713 | 450W | A, A+, F, G | 89.0955 | 418.00 | **501.60** |
| 1200 x 565mm | 437 | 848 | 600W | A, A+, F, G | 89.0956 | 500.00 | **600.00** |
| 1800 x 185mm | 220 | 429 | 300W | A, A+, F, G | 89.0477 | 257.00 | **308.40** |
| 1800 x 280mm | 325 | 634 | 450W | A, A+, F, G | 89.0478 | 363.00 | **435.60** |
| 1800 x 375mm | 428 | 835 | 600W | A, A+, F, G | 89.0479 | 467.00 | **560.40** |
| 1800 x 470mm | 530 | 1033 | 750W | A, A+, F, G | 89.0480 | 571.00 | **685.20** |
| 1800 x 565mm | 630 | 1229 | 1000W | A, A+, F, G | 89.0741 | 675.00 | **810.00** |

### Malmesbury Vertical Aluminium Radiators - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 185mm | 220 | 429 | 300W | A, A+, F, G | 89.1753 | 231.00 | **277.20** |
| 1800 x 280mm | 325 | 634 | 450W | A, A+, F, G | 89.1754 | 327.00 | **392.40** |
| 1800 x 375mm | 428 | 835 | 600W | A, A+, F, G | 89.1755 | 416.00 | **499.20** |
| 1800 x 470mm | 530 | 1033 | 750W | A, A+, F, G | 89.1756 | 509.00 | **610.80** |
| 1800 x 565mm | 630 | 1229 | 1000W | A, A+, F, G | 89.1757 | 613.00 | **735.60** |

Prices include radiator and wall fixing sets, valves and accessories extra.




Pictured 89.0742 Matt Anthracite with 89.0212 Towel Hangers x3

For all Malmesbury Matt White, Matt Anthracite, Matt Cappuccino, Matt Grey, Matt Black & Chrome Towel Hangers, please refer to **page 241.**

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.

**For element types see pages 336-349.**

Element can only be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.





### Malmesbury Cover Caps - Chrome

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 185mm | 89.0422 | 19.00 | **22.80** |
| Cover Cap Set 280mm | 89.0171 | 19.00 | **22.80** |
| Cover Cap Set 375mm | 89.0172 | 21.00 | **25.20** |
| Cover Cap Set 470mm | 89.0173 | 24.00 | **28.80** |
| Cover Cap Set 565mm | 89.0174 | 28.00 | **33.60** |

Cover cap sets only include cover caps for the top or bottom of the radiator.

• NEW COLOUR HERE •

# Aluminium Range

## MALMESBURY VERTICAL




Pictured 89.1778 Black Effect

Malmesbury Aluminium Radiators combine sleek, modern design with exceptional durability. Finished using advanced plasma technology painting, they offer a flawless, long-lasting surface that resists wear and maintains its vibrant look for years. A perfect blend of performance and style, these radiators make a striking statement in any space.

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

### Premium Plasma Colours

Our new Plasma Colour radiators bring a bold, modern aesthetic to your space with a sleek, gloss finish. Designed for both durability, and an eco-friendly solution with a vibrant look.

**Brass Effect**



**Silver Effect**



**Black Effect**



**Technical Tables & Drawings**
Page 424-425

# Aluminium Range

## MALMESBURY VERTICAL

| Malmesbury Vertical Aluminium Radiators - Brass Effect | | | | | | | |
|---|---|---|---|---|---|---|---|
| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
| 1800 x 280mm | 325 | 634 | 450W | A, A+, F, G | 89.1768 | 392.00 | **470.40** |
| 1800 x 375mm | 428 | 835 | 600W | A, A+, F, G | 89.1769 | 503.00 | **603.60** |
| 1800 x 470mm | 530 | 1033 | 750W | A, A+, F, G | 89.1770 | 615.00 | **738.00** |
| 1800 x 565mm | 630 | 1229 | 1000W | A, A+, F, G | 89.1771 | 738.00 | **885.60** |

| Malmesbury Vertical Aluminium Radiators - Silver Effect | | | | | | | |
|---|---|---|---|---|---|---|---|
| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
| 1800 x 280mm | 325 | 634 | 450W | A, A+, F, G | 89.1772 | 392.00 | **470.40** |
| 1800 x 375mm | 428 | 835 | 600W | A, A+, F, G | 89.1773 | 503.00 | **603.60** |
| 1800 x 470mm | 530 | 1033 | 750W | A, A+, F, G | 89.1774 | 615.00 | **738.00** |
| 1800 x 565mm | 630 | 1229 | 1000W | A, A+, F, G | 89.1775 | 738.00 | **885.60** |

| Malmesbury Vertical Aluminium Radiators - Black Effect | | | | | | | |
|---|---|---|---|---|---|---|---|
| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
| 1800 x 280mm | 325 | 634 | 450W | A, A+, F, G | 89.1776 | 392.00 | **470.40** |
| 1800 x 375mm | 428 | 835 | 600W | A, A+, F, G | 89.1777 | 503.00 | **603.60** |
| 1800 x 470mm | 530 | 1033 | 750W | A, A+, F, G | 89.1778 | 615.00 | **738.00** |
| 1800 x 565mm | 630 | 1229 | 1000W | A, A+, F, G | 89.1779 | 738.00 | **885.60** |

Prices include radiator and wall fixing sets, valves and accessories extra.



Pictured 89.1773 Silver Effect with 89.0159 Towel Hangers x 3

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.

**For element types see pages 336-349.**

Element can only be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



| Malmesbury Cover Caps - Chrome | | | |
|---|---|---|---|
| Description | Code | £ Ex VAT | £ Inc VAT |
| Cover Cap Set 280mm | 89.0171 | 19.00 | **22.80** |
| Cover Cap Set 375mm | 89.0172 | 21.00 | **25.20** |
| Cover Cap Set 470mm | 89.0173 | 24.00 | **28.80** |
| Cover Cap Set 565mm | 89.0174 | 28.00 | **33.60** |

Cover cap sets only include cover caps for the top or bottom of the radiator.



Pictured 89.1771 Brass Effect

# Aluminium Range

## MALMESBURY HORIZONTAL




Pictured 89.0425 Matt White

An aluminium radiator range available in both Vertical and Horizontal designs in Matt White, Matt Anthracite, Matt Cappuccino, Matt Grey or Matt Black finishes. Optional extras include chrome cover caps and towel hangers.

### 500mm Height

**Malmesbury Horizontal Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 500 x 375mm | 140 | 269 | 150W | A, A+, C, H | 89.0432 | 195.00 | **234.00** |
| 500 x 470mm | 173 | 333 | 150W | A, A+, C, H | 89.0433 | 242.00 | **290.40** |
| 500 x 565mm | 205 | 396 | 300W | A, A+, C, H | 89.0434 | 285.00 | **342.00** |

**Malmesbury Horizontal Aluminium Radiators - Matt Grey**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 500 x 375mm | 140 | 269 | 150W | A, A+, C, H | 89.0435 | 195.00 | **234.00** |
| 500 x 470mm | 173 | 333 | 150W | A, A+, C, H | 89.0436 | 242.00 | **290.40** |
| 500 x 565mm | 205 | 396 | 300W | A, A+, C, H | 89.0437 | 285.00 | **342.00** |

**Malmesbury Horizontal Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 500 x 375mm | 140 | 269 | 150W | A, A+, C, H | 89.0438 | 195.00 | **234.00** |
| 500 x 470mm | 173 | 333 | 150W | A, A+, C, H | 89.0439 | 242.00 | **290.40** |
| 500 x 565mm | 205 | 396 | 300W | A, A+, C, H | 89.0440 | 285.00 | **342.00** |

### FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour.
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 424-425

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall. Price includes radiator and wall fixing sets, valves extra.

### 600mm Height

**Malmesbury Horizontal Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 375mm | 163 | 314 | 150W | A, A+, C, H | 89.0152 | 210.00 | **252.00** |
| 600 x 470mm | 202 | 389 | 300W | A, A+, C, H | 89.0154 | 261.00 | **313.20** |
| 600 x 565mm | 240 | 462 | 300W | A, A+, C, H | 89.0156 | 307.00 | **368.40** |
| 600 x 850mm | 352 | 680 | 450W | A, A+, C, H | 89.0423 | 436.00 | **523.20** |
| 600 x 1040mm | 426 | 822 | 600W | A, A+, C, H | 89.0424 | 530.00 | **636.00** |
| 600 x 1230mm | 499 | 963 | 750W | A, A+, C, H | 89.0425 | 627.00 | **752.40** |
| 600 x 1420mm | 572 | 1103 | 900W | A, A+, C, H | 89.0940 | 780.00 | **936.00** |

**Malmesbury Horizontal Aluminium Radiators - Matt Grey**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 375mm | 163 | 314 | 150W | A, A+, C, H | 89.0274 | 210.00 | **252.00** |
| 600 x 470mm | 202 | 389 | 300W | A, A+, C, H | 89.0275 | 261.00 | **313.20** |
| 600 x 565mm | 240 | 462 | 300W | A, A+, C, H | 89.0276 | 307.00 | **368.40** |
| 600 x 850mm | 352 | 680 | 450W | A, A+, C, H | 89.0426 | 436.00 | **523.20** |
| 600 x 1040mm | 426 | 822 | 600W | A, A+, C, H | 89.0427 | 530.00 | **636.00** |
| 600 x 1230mm | 499 | 963 | 750W | A, A+, C, H | 89.0428 | 627.00 | **752.40** |
| 600 x 1420mm | 572 | 1103 | 900W | A, A+, C, H | 89.0951 | 780.00 | **936.00** |

**Malmesbury Horizontal Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 375mm | 163 | 314 | 150W | A, A+, C, H | 89.0153 | 210.00 | **252.00** |
| 600 x 470mm | 202 | 389 | 300W | A, A+, C, H | 89.0155 | 261.00 | **313.20** |
| 600 x 565mm | 240 | 462 | 300W | A, A+, C, H | 89.0157 | 307.00 | **368.40** |
| 600 x 850mm | 352 | 680 | 450W | A, A+, C, H | 89.0429 | 436.00 | **523.20** |
| 600 x 1040mm | 426 | 822 | 600W | A, A+, C, H | 89.0430 | 530.00 | **636.00** |
| 600 x 1230mm | 499 | 963 | 750W | A, A+, C, H | 89.0431 | 627.00 | **752.40** |
| 600 x 1420mm | 572 | 1103 | 900W | A, A+, C, H | 89.0973 | 780.00 | **936.00** |

**Malmesbury Horizontal Aluminium Radiators - Matt Cappuccino**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 375mm | 163 | 314 | 150W | A, A+, C, H | 89.0481 | 237.00 | **284.40** |
| 600 x 470mm | 202 | 389 | 300W | A, A+, C, H | 89.0482 | 294.00 | **352.80** |
| 600 x 565mm | 240 | 462 | 300W | A, A+, C, H | 89.0483 | 344.00 | **412.80** |
| 600 x 850mm | 352 | 680 | 450W | A, A+, C, H | 89.0484 | 513.00 | **615.60** |
| 600 x 1040mm | 426 | 822 | 600W | A, A+, C, H | 89.0485 | 623.00 | **747.60** |
| 600 x 1230mm | 499 | 963 | 750W | A, A+, C, H | 89.0486 | 738.00 | **885.60** |
| 600 x 1420mm | 572 | 1103 | 900W | A, A+, C, H | 89.0957 | 780.00 | **936.00** |

Prices include radiator and wall fixing sets, valves and accessories extra.



**Malmesbury Cover Caps - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 375mm | 89.0172 | 21.00 | **25.20** |
| Cover Cap Set 470mm | 89.0173 | 24.00 | **28.80** |
| Cover Cap Set 565mm | 89.0174 | 28.00 | **33.60** |
| Cover Cap Set 850mm | 89.0497 | 37.00 | **44.40** |
| Cover Cap Set 1040mm | 89.0498 | 44.00 | **52.80** |
| Cover Cap Set 1230mm | 89.0499 | 50.00 | **60.00** |
| Cover Cap Set 1420mm | 89.1406 | 55.00 | **66.00** |

Cover cap sets only include cover caps for the top or bottom of the radiator.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C&H can be increased up to full capacity of 900 watts).



# Aluminium Range

## MALMESBURY STANDARD TOWEL HANGERS



**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 185mm | 89.0298 | 47.00 | **56.40** |
| 280mm | 89.0215 | 56.00 | **67.20** |
| 375mm | 89.0207 | 63.00 | **75.60** |
| 470mm | 89.0208 | 72.00 | **86.40** |
| 565mm | 89.0209 | 76.00 | **91.20** |



**Towel Hanger - Matt Grey**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 185mm | 89.0300 | 47.00 | **56.40** |
| 280mm | 89.0302 | 56.00 | **67.20** |
| 375mm | 89.0303 | 63.00 | **75.60** |
| 470mm | 89.0304 | 72.00 | **86.40** |
| 565mm | 89.0305 | 76.00 | **91.20** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 185mm | 89.0299 | 47.00 | **56.40** |
| 280mm | 89.0216 | 56.00 | **67.20** |
| 375mm | 89.0210 | 63.00 | **75.60** |
| 470mm | 89.0211 | 72.00 | **86.40** |
| 565mm | 89.0212 | 76.00 | **91.20** |



**Towel Hanger - Matt Cappuccino**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 185mm | 89.0487 | 47.00 | **56.40** |
| 280mm | 89.0488 | 56.00 | **67.20** |
| 375mm | 89.0489 | 63.00 | **75.60** |
| 470mm | 89.0490 | 72.00 | **86.40** |
| 565mm | 89.0491 | 76.00 | **91.20** |



**Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 185mm | 89.1758 | 47.00 | **56.40** |
| 280mm | 89.1759 | 56.00 | **67.20** |
| 375mm | 89.1760 | 63.00 | **75.60** |
| 470mm | 89.1761 | 72.00 | **86.40** |
| 565mm | 89.1762 | 76.00 | **91.20** |



**Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 185mm | 89.0301 | 47.00 | **56.40** |
| 280mm | 89.0158 | 53.00 | **63.60** |
| 375mm | 89.0159 | 56.00 | **67.20** |
| 470mm | 89.0160 | 65.00 | **78.00** |
| 565mm | 89.0176 | 70.00 | **84.00** |



Pictured 89.0439 Matt Anthracite with 89.0160 Towel Hanger

### TECHNICAL INFORMATION

Material: **Steel**

**Vertical Radiators:**

1200mm radiators come with 2 pre-drilled towel hanger locations with a maximum of 2 towel hangers and 1800mm height radiators come with 3 pre-drilled towel hanger locations with a maximum of 3 towel hangers - all widths; 185, 280, 375, 470 and 565mm. The standard towel hangers are only compatible with the Vertical Radiators.

**Can be fitted after installation only on high adjustment bracket fitting.**

**Horizontal Radiators:**

500mm & 600mm height radiators come with 1 pre-drilled towel hanger location, with a maximum of 1 towel hanger - (only 375, 470 and 565mm widths).


Standard towel hanger can be fitted.

**Can be fitted after installation only on high adjustment bracket fitting.**

The Malmesbury Standard Towel Hangers will add approx 22mm width on each side once fitted to the radiator.

## MALMESBURY FLAT STYLE TOWEL HANGERS

### SINGLE FLAT STYLE



**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0306 | 83.00 | **99.60** |
| 375mm | 89.0307 | 89.00 | **106.80** |
| 470mm | 89.0308 | 92.00 | **110.40** |
| 565mm | 89.0309 | 116.00 | **139.20** |



**Towel Hanger - Matt Grey**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0314 | 83.00 | **99.60** |
| 375mm | 89.0315 | 89.00 | **106.80** |
| 470mm | 89.0316 | 92.00 | **110.40** |
| 565mm | 89.0317 | 116.00 | **139.20** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0310 | 83.00 | **99.60** |
| 375mm | 89.0311 | 89.00 | **106.80** |
| 470mm | 89.0312 | 92.00 | **110.40** |
| 565mm | 89.0313 | 116.00 | **139.20** |



**Towel Hanger - Matt Cappuccino**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0492 | 90.00 | **108.00** |
| 375mm | 89.0493 | 98.00 | **117.60** |
| 470mm | 89.0494 | 102.00 | **122.40** |
| 565mm | 89.0495 | 128.00 | **153.60** |

### TECHNICAL INFORMATION

Material: **Steel**

**Vertical and Horizontal Radiators:**

Single Flat style hangers are compatible with both Vertical and Horizontal radiators. (Depending on the radiators and hangers width)

**Must be fitted before installation!**

Hanger Fitting Widths
96/191/286/476mm



# Aluminium Range

## ROSANO VERTICAL



Pictured 86.0008 Matt Anthracite with 101.0085 Towel Hanger x1 & 86.0112 Cover Caps x2 (Side connection valves shown)



**Side or Bottom connection options**

Pictured 86.0004 Matt White with 101.0049 Towel Hanger x1 & 86.0112 Cover Caps x2 (Side connection valves shown)

A luxurious flat panelled radiator range with stunning clean lines which will be the focus of any room. Available in a choice of colours and in horizontal or vertical designs. Stunning towel hangers will complement the vertical design allowing room for your towels.

Warranty 5 Year | Heating | All Electric | Dual-Fuel

**Technical Tables & Drawings**
Page 424-425

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. **Side connection:** Tappings are the width of the rail and 35 or 55mm off the wall. **Bottom connection:** Tappings are 90mm less than the width of the rail and 35 or 55mm off the wall.

# Aluminium Range

## ROSANO VERTICAL



Matt White | Matt Anthracite | Matt Black

Pictured 86.0005 Matt Anthracite with 86.0026 Towel Hangers (bottom connection valves shown)



For all Rosano Matt White, Matt Anthacite, Matt Black, Chrome and Premium Towel Hangers, please refer to page 246-247.

**Rosano Vertical Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 280mm | 141 | 263 | 150W | A, A+ | 86.0147 | 223.00 | **267.60** |
| 1800 x 280mm | 432 | 800 | 450W | A, A+ | 86.0001 | 361.00 | **433.20** |
| 1800 x 375mm | 576 | 1067 | 750W | A, A+ | 86.0004 | 460.00 | **552.00** |
| 1800 x 470mm | 720 | 1334 | 900W | A, A+ | 86.0007 | 562.00 | **674.40** |
| 1800 x 565mm | 864 | 1600 | 1000W | A, A+ | 86.0284 | 682.00 | **818.40** |

**Rosano Vertical Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 280mm | 141 | 263 | 150W | A, A+ | 86.0148 | 223.00 | **267.60** |
| 1800 x 280mm | 432 | 800 | 450W | A, A+ | 86.0002 | 361.00 | **433.20** |
| 1800 x 375mm | 576 | 1067 | 750W | A, A+ | 86.0005 | 460.00 | **552.00** |
| 1800 x 470mm | 720 | 1334 | 900W | A, A+ | 86.0008 | 562.00 | **674.40** |
| 1800 x 565mm | 864 | 1600 | 1000W | A, A+ | 86.0285 | 682.00 | **818.40** |

**Rosano Vertical Aluminium Radiators - Matt Black**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 280mm | 141 | 263 | 150W | A, A+ | 86.0149 | 223.00 | **267.60** |
| 1800 x 280mm | 432 | 800 | 450W | A, A+ | 86.0003 | 361.00 | **433.20** |
| 1800 x 375mm | 576 | 1067 | 750W | A, A+ | 86.0006 | 460.00 | **552.00** |
| 1800 x 470mm | 720 | 1334 | 900W | A, A+ | 86.0009 | 562.00 | **674.40** |
| 1800 x 565mm | 864 | 1600 | 1000W | A, A+ | 86.0286 | 682.00 | **818.40** |

* Further heat output information available on eastbrooktrade.com **E&OA**

Prices include radiator and wall fixing sets, valves and accessories extra.

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Side or bottom connection options (only on vertical sizes)
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom, the same colour as the radiator

* With conditions

**For element types see pages 336-349.**

Element can be installed vertically on the right-hand side or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. For dual fuel installations, element must be installed on flow side.






**Rosano Cover Cap Sets - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 280mm | 86.0111 | 28.00 | **33.60** |
| Cover Cap Set 375mm | 86.0112 | 34.00 | **40.80** |
| Cover Cap Set 470mm | 86.0113 | 38.00 | **45.60** |
| Cover Cap Set 565mm | 86.0309 | 46.00 | **55.20** |

Cover cap sets only include cover caps for the top or bottom of the radiator.

**Multi-Purpose Towel Hangers**

Page 368



# Aluminium Range

## ROSANO HORIZONTAL

Pictured 86.0020 Matt Anthracite

Pictured 86.0021 Matt Black




**Technical Tables & Drawings**
Page 424-425

A luxurious flat panelled radiator range with stunning clean lines which will be the focus of any room. Available in a choice of colours and in horizontal or vertical designs.

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 35 or 55mm off the wall.


**Radiator Valves**
Page 350-365



# Aluminium Range

## ROSANO HORIZONTAL

Pictured 86.0016 Matt White with 89.0372 Towel Hanger



### Rosano Horizontal Aluminium Radiators - Matt White

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 235 | 438 | 300W | A, A+, C, H | 86.0010 | 288.00 | **345.60** |
| 600 x 660mm | 329 | 613 | 450W | A, A+, C, H | 86.0013 | 382.00 | **458.40** |
| 600 x 850mm | 423 | 788 | 600W | A, A+, C, H | 86.0016 | 472.00 | **566.40** |
| 600 x 1040mm | 517 | 963 | 750W | A, A+, C, H | 86.0019 | 566.00 | **679.20** |
| 600 x 1230mm | 611 | 1138 | 900W | A, A+, C, H | 86.0022 | 657.00 | **788.40** |

### Rosano Horizontal Aluminium Radiators - Matt Anthracite

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 235 | 438 | 300W | A, A+, C, H | 86.0011 | 288.00 | **345.60** |
| 600 x 660mm | 329 | 613 | 450W | A, A+, C, H | 86.0014 | 382.00 | **458.40** |
| 600 x 850mm | 423 | 788 | 600W | A, A+, C, H | 86.0017 | 472.00 | **566.40** |
| 600 x 1040mm | 517 | 963 | 750W | A, A+, C, H | 86.0020 | 566.00 | **679.20** |
| 600 x 1230mm | 611 | 1138 | 900W | A, A+, C, H | 86.0023 | 657.00 | **788.40** |

### Rosano Horizontal Aluminium Radiators - Matt Black

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 235 | 438 | 300W | A, A+, C, H | 86.0012 | 288.00 | **345.60** |
| 600 x 660mm | 329 | 613 | 450W | A, A+, C, H | 86.0015 | 382.00 | **458.40** |
| 600 x 850mm | 423 | 788 | 600W | A, A+, C, H | 86.0018 | 472.00 | **566.40** |
| 600 x 1040mm | 517 | 963 | 750W | A, A+, C, H | 86.0021 | 566.00 | **679.20** |
| 600 x 1230mm | 611 | 1138 | 900W | A, A+, C, H | 86.0024 | 657.00 | **788.40** |

* Further heat output information available on eastbrooktrade.com **E&OA**

Prices include radiator and wall fixing sets, valves and accessories extra.

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom, the same colour as the radiator

* With conditions

**For element types see pages 336-349.**


Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).




**Matt White**



**Matt Anthracite**



**Matt Black**



For all Rosano Matt White, Matt Anthacite, Matt Black, Chrome and Premium Towel Hangers, please refer to page 246-247.



### Rosano Cover Cap Sets - Chrome

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 470mm | 86.0113 | 38.00 | **45.60** |
| Cover Cap Set 660mm | 86.0114 | 50.00 | **60.00** |
| Cover Cap Set 850mm | 86.0115 | 60.00 | **72.00** |
| Cover Cap Set 1040mm | 86.0116 | 70.00 | **84.00** |
| Cover Cap Set 1230mm | 86.0117 | 83.00 | **99.60** |

Cover cap sets only include cover caps for the top or bottom of the radiator.


# Aluminium Range

## ROSANO STANDARD TOWEL HANGERS




**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0177 | 62.00 | **74.40** |
| 375mm | 89.0178 | 66.00 | **79.20** |
| 470mm | 89.0179 | 74.00 | **88.80** |
| 565mm | 86.0333 | 78.00 | **93.60** |




**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0180 | 62.00 | **74.40** |
| 375mm | 89.0181 | 66.00 | **79.20** |
| 470mm | 89.0182 | 74.00 | **88.80** |
| 565mm | 86.0334 | 78.00 | **93.60** |



**Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0183 | 62.00 | **74.40** |
| 375mm | 89.0184 | 66.00 | **79.20** |
| 470mm | 89.0185 | 74.00 | **88.80** |
| 565mm | 86.0335 | 78.00 | **93.60** |



**Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 86.0025 | 53.00 | **63.60** |
| 375mm | 86.0026 | 62.00 | **74.40** |
| 470mm | 86.0027 | 69.00 | **82.80** |
| 565mm | 86.0336 | 72.00 | **86.40** |

### TECHNICAL INFORMATION

Material: **Steel (Premium: Stainless Steel - Grade 304)**

1800mm height radiators come with 3 pre-drilled towel hanger locations with a maximum of 3 towel hangers - all widths; 280, 375, 470 and 565mm. 600mm height radiators come with 1 pre-drilled towel hanger location, with a maximum of 1 towel hanger - 280mm width. The Rosano Standard Towel Hangers will add approx 8mm width on each side once fitted to the radiator.


600mm height x 470mm width radiator can have one towel hanger.

**Can be fitted after installation only on high adjustment bracket fitting.**



**Towel Hanger - Brushed Brass**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 41.0616 | 56.00 | **67.20** |
| 375mm | 41.0617 | 63.00 | **75.60** |
| 470mm | 41.0618 | 72.00 | **86.40** |
| 565mm | 41.0619 | 76.00 | **91.20** |



**Towel Hanger - Mirror Polished Premium**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 86.0198 | 73.00 | **87.60** |
| 375mm | 86.0199 | 80.00 | **96.00** |
| 470mm | 86.0200 | 87.00 | **104.40** |
| 565mm | 86.0337 | 93.00 | **111.60** |


## ROSANO FLAT STYLE TOWEL HANGERS

### SINGLE FLAT STYLE




**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0283 | 72.00 | **86.40** |
| 375mm | 89.0284 | 79.00 | **94.80** |
| 470mm | 89.0285 | 89.00 | **106.80** |
| 565mm | 91.0163 | 95.00 | **114.00** |
| 660mm | 89.0286 | 100.00 | **120.00** |
| 850mm | 89.0287 | 112.00 | **134.40** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0288 | 72.00 | **86.40** |
| 375mm | 89.0289 | 79.00 | **94.80** |
| 470mm | 89.0290 | 89.00 | **106.80** |
| 565mm | 91.0164 | 95.00 | **114.00** |
| 660mm | 89.0291 | 100.00 | **120.00** |
| 850mm | 89.0292 | 112.00 | **134.40** |



**Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0293 | 72.00 | **86.40** |
| 375mm | 89.0294 | 79.00 | **94.80** |
| 470mm | 89.0295 | 89.00 | **106.80** |
| 565mm | 91.0165 | 95.00 | **114.00** |
| 660mm | 89.0296 | 100.00 | **120.00** |
| 850mm | 89.0297 | 112.00 | **134.40** |



**Towel Hanger - Chrome**


| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 91.0094 | 98.00 | **117.60** |
| 375mm | 91.0095 | 100.00 | **120.00** |
| 470mm | 91.0096 | 102.00 | **122.40** |
| 565mm | 91.0166 | 103.00 | **123.60** |
| 660mm | 91.0097 | 108.00 | **129.60** |
| 850mm | 91.0098 | 115.00 | **138.00** |

### DOUBLE FLAT STYLE




**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0369 | 88.00 | **105.60** |
| 375mm | 89.0370 | 92.00 | **110.40** |
| 470mm | 89.0371 | 103.00 | **123.60** |
| 565mm | 91.0167 | 114.00 | **136.80** |
| 660mm | 89.0372 | 121.00 | **145.20** |
| 850mm | 89.0373 | 135.00 | **162.00** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0374 | 88.00 | **105.60** |
| 375mm | 89.0375 | 92.00 | **110.40** |
| 470mm | 89.0376 | 103.00 | **123.60** |
| 565mm | 91.0168 | 114.00 | **136.80** |
| 660mm | 89.0377 | 121.00 | **145.20** |
| 850mm | 89.0378 | 135.00 | **162.00** |



**Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0379 | 88.00 | **105.60** |
| 375mm | 89.0380 | 92.00 | **110.40** |
| 470mm | 89.0381 | 103.00 | **123.60** |
| 565mm | 91.0169 | 114.00 | **136.80** |
| 660mm | 89.0382 | 121.00 | **145.20** |
| 850mm | 89.0383 | 135.00 | **162.00** |



**Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 91.0114 | 124.00 | **148.80** |
| 375mm | 91.0115 | 130.00 | **156.00** |
| 470mm | 91.0116 | 132.00 | **158.40** |
| 565mm | 91.0170 | 138.00 | **165.60** |
| 660mm | 91.0117 | 142.00 | **170.40** |
| 850mm | 91.0118 | 154.00 | **184.80** |

### TECHNICAL INFORMATION

Material: **Steel**

**Vertical and Horizontal Radiators:**

Flat & Double Flat Style Hangers are compatible with both Vertical and Horizontal radiators.(Depending on the radiators and hangers width)

**Must be fitted before installation!**

Hanger Fitting Widths
96/191/286/381/476/666mm



Hanger Fitting Widths
96/191/286/381/476/666mm



# Aluminium Range

## ROSANO FLAT TRIPLE TOWEL HANGER

Brushed Stainless Steel



Polished Stainless Steel



**Flat Triple Hanger - Brushed Stainless Steel**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 101.0048 | 240.00 | **288.00** |
| 375mm | 101.0049 | 261.00 | **313.20** |
| 470mm | 101.0050 | 299.00 | **358.80** |
| 565mm | 101.0064 | 335.00 | **402.00** |

**Flat Triple Hanger - Polished Stainless Steel**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 101.0054 | 240.00 | **288.00** |
| 375mm | 101.0055 | 261.00 | **313.20** |
| 470mm | 101.0056 | 299.00 | **358.80** |
| 565mm | 101.0065 | 335.00 | **402.00** |

## ROSANO CURVED TRIPLE TOWEL HANGER

Brushed Stainless Steel



Polished Stainless Steel



**Curved Triple Hanger - Brushed Stainless Steel**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 101.0051 | 240.00 | **288.00** |
| 375mm | 101.0052 | 261.00 | **313.20** |
| 470mm | 101.0053 | 299.00 | **358.80** |
| 565mm | 101.0066 | 335.00 | **402.00** |

**Curved Triple Hanger - Polished Stainless Steel**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 101.0057 | 240.00 | **288.00** |
| 375mm | 101.0058 | 261.00 | **313.20** |
| 470mm | 101.0059 | 299.00 | **358.80** |
| 565mm | 101.0067 | 335.00 | **402.00** |

### TECHNICAL INFORMATION

Material: **Stainless Steel - Grade 304**

**Vertical Radiators:**

1800mm height radiators comes with 3 pre-drilled towel hanger locations. 600mm height radiators come with 1 pre-drilled towel hanger location. The flat triple & curved triple towel hangers are only compatible with the Vertical Radiators and can be fitted to the pre-drilled holes on 1800mm & 600mm height radiators. **Can be fitted after installation only on high adjustment bracket fitting.**

**Horizontal Radiators:**

The flat triple & curved triple towel hangers are not suitable for horizontal radiators.

## ROSANO DESIGNER TOWEL HANGERS

Square Style



**Square Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0075 | 72.00 | **86.40** |
| 470mm | 101.0076 | 79.00 | **94.80** |
| 565mm | 101.0077 | 92.00 | **110.40** |

**Square Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0078 | 72.00 | **86.40** |
| 470mm | 101.0079 | 79.00 | **94.80** |
| 565mm | 101.0080 | 92.00 | **110.40** |


**Square Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0081 | 72.00 | **86.40** |
| 470mm | 101.0082 | 79.00 | **94.80** |
| 565mm | 101.0083 | 92.00 | **110.40** |

**Square Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0084 | 83.00 | **99.60** |
| 470mm | 101.0085 | 96.00 | **115.20** |
| 565mm | 101.0086 | 112.00 | **134.40** |

Triangle Style



**Triangle Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0087 | 74.00 | **88.80** |
| 470mm | 101.0088 | 83.00 | **99.60** |
| 565mm | 101.0089 | 97.00 | **116.40** |

**Triangle Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0090 | 74.00 | **88.80** |
| 470mm | 101.0091 | 83.00 | **99.60** |
| 565mm | 101.0092 | 97.00 | **116.40** |

**Triangle Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0093 | 74.00 | **88.80** |
| 470mm | 101.0094 | 83.00 | **99.60** |
| 565mm | 101.0095 | 97.00 | **116.40** |

**Triangle Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0096 | 84.00 | **100.80** |
| 470mm | 101.0097 | 97.00 | **116.40** |
| 565mm | 101.0098 | 115.00 | **138.00** |

Circle Style



**Circle Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0099 | 78.00 | **93.60** |
| 470mm | 101.0100 | 86.00 | **103.20** |
| 565mm | 101.0101 | 100.00 | **120.00** |

**Circle Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0102 | 78.00 | **93.60** |
| 470mm | 101.0103 | 86.00 | **103.20** |
| 565mm | 101.0104 | 100.00 | **120.00** |

**Circle Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0105 | 78.00 | **93.60** |
| 470mm | 101.0106 | 86.00 | **103.20** |
| 565mm | 101.0107 | 100.00 | **120.00** |

**Circle Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0108 | 84.00 | **100.80** |
| 470mm | 101.0109 | 98.00 | **117.60** |
| 565mm | 101.0110 | 116.00 | **139.20** |

### TECHNICAL INFORMATION

Material: **Steel**

Square, Triangle and Circle Towel Hangers are only compatible with vertical radiators and can be fitted to one of the three pre-drilled holes on the 1800mm height radiators. Square, Triangle and Circle Towel Hangers will add approx 8mm width on each side once fitted to the radiator. **Can be fitted after installation only on high adjustment bracket fitting.**

# Aluminium Range

## PERETTI VERTICAL

**Side or Bottom connection options**



Pictured 86.0178 Polished Aluminium with 86.0078 Towel Hangers (side connection valves shown)



Pictured 86.0061 Matt Black with 101.0109 Towel Hanger x1 (bottom connection valves shown)

A refined version of the designer flat panelled radiators with a curve to the end two panels. This radiator will add a touch of sophistication creating an impact in any room. Available in both vertical and horizontal designs as well as four different colours for maximium choice. Stunning towel hangers will complement the vertical design allowing room for your towels.

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Side or bottom connection options (only on vertical sizes)
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom, the same colour as the radiator

* With conditions

**Technical Tables & Drawings**
Page 426-427

Warranty 5 Year | Heating | All Electric | Dual-Fuel

**TECHNICAL INFORMATION**

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. **Side connection:** Tappings are the width of the rail and 35 or 55mm off the wall. **Bottom connection:** Tappings are 90mm less than the width of the rail and 35 or 55mm off the wall.

**For all Peretti Matt White, Matt Anthracite, Matt Black, Chrome and Premium Towel Hangers, please refer to page 252-253.**



# Aluminium Range

## PERETTI VERTICAL



Matt White | Matt Anthracite | Matt Black | Polished



Pictured 86.0056 Matt White (side connection valves shown)

### Peretti Vertical Aluminium Radiators - Matt White

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 280mm | 145 | 267 | 150W | A, A+ | 86.0150 | 223.00 | **267.60** |
| 1800 x 280mm | 432 | 800 | 450W | A, A+ | 86.0053 | 361.00 | **433.20** |
| 1800 x 375mm | 576 | 1067 | 750W | A, A+ | 86.0056 | 460.00 | **552.00** |
| 1800 x 470mm | 720 | 1334 | 900W | A, A+ | 86.0059 | 562.00 | **674.40** |
| 1800 x 565mm | 864 | 1600 | 1000W | A, A+ | 86.0287 | 682.00 | **818.40** |

### Peretti Vertical Aluminium Radiators - Matt Anthracite

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 280mm | 145 | 267 | 150W | A, A+ | 86.0151 | 223.00 | **267.60** |
| 1800 x 280mm | 432 | 800 | 450W | A, A+ | 86.0054 | 361.00 | **433.20** |
| 1800 x 375mm | 576 | 1067 | 750W | A, A+ | 86.0057 | 460.00 | **552.00** |
| 1800 x 470mm | 720 | 1334 | 900W | A, A+ | 86.0060 | 562.00 | **674.40** |
| 1800 x 565mm | 864 | 1600 | 1000W | A, A+ | 86.0288 | 682.00 | **818.40** |

### Peretti Vertical Aluminium Radiators - Matt Black

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 280mm | 145 | 267 | 150W | A, A+ | 86.0152 | 223.00 | **267.60** |
| 1800 x 280mm | 432 | 800 | 450W | A, A+ | 86.0055 | 361.00 | **433.20** |
| 1800 x 375mm | 576 | 1067 | 750W | A, A+ | 86.0058 | 460.00 | **552.00** |
| 1800 x 470mm | 720 | 1334 | 900W | A, A+ | 86.0061 | 562.00 | **674.40** |
| 1800 x 565mm | 864 | 1600 | 1000W | A, A+ | 86.0289 | 682.00 | **818.40** |

### Peretti Vertical Aluminium Radiators - Polished Aluminium

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 280mm | 140 | 259 | 150W | A, A+ | 86.0176 | 243.00 | **291.60** |
| 1800 x 280mm | 420 | 776 | 450W | A, A+ | 86.0177 | 424.00 | **508.80** |
| 1800 x 375mm | 559 | 1035 | 750W | A, A+ | 86.0178 | 543.00 | **651.60** |
| 1800 x 470mm | 699 | 1294 | 900W | A, A+ | 86.0179 | 663.00 | **795.60** |
| 1800 x 565mm | 839 | 1552 | 1000W | A, A+ | 86.0290 | 767.00 | **920.40** |

* Further heat output information available on eastbrooktrade.com **E&OA**

Prices include radiator and wall fixing sets, valves and accessories extra.

**For element types see pages 336-349.**

Element can be installed vertically on the right-hand side or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements.






### Peretti Cover Cap Sets - Chrome

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 280mm | 86.0125 | 28.00 | **33.60** |
| Cover Cap Set 375mm | 86.0126 | 34.00 | **40.80** |
| Cover Cap Set 470mm | 86.0113 | 38.00 | **45.60** |
| Cover Cap Set 565mm | 86.0310 | 46.00 | **55.20** |

Cover cap sets only include cover caps for the top or bottom of the radiator.

**Multi-Purpose Towel Hangers**
Page 368



# Aluminium Range

## PERETTI HORIZONTAL

Pictured 86.0183 Polished Aluminium with 91.0117 Towel Hanger




**Technical Tables & Drawings**
Page 426-427

A refined version of the designer flat panelled radiators with a curve to the end two panels. This radiator will add a touch of sophistication creating an impact in any room. Available in both vertical and horizontal designs as well as four different colours for maximium choice. Stunning towel hangers will complement the vertical design allowing room for your towels.

**FEATURES**
- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom, the same colour as the radiator

* With conditions

**TECHNICAL INFORMATION**

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 35 or 55mm off the wall.

**For all Peretti Matt White, Matt Anthracite, Matt Black, Chrome and Premium Towel Hangers, please refer to page 252-253.**



**Radiator Valves**
Page 350-365





# Aluminium Range

## PERETTI HORIZONTAL

Pictured 86.0069 Matt Anthracite with 89.0290 Towel Hanger



### Peretti Horizontal Aluminium Radiators - Matt White

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 241 | 445 | 300W | A, A+, C, H | 86.0062 | 288.00 | **345.60** |
| 600 x 660mm | 337 | 623 | 450W | A, A+, C, H | 86.0065 | 382.00 | **458.40** |
| 600 x 850mm | 433 | 801 | 600W | A, A+, C, H | 86.0068 | 472.00 | **566.40** |
| 600 x 1040mm | 529 | 979 | 750W | A, A+, C, H | 86.0071 | 566.00 | **679.20** |
| 600 x 1230mm | 625 | 1156 | 900W | A, A+, C, H | 86.0074 | 658.00 | **789.60** |

### Peretti Horizontal Aluminium Radiators - Matt Anthracite

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 241 | 445 | 300W | A, A+, C, H | 86.0063 | 281.00 | **337.20** |
| 600 x 660mm | 337 | 623 | 450W | A, A+, C, H | 86.0066 | 382.00 | **458.40** |
| 600 x 850mm | 433 | 801 | 600W | A, A+, C, H | 86.0069 | 472.00 | **566.40** |
| 600 x 1040mm | 529 | 979 | 750W | A, A+, C, H | 86.0072 | 566.00 | **679.20** |
| 600 x 1230mm | 625 | 1156 | 900W | A, A+, C, H | 86.0075 | 658.00 | **789.60** |

### Peretti Horizontal Aluminium Radiators - Matt Black

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 241 | 445 | 300W | A, A+, C, H | 86.0064 | 288.00 | **345.60** |
| 600 x 660mm | 337 | 623 | 450W | A, A+, C, H | 86.0067 | 382.00 | **458.40** |
| 600 x 850mm | 433 | 801 | 600W | A, A+, C, H | 86.0070 | 472.00 | **566.40** |
| 600 x 1040mm | 529 | 979 | 750W | A, A+, C, H | 86.0073 | 566.00 | **679.20** |
| 600 x 1230mm | 625 | 1156 | 900W | A, A+, C, H | 86.0076 | 658.00 | **789.60** |

### Peretti Horizontal Aluminium Radiators - Polished Aluminium

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 233 | 432 | 300W | A, A+, C, H | 86.0180 | 341.00 | **409.20** |
| 600 x 660mm | 327 | 604 | 450W | A, A+, C, H | 86.0181 | 451.00 | **541.20** |
| 600 x 850mm | 420 | 777 | 600W | A, A+, C, H | 86.0182 | 558.00 | **669.60** |
| 600 x 1040mm | 513 | 949 | 750W | A, A+, C, H | 86.0183 | 666.00 | **799.20** |
| 600 x 1230mm | 606 | 1122 | 900W | A, A+, C, H | 86.0184 | 776.00 | **931.20** |

* Further heat output information available on eastbrooktrade.com **E&OA**


Prices include radiator and wall fixing sets, valves and accessories extra.

**For element types see pages 336-349.**


Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).




**Matt White**



**Matt Anthracite**



**Matt Black**



**Polished Aluminium**





### Peretti Cover Cap Sets - Chrome

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 470mm | 86.0127 | 38.00 | **45.60** |
| Cover Cap Set 660mm | 86.0128 | 50.00 | **60.00** |
| Cover Cap Set 850mm | 86.0129 | 60.00 | **72.00** |
| Cover Cap Set 1040mm | 86.0130 | 76.00 | **91.20** |
| Cover Cap Set 1230mm | 86.0131 | 83.00 | **99.60** |

Cover cap sets only include cover caps for the top or bottom of the radiator.


# Aluminium Range

## PERETTI STANDARD TOWEL HANGERS



**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0186 | 62.00 | **74.40** |
| 375mm | 89.0187 | 66.00 | **79.20** |
| 470mm | 89.0188 | 74.00 | **88.80** |
| 565mm | 86.0338 | 78.00 | **93.60** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0189 | 62.00 | **74.40** |
| 375mm | 89.0190 | 66.00 | **79.20** |
| 470mm | 89.0191 | 74.00 | **88.80** |
| 565mm | 86.0339 | 78.00 | **93.60** |



**Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0192 | 62.00 | **74.40** |
| 375mm | 89.0193 | 66.00 | **79.20** |
| 470mm | 89.0194 | 74.00 | **88.80** |
| 565mm | 86.0340 | 78.00 | **93.60** |



**Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 86.0077 | 53.00 | **63.60** |
| 375mm | 86.0078 | 62.00 | **74.40** |
| 470mm | 86.0079 | 69.00 | **82.80** |
| 565mm | 86.0341 | 72.00 | **86.40** |

### TECHNICAL INFORMATION

Material: **Steel (Premium: Stainless Steel - Grade 304)**

1800mm height radiators come with 3 pre-drilled towel hanger locations with a maximum of 3 towel hangers - all widths; 280, 375, 470 and 565mm. 600mm height radiators come with 1 pre-drilled towel hanger location, with a maximum of 1 towel hanger - 280mm width. The Peretti Standard Towel Hangers will add approx 8mm width on each side once fitted to the radiator.


600mm height x 470mm width radiator can have one towel hanger.

**Can be fitted after installation only on high adjustment bracket fitting.**



**Towel Hanger - Brushed Brass**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 41.0612 | 59.00 | **70.80** |
| 375mm | 41.0613 | 68.00 | **81.60** |
| 470mm | 41.0614 | 77.00 | **92.40** |
| 565mm | 41.0615 | 81.00 | **97.20** |



**Towel Hanger - Mirror Polished Premium**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 86.0201 | 73.00 | **87.60** |
| 375mm | 86.0202 | 80.00 | **96.00** |
| 470mm | 86.0203 | 87.00 | **104.40** |
| 565mm | 86.0342 | 93.00 | **111.60** |

## PERETTI FLAT STYLE TOWEL HANGERS

### SINGLE FLAT STYLE




**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0283 | 72.00 | **86.40** |
| 375mm | 89.0284 | 79.00 | **94.80** |
| 470mm | 89.0285 | 89.00 | **106.80** |
| 565mm | 91.0163 | 95.00 | **114.00** |
| 660mm | 89.0286 | 100.00 | **120.00** |
| 850mm | 89.0287 | 112.00 | **134.40** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0288 | 72.00 | **86.40** |
| 375mm | 89.0289 | 79.00 | **94.80** |
| 470mm | 89.0290 | 89.00 | **106.80** |
| 565mm | 91.0164 | 95.00 | **114.00** |
| 660mm | 89.0291 | 100.00 | **120.00** |
| 850mm | 89.0292 | 112.00 | **134.40** |



**Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0293 | 72.00 | **86.40** |
| 375mm | 89.0294 | 79.00 | **94.80** |
| 470mm | 89.0295 | 89.00 | **106.80** |
| 565mm | 91.0165 | 95.00 | **114.00** |
| 660mm | 89.0296 | 100.00 | **120.00** |
| 850mm | 89.0297 | 112.00 | **134.40** |



**Towel Hanger - Chrome**


| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 91.0094 | 98.00 | **117.60** |
| 375mm | 91.0095 | 100.00 | **120.00** |
| 470mm | 91.0096 | 102.00 | **122.40** |
| 565mm | 91.0166 | 103.00 | **123.60** |
| 660mm | 91.0097 | 108.00 | **129.60** |
| 850mm | 91.0098 | 115.00 | **138.00** |

### DOUBLE FLAT STYLE




**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0369 | 88.00 | **105.60** |
| 375mm | 89.0370 | 92.00 | **110.40** |
| 470mm | 89.0371 | 103.00 | **123.60** |
| 565mm | 91.0167 | 114.00 | **136.80** |
| 660mm | 89.0372 | 121.00 | **145.20** |
| 850mm | 89.0373 | 135.00 | **162.00** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0374 | 88.00 | **105.60** |
| 375mm | 89.0375 | 92.00 | **110.40** |
| 470mm | 89.0376 | 103.00 | **123.60** |
| 565mm | 91.0168 | 114.00 | **136.80** |
| 660mm | 89.0377 | 121.00 | **145.20** |
| 850mm | 89.0378 | 135.00 | **162.00** |



**Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0379 | 88.00 | **105.60** |
| 375mm | 89.0380 | 92.00 | **110.40** |
| 470mm | 89.0381 | 103.00 | **123.60** |
| 565mm | 91.0169 | 114.00 | **136.80** |
| 660mm | 89.0382 | 121.00 | **145.20** |
| 850mm | 89.0383 | 135.00 | **162.00** |



**Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 91.0114 | 124.00 | **148.80** |
| 375mm | 91.0115 | 130.00 | **156.00** |
| 470mm | 91.0116 | 132.00 | **158.40** |
| 565mm | 91.0170 | 138.00 | **165.60** |
| 660mm | 91.0117 | 142.00 | **170.40** |
| 850mm | 91.0118 | 154.00 | **184.80** |

### TECHNICAL INFORMATION

Material: **Steel**

**Vertical and Horizontal Radiators:**


Flat & Double Flat Style Hangers are compatible with both Vertical and Horizontal radiators.(Depending on the radiators and hangers width)

**Must be fitted before installation!**

Hanger Fitting Widths
96/191/286/381/476/666mm




Hanger Fitting Widths
96/191/286/381/476/666mm




# Aluminium Range

## PERETTI FLAT TRIPLE TOWEL HANGER

Brushed Stainless Steel



Polished Stainless Steel



**Flat Triple Hanger - Brushed Stainless Steel**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 101.0048 | 240.00 | **288.00** |
| 375mm | 101.0049 | 261.00 | **313.20** |
| 470mm | 101.0050 | 299.00 | **358.80** |
| 565mm | 101.0064 | 335.00 | **402.00** |

**Flat Triple Hanger - Polished Stainless Steel**


| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 101.0054 | 240.00 | **288.00** |
| 375mm | 101.0055 | 261.00 | **313.20** |
| 470mm | 101.0056 | 299.00 | **358.80** |
| 565mm | 101.0065 | 335.00 | **402.00** |

## PERETTI CURVED TRIPLE TOWEL HANGER

Brushed Stainless Steel



Polished Stainless Steel



**Curved Triple Hanger - Brushed Stainless Steel**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 101.0051 | 240.00 | **288.00** |
| 375mm | 101.0052 | 261.00 | **313.20** |
| 470mm | 101.0053 | 299.00 | **358.80** |
| 565mm | 101.0066 | 335.00 | **402.00** |

**Curved Triple Hanger - Polished Stainless Steel**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 101.0057 | 240.00 | **288.00** |
| 375mm | 101.0058 | 261.00 | **313.20** |
| 470mm | 101.0059 | 299.00 | **358.80** |
| 565mm | 101.0067 | 335.00 | **402.00** |

### TECHNICAL INFORMATION

Material: **Stainless Steel - Grade 304**

**Vertical Radiators:**

1800mm height radiators comes with 3 pre-drilled towel hanger locations. 600mm height radiators come with 1 pre-drilled towel hanger location. The flat triple & curved triple towel hangers are only compatible with the Vertical Radiators and can be fitted to the pre-drilled holes on 1800mm & 600mm height radiators. **Can be fitted after installation only on high adjustment bracket fitting.**

**Horizontal Radiators:**

The flat triple & curved triple towel hangers are not suitable for horizontal radiators.

## PERETTI DESIGNER TOWEL HANGERS

Square Style



**Square Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0075 | 72.00 | **86.40** |
| 470mm | 101.0076 | 79.00 | **94.80** |
| 565mm | 101.0077 | 92.00 | **110.40** |

**Square Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0078 | 72.00 | **86.40** |
| 470mm | 101.0079 | 79.00 | **94.80** |
| 565mm | 101.0080 | 92.00 | **110.40** |


**Square Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0081 | 72.00 | **86.40** |
| 470mm | 101.0082 | 79.00 | **94.80** |
| 565mm | 101.0083 | 92.00 | **110.40** |

**Square Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0084 | 83.00 | **99.60** |
| 470mm | 101.0085 | 96.00 | **115.20** |
| 565mm | 101.0086 | 112.00 | **134.40** |

Triangle Style



**Triangle Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0087 | 74.00 | **88.80** |
| 470mm | 101.0088 | 83.00 | **99.60** |
| 565mm | 101.0089 | 97.00 | **116.40** |

**Triangle Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0090 | 74.00 | **88.80** |
| 470mm | 101.0091 | 83.00 | **99.60** |
| 565mm | 101.0092 | 97.00 | **116.40** |

**Triangle Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0093 | 74.00 | **88.80** |
| 470mm | 101.0094 | 83.00 | **99.60** |
| 565mm | 101.0095 | 97.00 | **116.40** |

**Triangle Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0096 | 84.00 | **100.80** |
| 470mm | 101.0097 | 97.00 | **116.40** |
| 565mm | 101.0098 | 115.00 | **138.00** |

Circle Style



**Circle Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0099 | 78.00 | **93.60** |
| 470mm | 101.0100 | 86.00 | **103.20** |
| 565mm | 101.0101 | 100.00 | **120.00** |

**Circle Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0102 | 78.00 | **93.60** |
| 470mm | 101.0103 | 86.00 | **103.20** |
| 565mm | 101.0104 | 100.00 | **120.00** |

**Circle Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0105 | 78.00 | **93.60** |
| 470mm | 101.0106 | 86.00 | **103.20** |
| 565mm | 101.0107 | 100.00 | **120.00** |

**Circle Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0108 | 84.00 | **100.80** |
| 470mm | 101.0109 | 98.00 | **117.60** |
| 565mm | 101.0110 | 116.00 | **139.20** |

### TECHNICAL INFORMATION

Material: **Steel**

Square, Triangle and Circle Towel Hangers are only compatible with vertical radiators and can be fitted to one of the three pre-drilled holes on the 1800mm height radiators. Square, Triangle and Circle Towel Hangers will add approx 8mm width on each side once fitted to the radiator. **Can be fitted after installation only on high adjustment bracket fitting.**

# Aluminium Range

## SANDHURST VERTICAL

**Side or Bottom connection options**



Pictured 86.0279 Matt Anthracite with 86.0331 x3 Towel Hangers (side connection valves shown)

An aluminium radiator with elliptical vertical panels that will take everyone's attention. Vertical model is available in 3 different colours, 3 width and 1 height options. This radiator is capable of heating up very quickly, thanks to being constructed in aluminium.

**Sandhurst Vertical Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 275mm | 376 | 716 | 450W | A, A+ | 86.0270 | 335.00 | **402.00** |
| 1800 x 415mm | 563 | 1074 | 750W | A, A+ | 86.0271 | 468.00 | **561.60** |
| 1800 x 485mm | 657 | 1253 | 900W | A, A+ | 86.0272 | 531.00 | **637.20** |

**Sandhurst Vertical Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 275mm | 376 | 716 | 450W | A, A+ | 86.0278 | 335.00 | **402.00** |
| 1800 x 415mm | 563 | 1074 | 750W | A, A+ | 86.0279 | 468.00 | **561.60** |
| 1800 x 485mm | 657 | 1253 | 900W | A, A+ | 86.0280 | 531.00 | **637.20** |

**Sandhurst Vertical Aluminium Radiators - Polished Aluminium**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 275mm | 364 | 695 | 450W | A, A+ | 86.0281 | 377.00 | **452.40** |
| 1800 x 415mm | 546 | 1042 | 750W | A, A+ | 86.0282 | 525.00 | **630.00** |
| 1800 x 485mm | 637 | 1215 | 900W | A, A+ | 86.0283 | 599.00 | **718.80** |

* Further heat output information available on eastbrooktrade.com **E&OA**

Prices include radiator and wall fixing sets, valves and accessories extra.


### FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Side or bottom connection options
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. **Side connection:** Tappings are the width of the rail and approx 65mm off the wall. **Bottom connection:** Tappings are 65mm less than the width of the rail and approx 65mm off the wall.




**For element types see pages 336-349.**

Element can be installed vertically on the right-hand side or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. For dual fuel installations, element must be installed on flow side.





**Sandhurst Cover Cap Sets - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 275mm | 86.0302 | 29.00 | **34.80** |
| Cover Cap Set 415mm | 86.0303 | 38.00 | **45.60** |
| Cover Cap Set 485mm | 86.0304 | 40.00 | **48.00** |


Cover cap sets only include cover caps for the top or bottom of the radiator.

# Aluminium Range


## SANDHURST VERTICAL



Pictured 86.0283 Polished Aluminium with 86.0332 x3 Towel Hangers (bottom connection valves shown)



Matt White



Matt Anthracite




Polished

## SANDHURST STANDARD TOWEL HANGERS



**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 275mm | 86.0324 | 50.00 | **60.00** |
| 415mm | 86.0325 | 57.00 | **68.40** |
| 485mm | 86.0326 | 65.00 | **78.00** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 275mm | 86.0327 | 50.00 | **60.00** |
| 415mm | 86.0328 | 57.00 | **68.40** |
| 485mm | 86.0329 | 65.00 | **78.00** |

**TECHNICAL INFORMATION**
Material: **Steel**

**Vertical Radiators:**

1800mm height radiators comes with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers - all widths; 275, 415 and 485mm. The standard towel hangers are only compatible with the Vertical Radiators. The Sandhurst Standard Towel Hangers will add approx 42mm width on each side once fitted to the radiator.

**Must be fitted before installation!**



**Towel Hanger - Chrome**


| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 275mm | 86.0330 | 50.00 | **60.00** |
| 415mm | 86.0331 | 57.00 | **68.40** |
| 485mm | 86.0332 | 65.00 | **78.00** |

**Technical Tables & Drawings**
Page 426-427

# Aluminium Range

## SANDHURST HORIZONTAL

Warranty 5 Year | Heating | All Electric | Dual-Fuel



Pictured 86.0269 Matt White with 86.0308 Cover Caps

An aluminium radiator with elliptical vertical panels that will take everyone's attention. Horizontal model is available in 2 different colours, 5 width and 1 Height options. This radiator is capable of heating up very quickly, thanks to being constructed in aluminium.

### Sandhurst Horizontal Aluminium Radiators - Matt White

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 485mm | 219 | 418 | 300W | A, A+ | 86.0265 | 271.00 | **325.20** |
| 600 x 625mm | 282 | 537 | 450W | A, A+ | 86.0266 | 326.00 | **391.20** |
| 600 x 835mm | 376 | 716 | 450W | A, A+ | 86.0267 | 410.00 | **492.00** |
| 600 x 1045mm | 469 | 895 | 600W | A, A+ | 86.0268 | 493.00 | **591.60** |
| 600 x 1255mm | 563 | 1074 | 750W | A, A+ | 86.0269 | 580.00 | **696.00** |

### Sandhurst Horizontal Aluminium Radiators - Matt Anthracite

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 485mm | 219 | 418 | 300W | A, A+ | 86.0273 | 271.00 | **325.20** |
| 600 x 625mm | 282 | 537 | 450W | A, A+ | 86.0274 | 326.00 | **391.20** |
| 600 x 835mm | 376 | 716 | 450W | A, A+ | 86.0275 | 410.00 | **492.00** |
| 600 x 1045mm | 469 | 895 | 600W | A, A+ | 86.0276 | 493.00 | **591.60** |
| 600 x 1255mm | 563 | 1074 | 750W | A, A+ | 86.0277 | 580.00 | **696.00** |

* Further heat output information available on eastbrooktrade.com **E&OA**

Prices include radiator and wall fixing sets, valves and accessories extra.



### Sandhurst Cover Cap Sets - Chrome

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 485mm | 86.0304 | 40.00 | **48.00** |
| Cover Cap Set 625mm | 86.0305 | 49.00 | **58.80** |
| Cover Cap Set 8535mm | 86.0306 | 60.00 | **72.00** |
| Cover Cap Set 1045mm | 86.0307 | 69.00 | **82.80** |
| Cover Cap Set 1255mm | 86.0308 | 81.00 | **97.20** |

Cover cap sets only include cover caps for the top or bottom of the radiator.

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 426-427

**For element types see pages 336-349.**

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements.



**TECHNICAL INFORMATION**

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall.

**TOWEL HANGERS**

**Horizontal Radiators:**

Horizontal radiators do not have holes for Standard Towel Hangers. Standard Towel Hangers cannot be fitted.

# Aluminium Range

## BERKELEY










**Berkeley Aluminium Radiator - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 603 x 600mm | 186 | 342 | N/A | N/A | 89.0711 | 150.00 | **180.00** |
| 603 x 800mm | 244 | 449 | N/A | N/A | 89.0712 | 197.00 | **236.40** |
| 603 x 1000mm | 302 | 555 | N/A | N/A | 89.0713 | 247.00 | **296.40** |
| 603 x 1200mm | 359 | 660 | N/A | N/A | 89.0714 | 296.00 | **355.20** |
| 603 x 1400mm | 415 | 763 | N/A | N/A | 89.0715 | 344.00 | **412.80** |
| 603 x 1600mm | 472 | 866 | N/A | N/A | 89.0716 | 391.00 | **469.20** |
| 603 x 1800mm | 527 | 969 | N/A | N/A | 89.0717 | 441.00 | **529.20** |
| 603 x 2000mm | 583 | 1071 | N/A | N/A | 89.0718 | 490.00 | **588.00** |

**Berkeley Aluminium Radiator - Matt Grey**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 603 x 600mm | 186 | 342 | N/A | N/A | 89.0719 | 150.00 | **180.00** |
| 603 x 800mm | 244 | 449 | N/A | N/A | 89.0720 | 197.00 | **236.40** |
| 603 x 1000mm | 302 | 555 | N/A | N/A | 89.0721 | 247.00 | **296.40** |
| 603 x 1200mm | 359 | 660 | N/A | N/A | 89.0722 | 296.00 | **355.20** |
| 603 x 1400mm | 415 | 763 | N/A | N/A | 89.0723 | 344.00 | **412.80** |
| 603 x 1600mm | 472 | 866 | N/A | N/A | 89.0724 | 391.00 | **469.20** |
| 603 x 1800mm | 527 | 969 | N/A | N/A | 89.0725 | 441.00 | **529.20** |
| 603 x 2000mm | 583 | 1071 | N/A | N/A | 89.0726 | 490.00 | **588.00** |




Horizontally positioned sleek and futuristic panels combined to create the radiator that will create an elegant look in every room it will be installed. When you are bored with the standard, old fashioned single panel radiators, just replace with a brand new Berkeley aluminium radiator, the perfect alternative for single panel radiators.

**FEATURES**

- Perfect alternative for Single Panel (Type11) Radiators
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Not suitable for elements

* With conditions

**Technical Tables & Drawings**
Page 426-427

**Berkeley Aluminium Radiator - Matt Anthracite**


| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 603 x 600mm | 186 | 342 | N/A | N/A | 89.0727 | 150.00 | **180.00** |
| 603 x 800mm | 244 | 449 | N/A | N/A | 89.0728 | 197.00 | **236.40** |
| 603 x 1000mm | 302 | 555 | N/A | N/A | 89.0729 | 247.00 | **296.40** |
| 603 x 1200mm | 359 | 660 | N/A | N/A | 89.0730 | 296.00 | **355.20** |
| 603 x 1400mm | 415 | 763 | N/A | N/A | 89.0731 | 344.00 | **412.80** |
| 603 x 1600mm | 472 | 866 | N/A | N/A | 89.0732 | 391.00 | **469.20** |
| 603 x 1800mm | 527 | 969 | N/A | N/A | 89.0733 | 441.00 | **529.20** |
| 603 x 2000mm | 583 | 1071 | N/A | N/A | 89.0734 | 490.00 | **588.00** |

**TECHNICAL INFORMATION**

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. For indirect heating systems only. Tappings are the width of the rail and approx. 50mm off the wall. Projection from wall 70mm.

# Aluminium Range

## TORDINO VERTICAL



Pictured 89.1208 Matt White with 101.0110 Circle Towel Hanger Chrome

**Round Vent Caps**
Page 369





Pictured 89.1225 Matt Anthracite with 89.0136 Towel Hangers

An aluminium radiator with front facing curved panels that will add luxury to your desired room, with a choice of towel hangers and your bathroom can also be heated while drying your towels. Available in vertical and horizontal styles and 4 colours options.

Warranty 5 Year | Heating | All Electric | Dual-Fuel

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 31 or 51mm off the wall. Projection from wall is 80 or 100mm.

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 428-429


**Radiator Valves**
Page 350-365





# Aluminium Range

## TORDINO VERTICAL



Matt White | Matt Grey | Matt Anthracite | Matt Black



Pictured 89.1215 Matt Grey with 89.0886L Towel Hanger

### Tordino Vertical Aluminium Radiators - Matt White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 280mm | 359 | 686 | 450W | A, A+, F, G | 89.1205 | 314.00 | **376.80** |
| 1800 x 375mm | 477 | 912 | 600W | A, A+, F, G | 89.1206 | 403.00 | **483.60** |
| 1800 x 470mm | 595 | 1136 | 750W | A, A+, F, G | 89.1207 | 492.00 | **590.40** |
| 1800 x 565mm | 712 | 1360 | 1000W | A, A+, F, G | 89.1208 | 590.00 | **708.00** |

### Tordino Vertical Aluminium Radiators - Matt Grey

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 280mm | 359 | 686 | 450W | A, A+, F, G | 89.1214 | 314.00 | **376.80** |
| 1800 x 375mm | 477 | 912 | 600W | A, A+, F, G | 89.1215 | 403.00 | **483.60** |
| 1800 x 470mm | 595 | 1136 | 750W | A, A+, F, G | 89.1216 | 492.00 | **590.40** |
| 1800 x 565mm | 712 | 1360 | 1000W | A, A+, F, G | 89.1217 | 590.00 | **708.00** |

### Tordino Vertical Aluminium Radiators - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 280mm | 359 | 686 | 450W | A, A+, F, G | 89.1223 | 314.00 | **376.80** |
| 1800 x 375mm | 477 | 912 | 600W | A, A+, F, G | 89.1224 | 403.00 | **483.60** |
| 1800 x 470mm | 595 | 1136 | 750W | A, A+, F, G | 89.1225 | 492.00 | **590.40** |
| 1800 x 565mm | 712 | 1360 | 1000W | A, A+, F, G | 89.1226 | 590.00 | **708.00** |

### Tordino Vertical Aluminium Radiators - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 280mm | 359 | 686 | 450W | A, A+, F, G | 89.1232 | 314.00 | **376.80** |
| 1800 x 375mm | 477 | 912 | 600W | A, A+, F, G | 89.1233 | 403.00 | **483.60** |
| 1800 x 470mm | 595 | 1136 | 750W | A, A+, F, G | 89.1234 | 492.00 | **590.40** |
| 1800 x 565mm | 712 | 1360 | 1000W | A, A+, F, G | 89.1235 | 590.00 | **708.00** |


Prices include radiator and wall fixing sets, valves and accessories extra.

**For all Tordino Matt White, Matt Grey, Matt Anthacite, Matt Black, Chrome and Premium Towel Hangers, please refer to page 261.**

**For element types see pages 336-349.**

Element can only be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.






### Tordino Cover Cap Sets - Chrome

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 280mm | 89.1236 | 14.00 | **16.80** |
| Cover Cap Set 375mm | 89.1237 | 16.00 | **19.20** |
| Cover Cap Set 470mm | 89.1238 | 18.00 | **21.60** |
| Cover Cap Set 565mm | 89.1239 | 23.00 | **27.60** |

Cover cap sets only include cover caps for the top or bottom of the radiator.

**Multi-Purpose Towel Hangers**
Page 368



# Aluminium Range

## TORDINO HORIZONTAL



Pictured 89.1221 Matt Anthracite



Pictured 89.1212 Matt Grey

**Tordino Horizontal Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 208 | 409 | 300W | A, A+, C, H | 89.1200 | 258.00 | **309.60** |
| 600 x 660mm | 290 | 569 | 450W | A, A+, C, H | 89.1201 | 339.00 | **406.80** |
| 600 x 850mm | 371 | 728 | 600W | A, A+, C, H | 89.1202 | 424.00 | **508.80** |
| 600 x 1040mm | 451 | 887 | 750W | A, A+, C, H | 89.1203 | 502.00 | **602.40** |
| 600 x 1230mm | 531 | 1044 | 900W | A, A+, C, H | 89.1204 | 592.00 | **710.40** |

**Tordino Horizontal Aluminium Radiators - Matt Grey**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 208 | 409 | 300W | A, A+, C, H | 89.1209 | 258.00 | **309.60** |
| 600 x 660mm | 290 | 569 | 450W | A, A+, C, H | 89.1210 | 339.00 | **406.80** |
| 600 x 850mm | 371 | 728 | 600W | A, A+, C, H | 89.1211 | 424.00 | **508.80** |
| 600 x 1040mm | 451 | 887 | 750W | A, A+, C, H | 89.1212 | 502.00 | **602.40** |
| 600 x 1230mm | 531 | 1044 | 900W | A, A+, C, H | 89.1213 | 592.00 | **710.40** |

**Tordino Horizontal Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 208 | 409 | 300W | A, A+, C, H | 89.1218 | 258.00 | **309.60** |
| 600 x 660mm | 290 | 569 | 450W | A, A+, C, H | 89.1219 | 339.00 | **406.80** |
| 600 x 850mm | 371 | 728 | 600W | A, A+, C, H | 89.1220 | 424.00 | **508.80** |
| 600 x 1040mm | 451 | 887 | 750W | A, A+, C, H | 89.1221 | 502.00 | **602.40** |
| 600 x 1230mm | 531 | 1044 | 900W | A, A+, C, H | 89.1222 | 592.00 | **710.40** |

**Tordino Horizontal Aluminium Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 208 | 409 | 300W | A, A+, C, H | 89.1227 | 258.00 | **309.60** |
| 600 x 660mm | 290 | 569 | 450W | A, A+, C, H | 89.1228 | 339.00 | **406.80** |
| 600 x 850mm | 371 | 728 | 600W | A, A+, C, H | 89.1229 | 424.00 | **508.80** |
| 600 x 1040mm | 451 | 887 | 750W | A, A+, C, H | 89.1230 | 502.00 | **602.40** |
| 600 x 1230mm | 531 | 1044 | 900W | A, A+, C, H | 89.1231 | 592.00 | **710.40** |

Prices include radiator and wall fixing sets, valves and accessories extra.

**For element types see pages 336-349.**

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. (Type C&H up to 900 Watts)



Warranty 5 Year | Heating | All Electric | Dual-Fuel

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 428-429

**TECHNICAL INFORMATION**

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 31 or 51mm off the wall. Projection from wall is 80 or 100mm.



**Tordino Cover Cap Sets - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 470mm | 89.1238 | 18.00 | **21.60** |
| Cover Cap Set 660mm | 89.1240 | 28.00 | **33.60** |
| Cover Cap Set 850mm | 89.1241 | 34.00 | **40.80** |
| Cover Cap Set 1040mm | 89.1242 | 41.00 | **49.20** |
| Cover Cap Set 1230mm | 89.1243 | 47.00 | **56.40** |

Cover cap sets only include cover caps for the top or bottom of the radiator.

**Round Vent Caps**
Page 369




# Aluminium Range

## TORDINO STANDARD TOWEL HANGERS




**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0177 | 62.00 | **74.40** |
| 375mm | 89.0178 | 66.00 | **79.20** |
| 470mm | 89.0179 | 74.00 | **88.80** |
| 565mm | 86.0333 | 78.00 | **93.60** |




**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0180 | 62.00 | **74.40** |
| 375mm | 89.0181 | 66.00 | **79.20** |
| 470mm | 89.0182 | 74.00 | **88.80** |
| 565mm | 86.0334 | 78.00 | **93.60** |



**Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0183 | 62.00 | **74.40** |
| 375mm | 89.0184 | 66.00 | **79.20** |
| 470mm | 89.0185 | 74.00 | **88.80** |
| 565mm | 86.0335 | 78.00 | **93.60** |



**Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0134 | 53.00 | **63.60** |
| 375mm | 89.0135 | 56.00 | **67.20** |
| 470mm | 89.0136 | 65.00 | **78.00** |
| 565mm | 86.0336 | 72.00 | **86.40** |

### TECHNICAL INFORMATION

**Material: Steel (Premium: Stainless Steel - Grade 304)**


**Vertical Radiators:**

1800mm height radiators comes with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers - all widths; 280, 375, 470 and 565mm. The standard towel hangers are only compatible with the Vertical Radiators.

**Can be fitted after installation only on high adjustment bracket fitting.**


**Horizontal Radiators:**

Don't have holes for Standard Towel Hangers. Standard Towel Hanger can not be fitted. The Tordino Standard Towel Hangers will add approx 8mm width on each side once fitted to the radiator.



**Towel Hanger - Matt Grey**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.1616 | 62.00 | **74.40** |
| 375mm | 89.1617 | 66.00 | **79.20** |
| 470mm | 89.1618 | 74.00 | **88.80** |
| 565mm | 89.1619 | 78.00 | **93.60** |




**Towel Hanger - Mirror Polished Premium**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 86.0198 | 73.00 | **87.60** |
| 375mm | 86.0199 | 80.00 | **96.00** |
| 470mm | 86.0200 | 87.00 | **104.40** |
| 565mm | 86.0337 | 93.00 | **111.60** |

## TORDINO DESIGNER TOWEL HANGERS

**Square Style**



**Square Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0075 | 72.00 | **86.40** |
| 470mm | 101.0076 | 79.00 | **94.80** |
| 565mm | 101.0077 | 92.00 | **110.40** |

**Square Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0078 | 72.00 | **86.40** |
| 470mm | 101.0079 | 79.00 | **94.80** |
| 565mm | 101.0080 | 92.00 | **110.40** |


**Square Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0081 | 72.00 | **86.40** |
| 470mm | 101.0082 | 79.00 | **94.80** |
| 565mm | 101.0083 | 92.00 | **110.40** |

**Square Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0084 | 83.00 | **99.60** |
| 470mm | 101.0085 | 96.00 | **115.20** |
| 565mm | 101.0086 | 112.00 | **134.40** |

**Triangle Style**



**Triangle Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0087 | 74.00 | **88.80** |
| 470mm | 101.0088 | 83.00 | **99.60** |
| 565mm | 101.0089 | 97.00 | **116.40** |

**Triangle Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0090 | 74.00 | **88.80** |
| 470mm | 101.0091 | 83.00 | **99.60** |
| 565mm | 101.0092 | 97.00 | **116.40** |


**Triangle Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0093 | 74.00 | **88.80** |
| 470mm | 101.0094 | 83.00 | **99.60** |
| 565mm | 101.0095 | 97.00 | **116.40** |

**Triangle Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0096 | 84.00 | **100.80** |
| 470mm | 101.0097 | 97.00 | **116.40** |
| 565mm | 101.0098 | 115.00 | **138.00** |

**Circle Style**



**Circle Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0099 | 78.00 | **93.60** |
| 470mm | 101.0100 | 86.00 | **103.20** |
| 565mm | 101.0101 | 100.00 | **120.00** |

**Circle Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0102 | 78.00 | **93.60** |
| 470mm | 101.0103 | 86.00 | **103.20** |
| 565mm | 101.0104 | 100.00 | **120.00** |

**Circle Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0105 | 78.00 | **93.60** |
| 470mm | 101.0106 | 86.00 | **103.20** |
| 565mm | 101.0107 | 100.00 | **120.00** |

**Circle Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 101.0108 | 84.00 | **100.80** |
| 470mm | 101.0109 | 98.00 | **117.60** |
| 565mm | 101.0110 | 116.00 | **139.20** |

### TECHNICAL INFORMATION

Material: **Steel**

Square, Triangle and Circle Towel Hangers are only compatible with vertical radiators and can be fitted to one of the three pre-drilled holes on the 1800mm height radiators. Square, Triangle and Circle Towel Hangers will add approx 8mm width on each side once fitted to the radiator. **Can be fitted after installation only on high adjustment bracket fitting.**

# Aluminium Range

## GUARDIA VERTICAL




Pictured 86.0032 Matt White with 86.0239 Towel Hanger

A versatile designer radiator which can be fitted to show the flat side or the curved profile of the panels, allowing the radiator to fit into your lifestyle and decor. Available in horizontal and vertical designs this radiator heats up quickly to warm your whole room.

**Guardia Vertical Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 280mm | 344 | 668 | N/A | N/A | 86.0446 | 416.00 | **499.20** |
| 1200 x 375mm | 458 | 890 | N/A | N/A | 86.0449 | 539.00 | **646.80** |
| 1200 x 470mm | 572 | 1113 | N/A | N/A | 86.0452 | 658.00 | **789.60** |
| 1200 x 565mm | 687 | 1335 | N/A | N/A | 86.0455 | 781.00 | **937.20** |
| 1800 x 280mm | 488 | 946 | N/A | N/A | 86.0029 | 524.00 | **628.80** |
| 1800 x 375mm | 650 | 1261 | N/A | N/A | 86.0032 | 679.00 | **814.80** |
| 1800 x 470mm | 813 | 1576 | N/A | N/A | 86.0035 | 832.00 | **998.40** |
| 1800 x 565mm | 975 | 1892 | N/A | N/A | 86.0291 | 1013.00 | **1215.60** |
| 1800 x 660mm | 1137 | 2207 | N/A | N/A | 86.0494 | 1167.00 | **1400.40** |

**Guardia Vertical Aluminium Radiators - Matt Grey**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 280mm | 344 | 668 | N/A | N/A | 86.0482 | 416.00 | **499.20** |
| 1200 x 375mm | 458 | 890 | N/A | N/A | 86.0483 | 539.00 | **646.80** |
| 1200 x 470mm | 572 | 1113 | N/A | N/A | 86.0484 | 658.00 | **789.60** |
| 1200 x 565mm | 687 | 1335 | N/A | N/A | 86.0485 | 781.00 | **937.20** |
| 1800 x 280mm | 488 | 946 | N/A | N/A | 86.0189 | 524.00 | **628.80** |
| 1800 x 375mm | 650 | 1261 | N/A | N/A | 86.0190 | 679.00 | **814.80** |
| 1800 x 470mm | 813 | 1576 | N/A | N/A | 86.0191 | 832.00 | **998.40** |
| 1800 x 565mm | 975 | 1892 | N/A | N/A | 86.0292 | 1013.00 | **1215.60** |
| 1800 x 660mm | 1137 | 2207 | N/A | N/A | 86.0495 | 1167.00 | **1400.40** |

**Guardia Vertical Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 280mm | 344 | 668 | N/A | N/A | 86.0447 | 416.00 | **499.20** |
| 1200 x 375mm | 458 | 890 | N/A | N/A | 86.0450 | 539.00 | **646.80** |
| 1200 x 470mm | 572 | 1113 | N/A | N/A | 86.0453 | 658.00 | **789.60** |
| 1200 x 565mm | 687 | 1335 | N/A | N/A | 86.0456 | 781.00 | **937.20** |
| 1800 x 280mm | 488 | 946 | N/A | N/A | 86.0030 | 524.00 | **628.80** |
| 1800 x 375mm | 650 | 1261 | N/A | N/A | 86.0033 | 679.00 | **814.80** |
| 1800 x 470mm | 813 | 1576 | N/A | N/A | 86.0036 | 832.00 | **998.40** |
| 1800 x 565mm | 975 | 1892 | N/A | N/A | 86.0293 | 1013.00 | **1215.60** |
| 1800 x 660mm | 1137 | 2207 | N/A | N/A | 86.0496 | 1167.00 | **1400.40** |

**Guardia Vertical Aluminium Radiators - Matt Black**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 280mm | 344 | 668 | N/A | N/A | 86.0448 | 416.00 | **499.20** |
| 1200 x 375mm | 458 | 890 | N/A | N/A | 86.0451 | 539.00 | **646.80** |
| 1200 x 470mm | 572 | 1113 | N/A | N/A | 86.0454 | 658.00 | **789.60** |
| 1200 x 565mm | 687 | 1335 | N/A | N/A | 86.0457 | 781.00 | **937.20** |
| 1800 x 280mm | 488 | 946 | N/A | N/A | 86.0031 | 524.00 | **628.80** |
| 1800 x 375mm | 650 | 1261 | N/A | N/A | 86.0034 | 679.00 | **814.80** |
| 1800 x 470mm | 813 | 1576 | N/A | N/A | 86.0037 | 832.00 | **998.40** |
| 1800 x 565mm | 975 | 1892 | N/A | N/A | 86.0294 | 1013.00 | **1215.60** |
| 1800 x 660mm | 1137 | 2207 | N/A | N/A | 86.0497 | 1167.00 | **1400.40** |

* Further heat output information available on eastbrooktrade.com **E&OA**



**Guardia Cover Cap Sets - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 280mm | 86.0118 | 29.00 | **34.80** |
| Cover Cap Set 375mm | 86.0119 | 38.00 | **45.60** |
| Cover Cap Set 470mm | 86.0120 | 41.00 | **49.20** |
| Cover Cap Set 565mm | 86.0311 | 49.00 | **58.80** |
| Cover Cap Set 660mm | 86.0121 | 55.00 | **66.00** |

Cover cap sets only include cover caps for the top or bottom of the radiator.

# Aluminium Range

## GUARDIA VERTICAL

**FEATURES**
- Can be reversed when hanging on the wall
- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Not suitable for elements

* With conditions

**TECHNICAL INFORMATION**

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Can be reversed when hanging on the wall. Either side can be used as front facing.



Flat Side




Curved Side



Matt White



Matt Grey



Matt Anthracite



Matt Black

## GUARDIA - WALL MOUNTED TOWEL HANGERS



**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 86.0226 | 83.00 | **99.60** |
| 375mm | 86.0227 | 92.00 | **110.40** |
| 470mm | 86.0228 | 98.00 | **117.60** |
| 565mm | 86.0343 | 109.00 | **130.80** |



**Towel Hanger - Matt Grey**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 86.0229 | 83.00 | **99.60** |
| 375mm | 86.0230 | 92.00 | **110.40** |
| 470mm | 86.0231 | 98.00 | **117.60** |
| 565mm | 86.0344 | 109.00 | **130.80** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 86.0232 | 83.00 | **99.60** |
| 375mm | 86.0233 | 92.00 | **110.40** |
| 470mm | 86.0234 | 98.00 | **117.60** |
| 565mm | 86.0345 | 109.00 | **130.80** |



**Towel Hanger - Matt Black**


| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 86.0235 | 83.00 | **99.60** |
| 375mm | 86.0236 | 92.00 | **110.40** |
| 470mm | 86.0237 | 98.00 | **117.60** |
| 565mm | 86.0346 | 109.00 | **130.80** |


**TECHNICAL INFORMATION**

Material: **Steel**

**Vertical Radiators:**
- Guardia Towel Hangers must be mounted on the wall. Can be fitted on both flat and curved type of installation.
- Guardia Towel Hangers can be mounted Left Hand or Right Hand of the radiator. Once the towel hanger is mounted on the wall, the radiator must be fitted from the side.
- Total length of each towel hanger is 30mm longer than the width of the radiator, making the radiator's width +30mm on the side they are mounted on. Towel hangers can mounted at any height vertically on the wall.

**Must be fitted before radiator installation!**



**Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 86.0238 | 87.00 | **104.40** |
| 375mm | 86.0239 | 96.00 | **115.20** |
| 470mm | 86.0240 | 111.00 | **133.20** |
| 565mm | 86.0347 | 118.00 | **141.60** |

**Technical Tables & Drawings**
Page 428-429

# Aluminium Range

## GUARDIA HORIZONTAL

Warranty 5 Year | Heating | All Electric | Dual-Fuel



Curved Side

Pictured 86.0045 Matt Anthracite with Chrome Cover Caps 86.0122 (x2)




Flat Side

Pictured 86.0194 Matt Grey with Chrome Cover Caps 86.0122 (x2)



**Guardia Cover Cap Sets - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 470mm | 86.0120 | 41.00 | **49.20** |
| Cover Cap Set 660mm | 86.0121 | 55.00 | **66.00** |
| Cover Cap Set 850mm | 86.0122 | 70.00 | **84.00** |
| Cover Cap Set 1040mm | 86.0123 | 83.00 | **99.60** |
| Cover Cap Set 1230mm | 86.0124 | 96.00 | **115.20** |
| Cover Cap Set 1420mm | 86.0175 | 104.00 | **124.80** |
| Cover Cap Set 1610mm | 86.0574 | 115.00 | **138.00** |
| Cover Cap Set 1800mm | 86.0575 | 131.00 | **157.20** |

Cover cap sets only include cover caps for the top or bottom of the radiator.

For element types see pages 336-349.
Element can only be installed horizontally on the bottom header. When ordering fluid filled rails with elements, please specify the front facing side. The element will be fitted on the right hand side as standard.

Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).



Curved Side



Flat Side

# Aluminium Range

## GUARDIA HORIZONTAL

A versatile designer radiator which can be fitted to show the flat panel side or the curved style of the panels, allowing the radiator to fit into your lifestyle and decor. Available in horizontal and vertical designs this radiator heats up quickly to warm your whole room.

### Guardia Horizontal Aluminium Radiators - Matt White

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 336 | 637 | 300W | A, A+, C, H | 86.0038 | 373.00 | **447.60** |
| 600 x 660mm | 470 | 892 | 450W | A, A+, C, H | 86.0041 | 497.00 | **596.40** |
| 600 x 850mm | 604 | 1146 | 600W | A, A+, C, H | 86.0044 | 623.00 | **747.60** |
| 600 x 1040mm | 738 | 1401 | 900W | A, A+, H | 86.0047 | 747.00 | **896.40** |
| 600 x 1230mm | 873 | 1655 | 1000W | A, A+ | 86.0050 | 873.00 | **1047.60** |
| 600 x 1420mm | 1007 | 1910 | 1000W | A, A+ | 86.0170 | 1020.00 | **1224.00** |
| 600 x 1610mm | 1141 | 2165 | 1200W | A, A+ | 86.0498 | 1154.00 | **1384.80** |
| 600 x 1800mm | 1275 | 2419 | 1200W | A, A+ | 86.0502 | 1285.00 | **1542.00** |

### Guardia Horizontal Aluminium Radiators - Matt Grey

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 336 | 637 | 300W | A, A+, C, H | 86.0192 | 373.00 | **447.60** |
| 600 x 660mm | 470 | 892 | 450W | A, A+, C, H | 86.0193 | 497.00 | **596.40** |
| 600 x 850mm | 604 | 1146 | 600W | A, A+, C, H | 86.0194 | 623.00 | **747.60** |
| 600 x 1040mm | 738 | 1401 | 900W | A, A+, H | 86.0195 | 747.00 | **896.40** |
| 600 x 1230mm | 873 | 1655 | 1000W | A, A+ | 86.0196 | 873.00 | **1047.60** |
| 600 x 1420mm | 1007 | 1910 | 1000W | A, A+ | 86.0197 | 1020.00 | **1224.00** |
| 600 x 1610mm | 1141 | 2165 | 1200W | A, A+ | 86.0499 | 1154.00 | **1384.80** |
| 600 x 1800mm | 1275 | 2419 | 1200W | A, A+ | 86.0503 | 1285.00 | **1542.00** |

### Guardia Horizontal Aluminium Radiators - Matt Anthracite

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 336 | 637 | 300W | A, A+, C, H | 86.0039 | 373.00 | **447.60** |
| 600 x 660mm | 470 | 892 | 450W | A, A+, C, H | 86.0042 | 497.00 | **596.40** |
| 600 x 850mm | 604 | 1146 | 600W | A, A+, C, H | 86.0045 | 623.00 | **747.60** |
| 600 x 1040mm | 738 | 1401 | 900W | A, A+, H | 86.0048 | 747.00 | **896.40** |
| 600 x 1230mm | 873 | 1655 | 1000W | A, A+ | 86.0051 | 873.00 | **1047.60** |
| 600 x 1420mm | 1007 | 1910 | 1000W | A, A+ | 86.0171 | 1020.00 | **1224.00** |
| 600 x 1610mm | 1141 | 2165 | 1200W | A, A+ | 86.0500 | 1154.00 | **1384.80** |
| 600 x 1800mm | 1275 | 2419 | 1200W | A, A+ | 86.0504 | 1285.00 | **1542.00** |

### Guardia Horizontal Aluminium Radiators - Matt Black

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 336 | 637 | 300W | A, A+, C, H | 86.0040 | 373.00 | **447.60** |
| 600 x 660mm | 470 | 892 | 450W | A, A+, C, H | 86.0043 | 497.00 | **596.40** |
| 600 x 850mm | 604 | 1146 | 600W | A, A+, C, H | 86.0046 | 623.00 | **747.60** |
| 600 x 1040mm | 738 | 1401 | 900W | A, A+, H | 86.0049 | 747.00 | **896.40** |
| 600 x 1230mm | 873 | 1655 | 1000W | A, A+ | 86.0052 | 873.00 | **1047.60** |
| 600 x 1420mm | 1007 | 1910 | 1000W | A, A+ | 86.0172 | 1020.00 | **1224.00** |
| 600 x 1610mm | 1141 | 2165 | 1200W | A, A+ | 86.0501 | 1154.00 | **1384.80** |
| 600 x 1800mm | 1275 | 2419 | 1200W | A, A+ | 86.0505 | 1285.00 | **1542.00** |

* Further heat output information available on eastbrooktrade.com **E&OA**

**FEATURES**

- Can be reversed when hanging on the wall
- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 428-429

Can be reversed when hanging on the wall. Either side can be used as front facing.


Flat Side >>




Curved Side >>




**Matt White**



**Matt Grey**



**Matt Anthracite**



**Matt Black**



**TECHNICAL INFORMATION**

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Radiator Valves**
Page 350-365





# Aluminium Range

## HADLEIGH VERTICAL




Pictured 86.0247 Matt White with 86.0322 Towel Hanger

A versatile aluminium radiator with double profile construction panels that allows the radiator to produce high heat outputs. This radiator will fit into your lifestyle. Vertical version is available in 3 colours, 2 heights and 4 different widths.

**Hadleigh Vertical Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 275mm | 267 | 533 | N/A | N/A | 86.0461 | 396.00 | **475.20** |
| 1200 x 415mm | 400 | 799 | N/A | N/A | 86.0464 | 564.00 | **676.80** |
| 1200 x 485mm | 467 | 932 | N/A | N/A | 86.0467 | 649.00 | **778.80** |
| 1200 x 555mm | 533 | 1065 | N/A | N/A | 86.0470 | 733.00 | **879.60** |
| 1800 x 275mm | 350 | 689 | N/A | N/A | 86.0246 | 469.00 | **562.80** |
| 1800 x 415mm | 524 | 1033 | N/A | N/A | 86.0247 | 666.00 | **799.20** |
| 1800 x 485mm | 611 | 1205 | N/A | N/A | 86.0248 | 766.00 | **919.20** |
| 1800 x 555mm | 699 | 1377 | N/A | N/A | 86.0458 | 934.00 | **1120.80** |

**Hadleigh Vertical Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 275mm | 267 | 533 | N/A | N/A | 86.0462 | 396.00 | **475.20** |
| 1200 x 415mm | 400 | 799 | N/A | N/A | 86.0465 | 564.00 | **676.80** |
| 1200 x 485mm | 467 | 932 | N/A | N/A | 86.0468 | 649.00 | **778.80** |
| 1200 x 555mm | 533 | 1065 | N/A | N/A | 86.0471 | 733.00 | **879.60** |
| 1800 x 275mm | 350 | 689 | N/A | N/A | 86.0254 | 469.00 | **562.80** |
| 1800 x 415mm | 524 | 1033 | N/A | N/A | 86.0255 | 666.00 | **799.20** |
| 1800 x 485mm | 611 | 1205 | N/A | N/A | 86.0256 | 766.00 | **919.20** |
| 1800 x 555mm | 699 | 1377 | N/A | N/A | 86.0459 | 934.00 | **1120.80** |

**Hadleigh Vertical Aluminium Radiators - Matt Black**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 275mm | 267 | 533 | N/A | N/A | 86.0463 | 396.00 | **475.20** |
| 1200 x 415mm | 400 | 799 | N/A | N/A | 86.0466 | 564.00 | **676.80** |
| 1200 x 485mm | 467 | 932 | N/A | N/A | 86.0469 | 649.00 | **778.80** |
| 1200 x 555mm | 533 | 1065 | N/A | N/A | 86.0472 | 733.00 | **879.60** |
| 1800 x 275mm | 350 | 689 | N/A | N/A | 86.0262 | 469.00 | **562.80** |
| 1800 x 415mm | 524 | 1033 | N/A | N/A | 86.0263 | 666.00 | **799.20** |
| 1800 x 485mm | 611 | 1205 | N/A | N/A | 86.0264 | 766.00 | **919.20** |
| 1800 x 555mm | 699 | 1377 | N/A | N/A | 86.0460 | 934.00 | **1120.80** |

* Further heat output information available on eastbrooktrade.com **E&OA**

### FEATURES

- Special double profile construction for high heat output
- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- Not suitable for elements
- 5 Year Manufacturer's Warranty*

* With conditions

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.



**Hadleigh Cover Cap Sets - Chrome**


| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 275mm | 86.0295 | 42.00 | **50.40** |
| Cover Cap Set 415mm | 86.0296 | 60.00 | **72.00** |
| Cover Cap Set 485mm | 86.0297 | 67.00 | **80.40** |
| Cover Cap Set 555mm | 86.0488 | 79.00 | **94.80** |

Cover cap sets only include cover caps for the top or bottom of the radiator.


# Aluminium Range

## HADLEIGH VERTICAL



Pictured 86.0468 Matt Anthracite


Matt White


Matt Anthracite



Matt Black

## HADLEIGH - WALL MOUNTED TOWEL HANGERS



**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 275mm | 86.0312 | 81.00 | **97.20** |
| 415mm | 86.0313 | 90.00 | **108.00** |
| 485mm | 86.0314 | 98.00 | **117.60** |
| 555mm | 86.0490 | 113.00 | **135.60** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 275mm | 86.0315 | 81.00 | **97.20** |
| 415mm | 86.0316 | 90.00 | **108.00** |
| 485mm | 86.0317 | 98.00 | **117.60** |
| 555mm | 86.0491 | 113.00 | **135.60** |



**Towel Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 275mm | 86.0318 | 81.00 | **97.20** |
| 415mm | 86.0319 | 90.00 | **108.00** |
| 485mm | 86.0320 | 98.00 | **117.60** |
| 555mm | 86.0492 | 113.00 | **135.60** |



**Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 275mm | 86.0321 | 87.00 | **104.40** |
| 415mm | 86.0322 | 95.00 | **114.00** |
| 485mm | 86.0323 | 110.00 | **132.00** |
| 555mm | 86.0493 | 125.00 | **150.00** |


### TECHNICAL INFORMATION

Material: **Steel**

**Vertical Radiators:**

- Hadleigh Towel Hangers must be mounted on the wall.
- Hadleigh Towel Hangers can be mounted Left Hand or Right Hand of the radiator. Once the towel hanger is mounted on the wall, the radiator must be fitted from the side.
- Total length of each towel hanger is 30mm longer than the width of the radiator, making the radiator's width +30mm on the side they are mounted on. Towel hangers can mounted at any height vertically on the wall.

**Must be fitted before radiator installation!**




**Radiator Valves**
Page 350-365




**Technical Tables & Drawings**
Page 430-431

# Aluminium Range

## HADLEIGH HORIZONTAL

Warranty 5 Year | Heating | All Electric | Dual-Fuel



Pictured 86.0243 Matt White



Pictured 86.0252 Matt Anthracite with 86.0300 x2 Cover Caps Chrome

# Aluminium Range

## HADLEIGH HORIZONTAL

A versatile aluminium radiator with double profile construction panels that allows the radiator to produce high heat outputs. This radiator will fit into your lifestyle. Horizontal version is available in 3 colours, 1 height and 6 different widths.

### Hadleigh Horizontal Aluminium Radiators - Matt White

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 485mm | 304 | 588 | 400W | A, A+, C, H | 86.0241 | 346.00 | **415.20** |
| 600 x 625mm | 391 | 755 | 450W | A, A+, C, H | 86.0242 | 426.00 | **511.20** |
| 600 x 835mm | 521 | 1007 | 600W | A, A+, C, H | 86.0243 | 543.00 | **651.60** |
| 600 x 1045mm | 651 | 1259 | 900W | A, A+, C, H | 86.0244 | 663.00 | **795.60** |
| 600 x 1255mm | 781 | 1510 | 1000W | A, A+, C, H | 86.0245 | 782.00 | **938.40** |
| 600 x 1395mm | 867 | 1678 | 1200W | A, A+, C, H | 86.0473 | 939.00 | **1126.80** |

### Hadleigh Horizontal Aluminium Radiators - Matt Anthracite

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 485mm | 304 | 588 | 400W | A, A+, C, H | 86.0249 | 346.00 | **415.20** |
| 600 x 625mm | 391 | 755 | 450W | A, A+, C, H | 86.0250 | 426.00 | **511.20** |
| 600 x 835mm | 521 | 1007 | 600W | A, A+, C, H | 86.0251 | 543.00 | **651.60** |
| 600 x 1045mm | 651 | 1259 | 900W | A, A+, C, H | 86.0252 | 663.00 | **795.60** |
| 600 x 1255mm | 781 | 1510 | 1000W | A, A+, C, H | 86.0253 | 782.00 | **938.40** |
| 600 x 1395mm | 867 | 1678 | 1200W | A, A+, C, H | 86.0474 | 939.00 | **1126.80** |

### Hadleigh Horizontal Aluminium Radiators - Matt Black

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 485mm | 304 | 588 | 400W | A, A+, C, H | 86.0257 | 346.00 | **415.20** |
| 600 x 625mm | 391 | 755 | 450W | A, A+, C, H | 86.0258 | 426.00 | **511.20** |
| 600 x 835mm | 521 | 1007 | 600W | A, A+, C, H | 86.0259 | 543.00 | **651.60** |
| 600 x 1045mm | 651 | 1259 | 900W | A, A+, C, H | 86.0260 | 663.00 | **795.60** |
| 600 x 1255mm | 781 | 1510 | 1000W | A, A+, C, H | 86.0261 | 782.00 | **938.40** |
| 600 x 1395mm | 867 | 1678 | 1200W | A, A+, C, H | 86.0475 | 939.00 | **1126.80** |

* Further heat output information available on eastbrooktrade.com **E&OA**

**FEATURES**

- Special double profile construction for high heat output
- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 430-431

**TECHNICAL INFORMATION**

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Radiator Valves**
Page 350-365






For element types see pages 336-349.

Element can only be installed horizontally on the bottom header.


Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).




Matt White




Matt Anthracite



Matt Black





### Hadleigh Cover Caps - Chrome

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 485mm | 86.0297 | 67.00 | **80.40** |
| Cover Cap Set 625mm | 86.0298 | 81.00 | **97.20** |
| Cover Cap Set 835mm | 86.0299 | 102.00 | **122.40** |
| Cover Cap Set 1045mm | 86.0300 | 124.00 | **148.80** |
| Cover Cap Set 1255mm | 86.0301 | 149.00 | **178.80** |
| Cover Cap Set 1395mm | 86.0486 | 174.00 | **208.80** |

Cover cap sets only include cover caps for the top or bottom of the radiator.

# Aluminium Range

## VESIMA VERTICAL




Pictured 86.0085 Matt Black

**Multi-Purpose Towel Hangers**
Page 368



A sleek elegant aluminium radiator with clean lines which will provide a stylish focus to any room. Available in three colours as well as horizontal and vertical designs. Additional towel hangers available with the vertical design to allow versatility.

**FEATURES**
- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 430-431

Warranty 5 Year | Heating | All Electric | Dual-Fuel

**Vesima Vertical Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 303mm | 452 | 852 | 600W | A | 86.0080 | 409.00 | **490.80** |
| 1800 x 403mm | 603 | 1135 | 900W | A | 86.0083 | 514.00 | **616.80** |
| 1800 x 503mm | 754 | 1419 | 900W | A | 86.0086 | 622.00 | **746.40** |
| 1800 x 603mm | 904 | 1703 | 900W | A | 86.0476 | 790.00 | **948.00** |

**Vesima Vertical Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 303mm | 452 | 852 | 600W | A | 86.0081 | 409.00 | **490.80** |
| 1800 x 403mm | 603 | 1135 | 900W | A | 86.0084 | 514.00 | **616.80** |
| 1800 x 503mm | 754 | 1419 | 900W | A | 86.0087 | 622.00 | **746.40** |
| 1800 x 603mm | 904 | 1703 | 900W | A | 86.0477 | 790.00 | **948.00** |

**Vesima Vertical Aluminium Radiators - Matt Black**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 303mm | 452 | 852 | 600W | A | 86.0082 | 409.00 | **490.80** |
| 1800 x 403mm | 603 | 1135 | 900W | A | 86.0085 | 514.00 | **616.80** |
| 1800 x 503mm | 754 | 1419 | 900W | A | 86.0088 | 622.00 | **746.40** |
| 1800 x 603mm | 904 | 1703 | 900W | A | 86.0478 | 790.00 | **948.00** |

* Further heat output information available on eastbrooktrade.com **E&OA**

Prices include radiator and wall fixing sets, valves and accessories extra.

# Aluminium Range

## VESIMA VERTICAL



Matt White | Matt Anthracite | Matt Black

## VESIMA STANDARD TOWEL HANGERS

**Vesima Standard Towel Hangers Premium Stainless Steel Mirror Polished**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| Towel Hanger 303mm | Premium Mirror Polished | 86.0204 | 77.00 | **92.40** |
| Towel Hanger 403mm | Premium Mirror Polished | 86.0205 | 81.00 | **97.20** |
| Towel Hanger 503mm | Premium Mirror Polished | 86.0206 | 90.00 | **108.00** |
| Towel Hanger 603mm | Premium Mirror Polished | 86.0489 | 114.00 | **136.80** |

**Vesima Standard Towel Hangers - Matt White**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| Towel Hanger 303mm | Matt White | 89.0195 | 65.00 | **78.00** |
| Towel Hanger 403mm | Matt White | 89.0196 | 70.00 | **84.00** |
| Towel Hanger 503mm | Matt White | 89.0197 | 79.00 | **94.80** |
| Towel Hanger 603mm | Matt White | 89.1400 | 86.00 | **103.20** |

**Vesima Standard Towel Hangers - Matt Anthracite**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| Towel Hanger 303mm | Matt Anthracite | 89.0198 | 65.00 | **78.00** |
| Towel Hanger 403mm | Matt Anthracite | 89.0199 | 70.00 | **84.00** |
| Towel Hanger 503mm | Matt Anthracite | 89.0200 | 79.00 | **94.80** |
| Towel Hanger 603mm | Matt Anthracite | 89.1401 | 86.00 | **103.20** |

**Vesima Standard Towel Hangers - Matt Black**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| Towel Hanger 303mm | Matt Black | 89.0201 | 65.00 | **78.00** |
| Towel Hanger 403mm | Matt Black | 89.0202 | 70.00 | **84.00** |
| Towel Hanger 503mm | Matt Black | 89.0203 | 79.00 | **94.80** |
| Towel Hanger 603mm | Matt Black | 89.1402 | 86.00 | **103.20** |

**Vesima Standard Towel Hangers - Chrome**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| Towel Hanger 303mm | Chrome | 86.0104 | 55.00 | **66.00** |
| Towel Hanger 403mm | Chrome | 86.0105 | 65.00 | **78.00** |
| Towel Hanger 503mm | Chrome | 86.0106 | 70.00 | **84.00** |
| Towel Hanger 603mm | Chrome | 89.1403 | 77.00 | **92.40** |




Pictured 86.0083 Matt White with 86.0105 Towel Hangers x3 & 86.0133 Cover Caps x2

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 60 or 80mm off the wall.



**Vesima Cover Cap Sets - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 303mm | 86.0132 | 29.00 | **34.80** |
| Cover Cap Set 403mm | 86.0133 | 35.00 | **42.00** |
| Cover Cap Set 503mm | 86.0134 | 40.00 | **48.00** |
| Cover Cap Set 603mm | 86.0135 | 50.00 | **60.00** |

Cover cap sets only include cover caps for the top or bottom of the radiator.

**For element types see pages 336-349.**

Element can be installed vertically on the right-hand side or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. For dual fuel installations, element must be installed on flow side.



# Aluminium Range

## VESIMA HORIZONTAL



Pictured 86.0101 Matt White & 86.0138 Cover Caps x2

A sleek elegant aluminium radiator with clean lines which will provide a stylish focus to any room. Available in three colours as well as horizontal and vertical designs.

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 430-431

Warranty 5 Year | Heating | All Electric | Dual-Fuel

# Aluminium Range

## VESIMA HORIZONTAL

**Vesima Horizontal Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 503mm | 279 | 526 | 300W | A, C, H | 86.0089 | 287.00 | **344.40** |
| 600 x 603mm | 335 | 631 | 300W | A, C, H | 86.0092 | 330.00 | **396.00** |
| 600 x 803mm | 447 | 841 | 600W | A, C, H | 86.0095 | 414.00 | **496.80** |
| 600 x 1003mm | 558 | 1051 | 900W | A, C, H | 86.0098 | 502.00 | **602.40** |
| 600 x 1203mm | 670 | 1262 | 1000W | A, C, H | 86.0101 | 587.00 | **704.40** |
| 600 x 1403mm | 781 | 1472 | 1200W | A, C, H | 86.0479 | 717.00 | **860.40** |

**Vesima Horizontal Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 503mm | 279 | 526 | 300W | A, C, H | 86.0090 | 287.00 | **344.40** |
| 600 x 603mm | 335 | 631 | 300W | A, C, H | 86.0093 | 330.00 | **396.00** |
| 600 x 803mm | 447 | 841 | 600W | A, C, H | 86.0096 | 414.00 | **496.80** |
| 600 x 1003mm | 558 | 1051 | 900W | A, C, H | 86.0099 | 502.00 | **602.40** |
| 600 x 1203mm | 670 | 1262 | 1000W | A, C, H | 86.0102 | 587.00 | **704.40** |
| 600 x 1403mm | 781 | 1472 | 1200W | A, C, H | 86.0480 | 717.00 | **860.40** |

**Vesima Horizontal Aluminium Radiators - Matt Black**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 503mm | 279 | 526 | 300W | A, C, H | 86.0091 | 287.00 | **344.40** |
| 600 x 603mm | 335 | 631 | 300W | A, C, H | 86.0094 | 330.00 | **396.00** |
| 600 x 803mm | 447 | 841 | 600W | A, C, H | 86.0097 | 414.00 | **496.80** |
| 600 x 1003mm | 558 | 1051 | 900W | A, C, H | 86.0100 | 502.00 | **602.40** |
| 600 x 1203mm | 670 | 1262 | 1000W | A, C, H | 86.0103 | 587.00 | **704.40** |
| 600 x 1403mm | 781 | 1472 | 1200W | A, C, H | 86.0481 | 717.00 | **860.40** |


* Further heat output information available on eastbrooktrade.com **E&OA**

Prices include radiator and wall fixing sets, valves and accessories extra.


**Matt White**



**Matt Anthracite**



**Matt Black**



**Vesima Cover Cap Sets**

Cover cap sets only include cover caps for the top or bottom of the radiator.

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 60 or 80mm off the wall. Element can only be installed horizontally on the bottom header.



Pictured 86.0480 Matt Anthracite



**Vesima Cover Cap Sets - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 503mm | 86.0134 | 40.00 | **48.00** |
| Cover Cap Set 603mm | 86.0135 | 50.00 | **60.00** |
| Cover Cap Set 803mm | 86.0136 | 60.00 | **72.00** |
| Cover Cap Set 1003mm | 86.0137 | 77.00 | **92.40** |
| Cover Cap Set 1203mm | 86.0138 | 89.00 | **106.80** |
| Cover Cap Set 1403mm | 86.0487 | 97.00 | **116.40** |

Cover cap sets only include cover caps for the top or bottom of the radiator.

**Radiator Valves**
Page 350-365





**For element types see pages 336-349.**

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).



# Aluminium Range

## PRESTON VERTICAL



Pictured 89.0161 Matt White & 89.0164 Towel Hangers



Pictured 89.0793 Matt Black & 89.0164 Towel Hangers


A slimline radiator ideal for those situations where space is at a minimium. With the additional extra towel hangers this radiator is ideal for drying kitchen or bathroom towels. Available in three finishes.

**FEATURES**
- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 432-433

**Multi-Purpose Towel Hangers**
Page 368



Warranty 5 Year | Heating | All Electric | Dual-Fuel

# Aluminium Range

## PRESTON VERTICAL

### Preston Aluminium Radiators - Matt White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 185mm | 154 | 296 | 150W | A, A+, F, G | 89.0791 | 197.00 | **236.40** |
| 1800 x 185mm | 222 | 427 | 300W | A, A+, F, G | 89.0161 | 213.00 | **255.60** |

### Preston Aluminium Radiators - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 185mm | 154 | 296 | 150W | A, A+, F, G | 89.0792 | 197.00 | **236.40** |
| 1800 x 185mm | 222 | 427 | 300W | A, A+, F, G | 89.0162 | 213.00 | **255.60** |

### Preston Aluminium Radiators - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 185mm | 154 | 296 | 150W | A, A+, F, G | 89.0793 | 197.00 | **236.40** |
| 1800 x 185mm | 222 | 427 | 300W | A, A+, F, G | 89.0163 | 213.00 | **255.60** |

Prices include radiator and wall fixing sets, valves and accessories extra.

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.





### Preston Cover Cap Sets - Chrome

| Cap Set Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 185mm | 89.0175 | 17.00 | **20.40** |

Cover cap set only includes cover caps for the top or bottom of the radiator.

### Preston Standard Towel Hangers

| Hanger Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 185mm | Premium Mirror Polished | 86.0207 | 67.00 | **80.40** |
| 185mm | Matt White | 89.0204 | 54.00 | **64.80** |
| 185mm | Matt Anthracite | 89.0205 | 54.00 | **64.80** |
| 185mm | Matt Black | 89.0206 | 54.00 | **64.80** |
| 185mm | Chrome | 89.0164 | 46.00 | **55.20** |


1800mm height radiator comes with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers. 1200mm height radiators comes with 2 predrilled towel hanger locations, with a maximum of 2 towel hangers. The Preston Standard Towel Hangers will add approx. 23mm width on each side once fitted to the radiator. Premium mirror polished towel hanger is made of stainless steel. **Can be fitted after installation only on high adjustment bracket fitting.**



**Premium**
86.0207



**Matt White**
89.0204



**Matt Anthracite**
89.0205



**Matt Black**
89.0206



**Chrome**
89.0164




Pictured 89.0162 Matt Anthracite with 89.0164 Towel Hangers x3 & 89.0175 Cover Caps x2

**For element types see pages 336-349.**

Element can only be installed vertically on the right-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



**Round Vent Caps**
Page 369



# Aluminium Range

## BERLINI VERTICAL




Pictured 86.0186 Polished Aluminium with 86.0110 Towel Hangers x3 & 86.0139 Cover Caps x2



Pictured 86.0107 Matt White with 86.0110 Towel Hangers


This slimline radiator will be an ideal solution for those tight spaces. The radiator looks stunning paired with the towel hangers to complete the look. Available in four finishes, this radiator heats up quickly and is lightweight.

**FEATURES**
- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 432-433

**Multi-Purpose Towel Hangers**
Page 368



Warranty 5 Year | Heating | All Electric | Dual-Fuel

# Aluminium Range

## BERLINI VERTICAL



Matt White | Matt Anthracite | Matt Black | Polished



Pictured 86.0145 Matt Anthracite with 89.0882R Multi-Purpose Towel Hanger & 86.0139 Cover Caps x2

### Berlini Aluminium Radiator - Matt White

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 185mm | 183 | 338 | 150W | A, A+ | 86.0144 | 235.00 | **282.00** |
| 1800 x 185mm | 275 | 508 | 300W | A, A+ | 86.0107 | 250.00 | **300.00** |

### Berlini Aluminium Radiator - Matt Anthracite

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 185mm | 183 | 338 | 150W | A, A+ | 86.0145 | 235.00 | **282.00** |
| 1800 x 185mm | 275 | 508 | 300W | A, A+ | 86.0108 | 250.00 | **300.00** |

### Berlini Aluminium Radiator - Matt Black

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 185mm | 183 | 338 | 150W | A, A+ | 86.0146 | 235.00 | **282.00** |
| 1800 x 185mm | 275 | 508 | 300W | A, A+ | 86.0109 | 250.00 | **300.00** |

### Berlini Aluminium Radiator - Polished Aluminium

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 185mm | 178 | 328 | 150W | A, A+ | 86.0185 | 257.00 | **308.40** |
| 1800 x 185mm | 267 | 492 | 300W | A, A+ | 86.0186 | 292.00 | **350.40** |

* Further heat output information available on eastbrooktrade.com **E&OA**

Prices include radiator and wall fixing sets, valves and accessories extra.

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 35 or 55mm off the wall.

**For element types see pages 336-349.**

Element can only be installed vertically on the right hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. For dual fuel installations, element must be installed on flow side.





Matt Black
89.0206



Chrome
86.0110



Matt White
89.0204



Matt Anthracite
89.0205



Premium Mirror Polished
86.0207

### Berlini Standard Towel Hangers

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| Towel Hanger 185mm | Premium Mirror Polished | 86.0207 | 67.00 | **80.40** |
| Towel Hanger 185mm | Matt White | 89.0204 | 54.00 | **64.80** |
| Towel Hanger 185mm | Matt Anthracite | 89.0205 | 54.00 | **64.80** |
| Towel Hanger 185mm | Matt Black | 89.0206 | 54.00 | **64.80** |
| Towel Hanger 185mm | Chrome | 86.0110 | 47.00 | **56.40** |

1800mm height radiator comes with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers.1200mm height radiators comes with 2 pre-drilled towel hanger locations, with a maximum of 2 towel hangers. The Berlini Standard Towel Hangers will add approx 23mm width on each side once fitted to the radiator. **Can be fitted after installation only on high adjustment bracket fitting.**

### Berlini Cover Cap Set - Chrome

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap Set 185mm | 86.0139 | 26.00 | **31.20** |

Cover cap sets only include cover caps for the top or bottom of the radiator.



# Aluminium Range

## FAIRFORD VERTICAL



Pictured 89.0227 Matt Anthracite with 89.0320

This slimline radiator is an ideal solution for those tight or tall spaces. This wavy vertical panel design has a curved front that will provide a stylish warmth to any room. Available in two colours as well as horizontal and vertical designs.

**FEATURES**
- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour.
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Fairford Vertical Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 375mm | 302 | 596 | 450W | A, A+, F, G | 89.0221 | 398.00 | **477.60** |
| 1200 x 565mm | 454 | 897 | 750W | A, A+, F, G | 89.0737 | 565.00 | **678.00** |
| 1800 x 375mm | 449 | 892 | 750W | A, A+, F, G | 89.0222 | 460.00 | **552.00** |
| 1800 x 565mm | 676 | 1343 | 1000W | A, A+, F, G | 89.0735 | 656.00 | **787.20** |

**Fairford Vertical Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1200 x 375mm | 302 | 596 | 450W | A, A+, F, G | 89.0227 | 398.00 | **477.60** |
| 1200 x 565mm | 454 | 897 | 750W | A, A+, F, G | 89.0738 | 565.00 | **678.00** |
| 1800 x 375mm | 449 | 892 | 750W | A, A+, F, G | 89.0228 | 460.00 | **552.00** |
| 1800 x 565mm | 676 | 1343 | 1000W | A, A+, F, G | 89.0736 | 656.00 | **787.20** |

Prices include radiator and wall fixing sets, valves and accessories extra.




**For element types see pages 336-349.**

Element can only be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



## FAIRFORD VERTICAL COVER CAPS



**Fairford Cover Caps - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap 375mm | 89.0399 | 21.00 | **25.20** |
| Cover Cap 565mm | 89.0400 | 28.00 | **33.60** |


Cover cap set only includes cover caps for the top or bottom of the radiator.

## FAIRFORD TOWEL HANGERS (VERTICAL & HORIZONTAL)




**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 89.0318 | 56.00 | **67.20** |
| 565mm | 89.0319 | 70.00 | **84.00** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 89.0320 | 56.00 | **67.20** |
| 565mm | 89.0321 | 70.00 | **84.00** |



**Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 375mm | 89.0322 | 56.00 | **67.20** |
| 565mm | 89.0323 | 70.00 | **84.00** |

1800mm height radiators come with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers.

1200mm height radiators come with 2 pre-drilled towel hanger locations, with a maximum of 2 towel hangers.


600mm height radiators come with 1 pre-drilled towel hanger location, with a maximum of 1 towel hanger. (only 375 and 565mm widths)

**Can be fitted after installation only on high adjustment bracket fitting.**

The Fairford Standard Towel Hangers will add approx 8mm width on each side once fitted to the radiator.

# Aluminium Range

## FAIRFORD HORIZONTAL




Pictured 89.0225 Matt Anthracite

This modern radiator has a wavy front design that will provide a stylish warmth to any room. Available in two colours as well as horizontal and vertical designs.

**Fairford Horizontal Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 375mm | 157 | 308 | 300W | A, A+ | 89.0217 | 231.00 | **277.20** |
| 600 x 565mm | 236 | 464 | 300W | A, A+, C, H | 89.0218 | 324.00 | **388.80** |
| 600 x 945mm | 395 | 775 | 600W | A, A+, C, H | 89.0219 | 531.00 | **637.20** |
| 600 x 1325mm | 553 | 1086 | 900W | A, A+, C, H | 89.0220 | 731.00 | **877.20** |

**Fairford Horizontal Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 375mm | 157 | 308 | 300W | A, A+ | 89.0223 | 231.00 | **277.20** |
| 600 x 565mm | 236 | 464 | 300W | A, A+, C, H | 89.0224 | 324.00 | **388.80** |
| 600 x 945mm | 395 | 775 | 600W | A, A+, C, H | 89.0225 | 531.00 | **637.20** |
| 600 x 1325mm | 553 | 1086 | 900W | A, A+, C, H | 89.0226 | 731.00 | **877.20** |

Prices include radiator and wall fixing sets, valves and accessories extra.

### FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 432-433

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.

## FAIRFORD HORIZONTAL COVER CAPS



**Fairford Cover Cap Set - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap 375mm | 89.0399 | 21.00 | **25.20** |
| Cover Cap 565mm | 89.0400 | 28.00 | **33.60** |
| Cover Cap 945mm | 89.0401 | 37.00 | **44.40** |
| Cover Cap 1325mm | 89.0402 | 50.00 | **60.00** |


Cover cap set only includes cover caps for the top or bottom of the radiator.

**For element types see pages 336-349.**

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).



**Multi-Purpose Towel Hangers**
Page 368



# Aluminium Range

## BURFORD VERTICAL



Pictured 89.0236 Matt White with 89.0342 Towel Hangers

This aluminium radiator would be an ideal solution for those tight or tall spaces. This design has round vertical panels that will provide a stylish warmth to any room. Available in two colours as well as horizontal and vertical designs.

**FEATURES**
- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour.
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Burford Vertical Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 275mm | 373 | 756 | 600W | A, A+, B, F, G | 89.0234 | 434.00 | **520.80** |
| 1800 x 345mm | 464 | 939 | 750W | A, A+, B, F, G | 89.0235 | 519.00 | **622.80** |
| 1800 x 415mm | 553 | 1122 | 1000W | A, A+, B, F, G | 89.0236 | 618.00 | **741.60** |
| 1800 x 485mm | 643 | 1302 | 1200W | A, A+, B, F, G | 89.0237 | 711.00 | **853.20** |

**Burford Vertical Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 275mm | 373 | 756 | 600W | A, A+, B, F, G | 89.0243 | 434.00 | **520.80** |
| 1800 x 345mm | 464 | 939 | 750W | A, A+, B, F, G | 89.0244 | 519.00 | **622.80** |
| 1800 x 415mm | 553 | 1122 | 1000W | A, A+, B, F, G | 89.0245 | 618.00 | **741.60** |
| 1800 x 485mm | 643 | 1302 | 1200W | A, A+, B, F, G | 89.0246 | 711.00 | **853.20** |

Prices include radiator and wall fixing sets, valves and accessories extra.

Warranty 5 Year

Heating

All Electric

Dual-Fuel

**For element types see pages 336-349.**

Element can only be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



## BURFORD VERTICAL COVER CAPS



**Burford Cover Caps - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap 275mm | 89.0403 | 23.00 | **27.60** |
| Cover Cap 345mm | 89.0404 | 26.00 | **31.20** |
| Cover Cap 415mm | 89.0405 | 30.00 | **36.00** |
| Cover Cap 485mm | 89.0406 | 32.00 | **38.40** |


Cover cap set only includes cover caps for the top or bottom of the radiator.

## BURFORD TOWEL HANGERS (VERTICAL & HORIZONTAL)




**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 275mm | 89.0330 | 54.00 | **64.80** |
| 345mm | 89.0331 | 56.00 | **67.20** |
| 415mm | 89.0332 | 63.00 | **75.60** |
| 485mm | 89.0333 | 73.00 | **87.60** |
| 625mm | 89.0334 | 83.00 | **99.60** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 275mm | 89.0335 | 54.00 | **64.80** |
| 345mm | 89.0336 | 56.00 | **67.20** |
| 415mm | 89.0337 | 63.00 | **75.60** |
| 485mm | 89.0338 | 73.00 | **87.60** |
| 625mm | 89.0339 | 83.00 | **99.60** |



**Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 275mm | 89.0340 | 54.00 | **64.80** |
| 345mm | 89.0341 | 56.00 | **67.20** |
| 415mm | 89.0342 | 63.00 | **75.60** |
| 485mm | 89.0343 | 73.00 | **87.60** |
| 625mm | 89.0344 | 83.00 | **99.60** |

600mm height radiators have 1 pre-drilled location and fit 1 towel hanger (only for 485mm and 625mm widths).


1800mm height radiators have 3 pre-drilled locations and fit up to 3 hangers (for all widths: 275mm, 345mm, 415mm, 485mm).

Standard Towel Hangers are **compatible with vertical and horizontal radiators,** depending on their widths. **Can be fitted post-installation on high adjustment brackets.**

The Burford Standard Towel Hangers add approximately 50mm of width on each side once attached.

# Aluminium Range

## BURFORD HORIZONTAL




Pictured 89.0241 Matt Anthracite

This aluminium radiator would be an ideal solution for those tight or tall spaces. This design has round vertical panels that will provide a stylish warmth to any room. Available in two colours as well as horizontal and vertical designs.

**Burford Horizontal Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 485mm | 246 | 478 | 300W | A, A+, C, H | 89.0229 | 369.00 | **442.80** |
| 600 x 625mm | 313 | 609 | 450W | A, A+, C, H | 89.0230 | 460.00 | **552.00** |
| 600 x 835mm | 414 | 804 | 600W | A, A+, C, H | 89.0231 | 609.00 | **730.80** |
| 600 x 1045mm | 513 | 997 | 750W | A, A+, C, H | 89.0232 | 750.00 | **900.00** |
| 600 x 1185mm | 579 | 1125 | 900W | A, A+, C, H | 89.0233 | 840.00 | **1008.00** |

**Burford Horizontal Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 485mm | 246 | 478 | 300W | A, A+, C, H | 89.0238 | 369.00 | **442.80** |
| 600 x 625mm | 313 | 609 | 450W | A, A+, C, H | 89.0239 | 460.00 | **552.00** |
| 600 x 835mm | 414 | 804 | 600W | A, A+, C, H | 89.0240 | 609.00 | **730.80** |
| 600 x 1045mm | 513 | 997 | 750W | A, A+, C, H | 89.0241 | 750.00 | **900.00** |
| 600 x 1185mm | 579 | 1125 | 900W | A, A+, C, H | 89.0242 | 840.00 | **1008.00** |

Prices include radiator and wall fixing sets, valves and accessories extra.

### FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 434-435

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.

**For element types see pages 336-349.**

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).



## BURFORD HORIZONTAL COVER CAPS




**Burford Cover Caps - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap 485mm | 89.0406 | 32.00 | **38.40** |
| Cover Cap 625mm | 89.0407 | 35.00 | **42.00** |
| Cover Cap 835mm | 89.0408 | 45.00 | **54.00** |
| Cover Cap 1045mm | 89.0409 | 52.00 | **62.40** |
| Cover Cap 1185mm | 89.0410 | 56.00 | **67.20** |

Cover cap set only includes cover caps for the top or bottom of the radiator.

**Multi-Purpose Towel Hangers**
Page 368



# Aluminium Range

## KELMSCOTT VERTICAL



Pictured 89.0262 Matt Anthracite with 89.0351 Towel Hangers

This slimline radiator would be an ideal solution for those tight or tall spaces. This design has a curved front that will provide a stylish warmth to any room. Available in two colours as well as horizontal and vertical designs.

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour.
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Kelmscott Vertical Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 275mm | 360 | 740 | 600W | A, A+, B, F, G | 89.0252 | 415.00 | **498.00** |
| 1800 x 345mm | 450 | 924 | 750W | A, A+, B, F, G | 89.0253 | 500.00 | **600.00** |
| 1800 x 415mm | 538 | 1107 | 1000W | A, A+, B, F, G | 89.0254 | 592.00 | **710.40** |
| 1800 x 485mm | 627 | 1289 | 1200W | A, A+, B, F, G | 89.0255 | 682.00 | **818.40** |

**Kelmscott Vertical Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 275mm | 360 | 740 | 600W | A, A+, B, F, G | 89.0261 | 415.00 | **498.00** |
| 1800 x 345mm | 450 | 924 | 750W | A, A+, B, F, G | 89.0262 | 500.00 | **600.00** |
| 1800 x 415mm | 538 | 1107 | 1000W | A, A+, B, F, G | 89.0263 | 592.00 | **710.40** |
| 1800 x 485mm | 627 | 1289 | 1200W | A, A+, B, F, G | 89.0264 | 682.00 | **818.40** |

Prices include radiator and wall fixing sets, valves and accessories extra.

Warranty 5 Year

Heating

All Electric


Dual-Fuel

**For element types see pages 336-349.**

Element can only be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



## KELMSCOTT VERTICAL COVER CAPS



**Kelmscott Cover Cap Set - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap 275mm | 89.0411 | 21.00 | **25.20** |
| Cover Cap 345mm | 89.0412 | 24.00 | **28.80** |
| Cover Cap 415mm | 89.0413 | 26.00 | **31.20** |
| Cover Cap 485mm | 89.0414 | 30.00 | **36.00** |


Cover cap set only includes cover caps for the top or bottom of the radiator.

## KELMSCOTT TOWEL HANGERS (VERTICAL & HORIZONTAL)




**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 275mm | 89.0345 | 52.00 | **62.40** |
| 345mm | 89.0346 | 53.00 | **63.60** |
| 415mm | 89.0347 | 56.00 | **67.20** |
| 485mm | 89.0348 | 69.00 | **82.80** |
| 625mm | 89.0349 | 78.00 | **93.60** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 275mm | 89.0350 | 52.00 | **62.40** |
| 345mm | 89.0351 | 53.00 | **63.60** |
| 415mm | 89.0352 | 56.00 | **67.20** |
| 485mm | 89.0353 | 69.00 | **82.80** |
| 625mm | 89.0354 | 78.00 | **93.60** |



**Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 275mm | 89.0355 | 52.00 | **62.40** |
| 345mm | 89.0356 | 53.00 | **63.60** |
| 415mm | 89.0357 | 56.00 | **67.20** |
| 485mm | 89.0358 | 69.00 | **82.80** |
| 625mm | 89.0359 | 78.00 | **93.60** |

600mm height radiators have 1 pre-drilled location and fit 1 towel hanger (only for 485mm and 625mm widths).

1800mm height radiators come with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers. (all widths; 275, 345, 415 and 485mm)

Standard Towel Hangers are **compatible with vertical and horizontal radiators,** depending on their widths. **Can be fitted post-installation on high adjustment brackets.**

The Kelmscott Standard Towel Hangers add approximately 43mm of width on each side once attached.

# Aluminium Range

## KELMSCOTT HORIZONTAL




Pictured 89.0250 Matt White

This modern radiator has a curved front design that will provide a stylish warmth to any room. Available in two colours as well as horizontal and vertical designs.

**Kelmscott Horizontal Aluminium Radiators - Matt White**


| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 485mm | 245 | 476 | 300W | A, A+, C, H | 89.0247 | 350.00 | **420.00** |
| 600 x 625mm | 314 | 610 | 450W | A, A+, C, H | 89.0248 | 441.00 | **529.20** |
| 600 x 835mm | 417 | 809 | 600W | A, A+, C, H | 89.0249 | 583.00 | **699.60** |
| 600 x 1045mm | 519 | 1008 | 750W | A, A+, C, H | 89.0250 | 722.00 | **866.40** |
| 600 x 1185mm | 587 | 1140 | 900W | A, A+, C, H | 89.0251 | 807.00 | **968.40** |

**Kelmscott Horizontal Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 485mm | 245 | 476 | 300W | A, A+, C, H | 89.0256 | 350.00 | **420.00** |
| 600 x 625mm | 314 | 610 | 450W | A, A+, C, H | 89.0257 | 441.00 | **529.20** |
| 600 x 835mm | 417 | 809 | 600W | A, A+, C, H | 89.0258 | 583.00 | **699.60** |
| 600 x 1045mm | 519 | 1008 | 750W | A, A+, C, H | 89.0259 | 722.00 | **866.40** |
| 600 x 1185mm | 587 | 1140 | 900W | A, A+, C, H | 89.0260 | 807.00 | **968.40** |

Prices include radiator and wall fixing sets, valves and accessories extra.

## KELMSCOTT HORIZONTAL COVER CAPS



**Kelmscott Cover Caps - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap 485mm | 89.0414 | 30.00 | **36.00** |
| Cover Cap 625mm | 89.0415 | 34.00 | **40.80** |
| Cover Cap 835mm | 89.0416 | 41.00 | **49.20** |
| Cover Cap 1045mm | 89.0417 | 47.00 | **56.40** |
| Cover Cap 1185mm | 89.0418 | 52.00 | **62.40** |

Cover cap set only includes cover caps for the top or bottom of the radiator.

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 434-435

**TECHNICAL INFORMATION**


All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.

**For element types see pages 336-349.**

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).




**Multi-Purpose Towel Hangers**
Page 368



# Aluminium Range

## WITNEY VERTICAL




Pictured 89.0266 Matt White with 89.0361 Towel Hangers x3

A high heat capacity vertical radiator ideal for those situations where space is at a minimium. Available in two finishes, three widths and one height.

**Witney Vertical Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 280mm | 503 | 985 | 750W | A, A+, B, F, G | 89.0265 | 586.00 | **703.20** |
| 1800 x 375mm | 662 | 1297 | 1000W | A, A+, B, F, G | 89.0266 | 772.00 | **926.40** |
| 1800 x 470mm | 819 | 1604 | 1200W | A, A+, B, F, G | 89.0267 | 930.00 | **1116.00** |

**Witney Vertical Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 280mm | 503 | 985 | 750W | A, A+, B, F, G | 89.0268 | 586.00 | **703.20** |
| 1800 x 375mm | 662 | 1297 | 1000W | A, A+, B, F, G | 89.0269 | 772.00 | **926.40** |
| 1800 x 470mm | 819 | 1604 | 1200W | A, A+, B, F, G | 89.0270 | 930.00 | **1116.00** |

Prices include radiator and wall fixing sets, valves and accessories extra.

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 434-435

### TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.



**Witney Cover Cap Set - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap 280mm | 89.0419 | 32.00 | **38.40** |
| Cover Cap 375mm | 89.0420 | 38.00 | **45.60** |
| Cover Cap 470mm | 89.0421 | 46.00 | **55.20** |


Cover cap set only includes cover caps for the top or bottom of the radiator.

**For element types see pages 336-349.**

Element can only be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.




## WITNEY STANDARD TOWEL HANGERS




**Towel Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0360 | 62.00 | **74.40** |
| 375mm | 89.0361 | 66.00 | **79.20** |
| 470mm | 89.0362 | 74.00 | **88.80** |



**Towel Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0363 | 62.00 | **74.40** |
| 375mm | 89.0364 | 66.00 | **79.20** |
| 470mm | 89.0365 | 74.00 | **88.80** |



**Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 280mm | 89.0366 | 62.00 | **74.40** |
| 375mm | 89.0367 | 66.00 | **79.20** |
| 470mm | 89.0368 | 74.00 | **88.80** |

1800mm height radiators come with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers. (all widths; 280, 375 and 470mm)

**Can be fitted after installation only on high adjustment bracket fitting.**

The Witney Towel Hangers will add approx 8mm width on each side once fitted to the radiator.

**Radiator Valves**
Page 350-365





# Aluminium Range

## WITNEY HORIZONTAL



Pictured 89.0943 Matt White



Pictured 89.0978 Matt Anthracite

A high heat capacity horizontal radiator that will provide a stylish warmth to any room. Available in two finishes and five widths.

**Witney Horizontal Aluminium Radiators - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 328 | 646 | 300W | A, A+, C, H | 89.0941 | 522.00 | **626.40** |
| 600 x 660mm | 451 | 889 | 600W | A, A+, C, H | 89.0942 | 723.00 | **867.60** |
| 600 x 850mm | 573 | 1128 | 900W | A, A+, C, H | 89.0943 | 920.00 | **1104.00** |
| 600 x 1040mm | 692 | 1364 | 1000W | A, A+, C, H | 89.0944 | 1116.00 | **1339.20** |
| 600 x 1230mm | 811 | 1597 | 1200W | A, A+, C, H | 89.0945 | 1305.00 | **1566.00** |

**Witney Horizontal Aluminium Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 470mm | 328 | 646 | 300W | A, A+, C, H | 89.0974 | 522.00 | **626.40** |
| 600 x 660mm | 451 | 889 | 600W | A, A+, C, H | 89.0975 | 723.00 | **867.60** |
| 600 x 850mm | 573 | 1128 | 900W | A, A+, C, H | 89.0976 | 920.00 | **1104.00** |
| 600 x 1040mm | 692 | 1364 | 1000W | A, A+, C, H | 89.0977 | 1116.00 | **1339.20** |
| 600 x 1230mm | 811 | 1597 | 1200W | A, A+, C, H | 89.0978 | 1305.00 | **1566.00** |


Prices include radiator and wall fixing sets, valves and accessories extra.

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 434-435



**Witney Cover Cap Set - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Cover Cap 470mm | 89.0421 | 46.00 | **55.20** |
| Cover Cap 660mm | 89.1407 | 60.00 | **72.00** |
| Cover Cap 850mm | 89.1408 | 74.00 | **88.80** |
| Cover Cap 1040mm | 89.1409 | 91.00 | **109.20** |
| Cover Cap 1230mm | 89.1410 | 108.00 | **129.60** |

Cover cap set only includes cover caps for the top or bottom of the radiator.

**For element types see pages 336-349.**

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).



# Aluminium Range

## PELAGO




Pictured 86.0224 Polished Aluminium

With its slim construction and modern design, the Pelago aluminium towel rail is ready to heat up your towels.

**FEATURES**

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 436-437

**Pelago - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 500mm | 126 | 231 | 150W | A, A+ | 86.0208 | 151.00 | **181.20** |
| 600 x 600mm | 149 | 272 | 150W | A, A+ | 86.0209 | 162.00 | **194.40** |
| 1200 x 500mm | 237 | 449 | 300W | A, A+ | 86.0214 | 248.00 | **297.60** |
| 1200 x 600mm | 270 | 505 | 450W | A, A+ | 86.0215 | 266.00 | **319.20** |
| 1800 x 500mm | 362 | 685 | 600W | A, A+ | 86.0220 | 353.00 | **423.60** |
| 1800 x 600mm | 417 | 771 | 600W | A, A+ | 86.0221 | 382.00 | **458.40** |

**Pelago - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 500mm | 126 | 231 | 150W | A, A+ | 86.0210 | 151.00 | **181.20** |
| 600 x 600mm | 149 | 272 | 150W | A, A+ | 86.0211 | 162.00 | **194.40** |
| 1200 x 500mm | 237 | 449 | 300W | A, A+ | 86.0216 | 248.00 | **297.60** |
| 1200 x 600mm | 270 | 505 | 450W | A, A+ | 86.0217 | 266.00 | **319.20** |
| 1800 x 500mm | 362 | 685 | 600W | A, A+ | 86.0222 | 353.00 | **423.60** |
| 1800 x 600mm | 417 | 771 | 600W | A, A+ | 86.0223 | 382.00 | **458.40** |


**Pelago - Polished Aluminium**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 500mm | 122 | 224 | 150W | A, A+ | 86.0212 | 167.00 | **200.40** |
| 600 x 600mm | 145 | 264 | 150W | A, A+ | 86.0213 | 180.00 | **216.00** |
| 1200 x 500mm | 230 | 435 | 300W | A, A+ | 86.0218 | 277.00 | **332.40** |
| 1200 x 600mm | 262 | 490 | 450W | A, A+ | 86.0219 | 298.00 | **357.60** |
| 1800 x 500mm | 351 | 664 | 600W | A, A+ | 86.0224 | 396.00 | **475.20** |
| 1800 x 600mm | 405 | 748 | 600W | A, A+ | 86.0225 | 430.00 | **516.00** |

* Further heat output information available on eastbrooktrade.com **E&OA**

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 25mm less than the width of the rail and approx. 75-105mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Pictured 86.0210 Matt Anthracite

# Aluminium Range

## VELOR

High Output



Pictured 86.0167 Matt Anthracite



Pictured 86.0163 Matt White

The Velor is light weight aluminium towel rail that has a high heat output. It's available in two colours; Matt White & Matt Anthracite, both with slanted horizontal bars.

**FEATURES**
- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 436-437

Warranty 5 Year | Heating | All Electric | Dual-Fuel

**Velor Straight Towel Rail - Matt Anthracite**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 500mm | 142 | 271 | 150W | A, D, E | 86.0164 | 201.00 | **241.20** |
| 600 x 600mm | 168* | 320* | 150W | A, D, E | 86.0165 | 218.00 | **261.60** |
| 1200 x 500mm | 312* | 565* | 300W | A, D, E | 86.0166 | 398.00 | **477.60** |
| 1200 x 600mm | 374* | 678* | 300W | A, D, E | 86.0167 | 441.00 | **529.20** |
| 1800 x 500mm | 460* | 834* | 600W | A, D, E | 86.0168 | 570.00 | **684.00** |
| 1800 x 600mm | 552* | 1001* | 600W | A, D, E | 86.0169 | 639.00 | **766.80** |

* Further heat output information available on eastbrooktrade.com **E&OA**

**Velor Straight Towel Rail - Matt White**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 500mm | 142 | 271 | 150W | A, D, E | 86.0158 | 201.00 | **241.20** |
| 600 x 600mm | 168* | 320* | 150W | A, D, E | 86.0159 | 218.00 | **261.60** |
| 1200 x 500mm | 312* | 565* | 300W | A, D, E | 86.0160 | 398.00 | **477.60** |
| 1200 x 600mm | 374* | 678* | 300W | A, D, E | 86.0161 | 441.00 | **529.20** |
| 1800 x 500mm | 460* | 834* | 600W | A, D, E | 86.0162 | 570.00 | **684.00** |
| 1800 x 600mm | 552* | 1001* | 600W | A, D, E | 86.0163 | 639.00 | **766.80** |

* Further heat output information available on eastbrooktrade.com **E&OA**




Slanted Horizontal Bars



Exposed Chrome Cover Caps

### TECHNICAL INFORMATION


All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D or E. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 25mm less than the width of the rail and approx. 80-110mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Sub Section

# Traditional Range

Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. Most of these radiators and towel rails can be powered via dual fuel, single fuel and / or all electric.



Contents


| | |
|---|---|
| Windrush, Chrome | 290 |
| Stour, Available in 5 colours | 291-293 |
| Painswick, Chrome | 294 |
| Frome, Chrome | 294 |
| Thames, Chrome / Gloss White | 295 |
| Leadon, Chrome / Gloss White | 296 |
| Sherbourne, Chrome | 296 |
| Coln, Chrome / Gloss White | 297 |
| Twyver, Chrome / Gloss White | 297 |
| Avon, Available in 4 colours | 298-299 |
| Isbourne, Available in 5 colours - **NEW COLOUR** | 300-301 |
| Imperia 2 Column, Available in 4 colours - **NEW SIZES** | 302-308 |
| Imperia 3 Column, Available in 4 colours - **NEW SIZES** | 309-315 |
| Imperia 4 Column, Available in 3 colours - **NEW PRODUCT** | 316-317 |
| Imperia 6 Column, Available in 3 colours - **NEW PRODUCT** | 318-320 |
| Imperia 6 Column Bench, Available in 3 colours - **NEW PRODUCT** | 321 |
| Imperia Multirail 2 Column, Available in 3 colours | 322-323 |
| Rivassa 2 Column, Available in 5 colours | 324-327 |
| Rivassa 3 Column, Available in 5 colours | 328-331 |
| Rivassa 4 Column, Available in 3 colours | 332-333 |

# Traditional Range

## WINDRUSH





Pictured 41.1009 Chrome

Valves are only shown for illustration purposes.

Pictured 41.1016 Chrome



Pictured 41.1014 Chrome



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. The Windrush is a simple, traditional design that will add a vintage feel to your bathroom.

**Windrush - Chrome**

| Size H x W x D | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 950 x 500 x 130mm | 74 | 137 | 100W | A, A+ | 41.1009 | 323.00 | **387.60** |
| 950 x 600 x 130mm | 75 | 139 | 100W | A, A+ | 41.1003 | 345.00 | **414.00** |
| 1195 x 500 x 130mm | 93 | 176 | 150W | A, A+, E | 41.1014 | 349.00 | **418.80** |
| 1195 x 600 x 130mm | 101 | 189 | 150W | A, A+, E | 41.1015 | 369.00 | **442.80** |
| 1550 x 500 x 130mm | 117 | 223 | 150W | A, A+, E | 41.1016 | 423.00 | **507.60** |
| 1550 x 600 x 130mm | 126 | 237 | 150W | A, A+, E | 41.1017 | 441.00 | **529.20** |

**FEATURES**

- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions


### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type E. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 130mm less than the width of the rail (144mm for 41.1009) and approx. 105mm off the wall. Price includes radiator and wall fixing sets, valves extra.

**Technical Tables & Drawings**
Page 436-437

# Traditional Range

## STOUR




Pictured 41.1018 Chrome

Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. The Stour in chrome finish offers a Victorian feel to complement a traditional bathroom.

**FEATURES**
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 436-437

Pictured 41.1020 Chrome



Pictured 41.1018 Chrome



Pictured 41.1010 Chrome



**Stour - Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 690 x 500mm | 69 | 129 | 150W | E | 41.1010 | 242.00 | **290.40** |
| 690 x 600mm | 79 | 149 | 100W | A, A+, E | 41.1005 | 265.00 | **318.00** |
| 1195 x 500mm | 106 | 201 | 100W | A, A+, E | 41.1018 | 382.00 | **458.40** |
| 1195 x 600mm | 118 | 223 | 150W | A, A+, E | 41.1019 | 401.00 | **481.20** |
| 1550 x 500mm | 131 | 247 | 150W | A, A+, E | 41.1020 | 450.00 | **540.00** |
| 1550 x 600mm | 146 | 276 | 150W | A, A+, E | 41.1021 | 479.00 | **574.80** |

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type E. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 74mm less than the width of the rail and approx. 53mm off the wall. Price includes radiator and wall fixing sets, valves extra.

# Traditional Range

## STOUR



Pictured 41.0380 Brushed Brass


Pictured 41.0435 Matt White

Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. The Stour in featured colours, brushed brass and matt white offers a Victorian feel to complement a traditional bathroom.

**FEATURES**
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards•
- Comes with same colour bleed valve (brushed brass colour only)
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 436-437

**Stour - Brushed Brass**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 690 x 500mm | 97 | 183 | 150W | E | 41.0377 | 373.00 | **447.60** |
| 690 x 600mm | 105 | 197 | 100W | A, A+, E | 41.0378 | 403.00 | **483.60** |
| 1195 x 500mm | 153 | 288 | 100W | A, A+, E | 41.0379 | 594.00 | **712.80** |
| 1195 x 600mm | 170 | 319 | 150W | A, A+, E | 41.0380 | 626.00 | **751.20** |
| 1550 x 500mm | 184 | 347 | 150W | A, A+, E | 41.0381 | 731.00 | **877.20** |
| 1550 x 600mm | 213 | 401 | 150W | A, A+, E | 41.0382 | 782.00 | **938.40** |

**Stour - Matt White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 690 x 500mm | 183 | 343 | 150W | E | 41.0431 | 207.00 | **248.40** |
| 690 x 600mm | 116 | 216 | 100W | A, A+, E | 41.0432 | 222.00 | **266.40** |
| 1195 x 500mm | 166 | 310 | 100W | A, A+, E | 41.0433 | 332.00 | **398.40** |
| 1195 x 600mm | 183 | 343 | 150W | A, A+, E | 41.0434 | 354.00 | **424.80** |
| 1550 x 500mm | 210 | 391 | 150W | A, A+, E | 41.0435 | 364.00 | **436.80** |
| 1550 x 600mm | 229 | 430 | 150W | A, A+, E | 41.0436 | 395.00 | **474.00** |

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type E. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 74mm less than the width of the rail and approx. 53mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty 5 Year | Heating | All Electric | Dual-Fuel

# Traditional Range

## STOUR



Pictured 41.0437 Matt Anthracite



Pictured 41.0445 Matt Black

Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. The Stour in featured colours, matt anthracite and matt black offers a Victorian feel to complement a traditional bathroom.

**FEATURES**
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 436-437

**Stour - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 690 x 500mm | 183 | 343 | 150W | E | 41.0437 | 207.00 | **248.40** |
| 690 x 600mm | 116 | 216 | 100W | A, A+, E | 41.0438 | 222.00 | **266.40** |
| 1195 x 500mm | 166 | 310 | 100W | A, A+, E | 41.0439 | 332.00 | **398.40** |
| 1195 x 600mm | 183 | 343 | 150W | A, A+, E | 41.0440 | 354.00 | **424.80** |
| 1550 x 500mm | 210 | 391 | 150W | A, A+, E | 41.0441 | 364.00 | **436.80** |
| 1550 x 600mm | 229 | 430 | 150W | A, A+, E | 41.0442 | 395.00 | **474.00** |

**Stour - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 690 x 500mm | 183 | 343 | 150W | E | 41.0443 | 207.00 | **248.40** |
| 690 x 600mm | 116 | 216 | 100W | A, A+, E | 41.0444 | 222.00 | **266.40** |
| 1195 x 500mm | 166 | 310 | 100W | A, A+, E | 41.0445 | 332.00 | **398.40** |
| 1195 x 600mm | 183 | 343 | 150W | A, A+, E | 41.0446 | 354.00 | **424.80** |
| 1550 x 500mm | 210 | 391 | 150W | A, A+, E | 41.0447 | 364.00 | **436.80** |
| 1550 x 600mm | 229 | 430 | 150W | A, A+, E | 41.0448 | 395.00 | **474.00** |

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type E. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 74mm less than the width of the rail and approx. 53mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty 5 Year | Heating | All Electric | Dual-Fuel

# Traditional Range

## PAINSWICK



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. The Painswick is a stunning, floor standing classical radiator with elegant practical curves.

**Painswick - Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 778 x 686mm | 148 | 279 | N/A | N/A | 41.1022 | 859.00 | **1030.80** |

Tappings are approx. 130mm less than the width of the rail and approx. 105mm off the wall.

**FEATURES**
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Not suitable for elements

* With conditions

**Technical Tables & Drawings**
Page 438-439

### TECHNICAL INFORMATION

All measurements in Height by Width. Not suitable for elements. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 130mm less than the width of the rail and approx. 100mm off the floor. Price includes radiator and wall fixing sets, valves extra.

Warranty 5 | Heating



**Pair of Radiator Valves & Tails**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0001 | 54.00 | **64.80** |

Radiator valves sold separately

## FROME




Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

**Frome - Chrome**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 940 x 474mm | 112 | 212 | 150W | A, A+, C, E, H | 41.1013 | 441.00 | **529.20** |

Tappings are approx. 130mm less than the width of the rail and approx. 105mm off the wall.

**FEATURES**
- Tested to BS EN 442 standards.
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 438-439

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

Warranty 5 Year | Heating | All Electric | Dual-Fuel



**Pair of Radiator Valves & Tails**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0001 | 54.00 | **64.80** |

Radiator valves sold separately

# Traditional Range

## THAMES

For element types see pages 336-349.



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

**Thames - Chrome / Gloss White**

| Size H x W x D | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1444 x 630 x 187mm | 345 | 654 | 450W | A, A+, C, H | 41.1004 | 725.00 | **870.00** |

Tappings are approx. 130mm less than the width of the rail and approx. 150mm off the wall.

**FEATURES**
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 438-439



Chrome

**Pair of Radiator Valves & Tails**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0001 | 54.00 | **64.80** |

Radiator valves sold separately



Comes with dark wood effect head

Chrome

**Angled TRV with Lockshield (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0008 | 90.00 | **108.00** |

Radiator valves sold separately

Warranty 5 Year | Heating | All Electric | Dual-Fuel

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

# Traditional Range

## LEADON




Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails should only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

**Leadon - Chrome / Gloss White**

| Size H x W x D | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 940 x 700 x 260mm | 322 | 602 | 450W | A, A+, C, H | 41.1007 | 649.00 | **778.80** |

Tappings are approx. 130mm less than the width of the rail and approx. 137mm off the wall.

**FEATURES**
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 438-439

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

Warranty 5 Year

Heating

All Electric

Dual-Fuel



**Pair of Radiator Valves & Tails**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0001 | 54.00 | **64.80** |

Radiator valves sold separately

## SHERBOURNE




Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

**Sherbourne - Chrome**

| Size H x W x D | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 960 x 600 x 142mm | 112 | 210 | 150W | A, A+, C, E, H | 41.1001 | 418.00 | **501.60** |

Tappings are approx. 130mm less than the width of the rail and approx. 105mm off the wall.

**FEATURES**
- Tested to BS EN 442 standards.
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 440-441

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

Warranty 5 Year

Heating

All Electric

Dual-Fuel



**Pair of Radiator Valves & Tails**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0001 | 54.00 | **64.80** |

Radiator valves sold separately

# Traditional Range

## COLN




Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails should only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

**Coln - Chrome / Gloss White**

| Size H x W x D | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 510 x 680 x 260mm | 247 | 468 | 300W | A, A+, C, H | 41.1002 | 491.00 | **589.20** |

On dual fuel installation, please use only Type A element.
Tappings approx. 4mm less than the width of the rail and approx. 50mm off the wall.

**FEATURES**
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 440-441

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

Warranty 5 Year

Heating

All Electric

Dual-Fuel



**Pair of Radiator Valves & Tails**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0001 | 54.00 | **64.80** |

Radiator valves sold separately

## TWYVER



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails should only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

**Twyver - Chrome / Gloss White**

| Size H x W x D | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 952 x 684 x 158mm | 334 | 644 | N/A | N/A | 41.1011 | 669.00 | **802.80** |

Tappings are approx. 137mm less than the width of the rail and approx. 108mm off the wall.

**FEATURES**
- Tested to BS EN 442 standards.
- 5 Year Manufacturer's Warranty*
- Not suitable for elements

* With conditions

**Technical Tables & Drawings**
Page 440-441

### TECHNICAL INFORMATION

All measurements in Height by Width. Not suitable for elements. For matching valves see pages 350-365. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

Warranty 5 Year

Heating

# Traditional Range

## AVON



Pictured 41.1006 Chrome / Gloss White

**Avon - Chrome / Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 960 x 429 | 159 | 302 | 150W | A, A+, C, H | 41.1027 | 385.00 | **462.00** |
| 960 x 500 | 205 | 384 | 300W | A, A+, C, H | 41.1006 | 408.00 | **489.60** |

Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

Warranty 5 Year | Heating | All Electric | Dual-Fuel

**FEATURES**

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions


**Technical Tables & Drawings**
Page 440-441

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings from wall 135mm. (for 429mm width is 110mm.) Projection from wall 185mm. (for 429mm width is 160mm.) Prices include radiator and wall fixings sets, valves extra.

# Traditional Range

## AVON



Pictured 41.0805 Brushed Brass / Gloss White

### Avon - Brushed Brass / Gloss White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 960 x 429 | 182 | 342 | 150W | A, A+, C, H | 41.0804 | 551.00 | **661.20** |
| 960 x 500 | 227 | 428 | 300W | A, A+, C, H | 41.0805 | 583.00 | **699.60** |



Pictured 41.1028 Chrome / Matt Anthracite

### Avon - Chrome / Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 960 x 429 | 159 | 302 | 150W | A, A+, C, H | 41.1028 | 385.00 | **462.00** |
| 960 x 500 | 199 | 377 | 300W | A, A+, C, H | 41.1025 | 408.00 | **489.60** |



Pictured 41.1026 Chrome / Matt Black

### Avon - Chrome / Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 960 x 429 | 159 | 302 | 150W | A, A+, C, H | 41.1029 | 385.00 | **462.00** |
| 960 x 500 | 199 | 377 | 300W | A, A+, C, H | 41.1026 | 408.00 | **489.60** |

• NEW COLOUR HERE •

# Traditional Range

## ISBOURNE



Pictured 41.1000 Chrome / Gloss White

**Isbourne - Chrome / Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 940 x 507 | 207* | 392* | 300W | A, A+, C, H | 41.0806 | 448.00 | **537.60** |
| 940 x 600 | 274 | 521 | 450W | A, A+, C, H | 41.1000 | 476.00 | **571.20** |

* Further heat output information available on eastbrooktrade.com **E&OA**

Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

Warranty 5 Year | Heating | All Electric | Dual-Fuel

**FEATURES**
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables & Drawings**
Page 442-443

**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings from wall approx 121mm. Projection from wall 260mm. Prices include radiator and wall fixings sets, valves extra.

# Traditional Range

## ISBOURNE



Pictured 41.0709 Brushed Brass / Gloss White

### Isbourne - Brushed Brass / Gloss White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 940 x 507 | 207 | 392 | 300W | A, A+, C, H | 41.0809 | 646.00 | **775.20** |
| 940 x 600 | 275 | 522 | 450W | A, A+, C, H | 41.0709 | 687.00 | **824.40** |



New Colour Available August 2025

Pictured 41.1031 Brushed Brass / Matt Black

### NEW! Isbourne - Brushed Brass / Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 940 x 507 | 207 | 392 | 300W | A, A+, C, H | 41.1030 | 646.00 | **775.20** |
| 940 x 600 | 275 | 522 | 450W | A, A+, C, H | 41.1031 | 687.00 | **824.40** |



Pictured 41.1024 Chrome / Matt Anthracite

### Isbourne - Chrome / Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 940 x 507 | 207* | 392* | 300W | A, A+, C, H | 41.0807 | 448.00 | **537.60** |
| 940 x 600 | 274 | 521 | 450W | A, A+, C, H | 41.1024 | 476.00 | **571.20** |

* Further heat output information available on eastbrooktrade.com **E&OA**



Pictured 41.1023 Chrome / Matt Black

### Isbourne - Chrome / Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 940 x 507 | 207* | 392* | 300W | A, A+, C, H | 41.0808 | 448.00 | **537.60** |
| 940 x 600 | 274 | 521 | 450W | A, A+, C, H | 41.1023 | 476.00 | **571.20** |

* Further heat output information available on eastbrooktrade.com **E&OA**

• NEW SIZES HERE •


# Traditional Range

## IMPERIA 2 COLUMN - GLOSS WHITE

New Sizes Available August 2025



Pictured 41.0893 Gloss White with 41.0357 feet



Pictured 41.0907 Gloss White with 41.0357 feet



Pictured 41.0926 Gloss White

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite, matt black or bare metal finishes. Also available in three, four and six columns.

**FEATURES**
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter

* With conditions


**Technical Tables & Drawings**
Page 442-443

Warranty 5 Year

Heating

All Electric

Dual-Fuel



# Traditional Range

## IMPERIA 2 COLUMN - GLOSS WHITE

### 300mm Height - Horizontal

**Imperia Two Column Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 830mm | 234 | 432 | 300W | A, A+, C, H | 41.0892 | 216.00 | **259.20** |
| 300 x 1010mm | 286 | 528 | 450W | A, A+, C, H | 41.0893 | 258.00 | **309.60** |
| 300 x 1145mm | 325 | 600 | 450W | A, A+, C, E*, H | 41.0383 | 288.00 | **345.60** |
| 300 x 1370mm | 390 | 720 | 450W | A, A+, C, E*, H | 41.0384 | 340.00 | **408.00** |
| 300 x 1460mm | 416 | 768 | 600W | A, A+, C, E*, H | 41.0894 | 361.00 | **433.20** |
| 300 x 1640mm | 468 | 864 | 750W | A, A+, C, E*, H | 41.0895 | 402.00 | **482.40** |

*600w Type E Element can be fitted

### 450mm Height - Horizontal

**Imperia Two Column Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 450 x 605mm | 247 | 468 | 300W | A, A+, C, H | 41.0904 | 188.00 | **225.60** |
| 450 x 830mm | 342 | 648 | 450W | A, A+, C, E*, H | 41.0905 | 249.00 | **298.80** |
| 450 x 1010mm | 418 | 792 | 600W | A, A+, C, E*, H | 41.0906 | 297.00 | **356.40** |
| 450 x 1145mm | 475 | 900 | 750W | A, A+, C, E*, H | 41.0907 | 332.00 | **259.20** |
| 450 x 1460mm | 608 | 1152 | 900W | A, A+, C, E*, H | 41.0908 | 416.00 | **499.20** |

*600w Type E Element can be fitted

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 58mm off the wall. Projection from wall 92mm. Prices include radiator and wall fixings sets, valves extra.

### 600mm Height - Horizontal

**Imperia Two Column Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 425mm | 225 | 423 | 300W | A, A+, C, H | 41.0385 | 158.00 | **189.60** |
| 600 x 470mm | 250 | 470 | 300W | A, A+, C, H | 41.0386 | 172.00 | **206.40** |
| 600 x 515mm | 275 | 517 | 300W | A, A+, C, H | 41.0387 | 185.00 | **222.00** |
| 600 x 560mm | 300 | 564 | 300W | A, A+, C, H | 41.0388 | 200.00 | **189.60** |
| 600 x 605mm | 325 | 611 | 450W | A, A+, C, H | 41.0339 | 236.00 | **283.20** |
| 600 x 830mm | 450 | 846 | 600W | A, A+, C, E*, H | 41.0338 | 310.00 | **372.00** |
| 600 x 1010mm | 550 | 1034 | 750W | A, A+, C, H | 41.0389 | 338.00 | **405.60** |
| 600 x 1145mm | 625 | 1175 | 900W | A, A+, H | 41.0337 | 415.00 | **498.00** |
| 600 x 1460mm | 800 | 1504 | 1000W | A+ | 41.0390 | 476.00 | **571.20** |
| 600 x 1640mm | 900 | 1692 | 1200W | A, A+, H | 41.0919 | 527.00 | **632.40** |
| 600 x 1820mm | 1000 | 1880 | 1200W | A, A+, H | 41.0920 | 582.00 | **698.40** |

*600w Type E Element can be fitted

### 1800mm Height - Vertical

**Imperia Two Column Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 290mm | 414 | 804 | N/A | N/A | 41.0400 | 227.00 | **272.40** |
| 1800 x 380mm | 552 | 1072 | N/A | N/A | 41.0346 | 296.00 | **355.20** |
| 1800 x 470mm | 690 | 1340 | N/A | N/A | 41.0345 | 356.00 | **427.20** |
| 1800 x 515mm | 759 | 1474 | N/A | N/A | 41.0925 | 397.00 | **476.40** |
| 1800 x 560mm | 828 | 1608 | N/A | N/A | 41.0926 | 427.00 | **512.40** |
| 1800 x 605mm | 897 | 1742 | N/A | N/A | 41.0927 | 458.00 | **549.60** |
| 1800 x 650mm | 966 | 1876 | N/A | N/A | 41.0928 | 489.00 | **586.80** |




Pictured 41.0919 Gloss White with 41.0357 feet




**Imperia Radiator Feet**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Imperia 2 Column Radiator Feet (pair) Gloss White | 41.0357 | 35.00 | **42.00** |

**Round Vent Caps**
Page 369



**Imperia Towel Hangers**
Page 366



**Traditional Valves**
Page 353&364



**Imperia Robe Hooks**
Page 366




• NEW SIZES HERE •


# Traditional Range

## IMPERIA 2 COLUMN - MATT ANTHRACITE

New Sizes Available August 2025



Pictured 41.0896 Matt Anthracite



Pictured 41.0913 Matt Anthracite with 41.0358 feet



Pictured 41.0345 Matt Anthracite with 41.0358 feet

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite, matt black or bare metal finishes. Also available in three, four and six columns.

**FEATURES**
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter

* With conditions


**Technical Tables & Drawings**
Page 442-443

Warranty 5 Year

Heating

All Electric

Dual-Fuel



# Traditional Range

## IMPERIA 2 COLUMN - MATT ANTHRACITE

### 300mm Height - Horizontal

**Imperia Two Column Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 830mm | 234 | 432 | 300W | A, A+, C, H | 41.0896 | 216.00 | **259.20** |
| 300 x 1010mm | 286 | 528 | 450W | A, A+, C, H | 41.0897 | 258.00 | **309.60** |
| 300 x 1145mm | 325 | 600 | 450W | A, A+, C, E*, H | 41.0392 | 288.00 | **345.60** |
| 300 x 1370mm | 390 | 720 | 450W | A, A+, C, E*, H | 41.0393 | 340.00 | **408.00** |
| 300 x 1460mm | 416 | 768 | 600W | A, A+, C, E*, H | 41.0898 | 361.00 | **433.20** |
| 300 x 1640mm | 468 | 864 | 750W | A, A+, C, E*, H | 41.0899 | 402.00 | **482.40** |

*600w Type E Element can be fitted

### 450mm Height - Horizontal

**Imperia Two Column Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 450 x 605mm | 247 | 468 | 300W | A, A+, C, H | 41.0909 | 188.00 | **225.60** |
| 450 x 830mm | 342 | 648 | 450W | A, A+, C, E*, H | 41.0910 | 249.00 | **298.80** |
| 450 x 1010mm | 418 | 792 | 600W | A, A+, C, E*, H | 41.0911 | 297.00 | **356.40** |
| 450 x 1145mm | 475 | 900 | 750W | A, A+, C, E*, H | 41.0912 | 332.00 | **259.20** |
| 450 x 1460mm | 608 | 1152 | 900W | A, A+, C, E*, H | 41.0913 | 416.00 | **499.20** |

*600w Type E Element can be fitted

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 58mm off the wall. Projection from wall 92mm. Prices include radiator and wall fixings sets, valves extra.

### 600mm Height - Horizontal

**Imperia Two Column Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 425mm | 225 | 423 | 300W | A, A+, C, H | 41.0394 | 158.00 | **189.60** |
| 600 x 470mm | 250 | 470 | 300W | A, A+, C, H | 41.0395 | 172.00 | **206.40** |
| 600 x 515mm | 275 | 517 | 300W | A, A+, C, H | 41.0396 | 185.00 | **222.00** |
| 600 x 560mm | 300 | 564 | 300W | A, A+, C, H | 41.0397 | 200.00 | **240.00** |
| 600 x 605mm | 325 | 611 | 450W | A, A+, C, H | 41.0344 | 236.00 | **283.20** |
| 600 x 830mm | 450 | 846 | 600W | A, A+, C, E*, H | 41.0343 | 310.00 | **372.00** |
| 600 x 1010mm | 550 | 1034 | 750W | A, A+, C, H | 41.0398 | 338.00 | **405.60** |
| 600 x 1145mm | 625 | 1175 | 900W | A, A+, H | 41.0342 | 415.00 | **498.00** |
| 600 x 1460mm | 800 | 1504 | 1000W | A+ | 41.0399 | 476.00 | **571.20** |
| 600 x 1640mm | 900 | 1692 | 1200W | A, A+, H | 41.0921 | 527.00 | **632.40** |
| 600 x 1820mm | 1000 | 1880 | 1200W | A, A+, H | 41.0922 | 582.00 | **698.40** |

*600w Type E Element can be fitted


### 1800mm Height - Vertical

**Imperia Two Column Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 290mm | 414 | 804 | N/A | N/A | 41.0400 | 227.00 | **272.40** |
| 1800 x 380mm | 552 | 1072 | N/A | N/A | 41.0346 | 296.00 | **355.20** |
| 1800 x 470mm | 690 | 1340 | N/A | N/A | 41.0345 | 356.00 | **427.20** |
| 1800 x 515mm | 759 | 1474 | N/A | N/A | 41.0929 | 397.00 | **476.40** |
| 1800 x 560mm | 828 | 1608 | N/A | N/A | 41.0930 | 427.00 | **512.40** |
| 1800 x 605mm | 897 | 1742 | N/A | N/A | 41.0931 | 458.00 | **549.60** |
| 1800 x 650mm | 966 | 1876 | N/A | N/A | 41.0932 | 489.00 | **586.80** |




Pictured 41.0398 Matt Anthracite with 41.0358 feet




**Imperia Radiator Feet**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Imperia 2 Column Radiator Feet (pair) Matt Anthracite | 41.0358 | 35.00 | **42.00** |

**Round Vent Caps**
Page 369



**Imperia Towel Hangers**
Page 366



**Traditional Valves**
Page 353&364



**Imperia Robe Hooks**
Page 366



• NEW SIZES HERE •


# Traditional Range

## IMPERIA 2 COLUMN - MATT BLACK

New Sizes Available August 2025



Pictured 41.0902 Matt Black with 41.0763 feet



Pictured 41.0915 Matt Black



Pictured 41.0936 Matt Black with 41.0763 feet

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite, matt black or bare metal finishes. Also available in three, four and six columns.

**FEATURES**

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter

* With conditions


**Technical Tables & Drawings**
Page 442-443

Warranty 5 Year

Heating

All Electric

Dual-Fuel



# Traditional Range

## IMPERIA 2 COLUMN - MATT BLACK

### 300mm Height - Horizontal

**Imperia Two Column Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 830mm | 234 | 432 | 300W | A, A+, C, H | 41.0900 | 216.00 | **259.20** |
| 300 x 1010mm | 286 | 528 | 450W | A, A+, C, H | 41.0901 | 258.00 | **309.60** |
| 300 x 1145mm | 325 | 600 | 450W | A, A+, C, E*, H | 41.0749 | 288.00 | **345.60** |
| 300 x 1370mm | 390 | 720 | 450W | A, A+, C, E*, H | 41.0750 | 340.00 | **408.00** |
| 300 x 1460mm | 416 | 768 | 600W | A, A+, C, E*, H | 41.0902 | 361.00 | **433.20** |
| 300 x 1640mm | 468 | 864 | 750W | A, A+, C, E*, H | 41.0903 | 402.00 | **482.40** |

*600w Type E Element can be fitted

### 450mm Height - Horizontal

**Imperia Two Column Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 450 x 605mm | 247 | 468 | 300W | A, A+, C, H | 41.0914 | 188.00 | **225.60** |
| 450 x 830mm | 342 | 648 | 450W | A, A+, C, E*, H | 41.0915 | 249.00 | **298.80** |
| 450 x 1010mm | 418 | 792 | 600W | A, A+, C, E*, H | 41.0916 | 297.00 | **356.40** |
| 450 x 1145mm | 475 | 900 | 750W | A, A+, C, E*, H | 41.0917 | 332.00 | **259.20** |
| 450 x 1460mm | 608 | 1152 | 900W | A, A+, C, E*, H | 41.0918 | 416.00 | **499.20** |

*600w Type E Element can be fitted

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 58mm off the wall. Projection from wall 92mm. Prices include radiator and wall fixings sets, valves extra.

### 600mm Height - Horizontal

**Imperia Two Column Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 425mm | 225 | 423 | 300W | A, A+, C, H | 41.0751 | 158.00 | **189.60** |
| 600 x 470mm | 250 | 470 | 300W | A, A+, C, H | 41.0752 | 172.00 | **206.40** |
| 600 x 515mm | 275 | 517 | 300W | A, A+, C, H | 41.0753 | 185.00 | **222.00** |
| 600 x 560mm | 300 | 564 | 300W | A, A+, C, H | 41.0754 | 200.00 | **240.00** |
| 600 x 605mm | 325 | 611 | 450W | A, A+, C, H | 41.0755 | 236.00 | **283.20** |
| 600 x 830mm | 450 | 846 | 600W | A, A+, C, E*, H | 41.0756 | 310.00 | **372.00** |
| 600 x 1010mm | 550 | 1034 | 750W | A, A+, C, H | 41.0757 | 338.00 | **405.60** |
| 600 x 1145mm | 625 | 1175 | 900W | A, A+, H | 41.0758 | 415.00 | **498.00** |
| 600 x 1460mm | 800 | 1504 | 1000W | A+ | 41.0759 | 476.00 | **571.20** |
| 600 x 1640mm | 900 | 1692 | 1200W | A, A+, H | 41.0923 | 527.00 | **632.40** |
| 600 x 1820mm | 1000 | 1880 | 1200W | A, A+, H | 41.0924 | 582.00 | **698.40** |

*600w Type E Element can be fitted


### 1800mm Height - Vertical

**Imperia Two Column Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 290mm | 414 | 804 | N/A | N/A | 41.0760 | 227.00 | **272.40** |
| 1800 x 380mm | 552 | 1072 | N/A | N/A | 41.0761 | 296.00 | **355.20** |
| 1800 x 470mm | 690 | 1340 | N/A | N/A | 41.0762 | 356.00 | **427.20** |
| 1800 x 515mm | 759 | 1474 | N/A | N/A | 41.0933 | 397.00 | **476.40** |
| 1800 x 560mm | 828 | 1608 | N/A | N/A | 41.0934 | 427.00 | **512.40** |
| 1800 x 605mm | 897 | 1742 | N/A | N/A | 41.0935 | 458.00 | **549.60** |
| 1800 x 650mm | 966 | 1876 | N/A | N/A | 41.0936 | 489.00 | **586.80** |




Pictured 41.0756 Matt Black




**Imperia Radiator Feet**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Imperia 2 Column Radiator Feet (pair) Matt Black | 41.0763 | 35.00 | **42.00** |

**Round Vent Caps**
Page 369



**Imperia Towel Hangers**
Page 366



**Traditional Valves**
Page 353&364




**Imperia Robe Hooks**
Page 366



• NEW SIZES HERE •


# Traditional Range

## IMPERIA 2 COLUMN, BARE METAL


Pictured 41.0422 Bare Metal

Imperia bare metal radiators are hand finished therefore each radiator will have its own unique welding marks and imperfections that are left on purpose. Bare Metal colour shown in images are subject to the limitations of the printing process and may appear different.

**Traditional Valves**
Page 353&364


Pictured 41.0420 Bare Metal

New Sizes Available August 2025

**FEATURES**
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter

* With conditions

**Technical Tables & Drawings**
Page 442-443

**Imperia Two Column Radiators - Bare Metal**

| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 605mm | 325 | 611 | 450W | A, A+, C, H | 41.0419 | 334.00 | **400.80** |
| 600 x 830mm | 450 | 846 | 600W | A, A+, C, E*, H | 41.0420 | 444.00 | **532.80** |
| 600 x 1010mm | 550 | 1034 | 750W | A, A+, C, H | 41.0937 | 499.00 | **598.80** |
| 600 x 1145mm | 625 | 1175 | 900W | A, A+, H | 41.0421 | 595.00 | **714.00** |
| 600 x 1460mm | 800 | 1504 | 1000W | A+ | 41.0938 | 703.00 | **843.60** |
| 1800 x 380mm | 552 | 1072 | N/A | N/A | 41.0422 | 446.00 | **535.20** |
| 1800 x 470mm | 690 | 1340 | N/A | N/A | 41.0423 | 532.00 | **638.40** |
| 1800 x 560mm | 828 | 1608 | N/A | N/A | 41.0939 | 604.00 | **724.80** |

* Further heat output information available on eastbrooktrade.com **E&OA**


*600w Type E Element can be fitted


Eastbrook is always on the look out for products and finishes trending in the UK market. We have noticed a trend in bare brick and plain painted walls with traditional engineering items such as small sand casts mounted on the wall. Known in designer circles as the Industrial Chic look.


For those of you looking for Bare metal finish radiator showing the welds, pressings, sanding and tubes that make up a traditional column radiator, we have introduced this range. We have sealed the metal with clear lacquer to ensure no impurities are allowed to discolour or oxidise the metal.

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 60mm off the wall. Projection from wall 94mm. Prices include radiator and wall fixings sets, valves extra.




**Imperia Radiator Feet**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Imperia 2 Column Radiator Feet (pair) | 41.0429 | 45.00 | **54.00** |


# Traditional Range

## IMPERIA 3 COLUMN, BARE METAL




Imperia bare metal radiators are hand finished therefore each radiator will have its own unique welding marks and imperfections that are left on purpose. Bare Metal colour shown in images are subject to the limitations of the printing process and may appear different.

**Traditional Valves**
Page 353&364




**FEATURES**

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mmv
- Doesn't require flow diverter

* With conditions

**Technical Tables & Drawings**
Page 444-445


**Imperia Three Column Radiators - Bare Metal**


| Size H x W | △T30 Watts* | △T50 Watts* | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 605mm | 390 | 754 | 600W | A, A+, C, H | 41.0424 | 393.00 | **471.60** |
| 600 x 830mm | 540 | 1044 | 900W | A+, C, H | 41.0425 | 522.00 | **626.40** |
| 600 x 1010mm | 660 | 1276 | 1000W | A, A+, C, H | 41.0985 | 594.00 | **712.80** |
| 600 x 1145mm | 750 | 1450 | 1200W | A, A+, H | 41.0426 | 702.00 | **842.40** |
| 600 x 1460mm | 960 | 1856 | 1200W | A+, H | 41.0986 | 838.00 | **1005.60** |
| 1800 x 380mm | 667 | 1326 | N/A | N/A | 41.0427 | 537.00 | **644.40** |
| 1800 x 470mm | 834 | 1657 | N/A | N/A | 41.0428 | 641.00 | **769.20** |
| 1800 x 560mm | 1001 | 1988 | N/A | N/A | 41.0987 | 736.00 | **883.20** |

* Further heat output information available on eastbrooktrade.com **E&OA**

Eastbrook is always on the look out for products and finishes trending in the UK market. We have noticed a trend in bare brick and plain painted walls with traditional engineering items such as small sand casts mounted on the wall. Known in designer circles as the Industrial Chic look.


For those of you looking for Bare metal finish radiator showing the welds, pressings, sanding and tubes that make up a traditional column radiator, we have introduced this range. We have sealed the metal with clear lacquer to ensure no impurities are allowed to discolour or oxidise the metal.




### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 81mm off the wall. Projection from wall 131mm. Prices include radiator and wall fixings sets, valves extra.




**Imperia Radiator Feet**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Imperia 3 Column Radiator Feet (pair) | 41.0430 | 49.00 | **58.80** |

• NEW SIZES HERE •

# Traditional Range

## IMPERIA 3 COLUMN - GLOSS WHITE

New Sizes Available August 2025



Pictured 41.0401 Gloss White



Pictured 41.0973 Gloss White



Pictured 41.0954 Gloss White with 41.0359 feet

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite, matt black or bare metal finishes. Also available in two, four and six columns.

**FEATURES**

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter

* With conditions


**Technical Tables & Drawings**
Page 444-445

Warranty 5 Year

Heating

All Electric

Dual-Fuel



# Traditional Range

## IMPERIA 3 COLUMN - GLOSS WHITE

### 300mm Height - Horizontal

**Imperia Three Column Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 830mm | 293 | 562 | 450W | A, A+, C, E*, H | 41.0940 | 250.00 | **300.00** |
| 300 x 1010mm | 358 | 708 | 600W | A, A+, C, E*, H | 41.0941 | 298.00 | **357.60** |
| 300 x 1145mm | 407 | 830 | 600W | A, A+, C, E*, H | 41.0401 | 333.00 | **399.60** |
| 300 x 1370mm | 488 | 1026 | 750W | A, A+, C, E*, H | 41.0402 | 393.00 | **471.60** |
| 300 x 1460mm | 520 | 1126 | 750W | A, A+, C, E*, H | 41.0942 | 419.00 | **502.80** |
| 300 x 1640mm | 585 | 1303 | 900W | A, A+, C, E*, H | 41.0943 | 467.00 | **560.40** |

*600w Type E Element can be fitted

### 450mm Height - Horizontal

**Imperia Three Column Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 450 x 605mm | 299 | 585 | 450W | A, A+ | 41.0952 | 221.00 | **265.20** |
| 450 x 830mm | 414 | 810 | 600W | A, A+, C, H | 41.0953 | 293.00 | **351.60** |
| 450 x 1010mm | 506 | 990 | 750W | A, A+, C, H | 41.0954 | 349.00 | **418.80** |
| 450 x 1145mm | 575 | 1125 | 900W | A, A+, C, H | 41.0955 | 392.00 | **300.00** |
| 450 x 1460mm | 736 | 1440 | 1200W | A+, H | 41.0956 | 492.00 | **590.40** |

*600w Type E Element can be fitted

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 72mm off the wall. Projection from wall 122mm. Prices include radiator and wall fixings sets, valves extra.

### 600mm Height - Horizontal

**Imperia Three Column Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 425mm | 270 | 522 | 450W | A, A+ | 41.0403 | 187.00 | **224.40** |
| 600 x 470mm | 300 | 580 | 450W | A, A+, C, H | 41.0404 | 203.00 | **243.60** |
| 600 x 515mm | 330 | 638 | 450W | A, A+, C, H | 41.0405 | 219.00 | **262.80** |
| 600 x 560mm | 360 | 696 | 600W | A+, C, H | 41.0406 | 237.00 | **284.40** |
| 600 x 605mm | 390 | 754 | 600W | A, A+, C, H | 41.0349 | 276.00 | **331.20** |
| 600 x 830mm | 540 | 1044 | 900W | A+, C, H | 41.0348 | 364.00 | **436.80** |
| 600 x 1010mm | 660 | 1276 | 1000W | A, A+, C, H | 41.0407 | 401.00 | **481.20** |
| 600 x 1145mm | 750 | 1450 | 1200W | A, A+, H | 41.0347 | 490.00 | **588.00** |
| 600 x 1460mm | 960 | 1856 | 1200W | A+, H | 41.0408 | 565.00 | **678.00** |
| 600 x 1640mm | 1080 | 2088 | 1200W | A+, H | 41.0967 | 631.00 | **757.20** |
| 600 x 1820mm | 1200 | 2320 | 1200W | A+, H | 41.0968 | 696.00 | **835.20** |

*600w Type E Element can be fitted


### 1800mm Height - Vertical

**Imperia Three Column Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 290mm | 500 | 994 | N/A | N/A | 41.0409 | 276.00 | **331.20** |
| 1800 x 380mm | 667 | 1326 | N/A | N/A | 41.0351 | 356.00 | **427.20** |
| 1800 x 470mm | 834 | 1657 | N/A | N/A | 41.0350 | 428.00 | **513.60** |
| 1800 x 515mm | 917 | 1823 | N/A | N/A | 41.0973 | 486.00 | **583.20** |
| 1800 x 560mm | 1001 | 1988 | N/A | N/A | 41.0974 | 524.00 | **628.80** |
| 1800 x 605mm | 1084 | 2154 | N/A | N/A | 41.0975 | 562.00 | **674.40** |
| 1800 x 650mm | 1168 | 2320 | N/A | N/A | 41.0976 | 600.00 | **720.00** |




Pictured 41.0347 Gloss White




**Imperia Radiator Feet**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Imperia 3 Column Radiator Feet (pair) Gloss White | 41.0359 | 38.00 | **45.60** |

**Round Vent Caps**
Page 369



**Imperia Towel Hangers**
Page 366



**Traditional Valves**
Page 353&364



**Imperia Robe Hooks**
Page 366




• NEW SIZES HERE •

# Traditional Range

## IMPERIA 3 COLUMN - MATT ANTHRACITE

New Sizes Available August 2025



Pictured 41.0411 Matt Anthracite with 41.0360 feet



Pictured 41.0957 Matt Anthracite



Pictured 41.0979 Matt Anthracite with 41.0360 feet

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite, matt black or bare metal finishes. Also available in two, four and six columns.

**FEATURES**

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter

* With conditions


**Technical Tables & Drawings**
Page 444-445

Warranty 5 Year

Heating

All Electric

Dual-Fuel



# Traditional Range

## IMPERIA 3 COLUMN - MATT ANTHRACITE

### 300mm Height - Horizontal

**Imperia Three Column Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 830mm | 293 | 562 | 450W | A, A+, C, E*, H | 41.0944 | 250.00 | **300.00** |
| 300 x 1010mm | 358 | 708 | 600W | A, A+, C, E*, H | 41.0945 | 298.00 | **357.60** |
| 300 x 1145mm | 407 | 830 | 600W | A, A+, C, E*, H | 41.0410 | 333.00 | **399.60** |
| 300 x 1370mm | 488 | 1026 | 750W | A, A+, C, E*, H | 41.0411 | 393.00 | **471.60** |
| 300 x 1460mm | 520 | 1126 | 750W | A, A+, C, E*, H | 41.0946 | 419.00 | **502.80** |
| 300 x 1640mm | 585 | 1303 | 900W | A, A+, C, E*, H | 41.0947 | 467.00 | **560.40** |

*600w Type E Element can be fitted

### 450mm Height - Horizontal

**Imperia Three Column Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 450 x 605mm | 299 | 585 | 450W | A, A+ | 41.0957 | 221.00 | **265.20** |
| 450 x 830mm | 414 | 810 | 600W | A, A+, C, H | 41.0958 | 293.00 | **351.60** |
| 450 x 1010mm | 506 | 990 | 750W | A, A+, C, H | 41.0959 | 349.00 | **418.80** |
| 450 x 1145mm | 575 | 1125 | 900W | A, A+, C, H | 41.0960 | 392.00 | **300.00** |
| 450 x 1460mm | 736 | 1440 | 1200W | A+, H | 41.0961 | 492.00 | **590.40** |

*600w Type E Element can be fitted

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 72mm off the wall. Projection from wall 122mm. Prices include radiator and wall fixings sets, valves extra.

### 600mm Height - Horizontal

**Imperia Three Column Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 425mm | 270 | 522 | 450W | A, A+ | 41.0412 | 187.00 | **224.40** |
| 600 x 470mm | 300 | 580 | 450W | A, A+, C, H | 41.0413 | 203.00 | **243.60** |
| 600 x 515mm | 330 | 638 | 450W | A, A+, C, H | 41.0414 | 219.00 | **262.80** |
| 600 x 560mm | 360 | 696 | 600W | A+, C, H | 41.0415 | 237.00 | **284.40** |
| 600 x 605mm | 390 | 754 | 600W | A, A+, C, H | 41.0354 | 276.00 | **331.20** |
| 600 x 830mm | 540 | 1044 | 900W | A+, C, H | 41.0353 | 364.00 | **436.80** |
| 600 x 1010mm | 660 | 1276 | 1000W | A, A+, C, H | 41.0416 | 401.00 | **481.20** |
| 600 x 1145mm | 750 | 1450 | 1200W | A, A+, H | 41.0352 | 490.00 | **588.00** |
| 600 x 1460mm | 960 | 1856 | 1200W | A+, H | 41.0417 | 565.00 | **678.00** |
| 600 x 1640mm | 1080 | 2088 | 1200W | A+, H | 41.0969 | 631.00 | **757.20** |
| 600 x 1820mm | 1200 | 2320 | 1200W | A+, H | 41.0970 | 696.00 | **835.20** |

*600w Type E Element can be fitted


### 1800mm Height - Vertical

**Imperia Three Column Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 290mm | 500 | 994 | N/A | N/A | 41.0418 | 276.00 | **331.20** |
| 1800 x 380mm | 667 | 1326 | N/A | N/A | 41.0356 | 356.00 | **427.20** |
| 1800 x 470mm | 834 | 1657 | N/A | N/A | 41.0355 | 428.00 | **513.60** |
| 1800 x 515mm | 917 | 1823 | N/A | N/A | 41.0977 | 486.00 | **583.20** |
| 1800 x 560mm | 1001 | 1988 | N/A | N/A | 41.0978 | 524.00 | **628.80** |
| 1800 x 605mm | 1084 | 2154 | N/A | N/A | 41.0979 | 562.00 | **674.40** |
| 1800 x 650mm | 1168 | 2320 | N/A | N/A | 41.0980 | 600.00 | **720.00** |




Pictured 41.0417 Matt Anthracite




**Imperia Radiator Feet**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Imperia 3 Column Radiator Feet (pair) Matt Anthracite | 41.0360 | 38.00 | **45.60** |

**Round Vent Caps**
Page 369



**Imperia Towel Hangers**
Page 366



**Traditional Valves**
Page 353&364



**Imperia Robe Hooks**
Page 366



• NEW SIZES HERE •


# Traditional Range

## IMPERIA 3 COLUMN - MATT BLACK

New Sizes Available August 2025



Pictured 41.0948 Matt Black



Pictured 41.0965 Matt Black with 41.0778 feet



Pictured 41.0777 Matt Black

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite, matt black or bare metal finishes. Also available in two, four and six columns.

**FEATURES**

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter

* With conditions


**Technical Tables & Drawings**
Page 444-445

Warranty 5 Year

Heating

All Electric

Dual-Fuel



# Traditional Range

## IMPERIA 3 COLUMN - MATT BLACK

### 300mm Height - Horizontal

**Imperia Three Column Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 830mm | 293 | 562 | 450W | A, A+, C, E*, H | 41.0948 | 250.00 | **300.00** |
| 300 x 1010mm | 358 | 708 | 600W | A, A+, C, E*, H | 41.0949 | 298.00 | **357.60** |
| 300 x 1145mm | 407 | 830 | 600W | A, A+, C, E*, H | 41.0764 | 333.00 | **399.60** |
| 300 x 1370mm | 488 | 1026 | 750W | A, A+, C, E*, H | 41.0765 | 393.00 | **471.60** |
| 300 x 1460mm | 520 | 1126 | 750W | A, A+, C, E*, H | 41.0950 | 419.00 | **502.80** |
| 300 x 1640mm | 585 | 1303 | 900W | A, A+, C, E*, H | 41.0951 | 467.00 | **560.40** |

*600w Type E Element can be fitted

### 450mm Height - Horizontal

**Imperia Three Column Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 450 x 605mm | 299 | 585 | 450W | A, A+ | 41.0962 | 221.00 | **265.20** |
| 450 x 830mm | 414 | 810 | 600W | A, A+, C, H | 41.0963 | 293.00 | **351.60** |
| 450 x 1010mm | 506 | 990 | 750W | A, A+, C, H | 41.0964 | 349.00 | **418.80** |
| 450 x 1145mm | 575 | 1125 | 900W | A, A+, C, H | 41.0965 | 392.00 | **300.00** |
| 450 x 1460mm | 736 | 1440 | 1200W | A+, H | 41.0966 | 492.00 | **590.40** |

*600w Type E Element can be fitted

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 72mm off the wall. Projection from wall 122mm. Prices include radiator and wall fixings sets, valves extra.

### 600mm Height - Horizontal

**Imperia Three Column Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 425mm | 270 | 522 | 450W | A, A+ | 41.0766 | 187.00 | **224.40** |
| 600 x 470mm | 300 | 580 | 450W | A, A+, C, H | 41.0767 | 203.00 | **243.60** |
| 600 x 515mm | 330 | 638 | 450W | A, A+, C, H | 41.0768 | 219.00 | **262.80** |
| 600 x 560mm | 360 | 696 | 600W | A+, C, H | 41.0769 | 237.00 | **284.40** |
| 600 x 605mm | 390 | 754 | 600W | A, A+, C, H | 41.0770 | 276.00 | **331.20** |
| 600 x 830mm | 540 | 1044 | 900W | A+, C, H | 41.0771 | 364.00 | **436.80** |
| 600 x 1010mm | 660 | 1276 | 1000W | A, A+, C, H | 41.0772 | 401.00 | **481.20** |
| 600 x 1145mm | 750 | 1450 | 1200W | A, A+, H | 41.0773 | 490.00 | **588.00** |
| 600 x 1460mm | 960 | 1856 | 1200W | A+, H | 41.0774 | 565.00 | **678.00** |
| 600 x 1640mm | 1080 | 2088 | 1200W | A+, H | 41.0971 | 631.00 | **757.20** |
| 600 x 1820mm | 1200 | 2320 | 1200W | A+, H | 41.0972 | 696.00 | **835.20** |

*600w Type E Element can be fitted

### 1800mm Height - Vertical


**Imperia Three Column Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 1800 x 290mm | 500 | 994 | N/A | N/A | 41.0775 | 276.00 | **331.20** |
| 1800 x 380mm | 667 | 1326 | N/A | N/A | 41.0776 | 356.00 | **427.20** |
| 1800 x 470mm | 834 | 1657 | N/A | N/A | 41.0777 | 428.00 | **513.60** |
| 1800 x 515mm | 917 | 1823 | N/A | N/A | 41.0981 | 486.00 | **583.20** |
| 1800 x 560mm | 1001 | 1988 | N/A | N/A | 41.0982 | 524.00 | **628.80** |
| 1800 x 605mm | 1084 | 2154 | N/A | N/A | 41.0983 | 562.00 | **674.40** |
| 1800 x 650mm | 1168 | 2320 | N/A | N/A | 41.0984 | 600.00 | **720.00** |

*600w Type E Element can be fitted




Pictured 41.0772 Matt Black with 41.0778 feet




**Imperia Radiator Feet**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Imperia 3 Column Radiator Feet (pair) Matt Black | 41.0778 | 38.00 | **45.60** |

**Round Vent Caps**
Page 369



**Imperia Towel Hangers**
Page 366



**Traditional Valves**
Page 353&364



**Imperia Robe Hooks**
Page 366



• NEW PRODUCT HERE •

# Traditional Range

## IMPERIA 4 COLUMN

**Available August 2025**



Pictured 41.1050 Gloss White



**Traditional Valves**
Page 353&364



We recommend radiator feet to be used with 600mmx1460mm & 600mmx1640mm Imperia 4 Column Radiators.

Pictured 41.1039 Matt Anthracite

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or matt black finishes. Also available in two, three and six columns.

**FEATURES**
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- 300mm height option for limited spaces
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter

* With conditions

Warranty 5 Year | Heating | All Electric | Dual-Fuel

**Technical Tables & Drawings**
Page 444-445

# Traditional Range

## IMPERIA 4 COLUMN



Pictured 41.1061 Matt Black

We recommend radiator feet to be used with 600mmx1460mm & 600mmx1640mm Imperia 4 Column Radiators.

### Imperia Four Column Radiators - Gloss White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 830mm | 378 | 781 | 600W | A, A+, C, E*, H | 41.0990 | 329.00 | **394.80** |
| 300 x 1010mm | 462 | 878 | 750W | A, A+, C, E*, H | 41.0991 | 398.00 | **477.60** |
| 300 x 1145mm | 525 | 998 | 750W | A, A+, C, E, H | 41.1032 | 449.00 | **538.80** |
| 300 x 1370mm | 630 | 1197 | 900W | A, A+, C, E, H | 41.1033 | 531.00 | **637.20** |
| 300 x 1460mm | 672 | 1277 | 1000W | A, A+, H | 41.1034 | 564.00 | **676.80** |
| 300 x 1640mm | 756 | 1436 | 1200W | A, A+, H | 41.1035 | 630.00 | **756.00** |
| 600 x 425mm | 361 | 688 | 450W | A, A+, C, H | 41.1048 | 233.00 | **279.60** |
| 600 x 830mm | 722 | 1375 | 1000W | A, A+, H | 41.1049 | 438.00 | **525.60** |
| 600 x 1010mm | 882 | 1681 | 1200W | A, A+ | 41.1050 | 533.00 | **639.60** |
| 600 x 1145mm | 1003 | 1910 | 1200W | A, A+ | 41.1051 | 600.00 | **720.00** |
| 600 x 1460mm | 1283 | 2445 | N/A | N/A | 41.1052 | 758.00 | **909.60** |
| 600 x 1640mm | 1444 | 2750 | N/A | N/A | 41.1053 | 851.00 | **1021.20** |

*600w Type E Element can be fitted

### Imperia Four Column Radiators - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 830mm | 378 | 781 | 600W | A, A+, C, E*, H | 41.1042 | 329.00 | **394.80** |
| 300 x 1010mm | 462 | 878 | 750W | A, A+, C, E*, H | 41.1043 | 398.00 | **477.60** |
| 300 x 1145mm | 525 | 998 | 750W | A, A+, C, E, H | 41.1044 | 449.00 | **538.80** |
| 300 x 1370mm | 630 | 1197 | 900W | A, A+, C, E, H | 41.1045 | 531.00 | **637.20** |
| 300 x 1460mm | 672 | 1277 | 1000W | A, A+, H | 41.1046 | 564.00 | **676.80** |
| 300 x 1640mm | 756 | 1436 | 1200W | A, A+, H | 41.1047 | 630.00 | **756.00** |
| 600 x 425mm | 361 | 688 | 450W | A, A+, C, H | 41.1060 | 233.00 | **279.60** |
| 600 x 830mm | 722 | 1375 | 1000W | A, A+, H | 41.1061 | 438.00 | **525.60** |
| 600 x 1010mm | 882 | 1681 | 1200W | A, A+ | 41.1062 | 533.00 | **639.60** |
| 600 x 1145mm | 1003 | 1910 | 1200W | A, A+ | 41.1063 | 600.00 | **720.00** |
| 600 x 1460mm | 1283 | 2445 | N/A | N/A | 41.1064 | 758.00 | **909.60** |
| 600 x 1640mm | 1444 | 2750 | N/A | N/A | 41.1065 | 851.00 | **1021.20** |

*600w Type E Element can be fitted

### Imperia Four Column Radiators - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 830mm | 378 | 781 | 600W | A, A+, C, E*, H | 41.1036 | 329.00 | **394.80** |
| 300 x 1010mm | 462 | 878 | 750W | A, A+, C, E*, H | 41.1037 | 398.00 | **477.60** |
| 300 x 1145mm | 525 | 998 | 750W | A, A+, C, E, H | 41.1038 | 449.00 | **538.80** |
| 300 x 1370mm | 630 | 1197 | 900W | A, A+, C, E, H | 41.1039 | 531.00 | **637.20** |
| 300 x 1460mm | 672 | 1277 | 1000W | A, A+, H | 41.1040 | 564.00 | **676.80** |
| 300 x 1640mm | 756 | 1436 | 1200W | A, A+, H | 41.1041 | 630.00 | **756.00** |
| 600 x 425mm | 361 | 688 | 450W | A, A+, C, H | 41.1054 | 233.00 | **279.60** |
| 600 x 830mm | 722 | 1375 | 1000W | A, A+, H | 41.1055 | 438.00 | **525.60** |
| 600 x 1010mm | 882 | 1681 | 1200W | A, A+ | 41.1056 | 533.00 | **639.60** |
| 600 x 1145mm | 1003 | 1910 | 1200W | A, A+ | 41.1057 | 600.00 | **720.00** |
| 600 x 1460mm | 1283 | 2445 | N/A | N/A | 41.1058 | 758.00 | **909.60** |
| 600 x 1640mm | 1444 | 2750 | N/A | N/A | 41.1059 | 851.00 | **1021.20** |

*600w Type E Element can be fitted


### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 90mm off the wall. Projection from wall 160mm. Prices include radiator and wall fixings sets, valves extra.


## IMPERIA 4 COLUMN RADIATOR FEET

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Imperia 4 Column Radiator Feet (pair) - Gloss White | 41.1066 | 43.00 | **51.60** |
| Imperia 4 Column Radiator Feet (pair) - Matt Anthracite | 41.1067 | 43.00 | **51.60** |
| Imperia 4 Column Radiator Feet (pair) - Matt Black | 41.1068 | 43.00 | **51.60** |




**Round Vent Caps**
Page 369



**Rivassa Robe Hooks**
Page 366



• NEW PRODUCT HERE •

# Traditional Range

## IMPERIA 6 COLUMN - GLOSS WHITE




Pictured 41.1070 Gloss White with 41.1088 feet




Pictured 41.1083 Gloss White


A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or matt black finishes. Also available in two, three and four columns.


**FEATURES**

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- 300mm height option for limited spaces
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter

* With conditions

**Technical Tables & Drawings**
Page 446-447




### 300mm Height - Horizontal

**Imperia Six Column Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 830mm | 535 | 1008 | 900W | A, A+, C, H | 41.1069 | 452.00 | **542.40** |
| 300 x 1010mm | 654 | 1232 | 1000W | A, A+, C, H | 41.1070 | 549.00 | **658.80** |
| 300 x 1145mm | 743 | 1400 | 1200W | A, A+, H | 41.1071 | 619.00 | **742.80** |
| 300 x 1370mm | 892 | 1680 | 1200W | A, A+, H | 41.1072 | 735.00 | **882.00** |

**Imperia Six Column Radiator Feet**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Imperia 6 Column Radiator Feet (pair) - Gloss White | 41.1088 | 54.00 | **64.80** |


### 600mm Height - Horizontal

**Imperia Six Column Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 425mm | 478 | 993 | 600W | H | 41.1081 | 328.00 | **393.60** |
| 600 x 605mm | 691 | 1434 | 900W | C, H | 41.1082 | 459.00 | **550.80** |
| 600 x 830mm | 956 | 1986 | 1200W | A, A+, H | 41.1083 | 623.00 | **747.60** |
| 600 x 1010mm | 1169 | 2427 | 1200W | A, A+, H | 41.1084 | 758.00 | **393.60** |
| 600 x 1145mm | 1328 | 2758 | N/A | N/A | 41.1085 | 856.00 | **1027.20** |
| 600 x 1370mm | 1594 | 3310 | N/A | N/A | 41.1086 | 1018.00 | **393.60** |
| 600 x 1460mm | 1700 | 3530 | N/A | N/A | 41.1087 | 1083.00 | **1299.60** |

# Traditional Range

## IMPERIA 6 COLUMN - MATT ANTHRACITE



Pictured 41.1076 Matt Anthracite with 41.1096 feet



We recommend radiator feet to be used with all Imperia 6 Column Radiators.


Pictured 41.1093 Matt Anthracite with 41.1096 feet


**FEATURES**

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- 300mm height option for limited spaces
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter

* With conditions

**Technical Tables & Drawings**
Page 446-447




**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 133mm off the wall. Projection from wall 243mm. Prices include radiator and wall fixings sets, valves extra.

### 300mm Height - Horizontal

**Imperia Six Column Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 830mm | 535 | 1008 | 900W | A, A+, C, H | 41.1073 | 452.00 | **542.40** |
| 300 x 1010mm | 654 | 1232 | 1000W | A, A+, C, H | 41.1074 | 549.00 | **658.80** |
| 300 x 1145mm | 743 | 1400 | 1200W | A, A+, H | 41.1075 | 619.00 | **742.80** |
| 300 x 1370mm | 892 | 1680 | 1200W | A, A+, H | 41.1076 | 735.00 | **882.00** |

**Imperia Six Column Radiator Feet**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Imperia 6 Column Radiator Feet (pair) - Matt Anthracite | 41.1096 | 54.00 | **64.80** |

### 600mm Height - Horizontal

**Imperia Six Column Radiators - Matt Anthracite**


| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 425mm | 478 | 993 | 600W | H | 41.1089 | 328.00 | **393.60** |
| 600 x 605mm | 691 | 1434 | 900W | C, H | 41.1090 | 459.00 | **550.80** |
| 600 x 830mm | 956 | 1986 | 1200W | A, A+, H | 41.1091 | 623.00 | **747.60** |
| 600 x 1010mm | 1169 | 2427 | 1200W | A, A+, H | 41.1092 | 758.00 | **393.60** |
| 600 x 1145mm | 1328 | 2758 | N/A | N/A | 41.1093 | 856.00 | **1027.20** |
| 600 x 1370mm | 1594 | 3310 | N/A | N/A | 41.1094 | 1018.00 | **393.60** |
| 600 x 1460mm | 1700 | 3530 | N/A | N/A | 41.1095 | 1083.00 | **1299.60** |

• NEW PRODUCT HERE •

# Traditional Range

## IMPERIA 6 COLUMN - MATT BLACK

Available August 2025



Pictured 41.1077 Mat Black



We recommend radiator feet to be used with all Imperia 6 Column Radiators.

Pictured 41.1100 Matt Black with 41.1104 feet

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or matt black finishes. Also available in two, three and four columns.

**FEATURES**

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- 300mm height option for limited spaces
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter

* With conditions


**Technical Tables & Drawings**
Page 446-447

Warranty 5 Year

Heating

All Electric

Dual-Fuel




### 300mm Height - Horizontal

**Imperia Six Column Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 830mm | 535 | 1008 | 900W | A, A+, C, H | 41.1077 | 452.00 | **542.40** |
| 300 x 1010mm | 654 | 1232 | 1000W | A, A+, C, H | 41.1078 | 549.00 | **658.80** |
| 300 x 1145mm | 743 | 1400 | 1200W | A, A+, H | 41.1079 | 619.00 | **742.80** |
| 300 x 1370mm | 892 | 1680 | 1200W | A, A+, H | 41.1080 | 735.00 | **882.00** |

**Imperia Six Column Radiator Feet**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Imperia 6 Column Radiator Feet (pair) - Matt Black | 41.1104 | 54.00 | **64.80** |

### 600mm Height - Horizontal

**Imperia Six Column Radiators - Matt Black**


| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 600 x 425mm | 478 | 993 | 600W | H | 41.1097 | 328.00 | **393.60** |
| 600 x 605mm | 691 | 1434 | 900W | C, H | 41.1098 | 459.00 | **550.80** |
| 600 x 830mm | 956 | 1986 | 1200W | A, A+, H | 41.1099 | 623.00 | **747.60** |
| 600 x 1010mm | 1169 | 2427 | 1200W | A, A+, H | 41.1100 | 758.00 | **393.60** |
| 600 x 1145mm | 1328 | 2758 | N/A | N/A | 41.1101 | 856.00 | **1027.20** |
| 600 x 1370mm | 1594 | 3310 | N/A | N/A | 41.1102 | 1018.00 | **393.60** |
| 600 x 1460mm | 1700 | 3530 | N/A | N/A | 41.1103 | 1083.00 | **1299.60** |

# Traditional Range

## IMPERIA 6 COLUMN BENCH




Pictured 41.1105 Gloss White



Pictured 41.1108 Matt Anthracite

Combining period elegance with contemporary practicality, the Victorian-style radiator with an oak bench adds a refined touch to any space. The beautifully crafted oak top enhances its timeless design while offering a functional surface, perfect for seating. With powerful heat output to warm the entire room, this radiator is available in gloss white, matt anthracite, or matt black.

**FEATURES**

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Floor standing fixing
- Only 480mm height option
- Material thickness 1.5mm
- Bench style column radiator

* With conditions

**Technical Tables & Drawings**
Page 446-447

**TECHNICAL INFORMATION**

All measurements in Height by Width. For matching valves see pages 350-365. For indirect heating systems. Tappings from floor 130mm. Prices include radiator and wall fixings sets, valves extra.







Pictured 41.1110 Matt Black

**Imperia Six Column Bench Radiators - Gloss White**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 480 x 850mm | 335 | 645 | N/A | N/A | 41.1105 | 557.00 | **668.40** |
| 480 x 1200mm | 505 | 974 | N/A | N/A | 41.1106 | 639.00 | **766.80** |

**Imperia Six Column Bench Radiators - Matt Anthracite**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 480 x 850mm | 335 | 645 | N/A | N/A | 41.1107 | 557.00 | **668.40** |
| 480 x 1200mm | 505 | 974 | N/A | N/A | 41.1108 | 639.00 | **766.80** |

**Imperia Six Column Bench Radiators - Matt Black**

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 480 x 850mm | 335 | 645 | N/A | N/A | 41.1109 | 557.00 | **668.40** |
| 480 x 1200mm | 505 | 974 | N/A | N/A | 41.1110 | 639.00 | **766.80** |

# Traditional Range

## IMPERIA MULTIRAIL 2 COLUMN



Pictured 41.0816 Gloss White







Experience timeless elegance with our traditional towel rail Imperia Multirail 2 Column, designed to bring an authentic Victorian touch to your bathroom. Combining classic charm with modern sophistication, this traditional towel rail is available in three colors to seamlessly complement any bathroom decor.

**FEATURES**

- 38mm diameter vertical bars
- Tested to BS EN 442 standards
- 3 colours available from stock
- Towel rail in traditional column radiator look
- Matching colour wall fixing sets
- Material thickness 1.5mm
- Can be single, dual fuel, or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables & Drawings**
Page 446-447

**Traditional Valves**
Page 353&364



Warranty 5 Year


Heating

All Electric

Dual-Fuel

# Traditional Range

## IMPERIA MULTIRAIL 2 COLUMN



Pictured 41.0815 Gloss White



Pictured 41.0834 Matt Black

### Imperia Multirail Two Column - Gloss White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 612 x 800mm | 259* | 495* | 300W | A, A+,B, D, E, F, G | 41.0814 | 254.00 | **304.80** |
| 612 x 1000mm | 321* | 613* | 300W | A, A+,B, D, E, F, G | 41.0815 | 290.00 | **348.00** |
| 832 x 500mm | 278 | 532 | 300W | A, A+,B, D, E, F, G | 41.0816 | 268.00 | **321.60** |
| 832 x 600mm | 320 | 613 | 300W | A, A+,B, D, E, F, G | 41.0819 | 279.00 | **334.80** |
| 1140 x 500mm | 385 | 737 | 450W | A, A+,B, D, E, F, G | 41.0817 | 382.00 | **458.40** |
| 1140 x 600mm | 443 | 849 | 600W | A, A+,B, D, E, F, G | 41.0820 | 397.00 | **476.40** |
| 1430 x 500mm | 487 | 937 | 600W | A, A+,B, D, E, F, G | 41.0818 | 452.00 | **542.40** |
| 1430 x 600mm | 561 | 1079 | 600W | A, A+,B, D, E, F, G | 41.0821 | 471.00 | **565.20** |

### Imperia Multirail Two Column - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 612 x 800mm | 259* | 495* | 300W | A, A+,B, D, E, F, G | 41.0822 | 254.00 | **304.80** |
| 612 x 1000mm | 321* | 613* | 300W | A, A+,B, D, E, F, G | 41.0823 | 290.00 | **348.00** |
| 832 x 500mm | 278 | 532 | 300W | A, A+,B, D, E, F, G | 41.0824 | 268.00 | **321.60** |
| 832 x 600mm | 320 | 613 | 300W | A, A+,B, D, E, F, G | 41.0827 | 279.00 | **334.80** |
| 1140 x 500mm | 385 | 737 | 450W | A, A+,B, D, E, F, G | 41.0825 | 382.00 | **458.40** |
| 1140 x 600mm | 443 | 849 | 600W | A, A+,B, D, E, F, G | 41.0828 | 397.00 | **476.40** |
| 1430 x 500mm | 487 | 937 | 600W | A, A+,B, D, E, F, G | 41.0826 | 452.00 | **542.40** |
| 1430 x 600mm | 561 | 1079 | 600W | A, A+,B, D, E, F, G | 41.0829 | 471.00 | **565.20** |

### Imperia Multirail Two Column - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 612 x 800mm | 259* | 495* | 300W | A, A+,B, D, E, F, G | 41.0830 | 254.00 | **304.80** |
| 612 x 1000mm | 321* | 613* | 300W | A, A+,B, D, E, F, G | 41.0831 | 290.00 | **348.00** |
| 832 x 500mm | 278 | 532 | 300W | A, A+,B, D, E, F, G | 41.0832 | 268.00 | **321.60** |
| 832 x 600mm | 320 | 613 | 300W | A, A+,B, D, E, F, G | 41.0835 | 279.00 | **334.80** |
| 1140 x 500mm | 385 | 737 | 450W | A, A+,B, D, E, F, G | 41.0833 | 382.00 | **458.40** |
| 1140 x 600mm | 443 | 849 | 600W | A, A+,B, D, E, F, G | 41.0836 | 397.00 | **476.40** |
| 1430 x 500mm | 487 | 937 | 600W | A, A+,B, D, E, F, G | 41.0834 | 452.00 | **542.40** |
| 1430 x 600mm | 561 | 1079 | 600W | A, A+,B, D, E, F, G | 41.0837 | 471.00 | **565.20** |

* Further heat output information available on eastbrooktrade.com **E&OA**

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are approx. 76mm. less than the width of the rail and 63-67mm off the wall. Projection from wall 98-108mm. Prices include radiator and wall fixings sets, valves extra.



Pictured 41.0828 Matt Anthracite

# Traditional Range

## RIVASSA 2 COLUMN



Pictured 81.0003 Gloss White

**Traditional Valves**
Page 353&364



Pictured 81.0025 Matt Anthracite



Pictured 81.0008 Gloss White with 81.0034 Feet and 8.541 Type H element

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or matt black finishes. Also available in three and four columns.

**FEATURES**
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- 300mm height option for limited spaces
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter

* With conditions


**Technical Tables & Drawings**
Page 448-449

Warranty 5 Year

Heating

All Electric

Dual-Fuel



# Traditional Range

## RIVASSA 2 COLUMN

### Rivassa Two Column Radiators - Gloss White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 1148mm | 322 | 619 | 450W | A, A+, C, E*, H | 81.0005 | 466.00 | **559.20** |
| 300 x 1373mm | 386 | 743 | 600W | A, A+, C, E*, H | 81.0006 | 558.00 | **669.60** |
| 600 x 428mm | 218 | 420 | 300W | A, A+, C, H | 81.0038 | 213.00 | **255.60** |
| 600 x 473mm | 242 | 467 | 300W | A, A+, C, H | 81.0039 | 237.00 | **284.40** |
| 600 x 518mm | 266 | 514 | 300W | A, A+, C, H | 81.0040 | 259.00 | **310.80** |
| 600 x 563mm | 290 | 560 | 450W | A, A+, C, H | 81.0041 | 284.00 | **340.80** |
| 600 x 608mm | 314 | 607 | 450W | A, A+, C, H | 81.0007 | 308.00 | **369.60** |
| 600 x 833mm | 435 | 841 | 600W | A, A+, C, E*, H | 81.0008 | 427.00 | **512.40** |
| 600 x 1010mm | 532 | 1027 | 750W | A, A+, C, H | 81.0077 | 522.00 | **626.40** |
| 600 x 1148mm | 605 | 1168 | 900W | A, A+, H | 81.0009 | 593.00 | **711.60** |
| 600 x 1460mm | 774 | 1494 | 1200W | A, A+, H | 81.0078 | 760.00 | **912.00** |
| 1800 x 293mm | 421 | 826 | N/A | N/A | 81.0002 | 277.00 | **332.40** |
| 1800 x 383mm | 561 | 1101 | N/A | N/A | 81.0003 | 364.00 | **436.80** |
| 1800 x 473mm | 702 | 1377 | N/A | N/A | 81.0004 | 456.00 | **547.20** |

*600w Type E Element can be fitted

### Rivassa Two Column Radiators - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 1148mm | 322 | 619 | 450W | A, A+, C, E*, H | 81.0021 | 473.00 | **567.60** |
| 300 x 1373mm | 386 | 743 | 600W | A, A+, C, E*, H | 81.0022 | 569.00 | **682.80** |
| 600 x 428mm | 218 | 420 | 300W | A, A+, C, H | 81.0046 | 217.00 | **260.40** |
| 600 x 473mm | 242 | 467 | 300W | A, A+, C, H | 81.0047 | 240.00 | **288.00** |
| 600 x 518mm | 266 | 514 | 300W | A, A+, C, H | 81.0048 | 259.00 | **310.80** |
| 600 x 563mm | 290 | 560 | 450W | A, A+, C, H | 81.0049 | 288.00 | **345.60** |
| 600 x 608mm | 314 | 607 | 450W | A, A+, C, H | 81.0023 | 317.00 | **380.40** |
| 600 x 833mm | 435 | 841 | 600W | A, A+, C, E*, H | 81.0024 | 435.00 | **522.00** |
| 600 x 1010mm | 532 | 1027 | 750W | A, A+, C, H | 81.0090 | 535.00 | **642.00** |
| 600 x 1148mm | 605 | 1168 | 900W | A, A+, H | 81.0025 | 604.00 | **724.80** |
| 600 x 1460mm | 774 | 1494 | 1200W | A, A+, H | 81.0091 | 774.00 | **928.80** |
| 1800 x 293mm | 421 | 826 | N/A | N/A | 81.0018 | 284.00 | **340.80** |
| 1800 x 383mm | 561 | 1101 | N/A | N/A | 81.0019 | 370.00 | **444.00** |
| 1800 x 473mm | 702 | 1377 | N/A | N/A | 81.0020 | 466.00 | **559.20** |

*600w Type E Element can be fitted

### Rivassa Two Column Radiators - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 1148mm | 322 | 619 | 450W | A, A+, C, E*, H | 81.0208 | 473.00 | **567.60** |
| 300 x 1373mm | 386 | 743 | 600W | A, A+, C, E*, H | 81.0209 | 569.00 | **682.80** |
| 600 x 428mm | 218 | 420 | 300W | A, A+, C, H | 81.0210 | 217.00 | **260.40** |
| 600 x 473mm | 242 | 467 | 300W | A, A+, C, H | 81.0211 | 240.00 | **288.00** |
| 600 x 518mm | 266 | 514 | 300W | A, A+, C, H | 81.0212 | 259.00 | **310.80** |
| 600 x 563mm | 290 | 560 | 450W | A, A+, C, H | 81.0213 | 288.00 | **345.60** |
| 600 x 608mm | 314 | 607 | 450W | A, A+, C, H | 81.0214 | 317.00 | **380.40** |
| 600 x 833mm | 435 | 841 | 600W | A, A+, C, E*, H | 81.0215 | 435.00 | **522.00** |
| 600 x 1010mm | 532 | 1027 | 750W | A, A+, C, H | 81.0216 | 535.00 | **642.00** |
| 600 x 1148mm | 605 | 1168 | 900W | A, A+, H | 81.0217 | 604.00 | **724.80** |
| 600 x 1460mm | 774 | 1494 | 1200W | A, A+, H | 81.0218 | 774.00 | **928.80** |
| 1800 x 293mm | 421 | 826 | N/A | N/A | 81.0219 | 284.00 | **340.80** |
| 1800 x 383mm | 561 | 1101 | N/A | N/A | 81.0220 | 370.00 | **444.00** |
| 1800 x 473mm | 702 | 1377 | N/A | N/A | 81.0221 | 466.00 | **559.20** |


*600w Type E Element can be fitted

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 58mm off the wall. Prices include radiator and wall fixings sets, valves extra.




Pictured 81.0208 Matt Black with 81.0222 Feet




### Rivassa Radiator Feet

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Rivassa 2 Column Radiator Feet (pair) White | 81.0034 | 37.00 | **44.40** |
| Rivassa 2 Column Rad. Feet (pair) Matt Anthracite | 81.0035 | 37.00 | **44.40** |
| Rivassa 2 Column Rad. Feet (pair) Matt Black | 81.0222 | 37.00 | **44.40** |



Pictured 81.0049 Matt Anthracite with 16.158 Towel Hanger


**Rivassa Towel Hangers**
Page 366



**Rivassa Robe Hooks**
Page 366



**Round Vent Caps**
Page 369



# Traditional Range

## RIVASSA 2 COLUMN

**Bronze Effect**




Pictured 81.0111 Bronze Effect with 81.0114 feet

**Chrome Effect**




Pictured 81.0123 Chrome Effect

# Traditional Range

## RIVASSA 2 COLUMN

| Rivassa Two Column Radiators - Bronze Effect | | | | | | | |
|---|---|---|---|---|---|---|---|
| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
| 600 x 608mm | 314 | 607 | 450W | A, A+, C, H | 81.0108 | 315.00 | **378.00** |
| 600 x 833mm | 435 | 841 | 600W | A, A+, C, E*, H | 81.0109 | 436.00 | **523.20** |
| 600 x 1010mm | 532 | 1027 | 750W | A, A+, C, H | 81.0110 | 535.00 | **642.00** |
| 600 x 1148mm | 605 | 1168 | 900W | A, A+, H | 81.0111 | 604.00 | **724.80** |
| 1800 x 383mm | 561 | 1101 | N/A | N/A | 81.0113 | 375.00 | **450.00** |
| 1800 x 473mm | 702 | 1377 | N/A | N/A | 81.0112 | 466.00 | **559.20** |
| *600w Type E Element can be fitted | | | | | | | |

| Rivassa Two Column Radiators - Chrome Effect WHILE STOCKS LAST | | | | | | | |
|---|---|---|---|---|---|---|---|
| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
| 600 x 608mm | 314 | 607 | 450W | A, A+, C, H | 81.0122 | 327.00 | **392.40** |
| 600 x 833mm | 435 | 841 | 600W | A, A+, C, E*, H | 81.0123 | 450.00 | **540.00** |
| 600 x 1010mm | 532 | 1027 | 750W | A, A+, C, H | 81.0124 | 549.00 | **658.80** |
| 600 x 1148mm | 605 | 1168 | 900W | A, A+, H | 81.0125 | 622.00 | **746.40** |
| 1800 x 383mm | 561 | 1101 | N/A | N/A | 81.0127 | 385.00 | **462.00** |
| 1800 x 473mm | 702 | 1377 | N/A | N/A | 81.0126 | 480.00 | **576.00** |
| *600w Type E Element can be fitted | | | | | | | |

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in bronze effect or chrome effect finishes. Also available in three columns.

**FEATURES**

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter

* With conditions

**Technical Tables & Drawings**
Page 448-449


**TECHNICAL INFORMATION**

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 58mm off the wall. Prices include radiator and wall fixings sets, valves extra.

**Bronze Effect**



**Chrome Effect**




Warranty 5 Year

Heating

All Electric

Dual-Fuel




## COMPLETE THE LOOK

**Traditional Valves**
Page 353&364




| Angle TRV with Lockshield 15mm (pair) - Satin Nickel | | |
|---|---|---|
| Code | £ Ex VAT | £ Inc VAT |
| 54.0009 | 97.00 | **116.40** |

## RIVASSA 2 COLUMN RADIATOR FEET

| Rivassa 2 Column Feet - Bronze Effect | | | |
|---|---|---|---|
| Description | Code | £ Ex VAT | £ Inc VAT |
| 2 Column Radiator Feet (pair) | 81.0114 | 37.00 | **44.40** |

| Rivassa 2 Column Feet - Chrome Effect | | | |
|---|---|---|---|
| Description | Code | £ Ex VAT | £ Inc VAT |
| 2 Column Radiator Feet (pair) | 81.0128 | 38.00 | **45.60** |




**Rivassa Robe Hooks**
Page 366



**Rivassa Towel Hangers**
Page 366



# Traditional Range

## RIVASSA 3 COLUMN



Pictured 81.0028 Matt Anthracite

**Traditional Valves**
Page 353&364



Pictured 81.0033 Matt Anthracite with 81.0037 Feet



Pictured 81.0016 Gloss White

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or matt black finishes. Also available in two and four columns.

**FEATURES**
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- 300mm height option for limited spaces
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter

* With conditions


**Technical Tables & Drawings**
Page 448-449

Warranty 5 Year

Heating

All Electric

Dual-Fuel



# Traditional Range

## RIVASSA 3 COLUMN

### Rivassa Three Column Radiators - White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 1148mm | 404 | 785 | 600W | A, A+, C, E*, H | 81.0013 | 496.00 | **595.20** |
| 300 x 1373mm | 484 | 942 | 750W | A, A+, C, E*, H | 81.0014 | 593.00 | **711.60** |
| 600 x 428mm | 279 | 543 | 450W | A, A+, C, H | 81.0042 | 227.00 | **272.40** |
| 600 x 473mm | 310 | 604 | 450W | A, A+, C, H | 81.0043 | 250.00 | **300.00** |
| 600 x 518mm | 341 | 664 | 450W | A, A+, C, H | 81.0044 | 275.00 | **330.00** |
| 600 x 563mm | 372 | 724 | 600W | A+, C, H | 81.0045 | 299.00 | **358.80** |
| 600 x 608mm | 403 | 785 | 600W | A+, C, H | 81.0015 | 329.00 | **394.80** |
| 600 x 833mm | 558 | 1086 | 900W | A+, C, H | 81.0016 | 454.00 | **544.80** |
| 600 x 1010mm | 682 | 1328 | 1000W | A, A+, C, H | 81.0079 | 552.00 | **662.40** |
| 600 x 1148mm | 776 | 1509 | 1200W | A, A+, H | 81.0017 | 626.00 | **751.20** |
| 600 x 1460mm | 993 | 1931 | 1200W | A, A+, H | 81.0080 | 804.00 | **964.80** |
| 1800 x 293mm | 528 | 1030 | N/A | N/A | 81.0010 | 305.00 | **366.00** |
| 1800 x 383mm | 705 | 1374 | N/A | N/A | 81.0011 | 380.00 | **456.00** |
| 1800 x 473mm | 881 | 1717 | N/A | N/A | 81.0012 | 473.00 | **567.60** |

*600w Type E Element can be fitted

### Rivassa Three Column Radiators - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 1148mm | 404 | 785 | 600W | A, A+, C, E*, H | 81.0029 | 503.00 | **603.60** |
| 300 x 1373mm | 484 | 942 | 750W | A, A+, C, E*, H | 81.0030 | 604.00 | **724.80** |
| 600 x 428mm | 279 | 543 | 450W | A, A+, C, H | 81.0050 | 230.00 | **276.00** |
| 600 x 473mm | 310 | 604 | 450W | A, A+, C, H | 81.0051 | 255.00 | **306.00** |
| 600 x 518mm | 341 | 664 | 450W | A, A+, C, H | 81.0052 | 283.00 | **339.60** |
| 600 x 563mm | 372 | 724 | 600W | A+, C, H | 81.0053 | 304.00 | **364.80** |
| 600 x 608mm | 403 | 785 | 600W | A+, C, H | 81.0031 | 334.00 | **400.80** |
| 600 x 833mm | 558 | 1086 | 900W | A+, C, H | 81.0032 | 460.00 | **552.00** |
| 600 x 1010mm | 682 | 1328 | 1000W | A, A+, C, H | 81.0092 | 563.00 | **675.60** |
| 600 x 1148mm | 776 | 1509 | 1200W | A, A+, H | 81.0033 | 639.00 | **766.80** |
| 600 x 1460mm | 993 | 1931 | 1200W | A, A+, H | 81.0093 | 817.00 | **980.40** |
| 1800 x 293mm | 528 | 1030 | N/A | N/A | 81.0026 | 311.00 | **373.20** |
| 1800 x 383mm | 705 | 1374 | N/A | N/A | 81.0027 | 389.00 | **466.80** |
| 1800 x 473mm | 881 | 1717 | N/A | N/A | 81.0028 | 482.00 | **578.40** |

*600w Type E Element can be fitted

### Rivassa Three Column Radiators - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 1148mm | 404 | 785 | 600W | A, A+, C, E*, H | 81.0223 | 503.00 | **603.60** |
| 300 x 1373mm | 484 | 942 | 750W | A, A+, C, E*, H | 81.0224 | 604.00 | **724.80** |
| 600 x 428mm | 279 | 543 | 450W | A, A+, C, H | 81.0225 | 230.00 | **276.00** |
| 600 x 473mm | 310 | 604 | 450W | A, A+, C, H | 81.0226 | 255.00 | **306.00** |
| 600 x 518mm | 341 | 664 | 450W | A, A+, C, H | 81.0227 | 283.00 | **339.60** |
| 600 x 563mm | 372 | 724 | 600W | A+, C, H | 81.0228 | 304.00 | **364.80** |
| 600 x 608mm | 403 | 785 | 600W | A+, C, H | 81.0229 | 334.00 | **400.80** |
| 600 x 833mm | 558 | 1086 | 900W | A+, C, H | 81.0230 | 460.00 | **552.00** |
| 600 x 1010mm | 682 | 1328 | 1000W | A, A+, C, H | 81.0231 | 563.00 | **675.60** |
| 600 x 1148mm | 776 | 1509 | 1200W | A, A+, H | 81.0232 | 639.00 | **766.80** |
| 600 x 1460mm | 993 | 1931 | 1200W | A, A+, H | 81.0233 | 817.00 | **980.40** |
| 1800 x 293mm | 528 | 1030 | N/A | N/A | 81.0234 | 311.00 | **373.20** |
| 1800 x 383mm | 705 | 1374 | N/A | N/A | 81.0235 | 389.00 | **466.80** |
| 1800 x 473mm | 881 | 1717 | N/A | N/A | 81.0236 | 482.00 | **578.40** |

*600w Type E Element can be fitted


### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 72mm off the wall. Prices include radiator and wall fixings sets, valves extra.



Pictured 81.0231 Matt Black with 81.0237 Feet

## RIVASSA 3 COLUMN RADIATOR FEET




### Rivassa Radiator Feet

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Rivassa 3 Column Radiator Feet (pair) White | 81.0036 | 37.00 | **44.40** |
| Rivassa 3 Column Radiator Feet (pair) Matt Anthracite | 81.0037 | 37.00 | **44.40** |
| Rivassa 3 Column Radiator Feet (pair) Matt Black | 81.0237 | 37.00 | **44.40** |




Pictured 81.0042 Gloss White


**Rivassa Towel Hangers**
Page 366



**Rivassa Robe Hooks**
Page 366




**Round Vent Caps**
Page 369



# Traditional Range

## RIVASSA 3 COLUMN

**Bronze Effect**




Pictured 81.0116 Bronze Effect

**Chrome Effect**




Pictured 81.0131 Chrome Effect

# Traditional Range

## RIVASSA 3 COLUMN

| Rivassa Three Column Radiators - Bronze Effect | | | | | | | |
|---|---|---|---|---|---|---|---|
| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
| 600 x 608mm | 403 | 785 | 600W | A+, C, H | 81.0115 | 334.00 | **400.80** |
| 600 x 833mm | 558 | 1086 | 900W | A+, C, H | 81.0116 | 460.00 | **552.00** |
| 600 x 1010mm | 682 | 1328 | 1000W | A, A+, C, H | 81.0117 | 563.00 | **675.60** |
| 600 x 1148mm | 776 | 1509 | 1200W | A, A+, H | 81.0118 | 640.00 | **768.00** |
| 1800 x 383mm | 705 | 1374 | N/A | N/A | 81.0120 | 392.00 | **470.40** |
| 1800 x 473mm | 881 | 1717 | N/A | N/A | 81.0119 | 491.00 | **589.20** |

| Rivassa Three Column Radiators - Chrome Effect WHILE STOCKS LAST | | | | | | | |
|---|---|---|---|---|---|---|---|
| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
| 600 x 608mm | 403 | 785 | 600W | A+, C, H | 81.0129 | 345.00 | **414.00** |
| 600 x 833mm | 558 | 1086 | 900W | A+, C, H | 81.0130 | 474.00 | **568.80** |
| 600 x 1010mm | 682 | 1328 | 1000W | A, A+, C, H | 81.0131 | 580.00 | **696.00** |
| 600 x 1148mm | 776 | 1509 | 1200W | A, A+, H | 81.0132 | 658.00 | **789.60** |
| 1800 x 383mm | 705 | 1374 | N/A | N/A | 81.0134 | 404.00 | **484.80** |
| 1800 x 473mm | 881 | 1717 | N/A | N/A | 81.0133 | 508.00 | **609.60** |

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in bronze effect or chrome effect finishes. Also available in two columns.

### FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter

* With conditions

**Technical Tables & Drawings**
Page 448-449

### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 72mm off the wall. Prices include radiator and wall fixings sets, valves extra.

## COMPLETE THE LOOK

**Traditional Valves**
Page 353&364




| Angle TRV with Lockshield 15mm (pair) - Satin Nickel | | |
|---|---|---|
| Code | £ Ex VAT | £ Inc VAT |
| 54.0009 | 97.00 | **116.40** |

**Bronze Effect**



**Chrome Effect**




Warranty 5 Year

Heating

All Electric

Dual-Fuel




## RIVASSA 3 COLUMN RADIATOR FEET

| Rivassa 3 Column Feet - Bronze Effect | | | |
|---|---|---|---|
| Description | Code | £ Ex VAT | £ Inc VAT |
| 3 Column Radiator Feet (pair) | 81.0121 | 37.00 | **44.40** |


| Rivassa 3 Column Feet - Chrome Effect | | | |
|---|---|---|---|
| Description | Code | £ Ex VAT | £ Inc VAT |
| 3 Column Radiator Feet (pair) | 81.0135 | 38.00 | **45.60** |




**Rivassa Towel Hangers**
Page 366




**Rivassa Robe Hooks**
Page 366



# Traditional Range

## RIVASSA 4 COLUMN



**Traditional Valves**
Page 353&364



Pictured 81.0074 Gloss White with 81.0076 Feet



**Rivassa Towel Hangers**
Page 366



Pictured 81.0088 Matt Anthracite

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or matt black finishes. Also available in two and three columns.

**FEATURES**
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- 300mm height option for limited spaces
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter


* With conditions

Warranty 5 Year | Heating | All Electric | Dual-Fuel

**Technical Tables & Drawings**
Page 448-449

# Traditional Range

## RIVASSA 4 COLUMN



Pictured 81.0242 Matt Black

### Rivassa Four Column Radiators - Gloss White

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 1010mm | 447 | 876 | 600W | A, A+, C, E*, H | 81.0068 | 502.00 | **602.40** |
| 300 x 1373mm | 610 | 1195 | 1000W | A, A+, H | 81.0069 | 685.00 | **822.00** |
| 300 x 1505mm | 671 | 1315 | 1000W | A+, H | 81.0070 | 751.00 | **901.20** |
| 600 x 425mm | 211 | 412 | 450W | A, A+ | 81.0071 | 301.00 | **361.20** |
| 600 x 605mm | 304 | 595 | 750W | A+, C, H | 81.0072 | 432.00 | **518.40** |
| 600 x 785mm | 398 | 778 | 900W | A+, H | 81.0073 | 563.00 | **675.60** |
| 600 x 1010mm | 515 | 1007 | 1200W | A, A+ | 81.0074 | 726.00 | **871.20** |
| 600 x 1190mm | 608 | 1190 | 1200W | A, A+ | 81.0075 | 859.00 | **1030.80** |

*600w Type E Element can be fitted

### Rivassa Four Column Radiators - Matt Black

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 1010mm | 447 | 876 | 600W | A, A+, C, E*, H | 81.0238 | 513.00 | **615.60** |
| 300 x 1373mm | 610 | 1195 | 1000W | A, A+, H | 81.0239 | 699.00 | **838.80** |
| 300 x 1505mm | 671 | 1315 | 1000W | A+, H | 81.0240 | 767.00 | **920.40** |
| 600 x 425mm | 211 | 412 | 450W | A, A+ | 81.0241 | 305.00 | **366.00** |
| 600 x 605mm | 304 | 595 | 750W | A+, C, H | 81.0242 | 441.00 | **529.20** |
| 600 x 785mm | 398 | 778 | 900W | A+, H | 81.0243 | 574.00 | **688.80** |
| 600 x 1010mm | 515 | 1007 | 1200W | A, A+ | 81.0244 | 743.00 | **891.60** |
| 600 x 1190mm | 608 | 1190 | 1200W | A, A+ | 81.0245 | 874.00 | **1048.80** |

*600w Type E Element can be fitted

### Rivassa Four Column Radiators - Matt Anthracite

| Size H x W | △T30 Watts | △T50 Watts | Element Output | Element Type | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|---|---|---|
| 300 x 1010mm | 447 | 876 | 600W | A, A+, C, E*, H | 81.0081 | 513.00 | **615.60** |
| 300 x 1373mm | 610 | 1195 | 1000W | A, A+, H | 81.0082 | 699.00 | **838.80** |
| 300 x 1505mm | 671 | 1315 | 1000W | A+, H | 81.0083 | 767.00 | **920.40** |
| 600 x 425mm | 211 | 412 | 450W | A, A+ | 81.0084 | 305.00 | **366.00** |
| 600 x 605mm | 304 | 595 | 750W | A+, C, H | 81.0085 | 441.00 | **529.20** |
| 600 x 785mm | 398 | 778 | 900W | A+, H | 81.0086 | 574.00 | **688.80** |
| 600 x 1010mm | 515 | 1007 | 1200W | A, A+ | 81.0087 | 743.00 | **891.60** |
| 600 x 1190mm | 608 | 1190 | 1200W | A, A+ | 81.0088 | 874.00 | **1048.80** |

*600w Type E Element can be fitted


### TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 85mm off the wall. Projection from wall 165mm. Prices include radiator and wall fixings sets, valves extra.


## RIVASSA 4 COLUMN RADIATOR FEET

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Rivassa 4 Column Radiator Feet (pair) - Gloss White | 81.0076 | 45.00 | **54.00** |
| Rivassa 4 Column Radiator Feet (pair) - Matt Anthracite | 81.0089 | 45.00 | **54.00** |
| Rivassa 4 Column Radiator Feet (pair) - Matt Black | 81.0246 | 45.00 | **54.00** |








**Round Vent Caps**
Page 369



**Rivassa Robe Hooks**
Page 366





Sub Section

# Accessories, Elements & Valves

A huge variety of elements and valves to allow easy control of your radiators heat output, whilst looking stylish.

Complete the look with coloured pipe shrouds and vent caps to match your radiator colour.

To add extra functionality, towel hangers & robe hooks make daily life easy when warming towels.


| | |
|---|---|
| Elements | 336-348 |
| Crafton Control Panels, T Pieces & Elbows | 349 |
| Darlington Thermostatic Radiator Valves | 351-352 |
| Twin Thermostatic Radiator Valves | 352 |
| Traditional Thermostatic Radiator Valves | 353 |
| Thermostatic Radiator Valves - **NEW COLOUR** | 354-357 |
| Manual Radiator Valves - **NEW COLOUR** | 358-363 |
| Traditional Manual Radiator Valves | 364 |
| Corner Dual Fuel Radiator Valves | 365 |
| Multi-Rail Towel Hangers, Towel Hangers & Robe Hooks | 366 |
| Pipe Shrouds & Collar Kits - **NEW COLOUR** | 367 |
| Multi-Purpose Towel Hangers | 368 |
| Vent Caps, Round & D Shape | 369 |




# Elements

## Build up your 'All Electric' Towel Rail/Radiator

Please note that all fluid filled rails are special order, elements will be fitted RH Side and are non-returnable.

**Step 1**
Choose your towel rail/radiator (Please make sure that you can see the "All Electric / Dual Fuel" icon on the chosen towel rail/radiator page).

**Step 2**
Refer to the "Element Output" column for the required output to suit the chosen towel rail/radiator.

**Step 3**
Choose which element type best suits your need from the "Element Type" column. Please check that the IP Rating is suitable for the site circumstances.

**Step 4**
For "All Electric" installation please add Fluid Filling.

## Build up your 'Dual Fuel' Towel Rail/Radiator

Repeat **Steps 1-3** as left. Please add your radiator valves and dual elbow where applicable.

Fluid filling is not required.

## ELEMENT TYPE A+ ECO




| Power | Length (mm) |
|---|---|
| 100W | 135 |
| 150W | 170 |
| 300W | 250 |
| 450W | 350 |
| 600W | 470 |
| 750W | 590 |
| 900W | 690 |
| 1000W | 760 |
| 1200W | 910 |

*(Not including appropriate element). I.P. rating 55. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

**FEATURES**
- Elements use PTC self regulating technology providing excellent reliability and extended working life


**TECHNICAL INFORMATION** For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.5 metre. For dual fuel installations, purchase T piece separately. (Page 349)

| Element Type A+ Eco | | | Item A Required |
|---|---|---|---|
| **Description** | **Code** | **£ Ex VAT** | **£ Inc VAT** |
| 100W Type A+ Eco Element | 41.0581 | 51.00 | **61.20** |
| 150W Type A+ Eco Element | 41.0582 | 51.00 | **61.20** |
| 300W Type A+ Eco Element | 41.0583 | 51.00 | **61.20** |
| 450W Type A+ Eco Element | 41.0584 | 53.00 | **63.60** |
| 600W Type A+ Eco Element | 41.0585 | 53.00 | **63.60** |
| 750W Type A+ Eco Element | 41.0586 | 54.00 | **64.80** |
| 900W Type A+ Eco Element | 41.0587 | 54.00 | **64.80** |
| 1000W Type A+ Eco Element | 41.0588 | 54.00 | **64.80** |
| 1200W Type A+ Eco Element | 41.0589 | 54.00 | **64.80** |
| Fluid filling for above rail (electric only)* | FF | 123.00 | **147.60** |

*All Type A+ Eco must be fitted with cover cap. (Below)

| Element Type A+ Eco Cover Caps | | | Item B Required |
|---|---|---|---|
| **Description** | **Code** | **£ Ex VAT** | **£ Inc VAT** |
| Gloss White Cover Cap | 41.0590 | 6.00 | **7.20** |
| Black Cover Cap | 41.0591 | 6.00 | **7.20** |
| Chrome Cover Cap | 41.0592 | 9.00 | **10.80** |
| Grey Cover Cap | 41.0593 | 9.00 | **10.80** |
| Anthracite Cover Cap | 41.0594 | 9.00 | **10.80** |
| Cappuccino Cover Cap | 41.0595 | 9.00 | **10.80** |
| Brass Effect Cover Cap | 41.0596 | 12.00 | **14.40** |






## ELEMENT TYPE A+




| Power | Length (mm) |
|---|---|
| 100W | 135 |
| 150W | 170 |
| 300W | 250 |
| 450W | 350 |
| 600W | 470 |
| 750W | 590 |
| 900W | 690 |
| 1000W | 760 |
| 1200W | 910 |

*(Not including appropriate element). I.P. rating 55. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

**FEATURES**
- Elements use PTC self regulating technology providing excellent reliability and extended working life

**TECHNICAL INFORMATION** For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1 metre. For dual fuel installations, purchase T piece separately. (Page 349)

| Element Type A+ | | | Item A Required |
|---|---|---|---|
| **Description** | **Code** | **£ Ex VAT** | **£ Inc VAT** |
| 100 watt element | 8.016 | 65.00 | **78.00** |
| 150 watt element | 8.017 | 65.00 | **78.00** |
| 300 watt element | 8.018 | 68.00 | **81.60** |
| 450 watt element | 8.019 | 73.00 | **87.60** |
| 600 watt element | 8.020 | 95.00 | **114.00** |
| 750 watt element | 8.021 | 98.00 | **117.60** |
| 900 watt element | 8.022 | 102.00 | **122.40** |
| 1000 watt element | 8.023 | 107.00 | **128.40** |
| 1200 watt element | 8.024 | 110.00 | **132.00** |
| Fluid filling for above rail (electric only)* | FF | 123.00 | **147.60** |

*All Type A+ must be fitted with cover cap. (See below)

| Element Type A+ Cover Caps | | | Item B Required |
|---|---|---|---|
| **Description** | **Code** | **£ Ex VAT** | **£ Inc VAT** |
| White Cap | 8.025 | 8.00 | **9.60** |
| Chrome Cap | 8.026 | 12.00 | **14.40** |
| Grey Cap | 8.027 | 12.00 | **14.40** |
| Cappuccino Cap | 8.028 | 12.00 | **14.40** |
| Anthracite Cap | 8.029 | 12.00 | **14.40** |
| Black Cap | 8.030 | 12.00 | **14.40** |



# Elements

## ELEMENT TYPE A



Vertical & horizontal installation

Dual Fuel Installation



| Power | Length (mm) |
|---|---|
| 100W | 220 |
| 150W | 220 |
| 300W | 300 |
| 600W | 620 |
| 900W | 920 |

**Element Type A**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 100 watt element | 8.009 | 67.00 | **80.40** |
| 150 watt element | 8.004 | 67.00 | **80.40** |
| 300 watt element | 8.001 | 70.00 | **84.00** |
| 600 watt element | 8.002 | 98.00 | **117.60** |
| 900 watt element | 8.003 | 121.00 | **145.20** |
| Fluid filling for above rail (electric only)* | FF | 123.00 | **147.60** |

*(Not including appropriate element). I.P. rating 55. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

**FEATURES**
- Elements use PTC self regulating technology providing excellent reliability and extended working life

**TECHNICAL INFORMATION** For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.5 metre. For dual fuel installations, purchase T piece separately. (Page 349)

## ELEMENT TYPE B WI-FI




Vertical installation

Other Colours Available



| Power | Length (mm) |
|---|---|
| 100W | 220 |
| 150W | 220 |
| 300W | 300 |
| 600W | 620 |
| 900W | 920 |

**FEATURES**
- Elements use PTC self regulating technology providing excellent reliability and extended working life
- Wi-Fi 2.4 Ghz & APP control (Smart Life APP for Android & IOS)
- Suitable for dual fuel or electric only installations
- Daily & Weekly programmable
- Child lock function
- Wide temperature range 30-70°C
- Low running costs, simple installation

**TECHNICAL INFORMATION** For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white for Gloss White, Chrome & Brass Effect elements. Cable colour black for Matt Anthracite & Matt Black elements. Cable length 1.5 metre. For dual fuel installations, purchase T piece separately. (Page 349)

**Element Type B Wi-Fi**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type B Element Wi-Fi | Gloss White | 41.0733 | 142.00 | **170.40** |
| 300W Type B Element Wi-Fi | Gloss White | 41.0734 | 145.00 | **174.00** |
| 600W Type B Element Wi-Fi | Gloss White | 41.0735 | 151.00 | **181.20** |
| 900W Type B Element Wi-Fi | Gloss White | 41.0736 | 156.00 | **187.20** |
| 150W Type B Element Wi-Fi | Matt Anthracite | 41.0737 | 142.00 | **170.40** |
| 300W Type B Element Wi-Fi | Matt Anthracite | 41.0738 | 145.00 | **174.00** |
| 600W Type B Element Wi-Fi | Matt Anthracite | 41.0739 | 151.00 | **181.20** |
| 900W Type B Element Wi-Fi | Matt Anthracite | 41.0740 | 156.00 | **187.20** |
| 150W Type B Element Wi-Fi | Matt Black | 41.0741 | 142.00 | **170.40** |
| 300W Type B Element Wi-Fi | Matt Black | 41.0742 | 145.00 | **174.00** |
| 600W Type B Element Wi-Fi | Matt Black | 41.0743 | 151.00 | **181.20** |
| 900W Type B Element Wi-Fi | Matt Black | 41.0744 | 156.00 | **187.20** |
| 150W Type B Element Wi-Fi | Chrome | 41.0745 | 153.00 | **183.60** |
| 300W Type B Element Wi-Fi | Chrome | 41.0746 | 156.00 | **187.20** |
| 600W Type B Element Wi-Fi | Chrome | 41.0747 | 161.00 | **193.20** |
| 900W Type B Element Wi-Fi | Chrome | 41.0748 | 166.00 | **199.20** |
| 150W Type B Element Wi-Fi | Brass Effect | 41.0810 | 168.00 | **201.60** |
| 300W Type B Element Wi-Fi | Brass Effect | 41.0811 | 172.00 | **206.40** |
| 600W Type B Element Wi-Fi | Brass Effect | 41.0812 | 178.00 | **213.60** |
| 900W Type B Element Wi-Fi | Brass Effect | 41.0813 | 183.00 | **219.60** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating X4. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

## ELEMENT TYPE C

## WATER TEMPERATURE CONTROL



Including radiator temperature thermostat for horizontal installation and supplied with Chrome T-Piece

| Power | Length (mm) |
|---|---|
| 300W | 340 |
| 600W | 390 |
| 900W | 440 |

**Element Type C**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Up to 300W element (inc rad stat) horizontal | 8.300 | 187.00 | **224.40** |
| 300W to 600W element (inc rad stat) horizontal | 8.301 | 197.00 | **236.40** |
| 600W to 900W element (inc rad stat) horizontal | 8.302 | 202.00 | **242.40** |
| Fluid filling for above rail (electric only)* | FF | 123.00 | **147.60** |
| Extension piece for type c element** | 8.903 | 20.00 | **24.00** |


*(not including appropriate element). I.P. rating 54. (Zone 2 and 3).
Please note all fluid filled rails are special order and are **non-returnable**.
**Some traditional rails may require an extension piece for a type C element.

**FEATURES**
- Water temperature controlled Thermostat
- Towel drying
- Low running costs
- Simple installation
- Wide temperature range 10-60°C

**TECHNICAL INFORMATION** For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.2 metre.
**Only suitable with Chrome T-Piece - 8.901**

# Elements

## ELEMENT TYPE D — WATER TEMPERATURE CONTROL



Only suitable with Chrome T-Piece - 8.901

**Including radiator temperature thermostat for vertical installation and Chrome T-Piece**

| Power | Length |
|---|---|
| 300W | 340 |
| 600W | 390 |
| 900W | 440 |

**Element Type D**


| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Up to 300W element (inc rad stat) vertical | 8.310 | 157.00 | **188.40** |
| Up to 600W element (inc rad stat) vertical | 8.311 | 165.00 | **198.00** |
| Up to 900W element (inc rad stat) vertical | 8.312 | 168.00 | **201.60** |
| Fluid filling for above rail (electric only)* | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

**FEATURES**
- Off season heating
- Water temperature controlled Thermostat
- Low running costs
- Simple installation
- Wide temperature range 10-60°C

**TECHNICAL INFORMATION** For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 0.9 metre. **Only suitable with Chrome T-Piece - 8.901**

## ELEMENT TYPE D WITH BOOST — WATER TEMPERATURE CONTROL



Turbo Boost Function

**Including radiator temperature thermostat for vertical installation and T-Piece***


*Chrome, Matt Anthracite & Matt Black elements come with Chrome T-Piece.
*Gloss White & Matt White elements both come with white T-Piece.

| Power | Length |
|---|---|
| 300W | 340 |
| 600W | 390 |
| 900W | 440 |

Chrome



Gloss White



Matt White



Matt Anthracite



Matt Black

**Element Type D With Boost**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 300W Type D Element with Boost | Chrome | 8.320 | 161.00 | **193.20** |
| 600W Type D Element with Boost | Chrome | 8.321 | 168.00 | **201.60** |
| 900W Type D Element with Boost | Chrome | 8.322 | 174.00 | **208.80** |
| 300W Type D Element with Boost | Gloss White | 8.323 | 161.00 | **193.20** |
| 600W Type D Element with Boost | Gloss White | 8.324 | 168.00 | **201.60** |
| 900W Type D Element with Boost | Gloss White | 8.325 | 174.00 | **208.80** |
| 300W Type D Element with Boost | Matt White | 8.326 | 179.00 | **214.80** |
| 600W Type D Element with Boost | Matt White | 8.327 | 187.00 | **224.40** |
| 900W Type D Element with Boost | Matt White | 8.328 | 192.00 | **230.40** |
| 300W Type D Element with Boost | Matt Anthracite | 8.329 | 179.00 | **214.80** |
| 600W Type D Element with Boost | Matt Anthracite | 8.330 | 187.00 | **224.40** |
| 900W Type D Element with Boost | Matt Anthracite | 8.331 | 192.00 | **230.40** |
| 300W Type D Element with Boost | Matt Black | 8.332 | 179.00 | **214.80** |
| 600W Type D Element with Boost | Matt Black | 8.333 | 187.00 | **224.40** |
| 900W Type D Element with Boost | Matt Black | 8.334 | 192.00 | **230.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

**FEATURES**
- Turbo boost function (full heating - 1, 2 or 3 hours settings)
- Anti-Freeze function
- Water temperature controlled Thermostat
- Smooth temperature adjustment (10°C to 65°C)
- Low running costs
- Simple installation

**TECHNICAL INFORMATION** For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 0.9 metre. **Only suitable with supplied T-Piece**

## ELEMENT TYPE E — WATER TEMPERATURE CONTROL



NEW



Only suitable with Chrome T-Piece - 8.901

**Including radiator temperature thermostat for vertical & horizontal installation**

| Power | Length (mm) |
|---|---|
| 150W | 370 |
| 300W | 390 |
| 600W | 750 |

**FEATURES**
- Off season heating
- Water temperature controlled Thermostat, with low running costs
- Simple installation
- Wide temperature range 10-60°C
- For vertical and horizontal installation

**Element Type E**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 150w Type E Element White | 8.034 | 151.00 | **181.20** |
| 300w Type E Element White | 8.035 | 156.00 | **187.20** |
| 600w Type E Element White | 8.036 | 165.00 | **198.00** |
| 150w Type E Element Anthracite | 8.037 | 156.00 | **187.20** |
| 300w Type E Element Anthracite | 8.038 | 160.00 | **192.00** |
| 600w Type E Element Anthracite | 8.039 | 177.00 | **212.40** |
| 150w Type E Element Black | 8.040 | 156.00 | **187.20** |
| 300w Type E Element Black | 8.041 | 160.00 | **192.00** |
| 600w Type E Element Black | 8.042 | 177.00 | **212.40** |
| 150w Type E Element Chrome | 8.031 | 161.00 | **193.20** |
| 300w Type E Element Chrome | 8.032 | 168.00 | **201.60** |
| 600w Type E Element Chrome | 8.033 | 188.00 | **225.60** |
| Fluid filling for above rail (electric only)* | FF | 123.00 | **147.60** |

*(Not including appropriate element). I.P. rating X4. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

**TECHNICAL INFORMATION** For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Only suitable with Chrome T-Piece - 8.901**

# Elements

## Element Type F With D Shape Cap - Chrome

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element with D Shape Cap | Chrome | 8.335 | 201.00 | **241.20** |
| 300W Type F Element with D Shape Cap | Chrome | 8.315 | 206.00 | **247.20** |
| 600W Type F Element with D Shape Cap | Chrome | 8.316 | 216.00 | **259.20** |
| 900W Type F Element with D Shape Cap | Chrome | 8.336 | 222.00 | **266.40** |
| 1200W Type F Element with D Shape Cap | Chrome | 8.337 | 226.00 | **271.20** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

**FEATURES**

- Comes with remote control, that acts as ambient temperature sensor.
- Turbo boost function (1-3 hours)
- Off season heating
- Cable connection cover included
- Daily & weekly programmable (only on Ambient Mode available)
- Low running costs, towel drying
- Smooth temperature adjustment (10°C to 65°C)
- Thermostat can control either water temperature or ambient room temperature
- Open window detection
- Eco Design ready
- Anti-Freeze function

**TECHNICAL INFORMATION**

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.2 metre. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**

## ELEMENT TYPE F D SHAPE CAP

ECODESIGN READY

## WATER OR ROOM TEMPERATURE CONTROL

Only suitable with Chrome T-Piece - 8.901



Includes remote control.




Chrome

| Power | Length (mm) |
|---|---|
| 150W | 300 |
| 300W | 340 |
| 600W | 390 |
| 900W | 440 |
| 1200W | 470 |

Turbo Boost Function

For vertical installation only. Digital temp control element including remote control.



Gloss White

## Element Type F With D Shape Cap - Gloss White

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element with D Shape Cap | Gloss White | 8.338 | 185.00 | **222.00** |
| 300W Type F Element with D Shape Cap | Gloss White | 8.313 | 191.00 | **229.20** |
| 600W Type F Element with D Shape Cap | Gloss White | 8.314 | 201.00 | **241.20** |
| 900W Type F Element with D Shape Cap | Gloss White | 8.339 | 206.00 | **247.20** |
| 1200W Type F Element with D Shape Cap | Gloss White | 8.340 | 212.00 | **254.40** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt White

## Element Type F With D Shape Cap - Matt White

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element with D Shape Cap | Matt White | 8.341 | 212.00 | **254.40** |
| 300W Type F Element with D Shape Cap | Matt White | 8.342 | 216.00 | **259.20** |
| 600W Type F Element with D Shape Cap | Matt White | 8.343 | 226.00 | **271.20** |
| 900W Type F Element with D Shape Cap | Matt White | 8.344 | 230.00 | **276.00** |
| 1200W Type F Element with D Shape Cap | Matt White | 8.345 | 236.00 | **283.20** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Anthracite

## Element Type F With D Shape Cap - Matt Anthracite

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element with D Shape Cap | Matt Anthracite | 8.346 | 212.00 | **254.40** |
| 300W Type F Element with D Shape Cap | Matt Anthracite | 8.317 | 216.00 | **259.20** |
| 600W Type F Element with D Shape Cap | Matt Anthracite | 8.318 | 226.00 | **271.20** |
| 900W Type F Element with D Shape Cap | Matt Anthracite | 8.347 | 230.00 | **276.00** |
| 1200W Type F Element with D Shape Cap | Matt Anthracite | 8.348 | 236.00 | **283.20** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Black

## Element Type F With D Shape Cap - Matt Black

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element with D Shape Cap | Matt Black | 8.349 | 212.00 | **254.40** |
| 300W Type F Element with D Shape Cap | Matt Black | 8.350 | 216.00 | **259.20** |
| 600W Type F Element with D Shape Cap | Matt Black | 8.351 | 226.00 | **271.20** |
| 900W Type F Element with D Shape Cap | Matt Black | 8.352 | 230.00 | **276.00** |
| 1200W Type F Element with D Shape Cap | Matt Black | 8.353 | 236.00 | **283.20** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

# Elements

## WATER OR ROOM TEMPERATURE CONTROL

## ELEMENT TYPE F ROUND CAP

Only suitable with Chrome T-Piece - 8.901








**Chrome**

| Power | Length (mm) |
|---|---|
| 150W | 300 |
| 300W | 340 |
| 600W | 390 |
| 900W | 440 |
| 1200W | 470 |

Turbo Boost Function

**For vertical installation only. Digital temp control element including remote control.**



**Gloss White**

**Element Type F With Round Cap - Gloss White**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element with Round Cap | Gloss White | 8.359 | 185.00 | **222.00** |
| 300W Type F Element with Round Cap | Gloss White | 8.360 | 191.00 | **229.20** |
| 600W Type F Element with Round Cap | Gloss White | 8.361 | 201.00 | **241.20** |
| 900W Type F Element with Round Cap | Gloss White | 8.362 | 206.00 | **247.20** |
| 1200W Type F Element with Round Cap | Gloss White | 8.363 | 212.00 | **254.40** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



**Matt Anthracite**

**Element Type F With Round Cap - Matt Anthracite**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element with Round Cap | Matt Anthracite | 8.369 | 212.00 | **254.40** |
| 300W Type F Element with Round Cap | Matt Anthracite | 8.370 | 216.00 | **259.20** |
| 600W Type F Element with Round Cap | Matt Anthracite | 8.371 | 226.00 | **271.20** |
| 900W Type F Element with Round Cap | Matt Anthracite | 8.372 | 230.00 | **276.00** |
| 1200W Type F Element with Round Cap | Matt Anthracite | 8.373 | 236.00 | **283.20** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

**Element Type F With Round Cap - Chrome**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element with Round Cap | Chrome | 8.354 | 201.00 | **241.20** |
| 300W Type F Element with Round Cap | Chrome | 8.355 | 206.00 | **247.20** |
| 600W Type F Element with Round Cap | Chrome | 8.356 | 216.00 | **259.20** |
| 900W Type F Element with Round Cap | Chrome | 8.357 | 222.00 | **266.40** |
| 1200W Type F Element with Round Cap | Chrome | 8.358 | 226.00 | **271.20** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

### FEATURES

- Comes with remote control, that acts as ambient temperature sensor.
- Turbo boost function (1-3 hours)
- Off season heating
- Cable connection cover included
- Daily & weekly programmable (only on Ambient Mode available)
- Low running costs, towel drying
- Smooth temperature adjustment (10°C to 65°C)
- Thermostat can control either water temperature or ambient room temperature
- Open window detection
- Eco Design ready
- Anti-Freeze function

### TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.2 metre. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**



**Matt White**

**Element Type F With Round Cap - Matt White**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element with Round Cap | Matt White | 8.364 | 212.00 | **254.40** |
| 300W Type F Element with Round Cap | Matt White | 8.365 | 216.00 | **259.20** |
| 600W Type F Element with Round Cap | Matt White | 8.366 | 226.00 | **271.20** |
| 900W Type F Element with Round Cap | Matt White | 8.367 | 230.00 | **276.00** |
| 1200W Type F Element with Round Cap | Matt White | 8.368 | 236.00 | **283.20** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



**Matt Black**

**Element Type F With Round Cap - Matt Black**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element with Round Cap | Matt Black | 8.374 | 212.00 | **254.40** |
| 300W Type F Element with Round Cap | Matt Black | 8.375 | 216.00 | **259.20** |
| 600W Type F Element with Round Cap | Matt Black | 8.376 | 226.00 | **271.20** |
| 900W Type F Element with Round Cap | Matt Black | 8.377 | 230.00 | **276.00** |
| 1200W Type F Element with Round Cap | Matt Black | 8.378 | 236.00 | **283.20** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

# Elements

## Element Type F With Square Cap - Chrome

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element with Square Cap | Chrome | 8.379 | 201.00 | **241.20** |
| 300W Type F Element with Square Cap | Chrome | 8.380 | 206.00 | **247.20** |
| 600W Type F Element with Square Cap | Chrome | 8.381 | 216.00 | **259.20** |
| 900W Type F Element with Square Cap | Chrome | 8.382 | 222.00 | **266.40** |
| 1200W Type F Element with Square Cap | Chrome | 8.383 | 226.00 | **271.20** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

**FEATURES**

- Comes with remote control, that acts as ambient temperature sensor.
- Turbo boost function (1-3 hours)
- Off season heating
- Cable connection cover included
- Daily & weekly programmable (only on Ambient Mode available)
- Low running costs, towel drying
- Smooth temperature adjustment (10°C to 65°C)
- Thermostat can control either water temperature or ambient room temperature
- Open window detection
- Eco Design ready
- Anti-Freeze function

**TECHNICAL INFORMATION**

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.2 metre. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**

## ELEMENT TYPE F SQUARE CAP

## WATER OR ROOM TEMPERATURE CONTROL

Only suitable with Chrome T-Piece - 8.901





Includes remote control.



Chrome

| Power | Length (mm) |
|---|---|
| 150W | 300 |
| 300W | 340 |
| 600W | 390 |
| 900W | 440 |
| 1200W | 470 |

Turbo Boost Function

For vertical installation only. Digital temp control element including remote control.



Gloss White

## Element Type F With Square Cap - Gloss White

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element with Square Cap | Gloss White | 8.384 | 185.00 | **222.00** |
| 300W Type F Element with Square Cap | Gloss White | 8.385 | 191.00 | **229.20** |
| 600W Type F Element with Square Cap | Gloss White | 8.386 | 201.00 | **241.20** |
| 900W Type F Element with Square Cap | Gloss White | 8.387 | 206.00 | **247.20** |
| 1200W Type F Element with Square Cap | Gloss White | 8.388 | 212.00 | **254.40** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt White

## Element Type F With Square Cap - Matt White

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element with Square Cap | Matt White | 8.389 | 212.00 | **254.40** |
| 300W Type F Element with Square Cap | Matt White | 8.390 | 216.00 | **259.20** |
| 600W Type F Element with Square Cap | Matt White | 8.391 | 226.00 | **271.20** |
| 900W Type F Element with Square Cap | Matt White | 8.392 | 230.00 | **276.00** |
| 1200W Type F Element with Square Cap | Matt White | 8.393 | 236.00 | **283.20** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Anthracite

## Element Type F With Square Cap - Matt Anthracite

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element with Square Cap | Matt Anthracite | 8.394 | 212.00 | **254.40** |
| 300W Type F Element with Square Cap | Matt Anthracite | 8.395 | 216.00 | **259.20** |
| 600W Type F Element with Square Cap | Matt Anthracite | 8.396 | 226.00 | **271.20** |
| 900W Type F Element with Square Cap | Matt Anthracite | 8.397 | 230.00 | **276.00** |
| 1200W Type F Element with Square Cap | Matt Anthracite | 8.398 | 236.00 | **283.20** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Black

## Element Type F With Square Cap - Matt Black

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element with Square Cap | Matt Black | 8.399 | 212.00 | **254.40** |
| 300W Type F Element with Square Cap | Matt Black | 8.400 | 216.00 | **259.20** |
| 600W Type F Element with Square Cap | Matt Black | 8.401 | 226.00 | **271.20** |
| 900W Type F Element with Square Cap | Matt Black | 8.402 | 230.00 | **276.00** |
| 1200W Type F Element with Square Cap | Matt Black | 8.403 | 236.00 | **283.20** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.


# Elements

## WATER OR ROOM TEMPERATURE CONTROL

ECODESIGN READY

## ELEMENT TYPE F WI-FI D SHAPE CAP

Only suitable with Chrome T-Piece - 8.901



Wi-Fi 2.4 GHz

Includes remote control.





**Chrome**

| Power | Length (mm) |
|---|---|
| 150W | 300 |
| 300W | 340 |
| 600W | 390 |
| 900W | 440 |
| 1200W | 470 |

Turbo Boost Function

**For vertical installation only. Digital temp control element including remote control.**

**Element Type F WiFi With D Shape Cap - Chrome**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element Wi-Fi with D Shape Cap | Chrome | 8.479 | 296.00 | **355.20** |
| 300W Type F Element Wi-Fi with D Shape Cap | Chrome | 8.480 | 302.00 | **362.40** |
| 600W Type F Element Wi-Fi with D Shape Cap | Chrome | 8.481 | 306.00 | **367.20** |
| 900W Type F Element Wi-Fi with D Shape Cap | Chrome | 8.482 | 310.00 | **372.00** |
| 1200W Type F Element Wi-Fi with D Shape Cap | Chrome | 8.483 | 317.00 | **380.40** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

**FEATURES**

- Wi-Fi & App Control
- Comes with remote control, that acts as ambient temperature sensor
- Turbo boost function (1-3 hours)
- Off season heating
- Cable connection cover included
- Anti-Freeze function
- Daily & weekly programmable (only on Ambient Mode available)
- Low running costs, towel drying
- Smooth temperature adjustment (10°C - 65°C)
- Thermostat can control either water temperature or ambient room temperature
- Open window detection
- Eco Design ready

**TECHNICAL INFORMATION**

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.2 metre. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**

## WI-FI SMARTPHONE APPLICATION

Your WI-FI Element has the option of programming the air temperature in the daily and weekly cycles and meets the requirements of the EcoDesign Directive (Lot 20) is compatible with the EcoDirective 2018 for electric elements.

Wi-Fi 2.4 GHz



Model is distinguished by modern design, equipped with an electronic controller with an LED display. Additionally, the model is equipped with a cover covering the electrical connection.

**Download the "SUPLA" app from Google Play Store or Apple App Store.**

Video instructions for the smartphone app available on our website.




**Gloss White**

**Element Type F WiFi With D Shape Cap - Gloss White**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element Wi-Fi with D Shape Cap | Gloss White | 8.484 | 282.00 | **338.40** |
| 300W Type F Element Wi-Fi with D Shape Cap | Gloss White | 8.485 | 288.00 | **345.60** |
| 600W Type F Element Wi-Fi with D Shape Cap | Gloss White | 8.486 | 292.00 | **350.40** |
| 900W Type F Element Wi-Fi with D Shape Cap | Gloss White | 8.487 | 302.00 | **362.40** |
| 1200W Type F Element Wi-Fi with D Shape Cap | Gloss White | 8.488 | 308.00 | **369.60** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



**Matt Anthracite**

**Element Type F WiFi With D Shape Cap - Matt Anthracite**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element Wi-Fi with D Shape Cap | Matt Anthracite | 8.489 | 305.00 | **366.00** |
| 300W Type F Element Wi-Fi with D Shape Cap | Matt Anthracite | 8.490 | 311.00 | **373.20** |
| 600W Type F Element Wi-Fi with D Shape Cap | Matt Anthracite | 8.491 | 315.00 | **378.00** |
| 900W Type F Element Wi-Fi with D Shape Cap | Matt Anthracite | 8.492 | 325.00 | **390.00** |
| 1200W Type F Element Wi-Fi with D Shape Cap | Matt Anthracite | 8.493 | 331.00 | **397.20** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



**Matt Black**

**Element Type F WiFi With D Shape Cap - Matt Black**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element Wi-Fi with D Shape Cap | Matt Black | 8.494 | 305.00 | **366.00** |
| 300W Type F Element Wi-Fi with D Shape Cap | Matt Black | 8.495 | 311.00 | **373.20** |
| 600W Type F Element Wi-Fi with D Shape Cap | Matt Black | 8.496 | 315.00 | **378.00** |
| 900W Type F Element Wi-Fi with D Shape Cap | Matt Black | 8.497 | 325.00 | **390.00** |
| 1200W Type F Element Wi-Fi with D Shape Cap | Matt Black | 8.498 | 331.00 | **397.20** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

# Elements

## Element Type F WiFi With Round Cap - Chrome

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element Wi-Fi with Round Cap | Chrome | 8.499 | 296.00 | **355.20** |
| 300W Type F Element Wi-Fi with Round Cap | Chrome | 8.500 | 302.00 | **362.40** |
| 600W Type F Element Wi-Fi with Round Cap | Chrome | 8.501 | 306.00 | **367.20** |
| 900W Type F Element Wi-Fi with Round Cap | Chrome | 8.502 | 310.00 | **372.00** |
| 1200W Type F Element Wi-Fi with Round Cap | Chrome | 8.503 | 317.00 | **380.40** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

**FEATURES**

- Wi-Fi & App Control
- Comes with remote control, that acts as ambient temperature sensor
- Turbo boost function (1-3 hours)
- Off season heating
- Cable connection cover included
- Anti-Freeze function
- Daily & weekly programmable (only on Ambient Mode available)
- Low running costs, towel drying
- Smooth temperature adjustment (10°C - 65°C)
- Thermostat can control either water temperature or ambient room temperature
- Open window detection
- Eco Design ready

**TECHNICAL INFORMATION**

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.2 metre. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**

## ELEMENT TYPE F WI-FI ROUND CAP

## WATER OR ROOM TEMPERATURE CONTROL

ECODESIGN READY

Only suitable with Chrome T-Piece - 8.901




Chrome

| Power | Length (mm) |
|---|---|
| 150W | 300 |
| 300W | 340 |
| 600W | 390 |
| 900W | 440 |
| 1200W | 470 |

Turbo Boost Function

**For vertical installation only. Digital temp control element including remote control.**



Gloss White

## Element Type F WiFi With Round Cap - Gloss White

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element Wi-Fi with Round Cap | Gloss White | 8.504 | 282.00 | **338.40** |
| 300W Type F Element Wi-Fi with Round Cap | Gloss White | 8.505 | 288.00 | **345.60** |
| 600W Type F Element Wi-Fi with Round Cap | Gloss White | 8.506 | 292.00 | **350.40** |
| 900W Type F Element Wi-Fi with Round Cap | Gloss White | 8.507 | 302.00 | **362.40** |
| 1200W Type F Element Wi-Fi with Round Cap | Gloss White | 8.508 | 308.00 | **369.60** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

## WI-FI SMARTPHONE APPLICATION

Your WIFI Element has the option of programming the air temperature in the daily and weekly cycles and meets the requirements of the EcoDesign Directive (Lot 20) is compatible with the EcoDirective 2018 for electric elements.

Wi-Fi
2.4 GHz



Model is distinguished by modern design, equipped with an electronic controller with an LED display. Additionally, the model is equipped with a cover covering the electrical connection.

**Download the "SUPLA" app from Google Play Store or Apple App Store.**

Video instructions for the smartphone app available on our website.



Matt Anthracite

## Element Type F WiFi With Round Cap - Matt Anthracite

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element Wi-Fi with Round Cap | Matt Anthracite | 8.509 | 305.00 | **366.00** |
| 300W Type F Element Wi-Fi with Round Cap | Matt Anthracite | 8.510 | 311.00 | **373.20** |
| 600W Type F Element Wi-Fi with Round Cap | Matt Anthracite | 8.511 | 315.00 | **378.00** |
| 900W Type F Element Wi-Fi with Round Cap | Matt Anthracite | 8.512 | 325.00 | **390.00** |
| 1200W Type F Element Wi-Fi with Round Cap | Matt Anthracite | 8.513 | 331.00 | **397.20** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Black

## Element Type F WiFi With Round Cap - Matt Black

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element Wi-Fi with Round Cap | Matt Black | 8.514 | 305.00 | **366.00** |
| 300W Type F Element Wi-Fi with Round Cap | Matt Black | 8.515 | 311.00 | **373.20** |
| 600W Type F Element Wi-Fi with Round Cap | Matt Black | 8.516 | 315.00 | **378.00** |
| 900W Type F Element Wi-Fi with Round Cap | Matt Black | 8.517 | 325.00 | **390.00** |
| 1200W Type F Element Wi-Fi with Round Cap | Matt Black | 8.518 | 331.00 | **397.20** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

# Elements

## WATER OR ROOM TEMPERATURE CONTROL

ECODESIGN READY

## ELEMENT TYPE F WI-FI SQUARE CAP

Only suitable with Chrome T-Piece - 8.901




**Chrome**

| Power | Length (mm) |
|---|---|
| 150W | 300 |
| 300W | 340 |
| 600W | 390 |
| 900W | 440 |
| 1200W | 470 |

Turbo Boost Function

**For vertical installation only. Digital temp control element including remote control.**

**Element Type F WiFi With Square Cap - Chrome**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element Wi-Fi with Square Cap | Chrome | 8.519 | 296.00 | **355.20** |
| 300W Type F Element Wi-Fi with Square Cap | Chrome | 8.520 | 302.00 | **362.40** |
| 600W Type F Element Wi-Fi with Square Cap | Chrome | 8.521 | 306.00 | **367.20** |
| 900W Type F Element Wi-Fi with Square Cap | Chrome | 8.522 | 310.00 | **372.00** |
| 1200W Type F Element Wi-Fi with Square Cap | Chrome | 8.523 | 317.00 | **380.40** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

**FEATURES**

- Wi-Fi & App Control
- Comes with remote control, that acts as ambient temperature sensor
- Turbo boost function (1-3 hours)
- Off season heating
- Cable connection cover included
- Anti-Freeze function
- Daily & weekly programmable (only on Ambient Mode available)
- Low running costs, towel drying
- Smooth temperature adjustment (10°C - 65°C)
- Thermostat can control either water temperature or ambient room temperature
- Open window detection
- Eco Design ready

**TECHNICAL INFORMATION**

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.2 metre. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**

## WI-FI SMARTPHONE APPLICATION

Your WIFI Element has the option of programming the air temperature in the daily and weekly cycles and meets the requirements of the EcoDesign Directive (Lot 20) is compatible with the EcoDirective 2018 for electric elements.


Wi-Fi 2.4 GHz



Model is distinguished by modern design, equipped with an electronic controller with an LED display. Additionally, the model is equipped with a cover covering the electrical connection.

**Download the "SUPLA" app from Google Play Store or Apple App Store.**

Video instructions for the smartphone app available on our website.




Gloss White

**Element Type F WiFi With Square Cap - Gloss White**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element Wi-Fi with Square Cap | Gloss White | 8.524 | 282.00 | **338.40** |
| 300W Type F Element Wi-Fi with Square Cap | Gloss White | 8.525 | 288.00 | **345.60** |
| 600W Type F Element Wi-Fi with Square Cap | Gloss White | 8.526 | 292.00 | **350.40** |
| 900W Type F Element Wi-Fi with Square Cap | Gloss White | 8.527 | 302.00 | **362.40** |
| 1200W Type F Element Wi-Fi with Square Cap | Gloss White | 8.528 | 308.00 | **369.60** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.




Matt Anthracite

**Element Type F WiFi With Square Cap - Matt Anthracite**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element Wi-Fi with Square Cap | Matt Anthracite | 8.529 | 305.00 | **366.00** |
| 300W Type F Element Wi-Fi with Square Cap | Matt Anthracite | 8.530 | 311.00 | **373.20** |
| 600W Type F Element Wi-Fi with Square Cap | Matt Anthracite | 8.531 | 315.00 | **378.00** |
| 900W Type F Element Wi-Fi with Square Cap | Matt Anthracite | 8.532 | 325.00 | **390.00** |
| 1200W Type F Element Wi-Fi with Square Cap | Matt Anthracite | 8.533 | 331.00 | **397.20** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Black

**Element Type F WiFi With Square Cap - Matt Black**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type F Element Wi-Fi with Square Cap | Matt Black | 8.534 | 305.00 | **366.00** |
| 300W Type F Element Wi-Fi with Square Cap | Matt Black | 8.535 | 311.00 | **373.20** |
| 600W Type F Element Wi-Fi with Square Cap | Matt Black | 8.536 | 315.00 | **378.00** |
| 900W Type F Element Wi-Fi with Square Cap | Matt Black | 8.537 | 325.00 | **390.00** |
| 1200W Type F Element Wi-Fi with Square Cap | Matt Black | 8.538 | 331.00 | **397.20** |
| Spare Remote Controller for Type F Element | | 8.319 | 67.00 | **80.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

# Elements

## Element Type G With D Shape Cap - Chrome

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type G Element with D Shape Cap | Chrome | 8.404 | 171.00 | **205.20** |
| 300W Type G Element with D Shape Cap | Chrome | 8.405 | 177.00 | **212.40** |
| 600W Type G Element with D Shape Cap | Chrome | 8.406 | 185.00 | **222.00** |
| 900W Type G Element with D Shape Cap | Chrome | 8.407 | 195.00 | **234.00** |
| 1200W Type G Element with D Shape Cap | Chrome | 8.408 | 201.00 | **241.20** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

**FEATURES**

- Timer 1-9 hour
- Turbo boost function
- Off season heating
- Cable connection cover included
- Anti-Freeze function
- Maintains previously selected temperature for a period of 1-9 hours
- Low running costs, towel drying
- Smooth temperature adjustment (10°C to 65°C)
- Water temperature controlled Thermostat


**TECHNICAL INFORMATION**

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.2 metre. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**

## ELEMENT TYPE G WITH D SHAPE CAP

## WATER TEMPERATURE CONTROL

Only suitable with Chrome T-Piece - 8.901




Chrome

| Power | Length (mm) |
|---|---|
| 150W | 300 |
| 300W | 340 |
| 600W | 390 |
| 900W | 440 |
| 1200W | 470 |

Turbo Boost Function

**For vertical installation only. Digital temp control element.**




Gloss White

## Element Type G With D Shape Cap - Gloss White

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type G Element with D Shape Cap | Gloss White | 8.409 | 161.00 | **193.20** |
| 300W Type G Element with D Shape Cap | Gloss White | 8.410 | 166.00 | **199.20** |
| 600W Type G Element with D Shape Cap | Gloss White | 8.411 | 177.00 | **212.40** |
| 900W Type G Element with D Shape Cap | Gloss White | 8.412 | 181.00 | **217.20** |
| 1200W Type G Element with D Shape Cap | Gloss White | 8.413 | 185.00 | **222.00** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.




Matt White

## Element Type G With D Shape Cap - Matt White

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type G Element with D Shape Cap | Matt White | 8.414 | 185.00 | **222.00** |
| 300W Type G Element with D Shape Cap | Matt White | 8.415 | 191.00 | **229.20** |
| 600W Type G Element with D Shape Cap | Matt White | 8.416 | 201.00 | **241.20** |
| 900W Type G Element with D Shape Cap | Matt White | 8.417 | 206.00 | **247.20** |
| 1200W Type G Element with D Shape Cap | Matt White | 8.418 | 212.00 | **254.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.




Matt Anthracite

## Element Type G With D Shape Cap - Matt Anthracite

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type G Element with D Shape Cap | Matt Anthracite | 8.419 | 185.00 | **222.00** |
| 300W Type G Element with D Shape Cap | Matt Anthracite | 8.420 | 191.00 | **229.20** |
| 600W Type G Element with D Shape Cap | Matt Anthracite | 8.421 | 201.00 | **241.20** |
| 900W Type G Element with D Shape Cap | Matt Anthracite | 8.422 | 206.00 | **247.20** |
| 1200W Type G Element with D Shape Cap | Matt Anthracite | 8.423 | 212.00 | **254.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Black

## Element Type G With D Shape Cap - Matt Black

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type G Element with D Shape Cap | Matt Black | 8.424 | 185.00 | **222.00** |
| 300W Type G Element with D Shape Cap | Matt Black | 8.425 | 191.00 | **229.20** |
| 600W Type G Element with D Shape Cap | Matt Black | 8.426 | 201.00 | **241.20** |
| 900W Type G Element with D Shape Cap | Matt Black | 8.427 | 206.00 | **247.20** |
| 1200W Type G Element with D Shape Cap | Matt Black | 8.428 | 212.00 | **254.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

# Elements

## ELEMENT TYPE G WITH ROUND CAP

## WATER TEMPERATURE CONTROL

Only suitable with Chrome T-Piece - 8.901



Chrome

| Power | Length (mm) |
|---|---|
| 150W | 300 |
| 300W | 340 |
| 600W | 390 |
| 900W | 440 |
| 1200W | 470 |

Turbo Boost Function

For vertical installation only.
Digital temp control element.

**Element Type G With Round Cap - Chrome**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type G Element with Round Cap | Chrome | 8.429 | 171.00 | **205.20** |
| 300W Type G Element with Round Cap | Chrome | 8.430 | 177.00 | **212.40** |
| 600W Type G Element with Round Cap | Chrome | 8.431 | 185.00 | **222.00** |
| 900W Type G Element with Round Cap | Chrome | 8.432 | 195.00 | **234.00** |
| 1200W Type G Element with Round Cap | Chrome | 8.433 | 201.00 | **241.20** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |


*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

**FEATURES**

- Timer 1-9 hour
- Turbo boost function
- Off season heating
- Cable connection cover included
- Anti-Freeze function
- Maintains previously selected temperature for a period of 1-9 hours
- Low running costs, towel drying
- Smooth temperature adjustment (10°C to 65°C)
- Water temperature controlled Thermostat

**TECHNICAL INFORMATION**

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.2 metre. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**




Gloss White

**Element Type G With Round Cap - Gloss White**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type G Element with Round Cap | Gloss White | 8.434 | 161.00 | **193.20** |
| 300W Type G Element with Round Cap | Gloss White | 8.435 | 166.00 | **199.20** |
| 600W Type G Element with Round Cap | Gloss White | 8.436 | 177.00 | **212.40** |
| 900W Type G Element with Round Cap | Gloss White | 8.437 | 181.00 | **217.20** |
| 1200W Type G Element with Round Cap | Gloss White | 8.438 | 185.00 | **222.00** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt White

**Element Type G With Round Cap - Matt White**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type G Element with Round Cap | Matt White | 8.439 | 185.00 | **222.00** |
| 300W Type G Element with Round Cap | Matt White | 8.440 | 191.00 | **229.20** |
| 600W Type G Element with Round Cap | Matt White | 8.441 | 201.00 | **241.20** |
| 900W Type G Element with Round Cap | Matt White | 8.442 | 206.00 | **247.20** |
| 1200W Type G Element with Round Cap | Matt White | 8.443 | 212.00 | **254.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Anthracite

**Element Type G With Round Cap - Matt Anthracite**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type G Element with Round Cap | Matt Anthracite | 8.444 | 185.00 | **222.00** |
| 300W Type G Element with Round Cap | Matt Anthracite | 8.445 | 191.00 | **229.20** |
| 600W Type G Element with Round Cap | Matt Anthracite | 8.446 | 201.00 | **241.20** |
| 900W Type G Element with Round Cap | Matt Anthracite | 8.447 | 206.00 | **247.20** |
| 1200W Type G Element with Round Cap | Matt Anthracite | 8.448 | 212.00 | **254.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Black

**Element Type G With Round Cap - Matt Black**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type G Element with Round Cap | Matt Black | 8.449 | 185.00 | **222.00** |
| 300W Type G Element with Round Cap | Matt Black | 8.450 | 191.00 | **229.20** |
| 600W Type G Element with Round Cap | Matt Black | 8.451 | 201.00 | **241.20** |
| 900W Type G Element with Round Cap | Matt Black | 8.452 | 206.00 | **247.20** |
| 1200W Type G Element with Round Cap | Matt Black | 8.453 | 212.00 | **254.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

# Elements

## Element Type G With Square Cap - Chrome

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type G Element with Square Cap | Chrome | 8.454 | 171.00 | **205.20** |
| 300W Type G Element with Square Cap | Chrome | 8.455 | 177.00 | **212.40** |
| 600W Type G Element with Square Cap | Chrome | 8.456 | 185.00 | **222.00** |
| 900W Type G Element with Square Cap | Chrome | 8.457 | 195.00 | **234.00** |
| 1200W Type G Element with Square Cap | Chrome | 8.458 | 201.00 | **241.20** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.


**FEATURES**
- Timer 1-9 hour
- Turbo boost function
- Off season heating
- Cable connection cover included
- Anti-Freeze function
- Maintains previously selected temperature for a period of 1-9 hours
- Low running costs, towel drying
- Smooth temperature adjustment (10°C to 65°C)
- Water temperature controlled Thermostat

**TECHNICAL INFORMATION**

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.2 metre. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**

## ELEMENT TYPE G WITH SQUARE CAP — WATER TEMPERATURE CONTROL

Only suitable with Chrome T-Piece - 8.901



Chrome

| Power | Length (mm) |
|---|---|
| 150W | 300 |
| 300W | 340 |
| 600W | 390 |
| 900W | 440 |
| 1200W | 470 |

Turbo Boost Function

**For vertical installation only. Digital temp control element.**




Gloss White

## Element Type G With Square Cap - Gloss White

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type G Element with Square Cap | Gloss White | 8.459 | 161.00 | **193.20** |
| 300W Type G Element with Square Cap | Gloss White | 8.460 | 166.00 | **199.20** |
| 600W Type G Element with Square Cap | Gloss White | 8.461 | 177.00 | **212.40** |
| 900W Type G Element with Square Cap | Gloss White | 8.462 | 181.00 | **217.20** |
| 1200W Type G Element with Square Cap | Gloss White | 8.463 | 185.00 | **222.00** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt White

## Element Type G With Square Cap - Matt White

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type G Element with Square Cap | Matt White | 8.464 | 185.00 | **222.00** |
| 300W Type G Element with Square Cap | Matt White | 8.465 | 191.00 | **229.20** |
| 600W Type G Element with Square Cap | Matt White | 8.466 | 201.00 | **241.20** |
| 900W Type G Element with Square Cap | Matt White | 8.467 | 206.00 | **247.20** |
| 1200W Type G Element with Square Cap | Matt White | 8.468 | 212.00 | **254.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Anthracite

## Element Type G With Square Cap - Matt Anthracite

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type G Element with Square Cap | Matt Anthracite | 8.469 | 185.00 | **222.00** |
| 300W Type G Element with Square Cap | Matt Anthracite | 8.470 | 191.00 | **229.20** |
| 600W Type G Element with Square Cap | Matt Anthracite | 8.471 | 201.00 | **241.20** |
| 900W Type G Element with Square Cap | Matt Anthracite | 8.472 | 206.00 | **247.20** |
| 1200W Type G Element with Square Cap | Matt Anthracite | 8.473 | 212.00 | **254.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Black

## Element Type G With Square Cap - Matt Black

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 150W Type G Element with Square Cap | Matt Black | 8.474 | 185.00 | **222.00** |
| 300W Type G Element with Square Cap | Matt Black | 8.475 | 191.00 | **229.20** |
| 600W Type G Element with Square Cap | Matt Black | 8.476 | 201.00 | **241.20** |
| 900W Type G Element with Square Cap | Matt Black | 8.477 | 206.00 | **247.20** |
| 1200W Type G Element with Square Cap | Matt Black | 8.478 | 212.00 | **254.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

**All Eastbrook fluid filled rails are filled with Fernox HP-5.**
With over 40 years experience and continual investment in research and development, Fernox water treatment products are manufactured to the highest quality, reliability and performance. Fernox HP-5 is a pre-blended heat transfer fluid which gives a frost protection down to -5°C. It also provides long-term protection from damage caused by corrosion, limescale and bacteria and maintains a stable pH across a range of operational temperatures.


**FEATURES - FERNOX**
- Anti-cavitation (lower noise)
- Better heat transfer
- Anti-corrosion properties
- Anti-freeze

FERNOX MAKES WATER WORK

# Elements

## WATER OR ROOM TEMPERATURE CONTROL

| Power | Length (mm) |
|---|---|
| 300W | 340 |
| 600W | 390 |
| 900W | 440 |
| 1200W | 470 |




## ELEMENT TYPE H HORIZONTAL

**FEATURES**

- Turbo boost function (full heating for a set period 1, 2 or 3 hours)
- Off season heating
- Anti-Freeze function
- Low running costs
- Eco Design ready
- Smooth temperature adjustment (10°C to 65°C)
- Comes with remote control, that acts as ambient temperature sensor
- Thermostat can control either water temperature or ambient room temperature
- Can be fitted on LH or RH side by 180°C rotating thermostat

### TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**

**Element Type H Horizontal - Chrome**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 300W Type H Element Horizontal** | Chrome | 8.554 | 303.00 | **363.60** |
| 600W Type H Element Horizontal** | Chrome | 8.555 | 308.00 | **369.60** |
| 900W Type H Element Horizontal** | Chrome | 8.556 | 312.00 | **374.40** |
| 1200W Type H Element Horizontal** | Chrome | 8.557 | 318.00 | **381.60** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

**Element Type H Horizontal - Gloss White**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 300W Type H Element Horizontal** | Gloss White | 8.539 | 279.00 | **334.80** |
| 600W Type H Element Horizontal** | Gloss White | 8.540 | 283.00 | **339.60** |
| 900W Type H Element Horizontal** | Gloss White | 8.541 | 288.00 | **345.60** |
| 1200W Type H Element Horizontal** | Gloss White | 8.542 | 292.00 | **350.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

**Element Type H Horizontal - Matt Anthracite**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 300W Type H Element Horizontal** | Matt Anthracite | 8.544 | 299.00 | **358.80** |
| 600W Type H Element Horizontal** | Matt Anthracite | 8.545 | 303.00 | **363.60** |
| 900W Type H Element Horizontal** | Matt Anthracite | 8.546 | 308.00 | **369.60** |
| 1200W Type H Element Horizontal** | Matt Anthracite | 8.547 | 312.00 | **374.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |


**Element Type H Horizontal - Matt Black**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 300W Type H Element Horizontal** | Matt Black | 8.549 | 299.00 | **358.80** |
| 600W Type H Element Horizontal** | Matt Black | 8.550 | 303.00 | **363.60** |
| 900W Type H Element Horizontal** | Matt Black | 8.551 | 308.00 | **369.60** |
| 1200W Type H Element Horizontal** | Matt Black | 8.552 | 312.00 | **374.40** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element, for all colours). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.

## WATER OR ROOM TEMPERATURE CONTROL

| Power | Length (mm) |
|---|---|
| 300W | 340 |
| 600W | 390 |
| 900W | 440 |
| 1200W | 470 |




## ELEMENT TYPE H WI-FI HORIZONTAL

**FEATURES**

- Turbo boost function (full heating for a set period 1, 2 or 3 hours)
- Off season heating
- Anti-Freeze function
- Low running costs
- Eco Design ready
- Smooth temperature adjustment (10°C to 65°C)
- Wi-Fi & App Control
- Comes with remote control, that acts as ambient temperature sensor
- Thermostat can control either water temperature or ambient room temperature
- Can be fitted on LH or RH side by 180°C rotating thermostat

### TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**

**Element Type H Wi-Fi Horizontal - Chrome**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 300W Type H Element Wi-Fi Horizontal** | Chrome | 8.574 | 341.00 | **409.20** |
| 600W Type H Element Wi-Fi Horizontal** | Chrome | 8.575 | 345.00 | **414.00** |
| 900W Type H Element Wi-Fi Horizontal** | Chrome | 8.576 | 350.00 | **420.00** |
| 1200W Type H Element Wi-Fi Horizontal** | Chrome | 8.577 | 354.00 | **424.80** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

**Element Type H Wi-Fi Horizontal - Gloss White**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 300W Type H Element Wi-Fi Horizontal** | Gloss White | 8.559 | 315.00 | **378.00** |
| 600W Type H Element Wi-Fi Horizontal** | Gloss White | 8.560 | 321.00 | **385.20** |
| 900W Type H Element Wi-Fi Horizontal** | Gloss White | 8.561 | 325.00 | **390.00** |
| 1200W Type H Element Wi-Fi Horizontal** | Gloss White | 8.562 | 330.00 | **396.00** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

**Element Type H Wi-Fi Horizontal - Matt Anthracite**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 300W Type H Element Wi-Fi Horizontal** | Matt Anthracite | 8.564 | 335.00 | **402.00** |
| 600W Type H Element Wi-Fi Horizontal** | Matt Anthracite | 8.565 | 341.00 | **409.20** |
| 900W Type H Element Wi-Fi Horizontal** | Matt Anthracite | 8.566 | 345.00 | **414.00** |
| 1200W Type H Element Wi-Fi Horizontal** | Matt Anthracite | 8.567 | 350.00 | **420.00** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

**Element Type H Wi-Fi Horizontal - Matt Black**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 300W Type H Element Wi-Fi Horizontal** | Matt Black | 8.569 | 335.00 | **402.00** |
| 600W Type H Element Wi-Fi Horizontal** | Matt Black | 8.570 | 341.00 | **409.20** |
| 900W Type H Element Wi-Fi Horizontal** | Matt Black | 8.571 | 345.00 | **414.00** |
| 1200W Type H Element Wi-Fi Horizontal** | Matt Black | 8.572 | 350.00 | **420.00** |
| Fluid filling for above rail (electric only)* | - | FF | 123.00 | **147.60** |

*(not including appropriate element, for all colours). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.

## WI-FI SMARTPHONE APPLICATION



Your WIFI Element has the option of programming the air temperature in the daily and weekly cycles and meets the requirements of the EcoDesign Directive (Lot 20) is compatible with the EcoDirective 2018 for electric elements.

**Download the "SUPLA" App from Google Play Store or Apple App Store.**
Video instructions for the smartphone app available on our website.

# Crafton Control Panel, T Pieces & Elbows

## Crafton Temperature Control Panel

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Crafton Temperature Control Panel White | 67.0004 | 113.00 | **135.60** |
| Crafton Temperature Control Panel Chrome Cover | 67.0005 | 38.00 | **45.60** |

**FEATURES**
- Can be fitted in the bathroom (Zone 2 rated)
- IPX5 rated
- Active LED display
- 2 hour boost function
- Low running costs
- Wattage range 100-1000 watts
- 20-100% output control
- Can be used on dual fuel and electric only installations
- **Can only be fitted with Type A+/ A+ Eco, Type A Element and Biava Dry Element towel rail**
- Will fit all standard electrical back boxes

## CRAFTON TEMPERATURE CONTROL PANEL



White Panel



Chrome Cover

## Crafton II Temperature Control Panel

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Crafton II Temperature Control Panel White | 67.0010 | 82.00 | **98.40** |
| Crafton II Temperature Control Panel Anthracite | 67.0011 | 93.00 | **111.60** |
| Crafton II Temperature Control Panel Black | 67.0012 | 93.00 | **111.60** |
| Crafton II Temperature Control Panel Chrome Effect | 67.0013 | 88.00 | **105.60** |
| Crafton II Temperature Control Panel Brass Effect | 67.0014 | 97.00 | **116.40** |

**FEATURES**
- 85 x 85mm square in size
- Available in 5 colours
- Can be fitted in the bathroom (Zone 2, 3 rated)
- IPX4 rated
- Can be used in electric only and dual fuel applications
- Active LED display
- ECO function : When pressed will run for 30 minutes on highest output. Next 90 minutes will run in a lower pre-set output and then switch off. Total running time 120 minutes.
- Low running costs
- Wattage range 100-1000 watts
- Will remember the last setting when turned off and on again
- Output control ;
  1 LED = 40% power
  2 LEDs = 55% power
  3 LEDs = 70% power
  4 LEDs = 85% power
  5 LEDs = 100% power
- **Can only be fitted with Type A+/ A+ Eco, Type A Element and Biava Dry Element towel rail**
- Will fit all standard electrical back boxes

## CRAFTON II TEMPERATURE CONTROL PANEL



White Panel



Anthracite Panel



Black Panel



Chrome Effect Panel



Brass Effect Panel

## Wi-Fi On/Off Spur Switch

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Wi-Fi On/Off Spur Switch White | 41.0799 | 39.00 | **46.80** |


**FEATURES**
- Replaceable 13AMP BS1362 fuse
- Works with Wi-Fi 2.4 Ghz
- Program modes : Permanent On, Permanent Off, Boost & Countdown
- Daily & Weekly programmable
- Low running costs
- Max. load 3000 Watts
- Works with Smart Life APP.
- Wall box min. depth 25mm
- Ideal replacement for BS1363 fused spur
- **Would ideally work with Type A+/A+ Eco, Type A Element and Biava Dry Element towel rail**

### WI-FI SMARTPHONE APPLICATION

Compatible with Alexa and Google Assistant. Works on Android & IOS.

Scan QR Code to download "Smart Life" App. Or download from either the Google Play Store or Apple App Store.

## WI-FI ON/OFF SPUR SWITCH




## Dual Fuel - Element T Pieces & Elbows

Dual Fuel Elbows



### Dual Fuel Elbows

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Elbow Chrome | 41.3003 | 17.00 | **20.40** |
| Elbow Matt White | 41.4040 | 19.00 | **22.80** |
| Elbow Matt Grey | 41.4041 | 19.00 | **22.80** |
| Elbow Matt Cappuccino | 41.4042 | 19.00 | **22.80** |
| Elbow Matt Anthracite | 41.4043 | 19.00 | **22.80** |
| Elbow Matt Black | 41.4044 | 19.00 | **22.80** |
| Elbow Brushed Brass | 41.0607 | 19.00 | **22.80** |

Dual Fuel T Pieces



### Duel Fuel T Pieces

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| T Piece Chrome | 8.901 | 18.00 | **21.60** |
| T Piece Matt White | 41.3030 | 23.00 | **27.60** |
| T Piece Matt Grey | 41.3031 | 23.00 | **27.60** |
| T Piece Matt Cappuccino | 41.3032 | 23.00 | **27.60** |
| T Piece Matt Anthracite | 41.3033 | 23.00 | **27.60** |
| T Piece Matt Black | 41.3034 | 23.00 | **27.60** |
| T Piece Brushed Brass | 41.0606 | 21.00 | **25.20** |

# Valve Buying Guide


## Radiator Valve Buying Guide

**Step 1**
Choose your towel rail or radiator. Remember to check where your central heating pipework is located.

**Step 2**
Check which type of connection your chosen radiator has. (Side or bottom connection).

**Step 3**
Choose from one of the below valve types which compatible with your pipework.

### Angled Valves



Manual Options **P358, 359, 360, 361, 362, 363 & 364**
Thermostatic (TRV) Options **P351, 352, 353, 355 & 357**

**FEATURES**
- Most used valve type.
- Connects radiator at 90° angle.
- Pipework can be from the wall or floor.

**COMPATIBLE WITH:**
- Connections at the sides & pipework from the floor.
- Connections at the sides & pipework from the wall.
- Connections at the bottom & pipework from the wall.



### Corner Valves




Manual Options **P358, 360, 361 & 363**
Thermostatic (TRV) Options **P352, 353, 356 & 357**

**FEATURES**
- Connects radiator at 90° angle.
- On side connections, valve head sits vertically.
- On bottom connections, valve head sits under the radiator.

**COMPATIBLE WITH:**
- Connections at the sides & pipework from the wall.
- Connections at the bottom & pipework from the wall.



### Straight Valves




Manual Options **P358, 359, 360, 361, 362 & 363**
Thermostatic (TRV) Options **P351, 354 & 357**

**FEATURES**
- Fits best to bottom connection towel rails & radiators.
- Suitable only with bottom connection radiators & towel rails with pipework from the floor or along the wall.
- Can be connected vertically or horizontally depending on the pipework.

**COMPATIBLE WITH:**
- Connections at the bottom & pipework from the floor.




### Twin Thermostatic Valves




Thermostatic (TRV) Options **P352**

**FEATURES**
- Angled & Straight versions available.
- 50mm connection centres.
- Saves space by using one valve instead of two.
- Only suitable for selected models in our ranges.

**COMPATIBLE WITH:**
- Connections at the bottom & pipework from the floor.
- Connections at the bottom & pipework from the wall.



### Dual Fuel Valves



Manual Options **P365**
Thermostatic (TRV) Options **P365**

**FEATURES**
- Only corner version available.
- Elements can be fitted from both sides. (a selection of valves)
- Only Type A, Type A+ & Type A+ Eco elements can be used.

**COMPATIBLE WITH:**
- Connections at the bottom & pipework from the wall.



### Drain Off Valves

P364

- Can be used to drain off radiators.

### Pipe Shrouds & Collar Kits

P367

- 15mm pipe covering shrouds & collars for asthetic perfection.

# Darlington Thermostatic Valves

## DARLINGTON STRAIGHT TRV



BI-DIRECTIONAL | White/Chrome

Straight TRV with Lockshield 15mm (pair)

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0005 | 40.00 | **48.00** |



BI-DIRECTIONAL | Chrome

Straight TRV with Lockshield 15mm (pair)

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0003 | 39.00 | **46.80** |



BI-DIRECTIONAL | Brushed Nickel

Straight TRV with Lockshield 15mm (pair)

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0065 | 50.00 | **60.00** |



BI-DIRECTIONAL | Brushed Brass

Straight TRV with Lockshield 15mm (pair)

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0029 | 57.00 | **68.40** |



BI-DIRECTIONAL | Matt White

Straight TRV with Lockshield 15mm (pair)

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0019 | 45.00 | **54.00** |



BI-DIRECTIONAL | Matt Anthracite

Straight TRV with Lockshield 15mm (pair)

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0020 | 45.00 | **54.00** |



BI-DIRECTIONAL | Matt Black

Straight TRV with Lockshield 15mm (pair)

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0021 | 45.00 | **54.00** |


## DARLINGTON ANGLED TRV



BI-DIRECTIONAL | White/Chrome

Angled TRV with Lockshield 15mm (pair)

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0006 | 39.00 | **46.80** |



BI-DIRECTIONAL | Chrome

Angled TRV with Lockshield 15mm (pair)

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0002 | 38.00 | **45.60** |



BI-DIRECTIONAL | Brushed Nickel

Angled TRV with Lockshield 15mm (pair)

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0066 | 50.00 | **60.00** |



BI-DIRECTIONAL | Brushed Brass

Angled TRV with Lockshield 15mm (pair)

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0030 | 57.00 | **68.40** |



BI-DIRECTIONAL | Matt White

Angled TRV with Lockshield 15mm (pair)

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0016 | 44.00 | **52.80** |

**FEATURES**

- Approved to EN 1074-2:2000
- Produced to GB/T 19001-2016
- Produced to ISO 9001:2015
- 2 Year warranty with conditions

**TECHNICAL INFORMATION**

On all Darlington valves, the materials used can have a slight difference between their parts colours. The numbers on the TRV heads do not represent specific room temperatures as the temperature at which the valve operates depends on the water temperature flowing through the radiator, airflow around the head of the TRV, the room size and any heat loss in that space through walls, windows and floors.

# Darlington Thermostatic Valves

## DARLINGTON ANGLED TRV



BI-DIRECTIONAL | Matt Anthracite

**Angled TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0017 | 44.00 | **52.80** |



BI-DIRECTIONAL | Matt Black

**Angled TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0018 | 44.00 | **52.80** |

## DARLINGTON CORNER TRV



BI-DIRECTIONAL | White/Chrome

**Corner TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0007 | 44.00 | **52.80** |



BI-DIRECTIONAL | Chrome

**Corner TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0004 | 40.00 | **48.00** |



BI-DIRECTIONAL | Brushed Nickel

**Corner TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0067 | 60.00 | **72.00** |



BI-DIRECTIONAL | Brushed Brass

**Corner TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0031 | 68.00 | **81.60** |



BI-DIRECTIONAL | Matt White

**Corner TRV with Lockshield 15mm (pair)**


| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0022 | 52.00 | **62.40** |



BI-DIRECTIONAL | Matt Anthracite

**Corner TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0023 | 52.00 | **62.40** |



BI-DIRECTIONAL | Matt Black

**Corner TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0024 | 52.00 | **62.40** |

## TWIN THERMOSTATIC VALVES

54.0012



Gloss White

54.0013



Chrome

54.0014



Gloss White

54.0015



Chrome

**Twin Thermostatic Valves**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| Straight Twin inlet Thermostatic Radiator Valve 15mm | Gloss White | 54.0012 | 74.00 | **88.80** |
| Straight Twin inlet Thermostatic Radiator Valve 15mm | Chrome | 54.0013 | 68.00 | **81.60** |
| Angled Twin inlet Thermostatic Radiator Valve 15mm | Gloss White | 54.0014 | 74.00 | **88.80** |
| Angled Twin inlet Thermostatic Radiator Valve 15mm | Chrome | 54.0015 | 68.00 | **81.60** |


**FEATURES**


- All twin thermostatic vales are 15 mm
- Tapping Centres: 50mm
- Approved to EN 1074-2:2000
- Produced to GB/T 19001-2016 and ISO 9001:2015
- 2 Year warranty*

*With conditions

# Traditional Thermostatic Valves

## TRADITIONAL ANGLED TRV






**Angled TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0008 | 90.00 | **108.00** |




**Angled TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0009 | 97.00 | **116.40** |





**Angled TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0032 | 93.00 | **111.60** |




**Angled TRV with Lockshield 15mm (pair)**


| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0033 | 93.00 | **111.60** |




**Angled TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0034 | 93.00 | **111.60** |

## TRADITIONAL CORNER TRV






**Corner TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0010 | 113.00 | **135.60** |




**Corner TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0011 | 116.00 | **139.20** |




**Corner TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0035 | 114.00 | **136.80** |




**Corner TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0036 | 114.00 | **136.80** |




**Corner TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0037 | 114.00 | **136.80** |

**FEATURES**

- Approved to EN 1074-2:2000
- All valves are 15mm models
- Produced to GB/T 19001-2016 and ISO 9001:2015
- Not bi-directional, TRV head must be fitted to flow side.
- 2 Year warranty*

*With conditions

# Thermostatic Valves

## STRAIGHT TRV




**Straight TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.050 | 10.00 | **12.00** |


While Stocks Last.




**Straight TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3038 | 19.00 | **22.80** |

While Stocks Last.




**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.048 | 44.00 | **52.80** |




**15mm TRV & Lockshield - Chrome**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.043 | 54.00 | **64.80** |




**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.033 | 60.00 | **72.00** |




**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3035 | 69.00 | **82.80** |




**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3020 | 50.00 | **60.00** |




**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3026 | 60.00 | **72.00** |




**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3028 | 60.00 | **72.00** |




**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3021 | 50.00 | **60.00** |




**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3022 | 50.00 | **60.00** |

**FEATURES (STRAIGHT)**

- 15mm straight models
- Approved to EN215
- Produced to ISO 9001: - 2008
- Energy saving - lower fuel bills
- Controls individual radiators to allow varying comfort levels throughout the home
- Reversible tail piece facilitates vertical or horizontal installation
- 2 Year warranty with conditions

**TECHNICAL INFORMATION**

(Same as Thermostatic Angled version)

**All straight TRV's are BI-DIRECTIONAL**

# Thermostatic Valves

## ANGLED TRV




While Stocks Last

Chrome/White

**Angled TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3039 | 19.00 | **22.80** |


While Stocks Last.



Chrome/White

**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.047 | 44.00 | **52.80** |



Chrome

**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.041 | 54.00 | **64.80** |



Brushed Nickel

**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.031 | 60.00 | **72.00** |



Brushed Brass

**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3036 | 69.00 | **82.80** |



Matt White

**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3023 | 47.00 | **56.40** |



Matt Grey

**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3027 | 56.00 | **67.20** |



Matt Cappuccino

**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3029 | 56.00 | **67.20** |



Matt Anthracite

**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3024 | 47.00 | **56.40** |



Matt Black

**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3025 | 47.00 | **56.40** |

**FEATURES (ANGLED)**

- 15mm straight models
- Approved to EN215
- Produced to ISO 9001: - 2008
- Energy saving - lower fuel bills
- Controls individual radiators to allow varying comfort levels throughout the home
- Reversible tail piece facilitates vertical or horizontal installation
- Luxury gloss white/chrome, matt white, matt grey, matt cappuccino, matt black, brushed nickel, brushed brass and chrome finishes
- 2 Year warranty with conditions

**TECHNICAL INFORMATION**

On all TRV's, due to different materials used, there can be a slight difference between the parts colours. The numbers on the TRV heads do not represent specific room temperatures as the temperature at which the valve operates depends on the water temperature flowing through the radiator, airflow around the head of the TRV, the room size and any heat loss in that space through walls, windows and floors.

**All angled TRV's are BI-DIRECTIONAL**

# Thermostatic Valves

## CORNER TRV



Chrome/White

**Corner TRV with Lockshield 15mm (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3040 | 27.00 | **32.40** |

While Stocks Last.



Chrome/White

**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.049 | 44.00 | **52.80** |



Chrome

**15mm TRV & Lockshield - Chrome**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.045 | 54.00 | **64.80** |



Brushed Nickel

**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.061 | 62.00 | **74.40** |



Brushed Brass

**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3037 | 80.00 | **96.00** |



Matt White

**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.053 | 76.00 | **91.20** |



Matt Grey

**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.054 | 76.00 | **91.20** |



Matt Cappuccino

**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.055 | 80.00 | **96.00** |



Matt Anthracite

**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.056 | 76.00 | **91.20** |



Matt Black

**15mm TRV & Lockshield**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.057 | 76.00 | **91.20** |

**FEATURES (STRAIGHT)**

- 15mm straight models
- Approved to EN215
- Produced to ISO 9001: - 2008
- Energy saving - lower fuel bills
- Controls individual radiators to allow varying comfort levels throughout the home
- Reversible tail piece facilitates vertical or horizontal installation
- Luxury gloss white/chrome, matt white, matt grey, matt cappuccino, matt black, brushed nickel, brushed brass and chrome finishes
- 2 Year warranty with conditions

**TECHNICAL INFORMATION**

On all TRV's, due to different materials used, there can be a slight difference between the parts colours. The numbers on the TRV heads do not represent specific room temperatures as the temperature at which the valve operates depends on the water temperature flowing through the radiator, airflow around the head of the TRV, the room size and any heat loss in that space through walls, windows and floors.

**The Corner TRV can only be fitted RH if fitting on bottom connection or LH if fitting on side connection.**

# Thermostatic Valves

## BLACK GOLD TRV





15mm TRV & Lockshield - Straight

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.075 | 69.00 | **82.80** |



15mm TRV & Lockshield - Angled


| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.076 | 69.00 | **82.80** |



15mm TRV & Lockshield - Corner

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.077 | 80.00 | **96.00** |

## BRUSHED GUNMETAL TRV





15mm TRV & Lockshield - Straight

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.078 | 69.00 | **82.80** |



15mm TRV & Lockshield - Angled

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.079 | 69.00 | **82.80** |




15mm TRV & Lockshield - Corner

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.080 | 80.00 | **96.00** |

• NEW PRODUCT HERE •

# Manual Valves

## BLACK GOLD MANUAL VALVES





**Radiator Valve (Pair) - Straight**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.069 | 49.00 | **58.80** |



**Radiator Valve (Pair) - Angled**


| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.070 | 51.00 | **61.20** |



**Radiator Valve (Pair) - Corner**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.071 | 54.00 | **64.80** |

## BRUSHED GUNMETAL MANUAL VALVES





**Radiator Valve (Pair) - Straight**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.072 | 49.00 | **58.80** |



**Radiator Valve (Pair) - Angled**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.073 | 51.00 | **61.20** |



**Radiator Valve (Pair) - Corner**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.074 | 54.00 | **64.80** |

# Manual Valves

## ROUND STRAIGHT MANUAL VALVES



Chrome

**Straight Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0038 | 35.00 | **42.00** |



Brushed Nickel

**Straight Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0068 | 44.00 | **52.80** |



Brushed Brass

**Straight Radiator Valves (pair)**


| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0042 | 41.00 | **49.20** |



Matt White

**Straight Radiator Valves (pair)**


| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0039 | 39.00 | **46.80** |



Matt Anthracite

**Straight Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0040 | 39.00 | **46.80** |



Matt Black

**Straight Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0041 | 39.00 | **46.80** |

## ROUND ANGLED MANUAL VALVES



Chrome

**Angled Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0043 | 34.00 | **40.80** |



Chrome

**Angled Crosshead Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0025 | 46.00 | **55.20** |



Brushed Nickel

**Angled Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0069 | 45.00 | **54.00** |



Brushed Brass

**Angled Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0047 | 39.00 | **46.80** |



Matt White

**Angled Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0044 | 38.00 | **45.60** |



Matt Anthracite

**Angled Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0045 | 38.00 | **45.60** |

# Manual Valves

## ROUND ANGLED VALVES



Matt Black

**Angled Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0046 | 38.00 | **45.60** |



Brushed Brass

**Corner Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0052 | 49.00 | **58.80** |



Matt Black

**Corner Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0051 | 47.00 | **56.40** |



While Stocks Last

Brushed Nickel

**Square Straight Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.039 | 27.00 | **32.40** |

## ROUND CORNER MANUAL VALVES



Chrome

**Corner Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0048 | 42.00 | **50.40** |



Brushed Nickel

**Corner Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0070 | 51.00 | **61.20** |



Matt White

**Corner Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0049 | 47.00 | **56.40** |



Matt Anthracite

**Corner Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0050 | 47.00 | **56.40** |

## SQUARE STRAIGHT MANUAL VALVES



Chrome

**Square Straight Radiator Valves (pair)**


| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3002 | 73.00 | **87.60** |



Chrome

**Square Straight Radiator Valves (pair)**


| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0053 | 66.00 | **79.20** |



Matt White

**Square Straight Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0054 | 70.00 | **84.00** |




Matt Anthracite

**Square Straight Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0055 | 70.00 | **84.00** |

# Manual Valves

## SQUARE STRAIGHT VALVES



Matt Black

**Square Straight Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0056 | 70.00 | **84.00** |

## SQUARE ANGLED VALVES



Chrome

**Square Angled Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3001 | 70.00 | **84.00** |



Chrome

**Square Angled Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0057 | 66.00 | **79.20** |




While Stocks Last

Brushed Nickel

**Square Angled Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.037 | 27.00 | **32.40** |



Matt White

**Square Angled Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0058 | 70.00 | **84.00** |



Matt Anthracite

**Square Angled Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0059 | 70.00 | **84.00** |




Matt Black

**Square Angled Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0060 | 70.00 | **84.00** |

## SQUARE CORNER VALVES



Chrome

**Square Corner Radiator Valves (pair)**


| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0061 | 67.00 | **80.40** |



Matt White

**Square Corner Radiator Valves (pair)**


| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0062 | 71.00 | **85.20** |



Matt Anthracite

**Square Corner Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0063 | 71.00 | **85.20** |



Matt Black

**Square Corner Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0064 | 71.00 | **85.20** |

**FEATURES**

- 15mm compression fittings
- Approved to EN215
- Produced to ISO 9001:2008
- Solid brass construction
- Compatible with radiators & towel rails
- Standard 1/2" BSP threads
- Comes in pair
- 2 Year Warranty*

*With conditions

**Pipe Shrouds & Collar Kits**

Page 367



# Manual Valves

## ROUND STRAIGHT VALVES



Chrome

**Round Straight Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3005 | 45.00 | **54.00** |



Chrome

**Round Straight Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3008 | 46.00 | **55.20** |



Brushed Nickel

**Round Straight Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.016 | 52.00 | **62.40** |



Brushed Brass

**Round Straight Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.0609 | 49.00 | **58.80** |



Matt White

**Round Straight Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3013 | 46.00 | **55.20** |



Matt Anthracite

**Round Straight Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3016 | 45.00 | **54.00** |



Matt Black

**Round Straight Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3014 | 46.00 | **55.20** |

## ROUND ANGLED VALVES



Chrome

**Round Angled Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3004 | 44.00 | **52.80** |



Chrome

**Round Angled Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3007 | 47.00 | **56.40** |



Brushed Nickel

**Round Angled Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.017 | 54.00 | **64.80** |



Brushed Brass

**Round Angled Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.0610 | 51.00 | **61.20** |

**FEATURES**
- 15mm compression fittings
- Approved to EN215
- Produced to ISO 9001:2008
- Solid brass construction
- Compatible with radiators & towel rails
- Standard 1/2" BSP threads
- Comes in pair
- 2 Year Warranty*

*With conditions

**Pipe Shrouds & Collar Kits**
Page 367



# Manual Valves

## ROUND ANGLED VALVES



Matt White

**Round Angled Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3011 | 45.00 | **54.00** |



Matt Anthracite

**Round Angled Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3015 | 46.00 | **55.20** |



Matt Black

**Round Angled Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3012 | 45.00 | **54.00** |

## ROUND CORNER VALVES



Chrome

**Round Corner Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3006 | 50.00 | **60.00** |



Brushed Nickel

**Round Corner Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.018 | 57.00 | **68.40** |



Brushed Brass

**Round Corner Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.0611 | 54.00 | **64.80** |



Matt White

**Round Corner Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3017 | 52.00 | **62.40** |



Matt Anthracite

**Round Corner Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3018 | 52.00 | **62.40** |



Matt Black

**Round Corner Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3019 | 52.00 | **62.40** |

## SQUARE MANUAL VALVES



Chrome

**Straight Square Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.038 | 97.00 | **116.40** |



Chrome

**Angled Square Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.036 | 107.00 | **128.40** |




Chrome

**Corner Square Radiator Valves (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3010 | 90.00 | **108.00** |

# Traditional Manual Valves

## TRADITIONAL VALVES



**Angled Traditional Valves with Tails (pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0001 | 54.00 | **64.80** |



Chrome

## TRADITIONAL MANUAL VALVES



**Pair of Radiator Valves + Tails Chrome**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.3009 | 79.00 | **94.80** |



**Pair of Radiator Valves + Tails Gloss White**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.0729 | 77.00 | **92.40** |



**Pair of Radiator Valves + Tails Matt Anthracite**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.0730 | 77.00 | **92.40** |



**Pair of Radiator Valves + Tails Matt Black**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.0731 | 77.00 | **92.40** |



**Pair of Radiator Valves + Tails Brushed Brass**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.0710 | 89.00 | **106.80** |

**TRADITIONAL VALVE SHROUDS FEATURES**
- Material : High Quality Brass
- Shroud length : 150mm, can be cut to desired length

## Drain Off Valve

**Drain Off Valve**

| Description | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 15mm Lockshield with Drain Valve | Chrome | 12.052 | 15.00 | **18.00** |


**FEATURES**
- Can be used to drain off radiators.
- Chrome plated brass body, comes with white cover cap.

12.052



# Dual Fuel Valves

## CORNER DUAL FUEL TRV



Chrome

**Dual Fuel TRV & Lockshield Valve 15mm**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.058 | 78.00 | **93.60** |



Brushed Brass

**Dual Fuel TRV & Lockshield Valve 15mm**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 41.0608 | 81.00 | **97.20** |



Matt White

**Dual Fuel TRV & Lockshield Valve 15mm**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0026 | 74.00 | **88.80** |



Matt Anthracite

**Dual Fuel TRV & Lockshield Valve 15mm**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0027 | 74.00 | **88.80** |



Matt Black

**Dual Fuel TRV & Lockshield Valve 15mm**


| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 54.0028 | 74.00 | **88.80** |



**FEATURES**
- Approved to EN215
- Produced to ISO 9001:2008
- Integrated T Piece
- Only fitted with Type A, A+ & B Elements
- Element entry inlet only on flow side
- Brass construction
- 2 Year Warranty*

*With conditions

## CORNER DUAL FUEL MANUAL VALVES



Chrome

**Corner Manual Dual Fuel Radiator Valves (Pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.062 | 71.00 | **85.20** |



Brushed Brass

**Corner Manual Dual Fuel Radiator Valves (Pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.063 | 73.00 | **87.60** |



Matt White

**Corner Manual Dual Fuel Radiator Valves (Pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.064 | 65.00 | **78.00** |



Matt Anthracite

**Corner Manual Dual Fuel Radiator Valves (Pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.065 | 65.00 | **78.00** |



Matt Black

**Corner Manual Dual Fuel Radiator Valves (Pair)**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 12.066 | 65.00 | **78.00** |



**FEATURES**
- Approved to EN215
- Produced to ISO 9001:2008
- Integrated T Piece
- Only fitted with Type A, A+ & B Elements
- Element entry inlets from both sides
- Brass construction
- 2 Year Warranty*

*With conditions

# Accessories

## Multi-Rail Towel Hangers

Must be fitted before installation.



**Multi-Rail Hanger - Gloss White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 300mm | 101.0010 | 46.00 | **55.20** |
| 400mm | 101.0012 | 47.00 | **56.40** |
| 450mm | 101.0016 | 52.00 | **62.40** |
| 500mm | 101.0018 | 54.00 | **64.80** |
| 600mm | 101.0022 | 60.00 | **72.00** |
| 750mm | 101.0026 | 63.00 | **75.60** |



**Multi-Rail Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 300mm | 101.0011 | 62.00 | **74.40** |
| 400mm | 101.0015 | 63.00 | **75.60** |
| 450mm | 101.0017 | 70.00 | **84.00** |
| 500mm | 101.0021 | 78.00 | **93.60** |
| 600mm | 101.0025 | 83.00 | **99.60** |
| 750mm | 101.0027 | 88.00 | **105.60** |






**Multi-Rail Hanger - Matt Anthracite**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 400mm | 101.0014 | 47.00 | **56.40** |
| 500mm | 101.0020 | 54.00 | **64.80** |
| 600mm | 101.0024 | 60.00 | **72.00** |



**Multi-Rail Hanger - Matt White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 400mm | 101.0013 | 47.00 | **56.40** |
| 500mm | 101.0019 | 54.00 | **64.80** |
| 600mm | 101.0023 | 60.00 | **72.00** |



**Multi-Rail Hanger - Matt Grey**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 400mm | 101.0111 | 47.00 | **56.40** |
| 500mm | 101.0112 | 54.00 | **64.80** |
| 600mm | 101.0113 | 60.00 | **72.00** |




**Multi-Rail Hanger - Matt Black**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 400mm | 101.0061 | 47.00 | **56.40** |
| 500mm | 101.0062 | 54.00 | **64.80** |
| 600mm | 101.0063 | 60.00 | **72.00** |

**Compatible Radiators**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| Wendover Straights | **All Models** | Wingrave Straights | **All Models** | Biava Dry Elements | **All Models** | Westwards | **All Models** |
| Biava Tube on Tube | **All Models** | Biava Multi-Rail | **All Models** | Biava Multirail Hidden Vent | **All Models** | | |

## Rivassa & Imperia - Towel Hangers




Towel hanger comes in three unassembled pieces. Please cut 600mm bar to required column-to-column length.

**Rivassa Towel Hanger**

| Size | Colour | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|---|
| 600mm | Chrome | 16.158 | 121.00 | **145.20** |
| 600mm | White | 16.157 | 84.00 | **100.80** |


Can be fitted after installation!

## Rivassa & Imperia - Robe Hooks



**Robe Hook- Chrome**

| Details | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Single Hook | 16.006 | 20.00 | **24.00** |




**Robe Hook- White**

| Details | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Single Hook | 16.005 | 17.00 | **20.40** |


Can be fitted after installation!

## Towel Rail - Towel Hangers



**Towel Hanger - Chrome**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 210mm | 16.002 | 67.00 | **80.40** |
| 310mm | 16.004 | 68.00 | **81.60** |
| 360mm | 16.352 | 70.00 | **84.00** |
| 470mm | 16.350 | 72.00 | **86.40** |
| 600mm | 16.351 | 74.00 | **88.80** |



**Towel Hanger - White**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 210mm | 16.001 | 50.00 | **60.00** |
| 310mm | 16.003 | 53.00 | **63.60** |
| 360mm | 16.152 | 56.00 | **67.20** |
| 470mm | 16.150 | 60.00 | **72.00** |
| 600mm | 16.151 | 62.00 | **74.40** |

Can be fitted after installation! Cannot be cut down.

## Towel Rail - Robe Hooks



**Robe Hook- Chrome**

| Details | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Hook Pair | 16.500 | 45.00 | **54.00** |



**Robe Hook- White**

| Details | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Hook Pair | 16.600 | 37.00 | **44.40** |

Can be fitted after installation!

## Pipe Shrouds and Collar Kits (Slide On)

| Pipe Shrouds and Collar Kits - Slide On | | | |
|---|---|---|---|
| Description | Code | £ Ex VAT | £ Inc VAT |
| 15mm Pipe Shroud & Collar Kit Gloss White | 41.0597 | 23.00 | **27.60** |
| 15mm Pipe Shroud & Collar Kit Matt White | 41.0598 | 23.00 | **27.60** |
| 15mm Pipe Shroud & Collar Kit Matt Grey | 41.0599 | 23.00 | **27.60** |
| 15mm Pipe Shroud & Collar Kit Matt Cappuccino | 41.0600 | 23.00 | **27.60** |
| 15mm Pipe Shroud & Collar Kit Matt Anthracite | 41.0601 | 23.00 | **27.60** |
| 15mm Pipe Shroud & Collar Kit Matt Black | 41.0602 | 23.00 | **27.60** |
| 15mm Pipe Shroud & Collar Kit Chrome | 41.0603 | 21.00 | **25.20** |
| 15mm Pipe Shroud & Collar Kit Brushed Brass | 41.0604 | 29.00 | **34.80** |
| 15mm Pipe Shroud & Collar Kit Satin Nickel | 41.0605 | 29.00 | **34.80** |
| 15mm Pipe Shroud & Collar Kit Black Gold | 41.0988 | 29.00 | **34.80** |
| 15mm Pipe Shroud & Collar Kit Brushed Gunmetal | 41.0989 | 29.00 | **34.80** |

**FEATURES**
- Manufactured from high quality brass
- Suitable for 15mm pipes, must be fitted together with radiator installation
- Each kit includes two pipe shrouds and two collars
- Shroud length 200mm., can be cut to desired length




## Pipe Shrouds and Collar Kits (Clip On)













| Pipe Shrouds and Collar Kits - Clip On | | | |
|---|---|---|---|
| Description | Code | £ Ex VAT | £ Inc VAT |
| 15mm Pipe Shroud & Collar Kit White | 92.0001 | 14.00 | **16.80** |
| 15mm Pipe Shroud & Collar Kit Chrome | 92.0002 | 21.00 | **25.20** |
| 15mm Pipe Shroud & Collar Kit Anthracite | 92.0003 | 15.00 | **18.00** |
| 15mm Pipe Shroud & Collar Kit Black | 92.0004 | 15.00 | **18.00** |

**FEATURES**
- Manufactured from high grade polypropylene
- Suitable for 15mm pipes, easy-fit after radiator installation
- Available in white, anthracite, black and chrome
- Each kit includes two pipe shrouds and two collars
- Shroud length 200mm., can be cut to desired length
- Easy push-fit installation







## Towel Rail Toilet Paper Holder



**Toilet Paper Holder - White**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 16.155 | 95.00 | **114.00** |




**Toilet Paper Holder - Chrome**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 16.156 | 103.00 | **123.60** |

| Compatible Radiators | | | |
|---|---|---|---|
| Wendover | **All Models** | Wingrave | **All Models** |
| Biava Tube on Tube | **All Models** | Biava Multi-Rail | **All Models** |
| Biava Dry Elements | **All Models** | Westward | **All Models** |

## Towel Rail Room Divider Bracket Sets



**Room Divider Bracket Set - White**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 16.153 | 160.00 | **192.00** |



**Room Divider Bracket Set - Chrome**

| Code | £ Ex VAT | £ Inc VAT |
|---|---|---|
| 16.154 | 225.00 | **270.00** |

| Compatible Radiators | | | |
|---|---|---|---|
| Wendover Straight | **All Colours** | Wingrave Straight | **All Colours** |
| Westward | **All Colours** | Biava Multi-Rail Straight | **All Colours** |
| Biava Dry Element | **All Colours** | **Corinium Round** | **All Colours** |

# Accessories

## Multi-Purpose Towel Hangers




**Towel Hanger - Matt White - Left / Right**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 300mm | 89.0882L/89.0882R | 128.00 | **153.60** |
| 400mm | 89.0883L/89.0883R | 131.00 | **157.20** |
| 500mm | 89.0884L/89.0884R | 134.00 | **160.80** |



**Towel Hanger - Matt Grey - Left / Right**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 300mm | 89.0885L/89.0885R | 128.00 | **153.60** |
| 400mm | 89.0886L/89.0886R | 131.00 | **157.20** |
| 500mm | 89.0887L/89.0887R | 134.00 | **160.80** |



**Towel Hanger - Matt Cappuccino - Left / Right**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 300mm | 89.0888L/89.0888R | 128.00 | **153.60** |
| 400mm | 89.0889L/89.0889R | 131.00 | **157.20** |
| 500mm | 89.0890L/89.0890R | 134.00 | **160.80** |



**Towel Hanger - Matt Anthracite - Left / Right**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 300mm | 89.0891L/89.0891R | 128.00 | **153.60** |
| 400mm | 89.0892L/89.0892R | 131.00 | **157.20** |
| 500mm | 89.0893L/89.0893R | 134.00 | **160.80** |



**Towel Hanger - Matt Black - Left / Right**

| Size | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| 300mm | 89.0894L/89.0894R | 128.00 | **153.60** |
| 400mm | 89.0895L/89.0895R | 131.00 | **157.20** |
| 500mm | 89.0896L/89.0896R | 134.00 | **160.80** |


### TECHNICAL INFORMATION

Please check the technical drawing to see all the required measurements. Multi-Purpose Towel Hangers can only be fitted on the wall. Only vertical radiators have been used in the compatibility chart.


Left Hand Towel Hangers : When fitted on the wall and looking from front, shelf is on the left and towel can be hung from the right.

Right Hand Towel Hangers : When fitted on the wall and looking from front, shelf is on the right and towel can be hung from the left.

**Can be fitted after installation!**




L : Left Hand Towel Hanger




R : Right Hand Towel Hanger

### MULTI-PURPOSE TOWEL HANGER COMPATIBILITY CHART

| Radiator Model | Radiator Width (mm) | | | | Towel Hanger length A (mm) | | | | Shelf Width (mm) | Shelf Depth (mm) | Towel hanger to wall distance (mm) | Radiator's Front to Wall Distance D (mm) | Towel Hanging Distance B (mm) | Distance from Radiator to Towel Shelf C (mm) | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1.) | 2.) | 3.) | 4.) | 1.) | 2.) | 3.) | 4.) | | | | | | 1.) | 2.) | 3.) | 4.) |
| RUBANO | 383 | | | | 500 | | | | 250 | 160 | 160 | 114 | 46 | 117 | | | |
| ROWSHAM | 300 | 380 | | | 400 | 500 | | | 250 | 160 | 160 | 110 | 50 | 100 | 120 | | |
| TUNSTALL | 280 | 420 | | | 400 | 500 | | | 250 | 160 | 160 | 93 | 67 | 120 | 80 | | |
| TUNSTALL DOUBLE | 280 | 420 | | | 400 | 500 | | | 250 | 160 | 160 | 104 | 56 | 120 | 80 | | |
| ADDINGTON TYPE10 | 292 | 366 | 440 | | 400 | 400 | 500 | | 250 | 160 | 160 | 70 | 90 | 108 | 34 | 60 | |
| DEDDINGTON | 310 | 470 | | | 400 | 500 | | | 250 | 160 | 160 | 100 | 60 | 90 | 30 | | |
| ADDINGTON TYPE20 | 366 | 440 | | | 400 | 500 | | | 250 | 160 | 160 | 93 | 67 | 34 | 60 | | |
| ADDINGTON ALUMINIUM TYPE10 | 292 | 366 | 440 | | 400 | 400 | 500 | | 250 | 160 | 160 | 76.5 | 83.5 | 108 | 34 | 60 | |
| ADDINGTON ALUMINIUM TYPE20 | 366 | 440 | | | 400 | 500 | | | 250 | 160 | 160 | 96.5 | 63.5 | 34 | 60 | | |
| ROSANO | 280 | 375 | 470 | | 300 | 400 | 500 | | 250 | 160 | 160 | 70/90 | 90/70 | 20 | 25 | 30 | |
| PERETTI | 280 | 375 | 470 | | 300 | 400 | 500 | | 250 | 160 | 160 | 70/90 | 90/70 | 20 | 25 | 30 | |
| SANDHURST | 275 | 415 | 485 | | 300 | 500 | 500 | | 250 | 160 | 160 | 105 | 55 | 25 | 85 | 15 | |
| TORDINO | 280 | 375 | 470 | | 300 | 400 | 500 | | 250 | 160 | 160 | 80/100 | 80/60 | 20 | 25 | 30 | |
| GUARDIA / Flat Side | 280 | 375 | 470 | | 300 | 400 | 500 | | 250 | 160 | 160 | 100 | 60 | 20 | 25 | 30 | |
| GUARDIA / Curved Side | 280 | 375 | 470 | | 300 | 400 | 500 | | 250 | 160 | 160 | 110 | 50 | 20 | 25 | 30 | |
| HADLEIGH | 275 | 415 | 485 | | 300 | 500 | 500 | | 250 | 160 | 160 | 98 | 62 | 25 | 85 | 15 | |
| VESIMA | 303 | 403 | | | 400 | 500 | | | 250 | 160 | 160 | 85/105 | 75/55 | 97 | 97 | | |
| PRESTON | 185 | | | | 300 | | | | 250 | 160 | 160 | 71/91 | 89/69 | 115 | | | |
| BERLINI | 185 | | | | 300 | | | | 250 | 160 | 160 | 70/90 | 90/70 | 115 | | | |
| CHARLTON | 280 | 375 | 470 | | 300 | 400 | 500 | | 250 | 160 | 160 | 71/91 | 89/69 | 20 | 25 | 30 | |
| WITHINGTON | 280 | 375 | 470 | | 300 | 400 | 500 | | 250 | 160 | 160 | 71/91 | 89/69 | 20 | 25 | 30 | |
| MALMESBURY | 185 | 280 | 375 | 470 | 300 | 300 | 400 | 500 | 250 | 160 | 160 | 79/99 | 81/61 | 115 | 20 | 25 | 30 |
| FAIRFORD | 375 | | | | 400 | | | | 250 | 160 | 160 | 81/101 | 79/59 | 25 | | | |
| BURFORD | 275 | 345 | 415 | 485 | 300 | 400 | 500 | 500 | 250 | 160 | 160 | 108/128 | 52/32 | 25 | 55 | 85 | 15 |
| KELMSCOTT | 275 | 345 | 415 | 485 | 300 | 400 | 500 | 500 | 250 | 160 | 160 | 83/103 | 77/57 | 25 | 55 | 85 | 15 |

# Accessories

## Round Vent Caps



**Round Vent Caps - White**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Round Vent Cap (pair) | 101.0001 | 17.00 | **20.40** |



**Round Vent Caps - Grey**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Round Vent Cap (pair) | 101.0002 | 17.00 | **20.40** |



**Round Vent Caps - Cappuccino**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Round Vent Cap (pair) | 101.0003 | 17.00 | **20.40** |



**Round Vent Caps - Anthracite**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Round Vent Cap (pair) | 101.0004 | 17.00 | **20.40** |



**Round Vent Caps - Black**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Round Vent Cap (pair) | 101.0005 | 17.00 | **20.40** |



**Round Vent Caps - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| Round Vent Cap (pair) | 101.0006 | 17.00 | **20.40** |

**Compatible Radiators**

| | | | | |
|---|---|---|---|---|
| Wingrave | Biava Square | Marlow E-Style | Deddington Towel Rail | Fairford |
| Wendover | Leonardo | Rubano | Addington Type21 | Burford |
| Tuscan | Hurley | Rowsham | Addington Type22 | Kelmscott |
| Biava Multirail | Helmsley | Tunstall | Addington Type20 Towel Rail | Witney |
| Biava Multirail HV | Staverton Tube on Tube Straight | Tunstall Double | Addington Type21 Towel Rail | Rivassa 2 Column |
| Westward | Staverton | Tunstall Mirror | Berkeley | Rivassa 3 Column |
| Biava Round | Staverton Tube on Tube Curved | Addington Type10 | Preston | Rivassa 4 Column |
| Biava Tube on Tube | Mezzo Tondo | Addington Type20 | Charlton | Imperia 2 Column |
| Launton | Pesaro | Deddington | Withington | Imperia 3 Column |
| Haddenham | Marlow | Addington Type10 Towel Rail | Malmesbury | Corinium Round |
| Tuscan Round | Tuscan Square | Tordino | Platani | Reinbach |
| Murano | Lambourne | Tuscan Square Multirail | Corinium Round | Tuscan Round |

## D-Shape Vent Caps



**D-Shape Vent Caps - White**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| D-Shape Vent Cap (pair) | 101.0007 | 19.00 | **22.80** |



**D-Shape Vent Caps - Anthracite**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| D-Shape Vent Cap (pair) | 101.0008 | 19.00 | **22.80** |



**D-Shape Vent Caps - Grey**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| D-Shape Vent Cap (pair) | 101.0114 | 19.00 | **22.80** |



**D-Shape Vent Caps - Chrome**

| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| D-Shape Vent Cap (pair) | 101.0009 | 19.00 | **22.80** |



**D-Shape Vent Caps - Black**


| Description | Code | £ Ex VAT | £ Inc VAT |
|---|---|---|---|
| D-Shape Vent Cap (pair) | 101.0060 | 19.00 | **22.80** |



With Vent Caps 101.0009

**Compatible Radiators**

| | | | | |
|---|---|---|---|---|
| Wingrave | Westwood | Defford | Santero | Rion Multirail |




# Technical Section

In this section you'll find the technical specifications for every single model / size within the Radiator Collection brochure.

Jump quickly from the model page, to the relevant technical page by using the 'Technical Table & Drawings' boxes.

Example:

**Technical Tables & Drawings**
Page 00-00



| Technical Section Contents | |
|---|---|
| The Multirail Range | 372-383 |
| The Dry Element Range | 382-385 |
| The Stainless Steel Range | 384-389 |
| The Designer Range | 388-417 |
| The Aluminium Range | 416-437 |
| The Traditional Range | 436-449 |

# Technical Tables & Drawings

## WENDOVER - THE MULTIRAIL RANGE

### Wendover - Straight

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 360 | 400 | 350 | 75-95 | 90-110 | 7 | 1.36 | 2.38 | Coloured | 80 | 147 | 150W | A,A+,B | Chrome | 54 | 104 | 150W | B |
| 600 | 300 | 250 | 75-95 | 90-110 | 10 | 1.81 | 3.08 | Coloured | 98 | 182 | 100W | A,A+,B,D,E,F,G | Chrome | 67 | 128 | 100W | A,A+,B,D,E,F,G |
| 600 | 400 | 350 | 75-95 | 90-110 | 10 | 2.13 | 3.55 | Coloured | 120 | 220 | 150W | A,A+,B,D,E,F,G | Chrome | 83 | 156 | 100W | A,A+,B,D,E,F,G |
| 600 | 500 | 450 | 75-95 | 90-110 | 10 | 2.45 | 4.01 | Coloured | 141 | 260 | 150W | A,A+,B,D,E,F,G | Chrome | 98 | 185 | 100W | A,A+,B,D,E,F,G |
| 600 | 600 | 550 | 75-95 | 90-110 | 10 | 2.77 | 4.48 | Coloured | 163 | 299 | 150W | A,A+,B,D,E,F,G | Chrome | 113 | 213 | 150W | A,A+,B,D,E,F,G |
| 600 | 750 | 700 | 75-95 | 90-110 | 10 | 3.25 | 5.18 | Coloured | 193 | 361 | 150W | A,A+,B,D,E,F,G | Chrome | 134 | 258 | 150W | A,A+,B,D,E,F,G |
| 600 | 1000 | 950 | 75-95 | 90-110 | 10 | 4.05 | 6.35 | Coloured | 248 | 460 | 300W | A,A+,B,D,E,F,G | Chrome | 173 | 327 | 150W | A,A+,B,D,E,F,G |
| 600 | 1200 | 1150 | 75-95 | 90-110 | 10 | 4.69 | 7.28 | Coloured | 291 | 541 | 300W | A,A+,B,D,E,F,G | Chrome | 212 | 392 | 150W | A,A+,B,D,E,F,G |
| 800 | 300 | 250 | 75-95 | 90-110 | 14 | 2.46 | 4.04 | Coloured | 99 | 181 | 150W | A,A+,B,D,E,F,G | Chrome | 73 | 139 | 100W | A,A+,B,D,E,F,G |
| 800 | 400 | 350 | 75-95 | 90-110 | 14 | 2.91 | 4.69 | Coloured | 152 | 281 | 150W | A,A+,B,D,E,F,G | Chrome | 91 | 173 | 150W | A,A+,B,D,E,F,G |
| 800 | 500 | 450 | 75-95 | 90-110 | 14 | 3.36 | 5.34 | Coloured | 180 | 332 | 150W | A,A+,B,D,E,F,G | Chrome | 109 | 208 | 150W | A,A+,B,D,E,F,G |
| 800 | 600 | 550 | 75-95 | 90-110 | 14 | 3.80 | 6.00 | Coloured | 204 | 386 | 150W | A,A+,B,D,E,F,G | Chrome | 124 | 238 | 150W | A,A+,B,D,E,F,G |
| 800 | 750 | 700 | 75-95 | 90-110 | 14 | 4.48 | 6.98 | Coloured | 250 | 461 | 300W | A,A+,B,D,E,F,G | Chrome | 173 | 327 | 150W | A,A+,B,D,E,F,G |
| 1000 | 300 | 250 | 75-95 | 90-110 | 16 | 2.97 | 4.78 | Coloured | 149 | 277 | 150W | A,A+,B,D,E,F,G | Chrome | 103 | 198 | 150W | A,A+,B,D,E,F,G |
| 1000 | 400 | 350 | 75-95 | 90-110 | 16 | 3.48 | 5.53 | Coloured | 184 | 343 | 150W | A,A+,B,D,E,F,G | Chrome | 113 | 216 | 150W | A,A+,B,D,E,F,G |
| 1000 | 500 | 450 | 75-95 | 90-110 | 16 | 3.99 | 6.27 | Coloured | 219 | 408 | 150W | A,A+,B,D,E,F,G | Chrome | 132 | 256 | 150W | A,A+,B,D,E,F,G |
| 1000 | 600 | 550 | 75-95 | 90-110 | 16 | 4.51 | 7.02 | Coloured | 254 | 472 | 300W | A,A+,B,D,E,F,G | Chrome | 154 | 298 | 150W | A,A+,B,D,E,F,G |
| 1000 | 750 | 700 | 75-95 | 90-110 | 16 | 5.28 | 8.14 | Coloured | 303 | 565 | 300W | A,A+,B,D,E,F,G | Chrome | 208 | 396 | 300W | A,A+,B,D,E,F,G |
| 1200 | 300 | 250 | 75-95 | 90-110 | 20 | 3.62 | 5.73 | Coloured | 176 | 331 | 150W | A,A+,B,D,E,F,G | Chrome | 109 | 210 | 150W | A,A+,B,D,E,F,G |
| 1200 | 400 | 350 | 75-95 | 90-110 | 20 | 4.26 | 6.67 | Coloured | 218 | 409 | 300W | A,A+,B,D,E,F,G | Chrome | 136 | 262 | 150W | A,A+,B,D,E,F,G |
| 1200 | 500 | 450 | 75-95 | 90-110 | 20 | 4.90 | 7.60 | Coloured | 264 | 497 | 300W | A,A+,B,D,E,F,G | Chrome | 161 | 311 | 150W | A,A+,B,D,E,F,G |
| 1200 | 600 | 550 | 75-95 | 90-110 | 20 | 5.54 | 8.54 | Coloured | 294* | 560* | 300W | A,A+,B,D,E,F,G | Chrome | 205* | 393* | 300W | A,A+,B,D,E,F,G |
| 1200 | 750 | 700 | 75-95 | 90-110 | 20 | 6.50 | 9.94 | Coloured | 363 | 680 | 450W | A,A+,B,D,E,F,G | Chrome | 247 | 473 | 300W | A,A+,B,D,E,F,G |
| 1400 | 300 | 250 | 75-95 | 90-110 | 22 | 4.09 | 5.87 | Coloured | 194 | 371 | 150W | A,A+,B,D,E,F,G | Chrome | 128 | 249 | 150W | A,A+,B,D,E,F,G |
| 1400 | 400 | 350 | 75-95 | 90-110 | 22 | 4.50 | 7.41 | Coloured | 245 | 467 | 300W | A,A+,B,D,E,F,G | Chrome | 160 | 311 | 150W | A,A+,B,D,E,F,G |
| 1400 | 500 | 450 | 75-95 | 90-110 | 22 | 5.50 | 9.10 | Coloured | 293 | 560 | 300W | A,A+,B,D,E,F,G | Chrome | 190 | 369 | 150W | A,A+,B,D,E,F,G |
| 1400 | 600 | 550 | 75-95 | 90-110 | 22 | 6.20 | 10.10 | Coloured | 340 | 649 | 300W | A,A+,B,D,E,F,G | Chrome | 219 | 424 | 300W | A,A+,B,D,E,F,G |
| 1400 | 750 | 700 | 75-95 | 90-110 | 22 | 7.20 | 12.30 | Coloured | 407 | 778 | 450W | A,A+,B,D,E,F,G | Chrome | 260 | 504 | 300W | A,A+,B,D,E,F,G |
| 1600 | 300 | 250 | 75-95 | 90-110 | 26 | 4.74 | 8.35 | Coloured | 237 | 444 | 300W | A,A+,B,D,E,F,G | Chrome | 155 | 303 | 150W | A,A+,B,D,E,F,G |
| 1600 | 400 | 350 | 75-95 | 90-110 | 26 | 5.61 | 8.65 | Coloured | 289 | 551 | 300W | A,A+,B,D,E,F,G | Chrome | 186 | 363 | 300W | A,A+,B,D,E,F,G |
| 1600 | 500 | 450 | 75-95 | 90-110 | 26 | 6.44 | 9.86 | Coloured | 346 | 657 | 450W | A,A+,B,D,E,F,G | Chrome | 220 | 431 | 300W | A,A+,B,D,E,F,G |
| 1600 | 600 | 550 | 75-95 | 90-110 | 26 | 7.28 | 11.08 | Coloured | 398 | 763 | 450W | A,A+,B,D,E,F,G | Chrome | 240 | 453 | 300W | A,A+,B,D,E,F,G |
| 1600 | 750 | 700 | 75-95 | 90-110 | 26 | 8.41 | 14.15 | Coloured | 491 | 915 | 600W | A,A+,B,D,E,F,G | Chrome | 324 | 632 | 450W | A,A+,B,D,E,F,G |
| 1800 | 300 | 250 | 75-95 | 90-110 | 30 | 5.38 | 9.28 | Coloured | 261 | 489 | 300W | A,A+,B,D,E,F,G | Chrome | 181 | 353 | 150W | A,A+,B,D,E,F,G |
| 1800 | 400 | 360 | 75-95 | 90-110 | 30 | 6.39 | 9.79 | Coloured | 326 | 615 | 300W | A,A+,B,D,E,F,G | Chrome | 222 | 431 | 300W | A,A+,B,D,E,F,G |
| 1800 | 500 | 450 | 75-95 | 90-110 | 30 | 7.35 | 11.19 | Coloured | 391 | 741 | 450W | A,A+,B,D,E,F,G | Chrome | 262 | 510 | 300W | A,A+,B,D,E,F,G |
| 1800 | 600 | 550 | 75-95 | 90-110 | 30 | 8.31 | 12.59 | Coloured | 459 | 868 | 600W | A,A+,B,D,E,F,G | Chrome | 304 | 576 | 450W | A,A+,B,D,E,F,G |
| 1800 | 750 | 700 | 75-95 | 90-110 | 30 | 9.62 | 15.96 | Coloured | 561 | 1060 | 600W | A,A+,B,D,E,F,G | Chrome | 370 | 702 | 450W | A,A+,B,D,E,F,G |

* Further heat output information available on eastbrooktrade.com **E&OA**


### Wendover Straight - PVD Finish

| Height H (mm) | Width W (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Height H (mm) | Width W (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 360 | 400 | 59-69 | 74-84 | 68 | 126 | 100W | A,A+,B | 1200 | 400 | 59-69 | 74-84 | 157 | 301 | 150W | A, A+, B, D, E, F, G |
| 600 | 300 | 59-69 | 74-84 | 80 | 149 | 100W | A,A+,B | 1200 | 500 | 59-69 | 74-84 | 186 | 357 | 150W | A, A+, B, D, E, F, G |
| 600 | 400 | 59-69 | 74-84 | 78 | 150 | 100W | A,A+,B,D,E,F,G | 1200 | 600 | 59-69 | 74-84 | 216 | 414 | 300W | A, A+, B, D, E, F, G |
| 600 | 500 | 59-69 | 74-84 | 93 | 178 | 100W | A,A+,B,D,E,F,G | 1200 | 750 | 59-69 | 74-84 | 319 | 609 | 300W | A, A+, B, D, E, F, G |
| 600 | 600 | 59-69 | 74-84 | 108 | 207 | 150W | A,A+,B,D,E,F,G | 1400 | 300 | 59-69 | 74-84 | 173 | 334 | 150W | A, A+, B, D, E, F, G |
| 600 | 750 | 59-69 | 74-84 | 172 | 321 | 150W | A,A+,B,D,E,F,G | 1400 | 400 | 59-69 | 74-84 | 177 | 339 | 150W | A, A+, B, D, E, F, G |
| 600 | 1000 | 59-69 | 74-84 | 218 | 407 | 150W | A,A+,B,D,E,F,G | 1400 | 500 | 59-69 | 74-84 | 209 | 401 | 300W | A, A+, B, D, E, F, G |
| 600 | 1200 | 59-69 | 74-84 | 254 | 474 | 150W | A,A+,B,D,E,F,G | 1400 | 600 | 59-69 | 74-84 | 241 | 463 | 300W | A, A+, B, D, E, F, G |
| 800 | 300 | 59-69 | 74-84 | 102 | 192 | 100W | A,A+,B,D,E,F,G | 1400 | 750 | 59-69 | 74-84 | 372 | 717 | 300W | A, A+, B, D, E, F, G |
| 800 | 400 | 59-69 | 74-84 | 108 | 207 | 150W | A,A+,B,D,E,F,G | 1600 | 300 | 59-69 | 74-84 | 200 | 388 | 150W | A, A+, B, D, E, F, G |
| 800 | 500 | 59-69 | 74-84 | 128 | 246 | 150W | A,A+,B,D,E,F,G | 1600 | 400 | 59-69 | 74-84 | 206 | 396 | 300W | A, A+, B, D, E, F, G |
| 800 | 600 | 59-69 | 74-84 | 149 | 285 | 150W | A,A+,B,D,E,F,G | 1600 | 500 | 59-69 | 74-84 | 244 | 469 | 300W | A, A+, B, D, E, F, G |
| 800 | 750 | 59-69 | 74-84 | 219 | 412 | 150W | A,A+,B,D,E,F,G | 1600 | 600 | 59-69 | 74-84 | 282 | 542 | 300W | A, A+, B, D, E, F, G |
| 1000 | 300 | 59-69 | 74-84 | 125 | 236 | 150W | A,A+,B,D,E,F,G | 1600 | 750 | 59-69 | 74-84 | 429 | 833 | 450W | A, A+, B, D, E, F, G |
| 1000 | 400 | 59-69 | 74-84 | 127 | 245 | 150W | A,A+,B,D,E,F,G | 1800 | 300 | 59-69 | 74-84 | 228 | 446 | 150W | A, A+, B, D, E, F, G |
| 1000 | 500 | 59-69 | 74-84 | 151 | 290 | 150W | A,A+,B,D,E,F,G | 1800 | 400 | 59-69 | 74-84 | 236 | 452 | 300W | A, A+, B, D, E, F, G |
| 1000 | 600 | 59-69 | 74-84 | 186 | 344 | 150W | A,A+,B,D,E,F,G | 1800 | 500 | 59-69 | 74-84 | 280 | 536 | 300W | A, A+, B, D, E, F, G |
| 1000 | 750 | 59-69 | 74-84 | 268 | 508 | 300W | A,A+,B,D,E,F,G | 1800 | 600 | 59-69 | 74-84 | 324 | 621 | 450W | A, A+, B, D, E, F, G |
| 1200 | 300 | 59-69 | 74-84 | 148 | 284 | 150W | A,A+,B,D,E,F,G | 1800 | 750 | 59-69 | 74-84 | 489 | 958 | 600W | A, A+, B, D, E, F, G |


PVD Finishes are Brushed Brass, Black Gold & Brushed Gunmetal.

# Technical Tables & Drawings

## WENDOVER - STRAIGHT




## WENDOVER - CURVED




**Wendover - Curved**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 400 | 350 | 60-75 | 87-102 | 10 | 2.13 | 3.55 | Coloured | 101* | 193* | 150W | A,A+,B,D,E,F,G | Chrome | 79* | 153* | 100W | A,A+,B,D,E,F,G |
| 600 | 500 | 450 | 55-70 | 94-109 | 10 | 2.45 | 4.01 | Coloured | 119* | 229* | 150W | A,A+,B,D,E,F,G | Chrome | 94* | 181* | 100W | A,A+,B,D,E,F,G |
| 600 | 600 | 550 | 50-65 | 98-113 | 10 | 2.77 | 4.48 | Coloured | 138* | 264* | 150W | A,A+,B,D,E,F,G | Chrome | 109* | 209* | 150W | A,A+,B,D,E,F,G |
| 600 | 750 | 700 | 70-90 | 194-214 | 10 | 3.35 | 5.31 | Coloured | 205 | 380 | 150W | A,A+,B,D,E,F,G | Chrome | 133 | 251 | 150W | A,A+,B,D,E,F,G |
| 800 | 400 | 350 | 60-75 | 87-102 | 14 | 2.93 | 4.72 | Coloured | 138* | 266* | 150W | A,A+,B,D,E,F,G | Chrome | 91 | 173 | 150W | A,A+,B,D,E,F,G |
| 800 | 500 | 450 | 55-70 | 94-109 | 14 | 3.37 | 5.37 | Coloured | 164* | 315* | 150W | A,A+,B,D,E,F,G | Chrome | 109 | 206 | 150W | A,A+,B,D,E,F,G |
| 800 | 600 | 550 | 50-65 | 98-113 | 14 | 3.82 | 6.02 | Coloured | 217 | 405 | 150W | A,A+,B,D,E,F,G | Chrome | 146 | 282 | 150W | A,A+,B,D,E,F,G |
| 800 | 750 | 700 | 70-90 | 194-214 | 14 | 4.62 | 7.16 | Coloured | 229* | 440* | 300W | A,A+,B,D,E,F,G | Chrome | 182* | 348* | 150W | A,A+,B,D,E,F,G |
| 1000 | 400 | 350 | 60-75 | 87-102 | 16 | 3.5 | 5.56 | Coloured | 164* | 315* | 150W | A,A+,B,D,E,F,G | Chrome | 113 | 216 | 150W | A,A+,B,D,E,F,G |
| 1000 | 500 | 450 | 55-70 | 94-109 | 16 | 4.01 | 6.3 | Coloured | 194* | 372* | 150W | A,A+,B,D,E,F,G | Chrome | 134 | 257 | 150W | A,A+,B,D,E,F,G |
| 1000 | 600 | 550 | 50-65 | 98-113 | 16 | 4.53 | 7.05 | Coloured | 223* | 429* | 300W | A,A+,B,D,E,F,G | Chrome | 155 | 295 | 150W | A,A+,B,D,E,F,G |
| 1000 | 750 | 700 | 70-90 | 194-214 | 16 | 5.44 | 8.35 | Coloured | 268* | 514* | 300W | A,A+,B,D,E,F,G | Chrome | 212* | 406* | 300W | A,A+,B,D,E,F,G |
| 1200 | 400 | 350 | 60-75 | 87-102 | 20 | 4.28 | 6.71 | Coloured | 202* | 387* | 300W | A,A+,B,D,E,F,G | Chrome | 136 | 262 | 150W | A,A+,B,D,E,F,G |
| 1200 | 500 | 450 | 55-70 | 94-109 | 20 | 4.93 | 7.64 | Coloured | 254 | 483 | 300W | A,A+,B,D,E,F,G | Chrome | 161 | 311 | 150W | A,A+,B,D,E,F,G |
| 1200 | 600 | 550 | 50-65 | 98-113 | 20 | 5.57 | 8.57 | Coloured | 310 | 576 | 300W | A,A+,B,D,E,F,G | Chrome | 204 | 386 | 300W | A,A+,B,D,E,F,G |
| 1200 | 750 | 700 | 70-90 | 194-214 | 20 | 6.71 | 10.2 | Coloured | 332* | 636* | 450W | A,A+,B,D,E,F,G | Chrome | 262* | 502* | 300W | A,A+,B,D,E,F,G |
| 1600 | 400 | 350 | 60-75 | 87-102 | 26 | 5.64 | 8.7 | Coloured | 265* | 508* | 300W | A,A+,B,D,E,F,G | Chrome | 186 | 363 | 300W | A,A+,B,D,E,F,G |
| 1600 | 500 | 450 | 55-70 | 94-109 | 26 | 6.48 | 9.91 | Coloured | 313* | 601* | 450W | A,A+,B,D,E,F,G | Chrome | 220 | 431 | 300W | A,A+,B,D,E,F,G |
| 1600 | 600 | 550 | 50-65 | 98-113 | 26 | 7.31 | 11.12 | Coloured | 386 | 740 | 450W | A,A+,B,D,E,F,G | Chrome | 254 | 496 | 300W | A,A+,B,D,E,F,G |
| 1600 | 750 | 700 | 70-90 | 194-214 | 26 | 8.79 | 13.24 | Coloured | 434* | 832* | 600W | A,A+,B,D,E,F,G | Chrome | 343* | 657* | 450W | A,A+,B,D,E,F,G |
| 1800 | 400 | 350 | 60-75 | 87-102 | 30 | 6.43 | 9.85 | Coloured | 303* | 581* | 300W | A,A+,B,D,E,F,G | Chrome | 239* | 459* | 300W | A,A+,B,D,E,F,G |
| 1800 | 500 | 450 | 55-70 | 94-109 | 30 | 7.39 | 11.25 | Coloured | 358* | 687* | 450W | A,A+,B,D,E,F,G | Chrome | 283 | 543 | 300W | A,A+,B,D,E,F,G |
| 1800 | 600 | 550 | 50-65 | 98-113 | 30 | 8.35 | 12.65 | Coloured | 538 | 1012 | 600W | A,A+,B,D,E,F,G | Chrome | 371 | 703 | 450W | A,A+,B,D,E,F,G |
| 1800 | 750 | 700 | 70-90 | 194-214 | 30 | 10.06 | 15.09 | Coloured | 594 | 1116 | 600W | A,A+,B,D,E,F,G | Chrome | 403 | 766 | 450W | A,A+,B,D,E,F,G |

* Further heat output information available on eastbrooktrade.com **E&OA**

# Technical Tables & Drawings

## BIAVA MULTIRAIL - THE MULTIRAIL RANGE

### Biava Multirail Hidden Vent (HV) - Straight

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 360 | 400 | 350 | 70-85 | 6 | 1.4 | 2.2 | Coloured | 61 | 116 | 100W | A,A+,B,D,E,F,G | Chrome | 48 | 90 | 150W | B |
| 688 | 450 | 400 | 70-85 | 14 | 3.1 | 4.9 | Coloured | 144 | 274 | 150W | A,A+,B,D,E,F,G | Chrome | 113 | 215 | 150W | A,A+,B,D,E,F,G |
| 688 | 600 | 550 | 70-85 | 14 | 3.7 | 5.9 | Coloured | 183 | 348 | 150W | A,A+,B,D,E,F,G | Chrome | 144 | 274 | 150W | A,A+,B,D,E,F,G |
| 688 | 750 | 700 | 70-85 | 14 | 4.4 | 7 | Coloured | 222 | 423 | 300W | A,A+,B,D,E,F,G | Chrome | 174 | 332 | 150W | A,A+,B,D,E,F,G |
| 1118 | 450 | 400 | 70-85 | 22 | 4.88 | 7.7 | Coloured | 228 | 434 | 300W | A,A+,B,D,E,F,G | Chrome | 180 | 342 | 150W | A,A+,B,D,E,F,G |
| 1118 | 600 | 550 | 70-85 | 22 | 5.94 | 9.4 | Coloured | 290 | 552 | 300W | A,A+,B,D,E,F,G | Chrome | 228 | 434 | 300W | A,A+,B,D,E,F,G |
| 1118 | 750 | 700 | 70-85 | 22 | 7 | 11 | Coloured | 351 | 670 | 450W | A,A+,B,D,E,F,G | Chrome | 276 | 527 | 300W | A,A+,B,D,E,F,G |
| 1720 | 450 | 400 | 70-85 | 34 | 7.53 | 11.9 | Coloured | 351 | 670 | 450W | A,A+,B,D,E,F,G | Chrome | 276 | 527 | 300W | A,A+,B,D,E,F,G |
| 1720 | 600 | 550 | 70-85 | 34 | 9.17 | 14.4 | Coloured | 446 | 851 | 600W | A,A+,B,D,E,F,G | Chrome | 351 | 670 | 450W | A,A+,B,D,E,F,G |
| 1720 | 750 | 700 | 70-85 | 34 | 10.8 | 17 | Coloured | 542 | 1034 | 750W | A,A+,B,D,E,F,G | Chrome | 426 | 813 | 600W | A,A+,B,D,E,F,G |

* Further heat output information available on eastbrooktrade.com **E&OA**

## WINGRAVE - THE MULTIRAIL RANGE

### Wingrave - Straight


| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 300 | 256 | 79 | 64 | 10 | 2.1 | 2.9 | Coloured | 87 | 163 | 100W | A,A+,B,D,E,F,G | Chrome | 56 | 105 | 100W | A,A+ |
| 600 | 400 | 356 | 79 | 64 | 10 | 2.4 | 3.32 | Coloured | 110 | 206 | 150W | A,A+,B,D,E,F,G | Chrome | 71 | 133 | 100W | A,A+ |
| 600 | 500 | 456 | 79 | 64 | 10 | 2.7 | 3.87 | Coloured | 132 | 247 | 150W | A,A+,B,D,E,F,G | Chrome | 85 | 160 | 100W | A,A+,B,D,E,F,G |
| 600 | 600 | 556 | 79 | 64 | 10 | 3.1 | 3.91 | Coloured | 153 | 286 | 150W | A,A+,B,D,E,F,G | Chrome | 99 | 186 | 150W | A,A+,B,D,E,F,G |
| 600 | 1000 | 955 | 79 | 64 | 10 | 4.4 | 5.2 | Coloured | 231 | 434 | 300W | A,A+,B,D,F,G | Chrome | 150 | 283 | 150W | A,A+,B,D,F,G |
| 600 | 1200 | 955 | 79 | 64 | 10 | 5 | 7.3 | Coloured | 268 | 503 | 300W | A,A+,B,D,F,G | Chrome | 175 | 330 | 150W | A,A+,B,D,F,G |
| 800 | 300 | 256 | 79 | 64 | 14 | 2.8 | 3.55 | Coloured | 113 | 213 | 150W | A,A+,B,D,E,F,G | Chrome | 72 | 136 | 150W | B,D,E,F,G |
| 800 | 400 | 356 | 79 | 64 | 14 | 2.94 | 4.9 | Coloured | 143 | 269 | 150W | A,A+,B,D,E,F,G | Chrome | 91 | 172 | 150W | A,A+,B,D,E,F,G |
| 800 | 500 | 456 | 79 | 64 | 14 | 3.39 | 5.7 | Coloured | 171 | 322 | 150W | A,A+,B,D,E,F,G | Chrome | 109 | 207 | 150W | A,A+,B,D,E,F,G |
| 800 | 600 | 556 | 79 | 64 | 14 | 3.85 | 6.5 | Coloured | 198 | 374 | 300W | A,A+,B,D,E,F,G | Chrome | 127 | 241 | 150W | A,A+,B,D,E,F,G |
| 1000 | 300 | 256 | 79 | 64 | 16 | 3.4 | 4.2 | Coloured | 139 | 264 | 150W | A,A+,B,D,E,F,G | Chrome | 88 | 168 | 150W | A,A+,B,D,E,F,G |
| 1000 | 400 | 356 | 79 | 64 | 16 | 3.51 | 5.9 | Coloured | 176 | 333 | 150W | A,A+,B,D,E,F,G | Chrome | 112 | 214 | 150W | A,A+,B,D,E,F,G |
| 1000 | 500 | 456 | 79 | 64 | 16 | 4.04 | 6.8 | Coloured | 211 | 400 | 300W | A,A+,B,D,E,F,G | Chrome | 135 | 257 | 150W | A,A+,B,D,E,F,G |
| 1000 | 600 | 556 | 79 | 64 | 16 | 4.56 | 7.7 | Coloured | 245 | 464 | 300W | A,A+,B,D,E,F,G | Chrome | 156 | 299 | 150W | A,A+,B,D,E,F,G |
| 1200 | 300 | 256 | 79 | 64 | 20 | 4.2 | 5.1 | Coloured | 167 | 317 | 150W | A,A+,B,D,E,F,G | Chrome | 105 | 203 | 150W | A,A+,B,D,E,F,G |
| 1200 | 400 | 356 | 79 | 64 | 20 | 4.3 | 7.2 | Coloured | 210 | 400 | 300W | A,A+,B,D,E,F,G | Chrome | 134 | 257 | 150W | A,A+,B,D,E,F,G |
| 1200 | 500 | 456 | 79 | 64 | 20 | 4.95 | 8.3 | Coloured | 252 | 480 | 300W | A,A+,B,D,E,F,G | Chrome | 161 | 309 | 150W | A,A+,B,D,E,F,G |
| 1200 | 600 | 556 | 79 | 64 | 20 | 5.61 | 9.4 | Coloured | 293 | 557 | 300W | A,A+,B,D,E,F,G | Chrome | 187 | 359 | 300W | A,A+,B,D,E,F,G |
| 1400 | 300 | 256 | 79 | 64 | 22 | 4.7 | 5.6 | Coloured | 195 | 372 | 150W | A,A+,B,D,E,F,G | Chrome | 123 | 239 | 150W | A,A+,B,D,E,F,G |
| 1400 | 400 | 356 | 79 | 64 | 22 | 4.88 | 8.4 | Coloured | 246 | 470 | 300W | A,A+,B,D,E,F,G | Chrome | 156 | 303 | 150W | A,A+,B,D,E,F,G |
| 1400 | 500 | 456 | 79 | 64 | 22 | 5.6 | 9.4 | Coloured | 295 | 564 | 300W | A,A+,B,D,E,F,G | Chrome | 188 | 364 | 150W | A,A+,B,D,E,F,G |
| 1400 | 600 | 556 | 79 | 64 | 22 | 6.3 | 10.4 | Coloured | 342 | 654 | 450W | A,A+,B,D,E,F,G | Chrome | 219 | 424 | 300W | A,A+,B,D,E,F,G |
| 1600 | 300 | 256 | 79 | 64 | 26 | 5.5 | 6.3 | Coloured | 224 | 429 | 300W | A,A+,B,D,E,F,G | Chrome | 142 | 277 | 150W | A,A+,B,D,E,F,G |
| 1600 | 400 | 356 | 79 | 64 | 26 | 5.66 | 9.5 | Coloured | 283 | 543 | 300W | A,A+,B,D,E,F,G | Chrome | 180 | 352 | 150W | A,A+,B,D,E,F,G |
| 1600 | 500 | 456 | 79 | 64 | 26 | 6.51 | 10.8 | Coloured | 339 | 651 | 450W | A,A+,B,D,E,F,G | Chrome | 217 | 423 | 300W | A,A+,B,D,E,F,G |
| 1600 | 600 | 556 | 79 | 64 | 26 | 7.36 | 12.2 | Coloured | 393 | 755 | 450W | A,A+,B,D,E,F,G | Chrome | 252 | 492 | 300W | A,A+,B,D,E,F,G |
| 1800 | 300 | 256 | 79 | 64 | 30 | 6.3 | 7.3 | Coloured | 254 | 490 | 300W | A,A+,B,D,E,F,G | Chrome | 163 | 318 | 150W | A,A+,B,D,E,F,G |
| 1800 | 400 | 356 | 79 | 64 | 30 | 6.45 | 10.8 | Coloured | 321 | 619 | 450W | A,A+,B,D,E,F,G | Chrome | 206 | 404 | 300W | A,A+,B,D,E,F,G |
| 1800 | 500 | 456 | 79 | 64 | 30 | 7.43 | 12.2 | Coloured | 385 | 742 | 450W | A,A+,B,D,E,F,G | Chrome | 247 | 486 | 300W | A,A+,B,D,E,F,G |
| 1800 | 600 | 556 | 79 | 64 | 30 | 8.41 | 13.8 | Coloured | 446 | 861 | 600W | A,A+,B,D,E,F,G | Chrome | 288 | 565 | 450W | A,A+,B,D,E,F,G |

### Wingrave - Curved


| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Con-tent L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800 | 400 | 356 | 92 | 65 | 14 | 3 | 4.9 | Coloured | 143 | 269 | 150W | A,A+,B,D,E,F,G | Chrome | 91 | 172 | 150W | A,A+,B,D,E,F,G |
| 800 | 500 | 456 | 92 | 65 | 14 | 3.58 | 5.9 | Coloured | 171 | 322 | 150W | A,A+,B,D,E,F,G | Chrome | 108 | 207 | 150W | A,A+,B,D,E,F,G |
| 800 | 600 | 556 | 92 | 65 | 14 | 4.39 | 7.2 | Coloured | 198 | 374 | 300W | A,A+,B,D,E,F,G | Chrome | 127 | 241 | 150W | A,A+,B,D,E,F,G |
| 1000 | 400 | 356 | 92 | 65 | 16 | 5.77 | 9.5 | Coloured | 176 | 333 | 150W | A,A+,B,D,E,F,G | Chrome | 112 | 214 | 150W | A,A+,B,D,E,F,G |
| 1000 | 500 | 456 | 92 | 65 | 16 | 6.58 | 10.8 | Coloured | 211 | 400 | 300W | A,A+,B,D,E,F,G | Chrome | 135 | 257 | 150W | A,A+,B,D,E,F,G |
| 1000 | 600 | 556 | 92 | 65 | 16 | 3.46 | 5.7 | Coloured | 245 | 464 | 300W | A,A+,B,D,E,F,G | Chrome | 156 | 299 | 150W | A,A+,B,D,E,F,G |
| 1200 | 400 | 356 | 92 | 65 | 20 | 4.12 | 6.8 | Coloured | 210 | 400 | 300W | A,A+,B,D,E,F,G | Chrome | 134 | 257 | 150W | A,A+,B,D,E,F,G |
| 1200 | 500 | 456 | 92 | 65 | 20 | 5.05 | 8.3 | Coloured | 252 | 480 | 300W | A,A+,B,D,E,F,G | Chrome | 161 | 309 | 150W | A,A+,B,D,E,F,G |
| 1200 | 600 | 556 | 92 | 65 | 20 | 6.64 | 10.8 | Coloured | 293 | 557 | 300W | A,A+,B,D,E,F,G | Chrome | 187 | 359 | 300W | A,A+,B,D,E,F,G |
| 1600 | 400 | 356 | 92 | 65 | 26 | 7.58 | 12.2 | Coloured | 283 | 543 | 300W | A,A+,B,D,E,F,G | Chrome | 180 | 352 | 150W | A,A+,B,D,E,F,G |
| 1600 | 500 | 456 | 92 | 65 | 26 | 3.93 | 6.5 | Coloured | 339 | 651 | 450W | A,A+,B,D,E,F,G | Chrome | 217 | 423 | 300W | A,A+,B,D,E,F,G |
| 1600 | 600 | 556 | 92 | 65 | 26 | 4.65 | 7.7 | Coloured | 393 | 755 | 450W | A,A+,B,D,E,F,G | Chrome | 252 | 492 | 300W | A,A+,B,D,E,F,G |
| 1800 | 400 | 356 | 92 | 65 | 30 | 5.72 | 9.4 | Coloured | 321 | 619 | 450W | A,A+,B,D,E,F,G | Chrome | 206 | 404 | 300W | A,A+,B,D,E,F,G |
| 1800 | 500 | 456 | 92 | 65 | 30 | 7.51 | 12.2 | Coloured | 385 | 742 | 450W | A,A+,B,D,E,F,G | Chrome | 257 | 486 | 300W | A,A+,B,D,E,F,G |
| 1800 | 600 | 556 | 92 | 65 | 30 | 8.58 | 13.8 | Coloured | 446 | 861 | 600W | A,A+,B,D,E,F,G | Chrome | 288 | 565 | 450W | A,A+,B,D,E,F,G |

# Technical Tables & Drawings


## BIAVA HIDDEN VENT (HV) - STRAIGHT




## WINGRAVE - STRAIGHT




## WINGRAVE - CURVED



# Technical Tables & Drawings

## BIAVA MULTIRAIL - THE MULTIRAIL RANGE

**Biava Multirail - Straight**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 360 | 400 | 350 | 75-90 | 90-105 | 6 | 1.28 | 2.32 | Coloured | 80 | 147 | 100W | A,A+,B,D,E,F,G | Chrome | 54 | 104 | 150W | B |
| 688 | 450 | 400 | 75-90 | 90-105 | 14 | 2.93 | 4.74 | Coloured | 146 | 269 | 150W | A,A+,B,D,E,F,G | Chrome | 101 | 192 | 150W | A,A+,B,D,E,F,G |
| 688 | 600 | 550 | 75-90 | 90-105 | 14 | 3.6 | 5.72 | Coloured | 183 | 336 | 150W | A,A+,B,D,E,F,G | Chrome | 123 | 238 | 150W | A,A+,B,D,E,F,G |
| 688 | 750 | 700 | 75-90 | 90-105 | 14 | 4.27 | 6.7 | Coloured | 219 | 403 | 300W | A,A+,B,D,E,F,G | Chrome | 152 | 287 | 150W | A,A+,B,D,E,F,G |
| 1118 | 450 | 400 | 75-90 | 80-100 | 22 | 4.67 | 7.29 | Coloured | 223 | 418 | 300W | A,A+,B,D,E,F,G | Chrome | 172 | 293 | 150W | A,A+,B,D,E,F,G |
| 1118 | 600 | 550 | 75-90 | 80-100 | 22 | 5.72 | 8.83 | Coloured | 281 | 525 | 300W | A,A+,B,D,E,F,G | Chrome | 192 | 368 | 300W | A,A+,B,D,E,F,G |
| 1118 | 750 | 700 | 75-90 | 80-100 | 22 | 6.78 | 10.37 | Coloured | 339 | 633 | 450W | A,A+,B,D,E,F,G | Chrome | 231 | 442 | 300W | A,A+,B,D,E,F,G |
| 1720 | 450 | 400 | 75-90 | 80-100 | 34 | 7.2 | 10.99 | Coloured | 348* | 668* | 450W | A,A+,B,D,E,F,G | Chrome | 275* | 528* | 300W | A,A+,B,D,E,F,G |
| 1720 | 600 | 550 | 75-90 | 80-100 | 34 | 8.83 | 13.37 | Coloured | 443* | 850* | 600W | A,A+,B,D,E,F,G | Chrome | 350* | 671* | 450W | A,A+,B,D,E,F,G |
| 1720 | 750 | 700 | 75-90 | 80-100 | 34 | 10.46 | 15.76 | Coloured | 526 | 1001 | 750W | A,A+,B,D,E,F,G | Chrome | 425 | 674 | 600W | A,A+,B,D,E,F,G |

* Further heat output information available on eastbrooktrade.com **E&OA**

**Biava Multirail - Curved**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 360 | 400 | 350 | 60-75 | 87-102 | 6 | 1.29 | 2.33 | Coloured | 60 | 116 | 100W | A,A+,B,D,E,F,G | Chrome | 47 | 91 | 150W | B |
| 688 | 450 | 400 | 57-72 | 90-105 | 14 | 2.94 | 4.76 | Coloured | 144 | 276 | 150W | A,A+,B,D,E,F,G | Chrome | 114 | 218 | 150W | A,A+,B,D,E,F,G |
| 688 | 600 | 550 | 50-65 | 98-113 | 14 | 3.62 | 5.74 | Coloured | 183 | 351 | 150W | A,A+,B,D,E,F,G | Chrome | 144 | 277 | 150W | A,A+,B,D,E,F,G |
| 688 | 750 | 700 | 75-90 | 194-214 | 14 | 4.42 | 6.86 | Coloured | 222 | 366 | 300W | A,A+,B,D,E,F,G | Chrome | 175 | 336 | 150W | A,A+,B,D,E,F,G |
| 1118 | 450 | 400 | 57-72 | 96-111 | 22 | 4.69 | 7.33 | Coloured | 229 | 387 | 300W | A,A+,B,D,E,F,G | Chrome | 181 | 347 | 150W | A,A+,B,D,E,F,G |
| 1118 | 600 | 550 | 50-65 | 104-119 | 22 | 5.75 | 8.87 | Coloured | 249 | 439 | 300W | A,A+,B,D,E,F,G | Chrome | 229 | 439 | 300W | A,A+,B,D,E,F,G |
| 1118 | 750 | 700 | 75-90 | 194-214 | 22 | 7.01 | 10.63 | Coloured | 277 | 532 | 450W | A,A+,B,D,E,F,G | Chrome | 277 | 532 | 300W | A,A+,B,D,E,F,G |
| 1720 | 450 | 400 | 57-72 | 96-111 | 34 | 7.24 | 11.06 | Coloured | 279 | 637 | 450W | A,A+,B,D,E,F,G | Chrome | 352 | 607 | 300W | A,A+,B,D,E,F,G |
| 1720 | 600 | 550 | 50-65 | 104-119 | 34 | 8.87 | 13.44 | Coloured | 448 | 859 | 600W | A,A+,B,D,E,F,G | Chrome | 354 | 679 | 450W | A,A+,B,D,E,F,G |
| 1720 | 750 | 700 | 75-90 | 194-214 | 34 | 10.81 | 16.18 | Coloured | 543 | 1041 | 750W | A,A+,B,D,E,F,G | Chrome | 429 | 822 | 600W | A,A+,B,D,E,F,G |

* Further heat output information available on eastbrooktrade.com **E&OA**

## WESTWARD - THE MULTIRAIL RANGE

**Westward - Straight**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 500 | 456 | 79 | 65 | 11 | 3 | 5.7 | Coloured | 155 | 295 | 150W | A,A+,B,D,E,F,G | Chrome | 103 | 195 | 150W | A,A+,B,D,E,F,G |
| 600 | 600 | 556 | 79 | 65 | 11 | 3.5 | 6.4 | Coloured | 181 | 345 | 150W | A,A+,B,D,E,F,G | Chrome | 120 | 228 | 150W | A,A+,B,D,E,F,G |
| 600 | 800 | 756 | 79 | 65 | 11 | 4.4 | 8 | Coloured | 233 | 445 | 300W | A,A+,B,D,E,F,G | Chrome | 155 | 295 | 150W | A,A+,B,D,E,F,G |
| 800 | 400 | 356 | 79 | 65 | 14 | 3.3 | 6.2 | Coloured | 166 | 317 | 150W | A,A+,B,D,E,F,G | Chrome | 110 | 209 | 150W | A,A+,B,D,E,F,G |
| 800 | 500 | 456 | 79 | 65 | 14 | 3.9 | 7.2 | Coloured | 200 | 381 | 300W | A,A+,B,D,E,F,G | Chrome | 132 | 251 | 150W | A,A+,B,D,E,F,G |
| 800 | 600 | 556 | 79 | 65 | 14 | 4.5 | 8.2 | Coloured | 250 | 476 | 300W | A,A+,B,D,E,F,G | Chrome | 154 | 294 | 150W | A,A+,B,D,E,F,G |
| 1200 | 400 | 356 | 79 | 65 | 20 | 4.9 | 8.8 | Coloured | 229 | 437 | 300W | A,A+,B,D,E,F,G | Chrome | 157 | 298 | 150W | A,A+,B,D,E,F,G |
| 1200 | 500 | 456 | 79 | 65 | 20 | 5.7 | 10.3 | Coloured | 275 | 524 | 300W | A,A+,B,D,E,F,G | Chrome | 188 | 358 | 150W | A,A+,B,D,E,F,G |
| 1200 | 600 | 556 | 79 | 65 | 20 | 6.5 | 11.8 | Coloured | 320 | 610 | 450W | A,A+,B,D,E,F,G | Chrome | 218 | 416 | 300W | A,A+,B,D,E,F,G |
| 1800 | 400 | 356 | 79 | 65 | 30 | 7.3 | 13 | Coloured | 340 | 648 | 450W | A,A+,B,D,E,F,G | Chrome | 235 | 448 | 300W | A,A+,B,D,E,F,G |
| 1800 | 500 | 456 | 79 | 65 | 30 | 8.5 | 15.2 | Coloured | 407 | 777 | 600W | A,A+,B,D,E,F,G | Chrome | 282 | 538 | 300W | A,A+,B,D,E,F,G |
| 1800 | 600 | 556 | 79 | 65 | 30 | 9.8 | 17.4 | Coloured | 474 | 905 | 600W | A,A+,B,D,E,F,G | Chrome | 328 | 626 | 450W | A,A+,B,D,E,F,G |

* Further heat output information available on eastbrooktrade.com **E&OA**


## RION MULTIRAIL - THE MULTIRAIL RANGE

**Rion Multirail**


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800 | 500 | 455 | 95 | 80 | 13 | 3.24 | 7 | Coloured | 173 | 332 | 150W | A, A+, B, D, E, F, G | Chrome | 109 | 212 | 100W | A, A+, B, D, E, F, G |
| 800 | 600 | 555 | 95 | 80 | 13 | 3.65 | 8.2 | Coloured | 197 | 378 | 150W | A, A+, B, D, E, F, G | Chrome | 123 | 240 | 100W | A, A+, B, D, E, F, G |
| 1200 | 500 | 455 | 95 | 80 | 22 | 5.21 | 11 | Coloured | 269 | 515 | 150W | A, A+, B, D, E, F, G | Chrome | 170 | 331 | 150W | A, A+, B, D, E, F, G |
| 1200 | 600 | 555 | 95 | 80 | 22 | 5.89 | 13.03 | Coloured | 307 | 587 | 300W | A, A+, B, D, E, F, G | Chrome | 192 | 374 | 150W | A, A+, B, D, E, F, G |
| 1800 | 500 | 455 | 95 | 80 | 31 | 7.54 | 15.4 | Coloured | 413 | 784 | 300W | A, A+, B, D, E, F, G | Chrome | 265 | 515 | 150W | A, A+, B, D, E, F, G |
| 1800 | 600 | 555 | 95 | 80 | 31 | 8.5 | 18.4 | Coloured | 471 | 893 | 300W | A, A+, B, D, E, F, G | Chrome | 299 | 582 | 300W | A, A+, B, D, E, F, G |

# Technical Tables & Drawings


## BIAVA MULTIRAIL - STRAIGHT





## BIAVA MULTIRAIL - CURVED




## WESTWARD - STRAIGHT




## RION MULTIRAIL



# Technical Tables & Drawings

## TUSCAN - THE MULTIRAIL RANGE

**Tuscan**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 650 | 450 | 400 | 65-80 | 80-95 | 5 | 1.78 | 3.26 | Coloured | 105 | 198 | 100W | A,A+,B,D,E,F,G | Chrome | 60 | 115 | 100W | A,A+,B,D,E,F,G |
| 650 | 600 | 550 | 65-80 | 80-95 | 5 | 2.01 | 3.57 | Coloured | 120 | 226 | 100W | A,A+,B,D,E,F,G | Chrome | 77 | 151 | 100W | A,A+,B,D,E,F,G |
| 1200 | 450 | 400 | 65-80 | 80-95 | 8 | 3.14 | 5.19 | Coloured | 177 | 334 | 150W | A,A+,B,D,E,F,G | Chrome | 105 | 204 | 150W | A,A+,B,D,E,F,G |
| 1200 | 600 | 550 | 65-80 | 80-95 | 8 | 3.51 | 5.69 | Coloured | 185* | 348* | 150W | A,A+,B,D,E,F,G | Chrome | 130 | 246 | 150W | A,A+,B,D,E,F,G |
| 1750 | 450 | 400 | 65-80 | 80-95 | 12 | 4.61 | 7.28 | Coloured | 252 | 476 | 150W | A,A+,B,D,E,F,G | Chrome | 168 | 321 | 150W | A,A+,B,D,E,F,G |
| 1750 | 600 | 550 | 65-80 | 80-95 | 12 | 5.18 | 8.04 | Coloured | 282 | 534 | 300W | A,A+,B,D,E,F,G | Chrome | 206 | 392 | 150W | A,A+,B,D,E,F,G |

* Further heat output information available on eastbrooktrade.com **E&OA**

## BIAVA ROUND - MULTIRAIL RANGE

**Biava Round**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 400 | 362 | 63-73 | 82-92 | 10 | 1.91 | 3.67 | Coloured | 107 | 197 | 100W | A, A+, B, D, E, F, G | Chrome | 70 | 130 | 100W | A, A+, B, D, E, F, G |
| 600 | 500 | 462 | 63-73 | 82-92 | 10 | 2.14 | 4.07 | Coloured | 128 | 236 | 150W | A, A+, B, D, E, F, G | Chrome | 84 | 155 | 100W | A, A+, B, D, E, F, G |
| 600 | 600 | 562 | 63-73 | 82-92 | 10 | 2.37 | 4.47 | Coloured | 149 | 274 | 150W | A, A+, B, D, E, F, G | Chrome | 97 | 179 | 150W | A, A+, B, D, E, F, G |
| 1200 | 400 | 362 | 63-73 | 82-92 | 18 | 3.66 | 6.25 | Coloured | 197 | 370 | 150W | A, A+, B, D, E, F, G | Chrome | 132 | 249 | 150W | A, A+, B, D, E, F, G |
| 1200 | 500 | 462 | 63-73 | 82-92 | 18 | 4.08 | 6.97 | Coloured | 236 | 444 | 300W | A, A+, B, D, E, F, G | Chrome | 157 | 296 | 150W | A, A+, B, D, E, F, G |
| 1200 | 600 | 562 | 63-73 | 82-92 | 18 | 4.5 | 7.69 | Coloured | 274 | 516 | 300W | A, A+, B, D, E, F, G | Chrome | 181 | 342 | 150W | A, A+, B, D, E, F, G |
| 1800 | 400 | 362 | 63-73 | 82-92 | 27 | 5.5 | 8.96 | Coloured | 201 | 388 | 300W | A, A+, B, D, E, F, G | Chrome | 297 | 569 | 300W | A, A+, B, D, E, F, G |
| 1800 | 500 | 462 | 63-73 | 82-92 | 27 | 6.12 | 10.04 | Coloured | 356 | 684 | 450W | A, A+, B, D, E, F, G | Chrome | 239 | 462 | 300W | A, A+, B, D, E, F, G |
| 1800 | 600 | 562 | 63-73 | 82-92 | 27 | 6.75 | 11.12 | Coloured | 414 | 794 | 450W | A, A+, B, D, E, F, G | Chrome | 276 | 533 | 300W | A, A+, B, D, E, F, G |

## CORINIUM ROUND - THE MULTIRAIL RANGE

**Corinium Round**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800 | 500 | 458 | 106 | 85 | 12 | 3.9 | 5.07 | Coloured | 164 | 312 | 150W | A,A+,B,D,E,F,G | Chrome | 109 | 207 | 100W | A,A+,B,D,E,F,G |
| 800 | 600 | 558 | 106 | 85 | 12 | 4.3 | 5.72 | Coloured | 192 | 364 | 150W | A,A+,B,D,E,F,G | Chrome | 127 | 242 | 100W | A,A+,B,D,E,F,G |
| 1200 | 500 | 458 | 106 | 85 | 18 | 5.8 | 7.43 | Coloured | 250 | 474 | 300W | A,A+,B,D,E,F,G | Chrome | 164 | 314 | 150W | A,A+,B,D,E,F,G |
| 1200 | 600 | 558 | 106 | 85 | 18 | 6.4 | 8.41 | Coloured | 292 | 554 | 300W | A,A+,B,D,E,F,G | Chrome | 192 | 366 | 300W | A,A+,B,D,E,F,G |
| 1800 | 500 | 458 | 106 | 85 | 27 | 8.7 | 10.98 | Coloured | 380 | 721 | 600W | A,A+,B,D,E,F,G | Chrome | 250 | 480 | 300W | A,A+,B,D,E,F,G |
| 1800 | 600 | 558 | 106 | 85 | 27 | 9.6 | 12.45 | Coloured | 444 | 842 | 600W | A,A+,B,D,E,F,G | Chrome | 292 | 560 | 300W | A,A+,B,D,E,F,G |


## TUSCAN ROUND - THE MULTIRAIL RANGE

**Tuscan Round**


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800 | 500 | 458 | 106 | 85 | 7 | 3.1 | 4.04 | Coloured | 129 | 243 | 150W | A,A+,B,D,E,F,G | Chrome | 83 | 159 | 100W | A,A+,B,D,E,F,G |
| 800 | 600 | 558 | 106 | 85 | 7 | 3.3 | 4.42 | Coloured | 148 | 281 | 150W | A,A+,B,D,E,F,G | Chrome | 96 | 184 | 100W | A,A+,B,D,E,F,G |
| 1200 | 500 | 458 | 106 | 85 | 10 | 4.5 | 5.78 | Coloured | 193 | 366 | 300W | A,A+,B,D,E,F,G | Chrome | 126 | 240 | 150W | A,A+,B,D,E,F,G |
| 1200 | 600 | 558 | 106 | 85 | 10 | 4.8 | 6.33 | Coloured | 223 | 422 | 300W | A,A+,B,D,E,F,G | Chrome | 145 | 277 | 150W | A,A+,B,D,E,F,G |
| 1800 | 500 | 458 | 106 | 85 | 15 | 6.7 | 8.51 | Coloured | 290 | 548 | 450W | A,A+,B,D,E,F,G | Chrome | 189 | 361 | 300W | A,A+,B,D,E,F,G |
| 1800 | 600 | 558 | 106 | 85 | 15 | 7.2 | 9.32 | Coloured | 335 | 632 | 450W | A,A+,B,D,E,F,G | Chrome | 218 | 417 | 300W | A,A+,B,D,E,F,G |

# Technical Tables & Drawings


## TUSCAN





## BIAVA ROUND




## CORINIUM ROUND




## TUSCAN ROUND



# Technical Tables & Drawings

## BIAVA TUBE ON TUBE - MULTIRAIL RANGE

**Biava Tube on Tube**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 400 | 350 | 51-66 | 85-100 | 10 | 1.72 | 3.34 | - | - | - | - | - | Chrome | 81 | 148 | 100W | A, A+, B, D, E, F, G |
| 600 | 500 | 450 | 51-66 | 85-100 | 10 | 1.95 | 3.74 | - | - | - | - | - | Chrome | 94 | 175 | 100W | A, A+, B, D, E, F, G |
| 600 | 600 | 550 | 51-66 | 85-100 | 10 | 2.18 | 4.14 | - | - | - | - | - | Chrome | 109 | 199 | 150W | A, A+, B, D, E, F, G |
| 1200 | 400 | 350 | 51-66 | 85-100 | 25 | 3.89 | 7.05 | - | - | - | - | - | Chrome | 177 | 328 | 150W | A, A+, B, D, E, F, G |
| 1200 | 500 | 450 | 51-66 | 85-100 | 25 | 4.47 | 8.05 | - | - | - | - | - | Chrome | 209 | 388 | 300W | A, A+, B, D, E, F, G |
| 1200 | 600 | 550 | 51-66 | 85-100 | 25 | 5.05 | 9.05 | - | - | - | - | - | Chrome | 240 | 450 | 300W | A, A+, B, D, E, F, G |
| 1800 | 400 | 350 | 51-66 | 85-100 | 39 | 5.98 | 10.59 | - | - | - | - | - | Chrome | 278 | 514 | 300W | A, A+, B, D, E, F, G |
| 1800 | 500 | 450 | 51-66 | 85-100 | 39 | 6.88 | 12.15 | - | - | - | - | - | Chrome | 329 | 608 | 450W | A, A+, B, D, E, F, G |
| 1800 | 600 | 550 | 51-66 | 85-100 | 39 | 7.79 | 13.71 | - | - | - | - | - | Chrome | 366 | 696 | 450W | A, A+, B, D, E, F, G |

## BIAVA SQUARE - MULTIRAIL RANGE

**Biava Square**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 400 | 360 | 61-76 | 82-100 | 9 | 2.77 | 4.56 | - | - | - | - | - | Chrome | 79 | 150 | 100W | A, A+, B, D, E, F, G |
| 600 | 500 | 460 | 61-76 | 82-100 | 9 | 3.12 | 5.19 | - | - | - | - | - | Chrome | 94 | 178 | 150W | A, A+, B, D, E, F, G |
| 600 | 600 | 560 | 61-76 | 82-100 | 9 | 3.47 | 5.83 | - | - | - | - | - | Chrome | 108 | 206 | 150W | A, A+, B, D, E, F, G |
| 1200 | 400 | 360 | 61-76 | 82-100 | 23 | 6.17 | 9.77 | - | - | - | - | - | Chrome | 165 | 321 | 300W | A, A+, B, D, E, F, G |
| 1200 | 500 | 460 | 61-76 | 82-100 | 23 | 7.07 | 11.39 | - | - | - | - | - | Chrome | 190 | 373 | 300W | A, A+, B, D, E, F, G |
| 1200 | 600 | 560 | 61-76 | 82-100 | 23 | 7.97 | 13.02 | - | - | - | - | - | Chrome | 215 | 424 | 300W | A, A+, B, D, E, F, G |
| 1800 | 400 | 360 | 61-76 | 82-100 | 33 | 9.06 | 14.05 | - | - | - | - | - | Chrome | 244 | 468 | 450W | A, A+, B, D, E, F, G |
| 1800 | 500 | 460 | 61-76 | 82-100 | 33 | 10.35 | 16.38 | - | - | - | - | - | Chrome | 294 | 566 | 450W | A, A+, B, D, E, F, G |
| 1800 | 600 | 560 | 61-76 | 82-100 | 33 | 11.65 | 18.71 | - | - | - | - | - | Chrome | 342 | 663 | 600W | A, A+, B, D, E, F, G |

## TUSCAN SQUARE - MULTIRAIL RANGE

**Tuscan Square**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800 | 500 | 470 | 95 | 80 | 7 | 2.1 | 4.6 | Coloured | 128 | 242 | 150W | A, A+, B, D, E, F, G | Chrome | 83 | 159 | 100W | A, A+, B, D, E, F, G |
| 800 | 600 | 570 | 95 | 80 | 7 | 2.3 | 4.9 | Coloured | 146 | 278 | 150W | A, A+, B, D, E, F, G | Chrome | 96 | 183 | 100W | A, A+, B, D, E, F, G |
| 1200 | 500 | 470 | 95 | 80 | 10 | 3.1 | 6.9 | Coloured | 193 | 366 | 300W | A, A+, B, D, E, F, G | Chrome | 125 | 239 | 150W | A, A+, B, D, E, F, G |
| 1200 | 600 | 570 | 95 | 80 | 10 | 3.4 | 7.1 | Coloured | 221 | 419 | 300W | A, A+, B, D, E, F, G | Chrome | 143 | 275 | 150W | A, A+, B, D, E, F, G |
| 1800 | 500 | 470 | 95 | 80 | 15 | 4.7 | 10.3 | Coloured | 290 | 548 | 450W | A, A+, B, D, E, F, G | Chrome | 189 | 363 | 300W | A, A+, B, D, E, F, G |
| 1800 | 600 | 570 | 95 | 80 | 15 | 5.1 | 11 | Coloured | 332 | 628 | 450W | A, A+, B, D, E, F, G | Chrome | 217 | 416 | 300W | A, A+, B, D, E, F, G |


## TUSCAN SQUARE MULTIRAIL - MULTIRAIL RANGE

**Tuscan Square Multirail**


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800 | 500 | 470 | 95 | 80 | 13 | 2.94 | 8.53 | Coloured | 171 | 334 | 150W | A, A+, B, D, E, F, G | Chrome | 109 | 215 | 150W | A, A+, B, D, E, F, G |
| 800 | 600 | 570 | 95 | 80 | 13 | 3.34 | 10.22 | Coloured | 200 | 391 | 300W | A, A+, B, D, E, F, G | Chrome | 125 | 248 | 150W | A, A+, B, D, E, F, G |
| 1200 | 500 | 470 | 95 | 80 | 22 | 4.75 | 11.9 | Coloured | 271 | 523 | 450W | A, A+, B, D, E, F, G | Chrome | 171 | 335 | 300W | A, A+, B, D, E, F, G |
| 1200 | 600 | 570 | 95 | 80 | 22 | 5.43 | 13.9 | Coloured | 318 | 613 | 450W | A, A+, B, D, E, F, G | Chrome | 197 | 386 | 300W | A, A+, B, D, E, F, G |
| 1800 | 500 | 470 | 95 | 80 | 31 | 6.85 | 16.89 | Coloured | 412 | 780 | 600W | A, A+, B, D, E, F, G | Chrome | 262 | 509 | 450W | A, A+, B, D, E, F, G |
| 1800 | 600 | 570 | 95 | 80 | 31 | 7.81 | 19.4 | Coloured | 482 | 913 | 600W | A, A+, B, D, E, F, G | Chrome | 302 | 587 | 450W | A, A+, B, D, E, F, G |

# Technical Tables & Drawings


## BIAVA TUBE ON TUBE





## BIAVA SQUARE




## TUSCAN SQUARE




## TUSCAN SQUARE MULTIRAIL



# Technical Tables & Drawings

## **LAUNTON** - THE MULTIRAIL RANGE

**Launton**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1200 | 500 | 470 | 255-270 | 70-85 | 11 | 4 | 8.3 | Coloured | 183 | 349 | 150W | A, A+, B, D, E, F, G | Chrome | 121 | 231 | 150W | A, A+, B, D, E, F, G |
| 1200 | 600 | 570 | 255-270 | 70-85 | 11 | 4.4 | 9.3 | Coloured | 204 | 389 | 300W | A, A+, B, D, E, F, G | Chrome | 136 | 258 | 150W | A, A+, B, D, E, F, G |

* Further heat output information available on eastbrooktrade.com **E&OA**

## **HADDENHAM** - THE MULTIRAIL RANGE

**Haddenham**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1200 | 500 | 455 | 255-270 | 70-85 | 25 | 6.1 | 9.5 | Coloured | 269 | 512 | 450W | A, A+, B, D, E, F, G | Chrome | 178 | 339 | 150W | A, A+, B, D, E, F, G |
| 1200 | 600 | 555 | 255-270 | 70-85 | 25 | 6.9 | 10.8 | Coloured | 305 | 581 | 450W | A, A+, B, D, E, F, G | Chrome | 202 | 385 | 300W | A, A+, B, D, E, F, G |

* Further heat output information available on eastbrooktrade.com **E&OA**

## **DERWENT ALUMINIUM DRY ELEMENT** - DRY ELEMENT RANGE

**Derwent Aluminium Dry Element**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | Watts | BTU | Element Output | Element Type | Colour | Watts | BTU | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1800 | 304 | N/A | 115 | N/A | 3 | N/A | 8.5 | Coloured | 600 | 2047 | N/A | N/A | - | - | - | - | - |
| 1800 | 404 | N/A | 115 | N/A | 4 | N/A | 11.3 | Coloured | 800 | 2730 | N/A | N/A | - | - | - | - | - |
| 1800 | 504 | N/A | 115 | N/A | 5 | N/A | 14 | Coloured | 1000 | 3412 | N/A | N/A | - | - | - | - | - |
| 1800 | 604 | N/A | 115 | N/A | 6 | N/A | 21 | Coloured | 1200 | 4094 | N/A | N/A | - | - | - | - | - |


## **BIAVA DRY ELEMENT** - DRY ELEMENT RANGE

**Biava Dry Element**


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | Watts | BTU | Element Output | Element Type | Colour | Watts | BTU | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 700 | 500 | N/A | 99-115 | N/A | 12 | N/A | 5.3 | Coloured | 250 | 853 | N/A | N/A | Chrome | 250 | 853 | N/A | N/A |
| 700 | 600 | N/A | 99-115 | N/A | 12 | N/A | 5.5 | Coloured | 300 | 1024 | N/A | N/A | Chrome | 300 | 1024 | N/A | N/A |
| 1100 | 500 | N/A | 99-115 | N/A | 20 | N/A | 7.5 | Coloured | 400 | 1365 | N/A | N/A | Chrome | 400 | 1365 | N/A | N/A |
| 1100 | 600 | N/A | 99-115 | N/A | 20 | N/A | 8.4 | Coloured | 500 | 1706 | N/A | N/A | Chrome | 500 | 1706 | N/A | N/A |

# Technical Tables & Drawings


## LAUNTON





## HADDENHAM




## DERWENT DRY ELEMENT




## BIAVA DRY ELEMENT



# Technical Tables & Drawings

## LODDON DRY ELEMENT - DRY ELEMENT RANGE

**Loddon Dry Element**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | Watts | BTU | Element Output | Element Type | Colour | Watts | BTU | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800* | 500 | N/A | 100 | N/A | 9 | N/A | 6.65 | Coloured | 300 | 1024 | N/A | N/A | Chrome | 300 | 1024 | N/A | N/A |
| 800* | 600 | N/A | 100 | N/A | 9 | N/A | 7.17 | Coloured | 350 | 1195 | N/A | N/A | Chrome | 350 | 1195 | N/A | N/A |
| 1200 | 500 | N/A | 100 | N/A | 15 | N/A | 10 | Coloured | 450 | 1536 | N/A | N/A | Chrome | 450 | 1536 | N/A | N/A |
| 1200 | 600 | N/A | 100 | N/A | 15 | N/A | 10.64 | Coloured | 500 | 1707 | N/A | N/A | Chrome | 500 | 1707 | N/A | N/A |

* The total height of this rail is 780mm

## EMSBURY DRY ELEMENT - DRY ELEMENT RANGE

**Emsbury Dry Element**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | Watts | BTU | Element Output | Element Type | Colour | Watts | BTU | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800 | 500 | N/A | 92 | N/A | 8 | N/A | 4.9 | Polished | 150 | 512 | N/A | N/A | - | - | - | - | - |
| 800 | 600 | N/A | 92 | N/A | 8 | N/A | 5.69 | Polished | 200 | 683 | N/A | N/A | - | - | - | - | - |
| 1200 | 500 | N/A | 92 | N/A | 12 | N/A | 6.55 | Polished | 250 | 854 | N/A | N/A | - | - | - | - | - |
| 1200 | 600 | N/A | 92 | N/A | 12 | N/A | 7.44 | Polished | 300 | 1024 | N/A | N/A | - | - | - | - | - |

## KENNET DRY ELEMENT - DRY ELEMENT RANGE

**Kennet Dry Element**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | Watts | BTU | Element Output | Element Type | Colour | Watts | BTU | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 700* | 500 | N/A | 130 | N/A | 3 | N/A | 7.47 | Coloured | 120 | 410 | N/A | N/A | Chrome | 120 | 410 | N/A | N/A |
| 700* | 600 | N/A | 130 | N/A | 3 | N/A | 8.52 | Coloured | 150 | 512 | N/A | N/A | Chrome | 150 | 512 | N/A | N/A |
| 1200** | 500 | N/A | 130 | N/A | 5 | N/A | 12.1 | Coloured | 200 | 683 | N/A | N/A | Chrome | 200 | 683 | N/A | N/A |
| 1200** | 600 | N/A | 130 | N/A | 5 | N/A | 13.66 | Coloured | 230 | 785 | N/A | N/A | Chrome | 230 | 785 | N/A | N/A |

* Height shown excludes bottom control leg. Total height is 744.5mm ** Height shown excludes bottom control leg. Total height is 1253mm


## WENDOVER STRAIGHT - STAINLESS STEEL RANGE

**Wendover Straight Stainless Steel**


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800 | 500 | 450 | 90-115 | 75-100 | 12 | 3.08 | 5.20 | Polished / Brushed | 106 | 203 | 150W | A, A+, B, D, E, F, G |
| 800 | 600 | 550 | 90-115 | 75-100 | 12 | 3.47 | 5.82 | Polished / Brushed | 126 | 241 | 150W | A, A+, B, D, E, F, G |
| 1200 | 500 | 450 | 90-115 | 75-100 | 18 | 4.63 | 7.48 | Polished / Brushed | 163 | 313 | 300W | A, A+, B, D, E, F, G |
| 1200 | 600 | 550 | 90-115 | 75-100 | 18 | 5.20 | 8.41 | Polished / Brushed | 194 | 371 | 300W | A, A+, B, D, E, F, G |
| 1800 | 600 | 450 | 90-115 | 75-100 | 28 | 7.08 | 11.11 | Polished / Brushed | 254 | 489 | 450W | A, A+, B, D, E, F, G |
| 1800 | 600 | 550 | 90-115 | 75-100 | 28 | 7.97 | 12.56 | Polished / Brushed | 301 | 580 | 450W | A, A+, B, D, E, F, G |

# Technical Tables & Drawings


## LODDON DRY ELEMENT





## EMSBURY DRY ELEMENT




## KENNET DRY ELEMENT




## WENDOVER STRAIGHT STAINLESS STEEL



# Technical Tables & Drawings

## VIOLLA II - STAINLESS STEEL RANGE

**Viola II Stainless Steel**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 790 | 500 | 468 | 92-117 | 76-101 | 9 | 1.93 | 3.43 | Polished / Brushed | 90 | 172 | 100W | A, A+, B, D, E, F, G |
| 790 | 600 | 568 | 92-117 | 76-101 | 9 | 2.13 | 3.76 | Polished / Brushed | 104 | 200 | 150W | A, A+, B, D, E, F, G |
| 1210 | 500 | 468 | 92-117 | 76-101 | 15 | 3.08 | 5.18 | Polished / Brushed | 145 | 277 | 150W | A, A+, B, D, E, F, G |
| 1210 | 600 | 568 | 92-117 | 76-101 | 15 | 3.42 | 5.73 | Polished / Brushed | 169 | 321 | 150W | A, A+, B, D, E, F, G |
| 1630 | 500 | 468 | 92-117 | 76-101 | 19 | 4.03 | 6.61 | Polished / Brushed | 200 | 376 | 150W | A, A+, B, D, E, F, G |
| 1630 | 600 | 568 | 92-117 | 76-101 | 19 | 4.46 | 7.30 | Polished / Brushed | 232 | 436 | 300W | A, A+, B, D, E, F, G |

## VELINO - STAINLESS STEEL RANGE

**Velino Stainless Steel**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800 | 500 | 465 | 290 | 97.5 | 11 | 2.94 | 4.70 | Polished / Brushed | 125 | 235 | 150W | A, A+, B, D, E, F, G |
| 800 | 600 | 565 | 290 | 97.5 | 11 | 3.19 | 5.10 | Polished / Brushed | 143 | 268 | 150W | A, A+, B, D, E, F, G |
| 1200 | 500 | 465 | 290 | 97.5 | 14 | 4.05 | 6.20 | Polished / Brushed | 167 | 317 | 150W | A, A+, B, D, E, F, G |
| 1200 | 600 | 565 | 290 | 97.5 | 14 | 4.37 | 6.80 | Polished / Brushed | 189 | 358 | 300W | A, A+, B, D, E, F, G |

## RIZANO - STAINLESS STEEL RANGE

**Rizano**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1000 | 500 | 50 | 95 | 65 | 15 | 3.5 | 7.5 | Polished | 133 | 262 | 300W | A, A+, B, D, E |
| 1000 | 600 | 50 | 95 | 65 | 15 | 4.1 | 9.6 | Polished | 157 | 307 | 300W | A, A+, B, D, E |

## VIOLLA - STAINLESS STEEL RANGE

**Violla Stainless Steel**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 590 | 1000 | 968 | 95 | 79 | 6 | 2.14 | 3.4 | Polished | 95 | 182 | 150W | A, A+, B, D, E, F, G |
| 790 | 500 | 468 | 95 | 79 | 9 | 2 | 3.2 | Polished | 80 | 153 | 100W | A, A+, B, D, E, F, G |
| 790 | 600 | 568 | 95 | 79 | 9 | 2.22 | 3.6 | Polished | 90 | 173 | 150W | A, A+, B, D, E, F, G |
| 1210 | 500 | 468 | 95 | 79 | 15 | 3.2 | 5.2 | Polished | 124 | 237 | 150W | A, A+, B, D, E, F, G |
| 1210 | 600 | 568 | 95 | 79 | 15 | 3.56 | 5.6 | Polished | 141 | 270 | 150W | A, A+, B, D, E, F, G |
| 1630 | 500 | 468 | 95 | 79 | 19 | 4.18 | 6.6 | Polished | 158 | 302 | 150W | A, A+, B, D, E, F, G |
| 1630 | 600 | 568 | 95 | 79 | 19 | 4.63 | 8 | Polished | 180 | 344 | 300W | A, A+, B, D, E, F, G |

* Further heat output information available on eastbrooktrade.com **E&OA**


## BIAVA FLAT - STAINLESS STEEL RANGE

**Biava Flat Stainless Steel**


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1190 | 500 | 420 | 95 | 65 | 13 | 3.4 | 9.5 | Polished | 163 | 312 | 300W | A, A+, B, D, E |
| 1190 | 600 | 520 | 95 | 65 | 13 | 4 | 10.3 | Polished | 190 | 359 | 450W | A, A+, B, D, E |

# Technical Tables & Drawings


## VIOLLA II





## VELINO





## RIZANO




## VIOLLA




## BIAVA FLAT



# Technical Tables & Drawings

## ASCONA - STAINLESS STEEL RANGE

**Ascona Stainless Steel**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 420 | 500 | 440 | 130 | 45 | 6 | 1.6 | 4.7 | Polished | 80 | 146 | 150W | A, A+, B, D, E |

## WARRINGTON TYPE 10 HORIZONTAL - DESIGNER RANGE

**Warrington Type 10 - Horizontal**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 452 | 452 | 84 | 51 | 6 | - | 7.20 | Coloured | 169 | 321 | N/A | N/A | - | - | - | - | - |
| 600 | 604 | 604 | 84 | 51 | 8 | - | 9.50 | Coloured | 225 | 427 | N/A | N/A | - | - | - | - | - |
| 600 | 832 | 832 | 84 | 51 | 11 | - | 13.10 | Coloured | 310 | 588 | N/A | N/A | - | - | - | - | - |
| 600 | 1060 | 1060 | 84 | 51 | 14 | - | 16.60 | Coloured | 394 | 748 | N/A | N/A | - | - | - | - | - |
| 600 | 1212 | 1212 | 84 | 51 | 16 | - | 19.00 | Coloured | 450 | 854 | N/A | N/A | - | - | - | - | - |
| 600 | 1440 | 1440 | 84 | 51 | 19 | - | 23.00 | Coloured | 535 | 1015 | N/A | N/A | - | - | - | - | - |
| 600 | 1668 | 1668 | 84 | 51 | 22 | - | 26.60 | Coloured | 619 | 1175 | N/A | N/A | - | - | - | - | - |

## WARRINGTON TYPE 10 VERTICAL - DESIGNER RANGE

**Warrington Type 10 - Vertical**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1500 | 300 | 300 | 84 | 51 | 4 | 3.65 | 10.78 | Coloured | 258 | 490 | N/A | N/A | Chrome | 151 | 293 | N/A | N/A |
| 1500 | 376 | 376 | 84 | 51 | 5 | 4.57 | 13.45 | Coloured | 322 | 612 | N/A | N/A | Chrome | 188 | 366 | N/A | N/A |
| 1500 | 452 | 452 | 84 | 51 | 6 | 5.48 | 16.12 | Coloured | 387 | 735 | N/A | N/A | Chrome | 226 | 439 | N/A | N/A |
| 1500 | 528 | 528 | 84 | 51 | 7 | 6.40 | 18.79 | Coloured | 451 | 857 | N/A | N/A | Chrome | 263 | 512 | N/A | N/A |
| 1500 | 604 | 604 | 84 | 51 | 8 | 7.31 | 21.47 | Coloured | 516 | 980 | N/A | N/A | Chrome | 301 | 585 | N/A | N/A |
| 1500 | 680 | 680 | 84 | 51 | 9 | 8.23 | 24.14 | Coloured | 580 | 1102 | N/A | N/A | Chrome | N/A | N/A | N/A | N/A |
| 1800 | 300 | 300 | 84 | 51 | 4 | 4.26 | 12.73 | Coloured | 322 | 616 | N/A | N/A | Chrome | 192* | 383* | N/A | N/A |
| 1800 | 376 | 376 | 84 | 51 | 5 | 5.33 | 15.90 | Coloured | 403 | 769 | N/A | N/A | Chrome | 240* | 479* | N/A | N/A |
| 1800 | 452 | 452 | 84 | 51 | 6 | 6.40 | 19.06 | Coloured | 483 | 923 | N/A | N/A | Chrome | 288* | 575* | N/A | N/A |
| 1800 | 528 | 528 | 84 | 51 | 7 | 7.47 | 22.22 | Coloured | 564 | 1077 | N/A | N/A | Chrome | 336* | 670* | N/A | N/A |
| 1800 | 604 | 604 | 84 | 51 | 8 | 8.54 | 25.38 | Coloured | 644 | 1231 | N/A | N/A | Chrome | 384* | 766* | N/A | N/A |
| 1800 | 680 | 680 | 84 | 51 | 9 | - | 28.50 | Coloured | 725 | 1385 | N/A | N/A | Chrome | N/A | N/A | N/A | N/A |

* Further heat output information available on eastbrooktrade.com **E&OA**

**Warrington Type 10 - Vertical**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1500 | 300 | 300 | 84 | 51 | 4 | 3.65 | 10.78 | PVD Finish | 151 | 293 | N/A | N/A | - | - | - | - | - |
| 1500 | 376 | 376 | 84 | 51 | 5 | 4.57 | 13.45 | PVD Finish | 188 | 366 | N/A | N/A | - | - | - | - | - |
| 1500 | 452 | 452 | 84 | 51 | 6 | 5.48 | 16.12 | PVD Finish | 226 | 439 | N/A | N/A | - | - | - | - | - |
| 1500 | 528 | 528 | 84 | 51 | 7 | 6.40 | 18.79 | PVD Finish | 263 | 512 | N/A | N/A | - | - | - | - | - |
| 1500 | 604 | 604 | 84 | 51 | 8 | 7.31 | 21.47 | PVD Finish | 301 | 585 | N/A | N/A | - | - | - | - | - |
| 1800 | 300 | 300 | 84 | 51 | 4 | 4.26 | 12.73 | PVD Finish | 192 | 383 | N/A | N/A | - | - | - | - | - |
| 1800 | 376 | 376 | 84 | 51 | 5 | 5.33 | 15.90 | PVD Finish | 240 | 479 | N/A | N/A | - | - | - | - | - |
| 1800 | 452 | 452 | 84 | 51 | 6 | 6.40 | 19.06 | PVD Finish | 288 | 575 | N/A | N/A | - | - | - | - | - |
| 1800 | 528 | 528 | 84 | 51 | 7 | 7.47 | 22.22 | PVD Finish | 336 | 670 | N/A | N/A | - | - | - | - | - |
| 1800 | 604 | 604 | 84 | 51 | 8 | 8.54 | 25.38 | PVD Finish | 384 | 766 | N/A | N/A | - | - | - | - | - |

PVD Finish is Brushed Brass. * Further heat output information available on eastbrooktrade.com **E&OA**


## WARRINGTON TYPE 20 HORIZONTAL - DESIGNER RANGE

**Warrington Type 20 - Horizontal**


| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 456 | 456 | 84 | 51 | 12 | - | 13.2 | Coloured | 268 | 510 | N/A | N/A | - | - | - | - | - |
| 600 | 608 | 608 | 84 | 51 | 16 | - | 17.6 | Coloured | 358 | 680 | N/A | N/A | - | - | - | - | - |
| 600 | 836 | 836 | 84 | 51 | 22 | - | 24.2 | Coloured | 492 | 935 | N/A | N/A | - | - | - | - | - |
| 600 | 1064 | 1064 | 84 | 51 | 28 | - | 30.8 | Coloured | 626 | 1190 | N/A | N/A | - | - | - | - | - |
| 600 | 1216 | 1216 | 84 | 51 | 32 | - | 35.2 | Coloured | 715 | 1360 | N/A | N/A | - | - | - | - | - |
| 600 | 1444 | 1444 | 84 | 51 | 38 | - | 42.5 | Coloured | 849 | 1615 | N/A | N/A | - | - | - | - | - |
| 600 | 1672 | 1672 | 84 | 51 | 44 | - | 49.2 | Coloured | 983 | 1870 | N/A | N/A | - | - | - | - | - |

# Technical Tables & Drawings


## ASCONA





## WARRINGTON TYPE 10 HORIZONTAL




## WARRINGTON TYPE 10 VERTICAL




## WARRINGTON TYPE 20 HORIZONTAL



# Technical Tables & Drawings

## WARRINGTON TYPE 20 VERTICAL - DESIGNER RANGE

**Warrington Type 20 - Vertical**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1500 | 304 | 304 | 84 | 51 | 8 | 7.06 | 20.77 | Coloured | 372 | 721 | N/A | N/A | | | | | |
| 1500 | 380 | 380 | 84 | 51 | 10 | 8.83 | 25.94 | Coloured | 466 | 902 | N/A | N/A | | | | | |
| 1500 | 456 | 456 | 84 | 51 | 12 | 10.60 | 31.10 | Coloured | 559 | 1082 | N/A | N/A | | | | | |
| 1500 | 532 | 532 | 84 | 51 | 14 | 12.37 | 36.27 | Coloured | 652 | 1262 | N/A | N/A | | | | | |
| 1500 | 608 | 608 | 84 | 51 | 16 | 14.13 | 41.44 | Coloured | 745 | 1443 | N/A | N/A | | | | | |
| 1500 | 684 | 684 | 84 | 51 | 18 | 15.90 | 46.60 | Coloured | 838 | 1623 | N/A | N/A | | | | | |
| 1800 | 304 | 304 | 84 | 51 | 8 | - | 24.50 | Coloured | 468 | 902 | N/A | N/A | - | - | - | - | - |
| 1800 | 380 | 380 | 84 | 51 | 10 | - | 30.60 | Coloured | 584 | 1127 | N/A | N/A | - | - | - | - | - |
| 1800 | 456 | 456 | 84 | 51 | 12 | - | 36.70 | Coloured | 701 | 1352 | N/A | N/A | - | - | - | - | - |
| 1800 | 532 | 532 | 84 | 51 | 14 | - | 42.80 | Coloured | 818 | 1578 | N/A | N/A | - | - | - | - | - |
| 1800 | 608 | 608 | 84 | 51 | 16 | - | 48.90 | Coloured | 935 | 1803 | N/A | N/A | - | - | - | - | - |
| 1800 | 684 | 684 | 84 | 51 | 18 | - | 55.40 | Coloured | 1052 | 2028 | N/A | N/A | - | - | - | - | - |

## LEONARDO - DESIGNER RANGE

**Leonardo**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 400 | 80 | 63-73 | 97-112 | 8 | 2.36 | 6.16 | Chrome | 68 | 135 | 150W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 600 | 500 | 80 | 63-73 | 97-112 | 8 | 2.71 | 8.95 | Chrome | 82 | 162 | 150W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 600 | 600 | 80 | 63-73 | 97-112 | 8 | 3.06 | 7.99 | Chrome | 95 | 189 | 150W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 688 | 500 | 80 | 63-73 | 97-112 | 9 | 3.07 | 7.87 | Chrome | 93 | 182 | 150W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1200 | 400 | 80 | 63-73 | 97-112 | 15 | 4.54 | 10.92 | Chrome | 128 | 255 | 300W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1200 | 500 | 80 | 63-73 | 97-112 | 15 | 5.2 | 12.63 | Chrome | 153 | 305 | 300W | A, A+, B, D, E, F, G | PVD Finish | 184 | 366 | 300W | A, A+, B, D, E, F, G |
| 1200 | 600 | 80 | 63-73 | 97-112 | 15 | 5.85 | 14.34 | Chrome | 175 | 350 | 300W | A, A+, B, D, E, F, G | PVD Finish | 228 | 442 | 450W | A, A+, B, D, E, F, G |
| 1450 | 500 | 80 | 63-73 | 97-112 | 18 | 6.25 | 15 | Chrome | 184 | 370 | 450W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1800 | 400 | 80 | 63-73 | 97-112 | 21 | 6.55 | 15.19 | Chrome | 192 | 389 | 450W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1800 | 500 | 80 | 63-73 | 97-112 | 21 | 7.47 | 17.59 | Chrome | 230 | 466 | 450W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1800 | 600 | 80 | 63-73 | 97-112 | 21 | 8.39 | 19.99 | Chrome | 276 | 540 | 600W | A, A+, B, D, E, F, G | - | - | - | - | - |

PVD Finish is Brushed Brass.

## BROCKWORTH ALL ELECTRIC - DESIGNER RANGE

**Brockworth All Elecric**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | Watts | BTU | Element Output | Element Type | Colour | Watts | BTU | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1200 | 500 | N/A | N/A | 96-106 | 12 | 5.04 | 17.27 | Coloured | 700 | 2387 | 700W | Type B Wi-Fi | - | - | - | - | - |

## STAVERTON TUBE ON TUBE STRAIGHT - DESIGNER RANGE

**Staverton Tube on Tube - Straight**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 400 | 350 | 63-73 | 96-108 | 7 | 2.73 | 7.10 | Coloured | 139 | 260 | 150W | A, A+, B, D, E, F, G | Chrome | 90 | 172 | 150W | A, A+, B, D, E, F, G |
| 600 | 500 | 450 | 63-73 | 96-108 | 7 | 3.13 | 8.21 | Coloured | 166 | 310 | 150W | A, A+, B, D, E, F, G | Chrome | 91 | 175 | 150W | A, A+, B, D, E, F, G |
| 600 | 600 | 550 | 63-73 | 96-108 | 7 | 3.53 | 9.32 | Coloured | 193 | 358 | 300W | A, A+, B, D, E, F, G | Chrome | 127 | 237 | 150W | A, A+, B, D, E, F, G |
| 600 | 1000 | 950 | 73-83 | 96-108 | 7 | 5.13 | 13.76 | - | - | - | - | - | Chrome | 253* | 485* | 300W | A, A+, B, D, E, F, G |
| 600 | 1200 | 1150 | 73-83 | 96-108 | 7 | 5.92 | 15.93 | - | - | - | - | - | Chrome | 217 | 405 | 300W | A, A+, B, D, E, F, G |
| 800 | 1000 | 950 | 73-83 | 96-108 | 9 | 6.65 | 17.50 | - | - | - | - | - | Chrome | 200 | 389 | 450W | A, A+, B, D, E, F, G |
| 800 | 1200 | 1150 | 73-83 | 96-108 | 9 | 7.67 | 20.23 | - | - | - | - | - | Chrome | 272 | 508 | 450W | A, A+, B, D, E, F, G |
| 1200 | 400 | 350 | 63-73 | 96-108 | 12 | 5.01 | 11.95 | Coloured | 244 | 467 | 300W | A, A+, B, D, E, F, G | Chrome | 146 | 283 | 300W | A, A+, B, D, E, F, G |
| 1200 | 500 | 450 | 63-73 | 96-108 | 12 | 5.69 | 13.85 | Coloured | 295 | 556 | 450W | A, A+, B, D, E, F, G | Chrome | 177 | 337 | 300W | A, A+, B, D, E, F, G |
| 1200 | 600 | 550 | 63-73 | 96-108 | 12 | 6.38 | 15.75 | Coloured | 332 | 626 | 450W | A, A+, B, D, E, F, G | Chrome | 215 | 412 | 300W | A, A+, B, D, E, F, G |
| 1800 | 400 | 350 | 63-73 | 96-108 | 19 | 7.75 | 18.13 | Coloured | 373 | 702 | 600W | A, A+, B, D, E, F, G | Chrome | 227 | 437 | 450W | A, A+, B, D, E, F, G |
| 1800 | 500 | 450 | 63-73 | 96-108 | 19 | 8.82 | 21.14 | Coloured | 457 | 866 | 600W | A, A+, B, D, E, F, G | Chrome | 243 | 470 | 450W | A, A+, B, D, E, F, G |
| 1800 | 600 | 550 | 63-73 | 96-108 | 19 | 9.90 | 24.15 | Coloured | 515 | 975 | 750W | A, A+, B, D, E, F, G | Chrome | 306 | 584 | 600W | A, A+, B, D, E, F, G |

* Further heat output information available on eastbrooktrade.com **E&OA**

## STAVERTON TUBE ON TUBE STRAIGHT - DESIGNER RANGE


**Staverton Tube on Tube - Straight**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1200 | 500 | 450 | 63-73 | 96-108 | 12 | 5.69 | 13.85 | PVD Finish | 252 | 482 | 300W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1200 | 600 | 550 | 63-73 | 96-108 | 12 | 6.38 | 15.75 | PVD Finish | 290 | 555 | 300W | A, A+, B, D, E, F, G | - | - | - | - | - |


PVD Finish is Brushed Brass. * Further heat output information available on eastbrooktrade.com **E&OA**

# Technical Tables & Drawings


## WARRINGTON TYPE 20 VERTICAL





## LEONARDO




## BROCKWORTH ALL ELECTRIC




## STAVERTON TUBE ON TUBE - STRAIGHT



# Technical Tables & Drawings

## STAVERTON TUBE ON TUBE CURVED - DESIGNER RANGE

**Staverton Tube on Tube - Curved**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 500 | 450 | 63-73 | 128-143 | 9 | 3.17 | 7.95 | - | - | - | - | - | Chrome | 100 | 190 | 150W | A, A+, B, D, E, F, G |
| 600 | 600 | 550 | 63-73 | 128-143 | 9 | 3.57 | 8.98 | - | - | - | - | - | Chrome | 110 | 207 | 150W | A, A+, B, D, E, F, G |
| 1200 | 500 | 450 | 63-73 | 128-143 | 17 | 6.12 | 14.36 | - | - | - | - | - | Chrome | 191 | 365 | 300W | A, A+, B, D, E, F, G |
| 1200 | 600 | 550 | 63-73 | 128-143 | 17 | 6.87 | 16.3 | - | - | - | - | - | Chrome | 212 | 404 | 450W | A, A+, B, D, E, F, G |
| 1800 | 500 | 450 | 63-73 | 128-143 | 25 | 9.07 | 20.77 | - | - | - | - | - | Chrome | 291 | 560 | 450W | A, A+, B, D, E, F, G |
| 1800 | 600 | 550 | 63-73 | 128-143 | 25 | 10.17 | 23.63 | - | - | - | - | - | Chrome | 318 | 613 | 600W | A, A+, B, D, E, F, G |

## BIAVA CORINIUM - DESIGNER RANGE

**Biava Corinium**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1200 | 500 | 470 | 225 | 43-58 | 8 | 3.87 | 6.2 | - | - | - | - | - | Chrome | 121 | 231 | 150W | A, A+, C, E, H |
| 1200 | 600 | 570 | 225 | 43-58 | 8 | 4.13 | 6.55 | - | - | - | - | - | Chrome | 135 | 254 | 150W | A, A+, C, E, H |

## DEFFORD - DESIGNER RANGE

**Defford**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800 | 500 | 455 | 95 | 80 | 10 | 2.8 | 7.2 | Coloured | 169 | 322 | 150W | A, A+, B, D, E, F, G | Chrome | 102 | 198 | 150W | A, A+, B, D, E, F, G |
| 800 | 600 | 555 | 95 | 80 | 10 | 3 | 8.3 | Coloured | 195 | 371 | 150W | A, A+, B, D, E, F, G | Chrome | 117 | 226 | 150W | A, A+, B, D, E, F, G |
| 1200 | 500 | 455 | 95 | 80 | 16 | 4.3 | 11.2 | Coloured | 252 | 479 | 300W | A, A+, B, D, E, F, G | Chrome | 151 | 293 | 150W | A, A+, B, D, E, F, G |
| 1200 | 600 | 555 | 95 | 80 | 16 | 4.7 | 12.7 | Coloured | 291 | 553 | 450W | A, A+, B, D, E, F, G | Chrome | 173 | 335 | 150W | A, A+, B, D, E, F, G |
| 1800 | 500 | 455 | 95 | 80 | 22 | 6.2 | 15.1 | Coloured | 374 | 710 | 600W | A, A+, B, D, E, F, G | Chrome | 225 | 438 | 300W | A, A+, B, D, E, F, G |
| 1800 | 600 | 555 | 95 | 80 | 22 | 6.7 | 17.4 | Coloured | 432 | 819 | 600W | A, A+, B, D, E, F, G | Chrome | 258 | 501 | 300W | A, A+, B, D, E, F, G |

## STAVERTON - DESIGNER RANGE

**Staverton**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 400 | 350 | 66-81 | 80-100 | 8 | 2.23 | 9.02 | Coloured | 113 | 213 | 150W | A,A+,B,D,E,F,G | Chrome | 67 | 129 | 100W | A,A+,B,D,E,F,G |
| 600 | 500 | 450 | 66-81 | 80-100 | 8 | 2.58 | 5.94 | Coloured | 136 | 257 | 150W | A,A+,B,D,E,F,G | Chrome | 80 | 153 | 150W | A,A+,B,D,E,F,G |
| 600 | 600 | 550 | 66-81 | 80-100 | 8 | 2.93 | 6.85 | Coloured | 159 | 299 | 150W | A,A+,B,D,E,F,G | Chrome | 93 | 174 | 150W | A,A+,B,D,E,F,G |
| 1200 | 400 | 350 | 66-81 | 80-100 | 16 | 4.45 | 9.61 | Coloured | 217 | 411 | 300W | A,A+,B,D,E,F,G | Chrome | 141 | 268 | 150W | A,A+,B,D,E,F,G |
| 1200 | 500 | 450 | 66-81 | 80-100 | 16 | 5.15 | 11.43 | Coloured | 261 | 495 | 300W | A,A+,B,D,E,F,G | Chrome | 166 | 316 | 300W | A,A+,B,D,E,F,G |
| 1200 | 600 | 550 | 66-81 | 80-100 | 16 | 5.85 | 13.26 | Coloured | 304 | 576 | 450W | A,A+,B,D,E,F,G | Chrome | 187 | 371 | 300W | A,A+,B,D,E,F,G |
| 1800 | 400 | 350 | 66-81 | 80-100 | 24 | 6.68 | 14.19 | Coloured | 325 | 621 | 450W | A,A+,B,D,E,F,G | Chrome | 212 | 400 | 300W | A,A+,B,D,E,F,G |
| 1800 | 500 | 450 | 66-81 | 80-100 | 24 | 7.73 | 16.93 | Coloured | 391 | 748 | 600W | A,A+,B,D,E,F,G | Chrome | 250 | 472 | 450W | A,A+,B,D,E,F,G |
| 1800 | 600 | 550 | 66-81 | 80-100 | 24 | 8.78 | 19.67 | Coloured | 455 | 871 | 600W | A,A+,B,D,E,F,G | Chrome | 289 | 540 | 600W | A,A+,B,D,E,F,G |

## STAVERTON - DESIGNER RANGE


**Staverton**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1200 | 500 | 450 | 66-81 | 80-100 | 16 | 5.15 | 11.43 | PVD Finish | 226 | 433 | 300W | A,A+,B,D,E,F,G | - | - | - | - | - |
| 1200 | 600 | 550 | 66-81 | 80-100 | 16 | 5.85 | 13.26 | PVD Finish | 281 | 539 | 300W | A,A+,B,D,E,F,G | - | - | - | - | - |


PVD Finish is Brushed Brass.

# Technical Tables & Drawings


## STAVERTON TUBE ON TUBE - CURVED





## BIAVA CORINIUM




## DEFFORD




## STAVERTON



# Technical Tables & Drawings

## MEZZO TONDO - DESIGNER RANGE

**Mezzo Tondo**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1600 | 320 | 286 | 63-73 | 247-257 | 26 | 5.11 | 10.03 | - | - | - | - | - | Chrome | 238 | 453 | N/A | N/A |

## PESARO - DESIGNER RANGE

**Pesaro**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005 | 550 | 80 | 65-80 | 115-130 | 12 | 4.09 | 5.88 | - | - | - | - | - | Chrome | 111 | 212 | 150W | A, A+, B, D, E, F, G |

## SANTERO - DESIGNER RANGE

**Santero**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800 | 500 | 455 | 95 | 80 | 7 | 3.9 | 9.1 | Coloured | 181 | 342 | 150W | A, A+, B, D, E, F, G | Chrome | 101 | 196 | 150W | A, A+, B, D, E, F, G |
| 800 | 600 | 555 | 95 | 80 | 7 | 4.5 | 9.5 | Coloured | 214 | 405 | 150W | A, A+, B, D, E, F, G | Chrome | 117 | 228 | 150W | A, A+, B, D, E, F, G |
| 1200 | 500 | 455 | 95 | 80 | 10 | 5.7 | 11.7 | Coloured | 266 | 504 | 300W | A, A+, B, D, E, F, G | Chrome | 152 | 295 | 150W | A, A+, B, D, E, F, G |
| 1200 | 600 | 555 | 95 | 80 | 10 | 6.5 | 14 | Coloured | 315 | 597 | 300W | A, A+, B, D, E, F, G | Chrome | 177 | 343 | 150W | A, A+, B, D, E, F, G |
| 1800 | 500 | 455 | 95 | 80 | 15 | 8.6 | 16.5 | Coloured | 392 | 742 | 450W | A, A+, B, D, E, F, G | Chrome | 227 | 436 | 300W | A, A+, B, D, E, F, G |
| 1800 | 600 | 555 | 95 | 80 | 15 | 9.8 | 19.7 | Coloured | 464 | 879 | 600W | A, A+, B, D, E, F, G | Chrome | 263 | 507 | 450W | A, A+, B, D, E, F, G |


## HURLEY - DESIGNER RANGE

**Hurley**


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800 | 500 | 60 | 104 | 79 | 9 | 2.9 | 9.7 | Coloured | 145 | 289 | 150W | A, A+, B, D, E, F, G | Chrome | 92 | 186 | 150W | A, A+, B, D, E, F, G |
| 800 | 600 | 60 | 104 | 79 | 9 | 3.6 | 11.2 | Coloured | 163 | 324 | 150W | A, A+, B, D, E, F, G | Chrome | 103 | 208 | 150W | A, A+, B, D, E, F, G |
| 1000 | 500 | 60 | 104 | 79 | 12 | 3.01 | 11.5 | Coloured | 185 | 366 | 150W | A, A+, B, D, E, F, G | Chrome | 115 | 232 | 100W | A, A+, B, D, E, F, G |
| 1000 | 600 | 60 | 104 | 79 | 12 | 3.32 | 12.8 | Coloured | 205 | 405 | 150W | A, A+, B, D, E, F, G | Chrome | 129 | 260 | 100W | A, A+, B, D, E, F, G |
| 1200 | 500 | 60 | 104 | 79 | 15 | 4.3 | 14.5 | Coloured | 219 | 432 | 300W | A, A+, B, D, E, F, G | Chrome | 138 | 278 | 150W | A, A+, B, D, E, F, G |
| 1200 | 600 | 60 | 104 | 79 | 15 | 5.7 | 16 | Coloured | 245 | 485 | 300W | A, A+, B, D, E, F, G | Chrome | 155 | 311 | 150W | A, A+, B, D, E, F, G |
| 1500 | 500 | 60 | 104 | 79 | 18 | 4.52 | 16.7 | Coloured | 272 | 537 | 300W | A, A+, B, D, E, F, G | Chrome | 172 | 344 | 150W | A, A+, B, D, E, F, G |
| 1500 | 600 | 60 | 104 | 79 | 18 | 4.98 | 18.6 | Coloured | 306 | 603 | 300W | A, A+, B, D, E, F, G | Chrome | 192 | 386 | 150W | A, A+, B, D, E, F, G |
| 1800 | 500 | 60 | 104 | 79 | 21 | 6.8 | 18.5 | Coloured | 325 | 639 | 450W | A, A+, B, D, E, F, G | Chrome | 204 | 408 | 300W | A, A+, B, D, E, F, G |
| 1800 | 600 | 60 | 104 | 79 | 21 | 7.5 | 20 | Coloured | 365 | 718 | 600W | A, A+, B, D, E, F, G | Chrome | 229 | 457 | 300W | A, A+, B, D, E, F, G |

# Technical Tables & Drawings


## MEZZO TONDO





## PESARO




## SANTERO




## HURLEY



# Technical Tables & Drawings

## HELMSLEY - DESIGNER RANGE

**Helmsley**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800 | 500 | 50 | 106 | 79 | 9 | 3.51 | 10.3 | Coloured | 183 | 347 | 300W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 800 | 600 | 50 | 106 | 79 | 9 | 3.98 | 14.5 | Coloured | 212 | 403 | 300W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1150 | 500 | 50 | 106 | 79 | 12 | 4.81 | 16.9 | Coloured | 250 | 480 | 300W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1150 | 600 | 50 | 106 | 79 | 12 | 5.43 | 19.2 | Coloured | 289 | 556 | 450W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1400 | 500 | 50 | 106 | 79 | 15 | 5.95 | 20.6 | Coloured | 300 | 581 | 450W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1400 | 600 | 50 | 106 | 79 | 15 | 6.74 | 23.3 | Coloured | 347 | 673 | 600W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1640 | 500 | 50 | 106 | 79 | 18 | 7.09 | 24.1 | Coloured | 350 | 684 | 600W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1640 | 600 | 50 | 106 | 79 | 18 | 8.03 | 28.1 | Coloured | 405 | 793 | 600W | A, A+, B, D, E, F, G | - | - | - | - | - |

## PLATANI - DESIGNER RANGE

**Platani**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800 | 500 | 50 | 115 | 80 | 6 | 3.1 | 5.6 | Coloured | 142 | 270 | 150W | A, A+, B, D, E, F, G | Chrome | 88 | 171 | 100W | A, A+, B, D, E, F, G |
| 800 | 600 | 50 | 115 | 80 | 6 | 3.4 | 7.9 | Coloured | 163 | 309 | 150W | A, A+, B, D, E, F, G | Chrome | 101 | 195 | 100W | A, A+, B, D, E, F, G |
| 1150 | 500 | 50 | 115 | 80 | 8 | 4.2 | 9.4 | Coloured | 195 | 371 | 150W | A, A+, B, D, E, F, G | Chrome | 122 | 236 | 150W | A, A+, B, D, E, F, G |
| 1150 | 600 | 50 | 115 | 80 | 8 | 4.7 | 10.6 | Coloured | 223 | 425 | 150W | A, A+, B, D, E, F, G | Chrome | 139 | 270 | 150W | A, A+, B, D, E, F, G |
| 1800 | 500 | 50 | 115 | 80 | 12 | 6.4 | 14.6 | Coloured | 291 | 557 | 450W | A, A+, B, D, E, F, G | Chrome | 184 | 358 | 150W | A, A+, B, D, E, F, G |
| 1800 | 600 | 50 | 115 | 80 | 12 | 7.2 | 15.6 | Coloured | 334 | 639 | 450W | A, A+, B, D, E, F, G | Chrome | 210 | 409 | 300W | A, A+, B, D, E, F, G |

## REINBACH - DESIGNER RANGE

**Reinbach**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 270 | 500 | 50 | 125 | 80 | 5 | 2.2 | 4.4 | Coloured | 83 | 158 | 100W | A, A+, B | - | - | - | - | - |
| 800 | 500 | 50 | 125 | 80 | 12 | 5.5 | 10.4 | Coloured | 194 | 372 | 150W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 800 | 600 | 50 | 125 | 80 | 12 | 6.4 | 11.9 | Coloured | 228 | 439 | 300W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1200 | 500 | 50 | 125 | 80 | 16 | 7.6 | 13.6 | Coloured | 273 | 530 | 300W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1200 | 600 | 50 | 125 | 80 | 16 | 8.7 | 15.6 | Coloured | 322 | 625 | 300W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1800 | 500 | 50 | 125 | 80 | 24 | 11.4 | 21.1 | Coloured | 397 | 780 | 450W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1800 | 600 | 50 | 125 | 80 | 24 | 13.1 | 23.7 | Coloured | 468 | 920 | 600W | A, A+, B, D, E, F, G | - | - | - | - | - |


## MARLOW - DESIGNER RANGE

**Marlow**


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 850 | 500 | 418 | 127 | 85 | 6 | 4.9 | 8.5 | Coloured | 168 | 318 | N/A | N/A | Chrome | 106 | 203 | N/A | N/A |
| 850 | 600 | 518 | 127 | 85 | 6 | 5.6 | 10 | Coloured | 190 | 360 | N/A | N/A | Chrome | 121 | 232 | N/A | N/A |
| 1150 | 500 | 418 | 127 | 85 | 8 | 6.6 | 11 | Coloured | 225 | 426 | N/A | N/A | Chrome | 141 | 272 | N/A | N/A |
| 1150 | 600 | 518 | 127 | 85 | 8 | 7.5 | 13 | Coloured | 255 | 483 | N/A | N/A | Chrome | 161 | 311 | N/A | N/A |
| 1750 | 500 | 418 | 127 | 85 | 12 | 10 | 16.5 | Coloured | 338 | 640 | N/A | N/A | Chrome | 213 | 411 | N/A | N/A |
| 1750 | 600 | 518 | 127 | 85 | 12 | 11.3 | 18.5 | Coloured | 383 | 726 | N/A | N/A | Chrome | 243 | 469 | N/A | N/A |

# Technical Tables & Drawings


## HELMSLEY





## PLATANI




## REINBACH




## MARLOW



# Technical Tables & Drawings

## MARLOW E-STYLE - DESIGNER RANGE

**Marlow E-Style**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 850 | 500 | 50 | 127 | 85 | 6 | 4.9 | 8.5 | Coloured | 154 | 294 | N/A | N/A | Chrome | 98 | 191 | N/A | N/A |
| 850 | 600 | 50 | 127 | 85 | 6 | 5.6 | 10 | Coloured | 176 | 335 | N/A | N/A | Chrome | 211 | 216 | N/A | N/A |
| 1150 | 500 | 50 | 127 | 85 | 8 | 6.6 | 11 | Coloured | 206 | 394 | N/A | N/A | Chrome | 131 | 256 | N/A | N/A |
| 1150 | 600 | 50 | 127 | 85 | 8 | 7.5 | 13 | Coloured | 234 | 449 | N/A | N/A | Chrome | 149 | 290 | N/A | N/A |
| 1750 | 500 | 50 | 127 | 85 | 12 | 10 | 16.5 | Coloured | 310 | 598 | N/A | N/A | Chrome | 198 | 386 | N/A | N/A |
| 1750 | 600 | 50 | 127 | 85 | 12 | 11.3 | 18.5 | Coloured | 354 | 681 | N/A | N/A | Chrome | 224 | 437 | N/A | N/A |

## CONWY - DESIGNER RANGE

**Conwy**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1200 | 220 | 180 | 84-94 | 64-74 | 3 | 3.8 | 7.3 | Coloured | 128 | 270 | 100W | A,A+,B,D,E,F,G | Chrome | 75 | 144 | 100W | A,A+,B,D,E,F,G |

## PORTCHESTER - DESIGNER RANGE

**Portchester**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Tappings from wall - A (mm) | Distance from wall - D (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1200 | 225 | 180 | 89-99 | 67-77 | 3 | 3.70 | 6.7 | Coloured | 121 | 227 | 100W | A,A+,B,D,E,F,G | Chrome | 79 | 156 | 100W | A,A+,B,D,E,F,G |

## LAMBOURNE VERTICAL - DESIGNER RANGE


**Lambourne Vertical**

| Height H (mm) | Width W (mm) | Tappings C1* - C2** (mm) | Distance from wall - D (mm) | Tappings from wall - A1*-A2**(mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1200 | 420 | 420 / 240 | 127 | 85 / 106 | 7 | 9.36 | 13.82 | Coloured | 267 | 513 | N/A | N/A | Chrome | 172 | 336 | N/A | N/A |
| 1200 | 540 | 540 / 360 | 127 | 85 / 106 | 9 | 12.04 | 17.31 | Coloured | 344 | 662 | N/A | N/A | Chrome | 223 | 433 | N/A | N/A |
| 1800 | 420 | 420 / 240 | 127 | 85 / 106 | 7 | 14.38 | 20.32 | Coloured | 360 | 700 | N/A | N/A | Chrome | 261 | 513 | N/A | N/A |
| 1800 | 540 | 540 / 360 | 127 | 85 / 106 | 9 | 18.48 | 25.6 | Coloured | 464 | 903 | N/A | N/A | Chrome | 337 | 661 | N/A | N/A |


* Tappings C1/A1 : Tappings for side installation ** Tappings C2/A2 : Tappings for bottom installation

# Technical Tables & Drawings


## MARLOW E-STYLE





## CONWY




## PORTCHESTER




## LAMBOURNE - VERTICAL



# Technical Tables & Drawings

## MURANO VERTICAL - DESIGNER RANGE

**Murano - Vertical**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1800 | 310 | 310 | 86 | 50 | 12 | 6.9 | 13.8 | Coloured | 388 | 749 | N/A | N/A | - | - | - | - | - |
| 1800 | 410 | 410 | 86 | 50 | 16 | 9.2 | 18.4 | Coloured | 533 | 1029 | N/A | N/A | - | - | - | - | - |
| 1800 | 510 | 510 | 86 | 50 | 20 | 11.5 | 23.4 | Coloured | 683 | 1319 | N/A | N/A | - | - | - | - | - |

## MURANO HORIZONTAL - DESIGNER RANGE

**Murano - Horizontal**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 800 | 755 | 117 | 81 | 20 | 5.6 | 10.8 | Coloured | 377 | 695 | 300W | A, A+, B, D, F, G | - | - | - | - | - |
| 600 | 1000 | 955 | 117 | 81 | 20 | 6.8 | 13.5 | Coloured | 482 | 887 | 450W | A, A+, B, D, F, G | - | - | - | - | - |
| 600 | 1200 | 1155 | 117 | 81 | 20 | 8 | 15.9 | Coloured | 589 | 1084 | 450W | A, A+, B, D, F, G | - | - | - | - | - |
| 600 | 1400 | 1355 | 117 | 81 | 20 | 9.2 | 18.1 | Coloured | 697 | 1283 | 600W | A+, B, D, F, G | - | - | - | - | - |

## RYTON - DESIGNER RANGE

**Ryton**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800 | 500 | 470 | 95-110 | 75-90 | 6 | 3.3 | 4.84 | Coloured | 106 | 201 | 150W | A, A+, B, D, E, F, G | Chrome | 71 | 134 | 100W | A, A+, B, D, E, F, G |
| 800 | 600 | 570 | 95-110 | 75-90 | 6 | 3.7 | 5.7 | Coloured | 117 | 222 | 150W | A, A+, B, D, E, F, G | Chrome | 77 | 147 | 100W | A, A+, B, D, E, F, G |
| 1200 | 500 | 470 | 95-110 | 75-90 | 9 | 4.5 | 6.7 | Coloured | 158 | 301 | 150W | A, A+, B, D, E, F, G | Chrome | 105 | 200 | 150W | A, A+, B, D, E, F, G |
| 1200 | 600 | 570 | 95-110 | 75-90 | 9 | 5 | 7.8 | Coloured | 174 | 332 | 150W | A, A+, B, D, E, F, G | Chrome | 116 | 220 | 150W | A, A+, B, D, E, F, G |
| 1600 | 500 | 470 | 95-110 | 75-90 | 12 | 5.75 | 8.6 | Coloured | 210 | 401 | 300W | A, A+, B, D, E, F, G | Chrome | 140 | 266 | 150W | A, A+, B, D, E, F, G |
| 1600 | 600 | 570 | 95-110 | 75-90 | 12 | 6.3 | 9.9 | Coloured | 232 | 442 | 300W | A, A+, B, D, E, F, G | Chrome | 154 | 293 | 150W | A, A+, B, D, E, F, G |

* Further heat output information available on eastbrooktrade.com **E&OA**

## KENILWORTH - DESIGNER RANGE


**Kenilworth**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800 | 500 | 468 | 92-107 | 76-91 | 6 | 2.5 | 4.06 | Coloured | 105 | 200 | 150W | A, A+, B, D, E, F, G | Chrome | 70 | 133 | 100W | A, A+, B, D, E, F, G |
| 800 | 600 | 568 | 92-107 | 76-91 | 6 | 2.8 | 5.3 | Coloured | 117 | 223 | 150W | A, A+, B, D, E, F, G | Chrome | 78 | 148 | 100W | A, A+, B, D, E, F, G |
| 1200 | 500 | 468 | 92-107 | 75-91 | 9 | 3.4 | 5.6 | Coloured | 158 | 300 | 150W | A, A+, B, D, E, F, G | Chrome | 105 | 199 | 150W | A, A+, B, D, E, F, G |
| 1200 | 600 | 568 | 92-107 | 76-91 | 9 | 3.85 | 6.8 | Coloured | 175 | 334 | 150W | A, A+, B, D, E, F, G | Chrome | 116 | 221 | 150W | A, A+, B, D, E, F, G |
| 1600 | 500 | 468 | 92-107 | 76-91 | 12 | 4.4 | 7.05 | Coloured | 210 | 400 | 300W | A, A+, B, D, E, F, G | Chrome | 139 | 265 | 150W | A, A+, B, D, E, F, G |
| 1600 | 600 | 568 | 92-107 | 76-91 | 12 | 4.9 | 8.45 | Coloured | 233 | 444 | 300W | A, A+, B, D, E, F, G | Chrome | 154 | 294 | 150W | A, A+, B, D, E, F, G |


* Further heat output information available on eastbrooktrade.com **E&OA**

# Technical Tables & Drawings


## MURANO - VERTICAL





## MURANO - HORIZONTAL




## RYTON




## KENILWORTH



# Technical Tables & Drawings

## LOXLEY - DESIGNER RANGE

**Loxley**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800 | 500 | 441 | 93 | 76 | 6 | 2.1 | 3.5 | Coloured | 81 | 154 | 100W | A, A+, B, D, F, G | Chrome | 54 | 103 | N/A | N/A |
| 800 | 600 | 541 | 93 | 76 | 6 | 2.28 | 5.25 | Coloured | 91 | 172 | 100W | A, A+, B, D, F, G | Chrome | 60 | 114 | N/A | N/A |
| 1200 | 500 | 441 | 93 | 76 | 9 | 3.06 | 6 | Coloured | 121 | 231 | 150W | A, A+, B, D, E, F, G | Chrome | 81 | 154 | 100W | A, A+, B, D, F, G |
| 1200 | 600 | 541 | 93 | 76 | 9 | 3.33 | 7.3 | Coloured | 135 | 257 | 150W | A, A+, B, D, E, F, G | Chrome | 90 | 170 | 100W | A, A+, B, D, F, G |

* Further heat output information available on eastbrooktrade.com **E&OA**

## ESHTON - DESIGNER RANGE

**Eshton**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800 | 500 | 441 | 93 | 77 | 6 | 2.55 | 4 | Coloured | 104 | 197 | 150W | A, A+, B, D, E, F, G | Chrome | 69 | 131 | 100W | A, A+, B, D, F, G |
| 800 | 600 | 541 | 93 | 77 | 6 | 3.11 | 4.17 | Coloured | 116 | 220 | 150W | A, A+, B, D, E, F, G | Chrome | 77 | 146 | 100W | A, A+, B, D, F, G |
| 1200 | 500 | 441 | 93 | 77 | 9 | 3.45 | 5.4 | Coloured | 155 | 296 | 150W | A, A+, B, D, E, F, G | Chrome | 103 | 196 | 150W | A, A+, B, D, E, F, G |
| 1200 | 600 | 541 | 93 | 77 | 9 | 3.72 | 5.8 | Coloured | 172 | 328 | 150W | A, A+, B, D, E, F, G | Chrome | 115 | 218 | 150W | A, A+, B, D, E, F, G |

* Further heat output information available on eastbrooktrade.com **E&OA**

## RUBANO - VERTICAL - DESIGNER RANGE

**Rubano - Vertical**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1800 | 383 | 383 | 114 | 74 | 6 | 18.1 | 35.7 | Coloured | 580 | 1122 | 300W | A, A+, C*, H* |
| 1800 | 503 | 503 | 114 | 74 | 8 | 24.1 | 47.2 | Coloured | 773 | 1496 | 600W | A+, C**, H** |

* Element Type C and H 300W can be used ** Element Type C and H 900w can be used

## RUBANO - HORIZONTAL - DESIGNER RANGE


**Rubano - Horizontal**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 383 | 383 | 114 | 74 | 6 | 7.1 | 11.2 | Coloured | 199 | 386 | 300W | A, A+, C*, H* |
| 600 | 623 | 623 | 114 | 74 | 10 | 11.7 | 18.1 | Coloured | 331 | 643 | 450W | A, A+, C, E**, H |
| 600 | 803 | 803 | 114 | 74 | 13 | 15.2 | 23.5 | Coloured | 430 | 836 | 600W | A, A+, C, E, H |
| 600 | 1103 | 1103 | 114 | 74 | 18 | 21.1 | 33.3 | Coloured | 596 | 1157 | 900W | A, A+, C, H |


* Element Type C and H only 300W can be used ** Element Type E only 300E can be used

# Technical Tables & Drawings


## LOXLEY





## ESHTON




## RUBANO - VERTICAL




## RUBANO - HORIZONTAL



# Technical Tables & Drawings

## ROWSHAM - DESIGNER RANGE

**Rowsham - Horizontal**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 580 | 580 | 110 | 54 | 15 | 7.03 | 12 | Coloured | 265 | 505 | N/A | N/A | - | - | - | - | - |
| 600 | 780 | 780 | 110 | 54 | 20 | 9.39 | 15 | Coloured | 369 | 702 | N/A | N/A | - | - | - | - | - |
| 600 | 980 | 980 | 110 | 54 | 25 | 11.74 | 19 | Coloured | 475 | 905 | N/A | N/A | - | - | - | - | - |
| 600 | 1180 | 1180 | 110 | 54 | 30 | 14.09 | 23 | Coloured | 584 | 1113 | N/A | N/A | - | - | - | - | - |

## ROWSHAM - DESIGNER RANGE

**Rowsham - Vertical**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1800 | 300 | 300 | 110 | 54 | 8 | 10.3 | 16 | Coloured | 419 | 822 | N/A | N/A | - | - | - | - | - |
| 1800 | 380 | 380 | 110 | 54 | 10 | 12.89 | 19 | Coloured | 545 | 1069 | N/A | N/A | - | - | - | - | - |
| 1800 | 500 | 500 | 110 | 54 | 13 | 16.76 | 25 | Coloured | 739 | 1451 | N/A | N/A | - | - | - | - | - |

## ROWSHAM TOWEL RAIL - DESIGNER RANGE

**Rowsham Towel Rail**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800 | 500 | 468 | 139 | 83 | 13 | 5.5 | 8.5 | Coloured | 250 | 465 | 300W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 800 | 600 | 568 | 139 | 83 | 13 | 6.4 | 9.6 | Coloured | 270 | 502 | 300W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1200 | 500 | 468 | 139 | 83 | 22 | 9.1 | 14 | Coloured | 371 | 695 | 450W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1200 | 600 | 568 | 139 | 83 | 22 | 10.6 | 15.5 | Coloured | 401 | 750 | 600W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1800 | 500 | 468 | 139 | 83 | 30 | 12.6 | 19.4 | Coloured | 562 | 1061 | 600W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1800 | 600 | 568 | 139 | 83 | 30 | 14.7 | 21.6 | Coloured | 606 | 1145 | 750W | A, A+, B, D, E, F, G | - | - | - | - | - |

## WINGRAVE FLAT PANEL - FLAT PANEL RANGE


**Wingrave Flat Panel**

| Height H (mm) | Width W (mm) | Tappings C1/C2 (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1200 | 310 | 255/50 | 96 | 73 | 26 | 4.8 | 9.7 | Coloured | 196 | 374 | 150W | A, A+, B, D, E, F, G |
| 1200 | 410 | 355/50 | 96 | 73 | 26 | 5.6 | 11.5 | Coloured | 247 | 471 | 300W | A, A+, B, D, E, F, G |
| 1200 | 510 | 455/50 | 96 | 73 | 26 | 6.5 | 13.4 | Coloured | 298 | 569 | 300W | A, A+, B, D, E, F, G |
| 1200 | 610 | 555/50 | 96 | 73 | 26 | 7.3 | 15.4 | Coloured | 350 | 667 | 450W | A, A+, B, D, E, F, G |
| 1800 | 310 | 255/50 | 96 | 73 | 38 | 7 | 14.1 | Coloured | 289 | 551 | 300W | A, A+, B, D, E, F, G |
| 1800 | 410 | 355/50 | 96 | 73 | 38 | 8.3 | 16.9 | Coloured | 364 | 694 | 450W | A, A+, B, D, E, F, G |
| 1800 | 510 | 455/50 | 96 | 73 | 38 | 9.5 | 19.8 | Coloured | 439 | 837 | 450W | A, A+, B, D, E, F, G |
| 1800 | 610 | 555/50 | 96 | 73 | 38 | 10.8 | 22.7 | Coloured | 514 | 980 | 600W | A, A+, B, D, E, F, G |


* Further heat output information available on eastbrooktrade.com **E&OA**

# Technical Tables & Drawings


## ROWSHAM - HORIZONTAL





## ROWSHAM - VERTICAL




## ROWSHAM TOWEL RAIL




## WINGRAVE FLAT PANEL



# Technical Tables & Drawings

## TUNSTALL - DESIGNER RANGE

### Tunstall - Vertical

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1800 | 280 | 280 | 93 | 52 | 4 | 6.08 | 10.7 | Coloured | 235 | 459 | N/A | N/A | Chrome | 133 | 254 | N/A | N/A |
| 1800 | 350 | 350 | 93 | 52 | 5 | 8.07 | 12.72 | Coloured | 303 | 592 | N/A | N/A | Chrome | 177 | 337 | N/A | N/A |
| 1800 | 420 | 420 | 93 | 52 | 6 | 9.14 | 15.4 | Coloured | 373 | 729 | N/A | N/A | Chrome | 222 | 424 | N/A | N/A |
| 1800 | 490 | 490 | 93 | 52 | 7 | 11.29 | 17.3 | Coloured | 445 | 870 | N/A | N/A | Chrome | 270 | 515 | N/A | N/A |
| 1800 | 560 | 560 | 93 | 52 | 8 | 12.91 | 19.5 | Coloured | 518 | 1013 | N/A | N/A | Chrome | 320 | 609 | N/A | N/A |
| 1800 | 630 | 630 | 93 | 52 | 9 | 13.73 | 22.5 | Coloured | 593 | 1159 | N/A | N/A | Chrome | 371 | 707 | N/A | N/A |

### Tunstall - Horizontal

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 471 | 471 | 93 | 52 | 8 | 4.68 | 8.1 | Coloured | 161 | 311 | N/A | N/A | - | - | - | - | - |
| 600 | 589 | 589 | 93 | 52 | 10 | 5.37 | 10.3 | Coloured | 207 | 402 | N/A | N/A | - | - | - | - | - |
| 600 | 648 | 648 | 93 | 52 | 11 | 6.43 | 10.8 | Coloured | 231 | 448 | N/A | N/A | - | - | - | - | - |
| 600 | 825 | 825 | 93 | 52 | 14 | 7.53 | 13.8 | Coloured | 304 | 590 | N/A | N/A | - | - | - | - | - |
| 600 | 1002 | 1002 | 93 | 52 | 17 | 9.15 | 16.5 | Coloured | 380 | 737 | N/A | N/A | - | - | - | - | - |
| 600 | 1061 | 1061 | 93 | 52 | 18 | 10.53 | 16.93 | Coloured | 406 | 787 | N/A | N/A | - | - | - | - | - |
| 600 | 1179 | 1179 | 93 | 52 | 20 | 10.77 | 19.2 | Coloured | 458 | 887 | N/A | N/A | - | - | - | - | - |

### Tunstall Towel Rail

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 560 | 1000 | 954 | 124 | 83 | 8 | 4.72 | 12.3 | Coloured | 292 | 550 | 300W | A, A+, B, D, E, F, G | Chrome | 175 | 340 | 150W | A, A+, B, D, E, F, G |
| 800 | 500 | 454 | 124 | 83 | 9 | 4.45 | 8.9 | Coloured | 192 | 362 | 150W | A, A+, B, D, E, F, G | Chrome | 115 | 224 | 150W | A, A+, B, D, E, F, G |
| 800 | 600 | 554 | 124 | 83 | 9 | 5.18 | 10.1 | Coloured | 222 | 418 | 300W | A, A+, B, D, E, F, G | Chrome | 132 | 257 | 150W | A, A+, B, D, E, F, G |
| 1200 | 500 | 454 | 124 | 83 | 13 | 6.51 | 12.6 | Coloured | 279 | 528 | 300W | A, A+, B, D, E, F, G | Chrome | 175 | 340 | 150W | A, A+, B, D, E, F, G |
| 1200 | 600 | 554 | 124 | 83 | 13 | 7.56 | 14.3 | Coloured | 322 | 610 | 450W | A, A+, B, D, E, F, G | Chrome | 200 | 389 | 300W | A, A+, B, D, E, F, G |
| 1600 | 500 | 454 | 124 | 83 | 17 | 8.56 | 16.4 | Coloured | 367 | 699 | 450W | A, A+, B, D, E, F, G | Chrome | 234 | 456 | 300W | A, A+, B, D, E, F, G |
| 1600 | 600 | 554 | 124 | 83 | 17 | 9.94 | 18.6 | Coloured | 423 | 807 | 600W | A, A+, B, D, E, F, G | Chrome | 268 | 522 | 300W | A, A+, B, D, E, F, G |


## TUNSTALL - DESIGNER RANGE

### Tunstall Double - Vertical


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1800 | 280 | 280 | 104 | 65 | 8 | 16.9 | 25.9 | Coloured | 378 | 743 | N/A | N/A | - | - | - | - | - |
| 1800 | 350 | 350 | 104 | 65 | 10 | 14.5 | 30.1 | Coloured | 472 | 929 | N/A | N/A | - | - | - | - | - |
| 1800 | 420 | 420 | 104 | 65 | 12 | 25.3 | 35.8 | Coloured | 567 | 1114 | N/A | N/A | - | - | - | - | - |
| 1800 | 490 | 490 | 104 | 65 | 14 | 20.2 | 41.1 | Coloured | 661 | 1300 | N/A | N/A | - | - | - | - | - |
| 1800 | 560 | 560 | 104 | 65 | 16 | 23.1 | 47.1 | Coloured | 756 | 1486 | N/A | N/A | - | - | - | - | - |
| 1800 | 630 | 630 | 104 | 65 | 18 | 38 | 51 | Coloured | 850 | 1671 | N/A | N/A | - | - | - | - | - |

# Technical Tables & Drawings


## TUNSTALL TOWEL RAIL





## TUNSTALL - VERTICAL




## TUNSTALL - HORIZONTAL




## TUNSTALL DOUBLE -VERTICAL



# Technical Tables & Drawings

## TUNSTALL - DESIGNER RANGE

### Tunstall Double - Horizontal

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 471 | 471 | 104 | 65 | 16 | 8.1 | 17.2 | Coloured | 282 | 550 | N/A | N/A | | | | | |
| 600 | 589 | 589 | 104 | 65 | 20 | 14.6 | 21.8 | Coloured | 353 | 687 | N/A | N/A | - | - | - | - | - |
| 600 | 648 | 648 | 104 | 65 | 22 | 11.1 | 23.7 | Coloured | 388 | 756 | N/A | N/A | | | | | |
| 600 | 825 | 825 | 104 | 65 | 28 | 20.5 | 29.5 | Coloured | 494 | 962 | N/A | N/A | - | - | - | - | - |
| 600 | 1002 | 1002 | 104 | 65 | 34 | 24.8 | 36.6 | Coloured | 600 | 1168 | N/A | N/A | - | - | - | - | - |
| 600 | 1061 | 1061 | 104 | 65 | 36 | 18.3 | 38.6 | Coloured | 635 | 1237 | N/A | N/A | | | | | |
| 600 | 1179 | 1179 | 104 | 65 | 40 | 29.2 | 43.6 | Coloured | 705 | 1375 | N/A | N/A | - | - | - | - | - |

### Tunstall Double Towel Rail

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 560 | 1000 | 954 | 109-114 | 70-75 | 16 | 19.1 | 27.9 | Coloured | 438 | 824 | 600W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 800 | 500 | 454 | 109-114 | 70-75 | 18 | 11.5 | 20.8 | Coloured | 283 | 534 | 300W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 800 | 600 | 554 | 109-114 | 70-75 | 18 | 13.5 | 21.8 | Coloured | 331 | 635 | 450W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1200 | 500 | 454 | 109-114 | 70-75 | 26 | 16.7 | 29.1 | Coloured | 396 | 771 | 450W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1200 | 600 | 554 | 109-114 | 70-75 | 26 | 19.6 | 30.2 | Coloured | 463 | 901 | 600W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1600 | 500 | 454 | 109-114 | 70-75 | 34 | 21.9 | 36.9 | Coloured | 539 | 1032 | 600W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1600 | 600 | 554 | 109-114 | 70-75 | 34 | 25.8 | 37.9 | Coloured | 622 | 1192 | 750W | A, A+, B, D, E, F, G | - | - | - | - | - |

### Tunstall Mirror

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1800 | 380 | 380 | 79 | 40 | 4 | 8.6 | 23.7 | Coloured | 294 | 560 | N/A | N/A | - | - | - | - | - |
| 1800 | 500 | 500 | 79 | 40 | 6 | 12.9 | 28.3 | Coloured | 440 | 839 | N/A | N/A | - | - | - | - | - |

* Further heat output information available on eastbrooktrade.com **E&OA**

### Tunstall Double Mirror

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1800 | 380 | 380 | 104 | 65 | 8 | 16.9 | 33.7 | Coloured | 459 | 875 | N/A | N/A | - | - | - | - | - |
| 1800 | 500 | 500 | 104 | 65 | 12 | 25.3 | 44.1 | Coloured | 688 | 1313 | N/A | N/A | - | - | - | - | - |

* Further heat output information available on eastbrooktrade.com **E&OA**


## DEDDINGTON - DESIGNER RANGE

### Deddington - Vertical


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1800 | 310 | 310 | 100 | 60 | 4 | 4.2 | 15.3 | Coloured | 320 | 636 | N/A | N/A | Chrome | 194 | 386 | N/A | N/A |
| 1800 | 390 | 390 | 100 | 60 | 5 | 5.2 | 17.8 | Coloured | 403 | 800 | N/A | N/A | Chrome | 241 | 479 | N/A | N/A |
| 1800 | 470 | 470 | 100 | 60 | 6 | 6.3 | 22.4 | Coloured | 485 | 963 | N/A | N/A | Chrome | 287 | 571 | N/A | N/A |
| 1800 | 550 | 550 | 100 | 60 | 7 | 7.3 | 24.9 | Coloured | 567 | 1127 | N/A | N/A | Chrome | 333 | 662 | N/A | N/A |
| 1800 | 630 | 630 | 100 | 60 | 8 | 8.4 | 29.6 | Coloured | 650 | 1291 | N/A | N/A | Chrome | 378 | 752 | N/A | N/A |

# Technical Tables & Drawings


## TUNSTALL DOUBLE HORIZONTAL





## TUNSTALL DOUBLE TOWEL RAIL





## TUNSTALL MIRROR




## TUNSTALL DOUBLE MIRROR




## DEDDINGTON VERTICAL



# Technical Tables & Drawings

## DEDDINGTON - DESIGNER RANGE

**Deddington - Horizontal**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 390 | 390 | 100 | 60 | 5 | 2.1 | 6.7 | Coloured | 145 | 291 | N/A | N/A | Chrome | 102 | 197 | N/A | N/A |
| 600 | 470 | 470 | 100 | 60 | 6 | 2.5 | 8 | Coloured | 175 | 351 | N/A | N/A | Chrome | 122 | 234 | N/A | N/A |
| 600 | 550 | 550 | 100 | 60 | 7 | 2.9 | 9.4 | Coloured | 205 | 410 | N/A | N/A | Chrome | 141 | 272 | N/A | N/A |
| 600 | 630 | 630 | 100 | 60 | 8 | 3.4 | 11.9 | Coloured | 235 | 470 | N/A | N/A | Chrome | 160 | 309 | N/A | N/A |
| 600 | 790 | 790 | 100 | 60 | 10 | 4.3 | 14.7 | Coloured | 294 | 589 | N/A | N/A | Chrome | 198 | 382 | N/A | N/A |
| 600 | 950 | 950 | 100 | 60 | 12 | 5.1 | 17.6 | Coloured | 354 | 708 | N/A | N/A | Chrome | 236 | 454 | N/A | N/A |
| 600 | 1110 | 1110 | 100 | 60 | 14 | 6 | 18.8 | Coloured | 413 | 827 | N/A | N/A | Chrome | 273 | 526 | N/A | N/A |
| 600 | 1270 | 1270 | 100 | 60 | 16 | 6.9 | 23.5 | Coloured | 473 | 946 | N/A | N/A | Chrome | 310 | 597 | N/A | N/A |

**Deddington Towel Rails**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 800 | 500 | 470 | 100 | 60 | 8 | 3.3 | 11 | Coloured | 215 | 405 | 150W | A, A+, B, D, E, F, G | Chrome | 132 | 253 | 150W | A, A+, B, D, E, F, G |
| 800 | 600 | 570 | 100 | 60 | 8 | 3.7 | 12.4 | Coloured | 250 | 472 | 300W | A, A+, B, D, E, F, G | Chrome | 151 | 291 | 150W | A, A+, B, D, E, F, G |
| 1200 | 500 | 470 | 100 | 60 | 11 | 4.6 | 15.1 | Coloured | 306 | 578 | 300W | A, A+, B, D, E, F, G | Chrome | 189 | 362 | 300W | A, A+, B, D, E, F, G |
| 1200 | 600 | 570 | 100 | 60 | 11 | 5.2 | 17.3 | Coloured | 356 | 672 | 300W | A, A+, B, D, E, F, G | Chrome | 217 | 416 | 300W | A, A+, B, D, E, F, G |
| 1800 | 500 | 470 | 100 | 60 | 15 | 6.5 | 20.6 | Coloured | 435 | 822 | 450W | A, A+, B, D, E, F, G | Chrome | 268 | 513 | 300W | A, A+, B, D, E, F, G |
| 1800 | 600 | 570 | 100 | 60 | 15 | 7.3 | 23.6 | Coloured | 506 | 956 | 450W | A, A+, B, D, E, F, G | Chrome | 308 | 589 | 450W | A, A+, B, D, E, F, G |

## ADDINGTON II - DESIGNER RANGE

**Addington II Type 10 - Vertical / Horizontal**


| Height H (mm) | Width W (mm) | Vertical Installation Tappings C1 (mm) | Horizontal Installation Tappings C2 (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 500 | 522 | 522 | 450 | 66 | 40 | 7 | 2.83 | 7.75 | Coloured | 143 | 277 | 150W | A,A+,C,E,H | Chrome | 94 | 182 | 100W | A |
| 500 | 596 | 596 | 450 | 66 | 40 | 8 | 3.24 | 8.86 | Coloured | 163 | 316 | 150W | A,A+,C,E,H | Chrome | 107 | 208 | 150W | A,A+ |
| 600 | 300 | 300 | 550 | 66 | 40 | 4 | 1.83 | 5.15 | Coloured | 92 | 179 | 150W | A,A+ | Chrome | 61 | 118 | N/A | N/A |
| 600 | 374 | 374 | 550 | 66 | 40 | 5 | 2.29 | 6.44 | Coloured | 115 | 223 | 150W | A,A+ | Chrome | 76 | 147 | 100W | A |
| 600 | 448 | 448 | 550 | 66 | 40 | 6 | 2.74 | 7.72 | Coloured | 138 | 268 | 150W | A,A+,C,E,H | Chrome | 91 | 176 | 150W | A,A+ |
| 600 | 522 | 522 | 550 | 66 | 40 | 7 | 3.20 | 9.01 | Coloured | 161 | 313 | 150W | A,A+,C,E,H | Chrome | 106 | 206 | 150W | A,A+ |
| 600 | 596 | 596 | 550 | 66 | 40 | 8 | 3.65 | 10.29 | Coloured | 184 | 357 | 300W | A,A+,C,E,H | Chrome | 121 | 235 | 150W | A,A+ |
| 600 | 670 | 670 | 550 | 66 | 40 | 9 | 4.11 | 11.58 | Coloured | 207 | 402 | 300W | A,A+,C,E,H | Chrome | 136 | 264 | 150W | A,A+ |
| 600 | 818 | 818 | 550 | 66 | 40 | 11 | 5.02 | 14.15 | Coloured | 253 | 491 | 450W | A,A+,C,E,H | Chrome | 166 | 323 | 150W | A,A+ |
| 600 | 1040 | 1040 | 550 | 66 | 40 | 14 | 6.39 | 18.01 | Coloured | 322 | 624 | 450W | A,A+,C,E,H | Chrome | 212 | 411 | 300W | A,A+,C,E,H |
| 600 | 1188 | 1188 | 550 | 66 | 40 | 16 | 7.30 | 20.58 | Coloured | 367 | 714 | 600W | A,A+,C,E,H | Chrome | 242 | 469 | 300W | A,A+,C,E,H |
| 600 | 1262 | 1262 | 550 | 66 | 40 | 17 | 7.75 | 21.86 | Coloured | 390 | 758 | 600W | A,A+,C,E,H | Chrome | 257 | 499 | 300W | A,A+,C,E,H |
| 800 | 522 | 522 | 750 | 66 | 40 | 7 | 3.93 | 11.52 | Coloured | 198 | 384 | 300W | A,A+,C,H | Chrome | 130 | 253 | 150W | A,A+ |
| 800 | 596 | 596 | 750 | 66 | 40 | 8 | 4.49 | 13.17 | Coloured | 226 | 439 | 300W | A,A+,C,H | Chrome | 149 | 289 | 150W | A,A+ |
| 1000 | 522 | 522 | 950 | 66 | 40 | 7 | 4.66 | 14.04 | Coloured | 235 | 456 | 300W | A,A+,C,H | Chrome | 154 | 300 | 300W | A,A+,C,E,H |
| 1000 | 596 | 596 | 950 | 66 | 40 | 8 | 5.32 | 16.04 | Coloured | 268 | 520 | 450W | A,A+,C,H | Chrome | 176 | 342 | 300W | A,A+,C,E,H |
| 1200 | 522 | 522 | 1150 | 66 | 40 | 7 | 5.39 | 16.55 | Coloured | 271 | 527 | 450W | A,A+,C,H | Chrome | 179 | 347 | 300W | A,A+,C,E,H |
| 1200 | 596 | 596 | 1150 | 66 | 40 | 8 | 6.16 | 18.91 | Coloured | 310 | 602 | 450W | A+,C,H | Chrome | 204 | 396 | 300W | A,A+,C,E,H |
| 1400 | 522 | 522 | 1350 | 66 | 40 | 7 | 6.12 | 19.06 | Coloured | 308 | 598 | 450W | A+,C,H | Chrome | 203 | 394 | 300W | A,A+,C,E,H |
| 1400 | 596 | 596 | 1350 | 66 | 40 | 8 | 7.00 | 21.79 | Coloured | 352 | 684 | 450W | A+,C,H | Chrome | 232 | 450 | 300W | A,A+,C,E,H |
| 1800 | 300 | 300 | 1750 | 66 | 40 | 4 | 4.34 | 13.77 | Coloured | 218 | 424 | N/A | N/A | Chrome | 144 | 279 | N/A | N/A |
| 1800 | 374 | 374 | 1750 | 66 | 40 | 5 | 5.42 | 17.21 | Coloured | 273 | 530 | N/A | N/A | Chrome | 179 | 349 | N/A | N/A |
| 1800 | 448 | 448 | 1750 | 66 | 40 | 6 | 6.50 | 20.65 | Coloured | 327 | 636 | 450W | A, A+ | Chrome | 215 | 418 | 300W | A+ |
| 1800 | 522 | 522 | 1750 | 66 | 40 | 7 | 7.58 | 24.09 | Coloured | 382 | 741 | 600W | A+ | Chrome | 251 | 488 | 300W | A+ |
| 1800 | 596 | 596 | 1750 | 66 | 40 | 8 | 8.67 | 27.53 | Coloured | 436 | 847 | 600W | A+ | Chrome | 287 | 557 | 450W | A+ |
| 1800 | 670 | 670 | 1750 | 66 | 40 | 9 | 9.75 | 30.97 | Coloured | 491 | 953 | 600W | A+ | Chrome | 323 | 627 | 450W | A+ |

* Further heat output information available on eastbrooktrade.com **E&OA**


** In horizontal installation, the above Heights become Widths and above Widths become Heights

# Technical Tables & Drawings


## DEDDINGTON HORIZONTAL




## DEDDINGTON TOWEL RAIL




## ADDINGTON II TYPE 10 VERTICAL / HORIZONTAL



# Technical Tables & Drawings

## ADDINGTON II - DESIGNER RANGE

### Addington II Type 20 - Vertical / Horizontal

| Height H (mm) | Width W (mm) | Vertical Installation Tappings C1 (mm) | Horizontal Installation Tappings C2 (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 300 | 300 | 550 | 89 | 63 | 8 | 3.08 | 9.46 | Coloured | 155 | 301 | 100W | A |
| 600 | 374 | 374 | 550 | 89 | 63 | 10 | 3.85 | 11.82 | Coloured | 194 | 377 | 300W | A,A+ |
| 600 | 448 | 448 | 550 | 89 | 63 | 12 | 4.62 | 14.19 | Coloured | 233 | 452 | 300W | A,A+,C,E,H |
| 600 | 522 | 522 | 550 | 89 | 63 | 14 | 5.39 | 16.55 | Coloured | 271 | 527 | 450W | A,A+,C,E,H |
| 600 | 596 | 596 | 550 | 89 | 63 | 16 | 6.16 | 18.91 | Coloured | 310 | 602 | 450W | A,A+,C,E,H |
| 600 | 670 | 670 | 550 | 89 | 63 | 18 | 6.93 | 21.28 | Coloured | 349 | 677 | 600W | A,A+,C,E,H |
| 600 | 818 | 818 | 550 | 89 | 63 | 22 | 8.47 | 26.00 | Coloured | 426 | 828 | 600W | A,A+,C,E,H |
| 600 | 1040 | 1040 | 550 | 89 | 63 | 28 | 10.77 | 33.09 | Coloured | 542 | 1053 | 900W | A,A+,C,E,H |
| 600 | 1188 | 1188 | 550 | 89 | 63 | 32 | 12.31 | 37.81 | Coloured | 620 | 1204 | 1000W | A,A+,C,E,H |
| 600 | 1262 | 1262 | 550 | 89 | 63 | 34 | 13.08 | 40.18 | Coloured | 659 | 1279 | 1000W | A,A+,C,E,H |
| 1800 | 300 | 300 | 1750 | 89 | 63 | 8 | 8.10 | 26.70 | Coloured | 408 | 792 | N/A | N/A |
| 1800 | 374 | 374 | 1750 | 89 | 63 | 10 | 10.12 | 33.37 | Coloured | 509 | 989 | N/A | N/A |
| 1800 | 448 | 448 | 1750 | 89 | 63 | 12 | 12.14 | 40.05 | Coloured | 611 | 1187 | 450W | A+ |
| 1800 | 522 | 522 | 1750 | 89 | 63 | 14 | 14.16 | 46.72 | Coloured | 713 | 1385 | 600W | A+ |
| 1800 | 596 | 596 | 1750 | 89 | 63 | 16 | 16.19 | 53.39 | Coloured | 815 | 1582 | 600W | A+ |
| 1800 | 670 | 670 | 1750 | 89 | 63 | 18 | 18.21 | 60.06 | Coloured | 917 | 1780 | 600W | A+ |

*In horizontal installation, the above Heights become Widths and above Widths become Heights

### Addington II Type 10 Towel Rail

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 790 | 400 | 350 | 66 | 40 | 8 | 3.19 | 7.97 | Coloured | 161 | 312 | 150W | A, A+, B, E | Chrome | 106 | 205 | 150W | A, A+, B, E |
| 790 | 500 | 450 | 66 | 40 | 8 | 3.61 | 9.40 | Coloured | 182 | 353 | 300W | A, A+, B, E | Chrome | 120 | 232 | 150W | A, A+, B, E |
| 790 | 600 | 550 | 66 | 40 | 8 | 4.03 | 10.84 | Coloured | 203 | 394 | 300W | A, A+, B, E | Chrome | 133 | 259 | 150W | A, A+, B, E |
| 1110 | 400 | 350 | 66 | 40 | 10 | 4.22 | 10.30 | Coloured | 213 | 413 | 300W | A, A+, B, E | Chrome | 140 | 272 | 150W | A, A+, B, E |
| 1110 | 500 | 450 | 66 | 40 | 10 | 4.75 | 12.10 | Coloured | 239 | 464 | 300W | A, A+, B, E | Chrome | 157 | 305 | 150W | A, A+, B, E |
| 1110 | 600 | 550 | 66 | 40 | 10 | 5.27 | 13.89 | Coloured | 265 | 515 | 450W | A, A+, B, E | Chrome | 175 | 339 | 300W | A, A+, B, E |
| 1750 | 400 | 350 | 66 | 40 | 14 | 6.29 | 14.97 | Coloured | 317 | 615 | 450W | A, A+, B, E | Chrome | 208 | 405 | 300W | A, A+, B, E |
| 1750 | 500 | 450 | 66 | 40 | 14 | 7.02 | 17.49 | Coloured | 354 | 687 | 600W | A, A+, B, E | Chrome | 233 | 452 | 300W | A, A+, B, E |
| 1750 | 600 | 550 | 66 | 40 | 14 | 7.75 | 20.00 | Coloured | 390 | 758 | 600W | A, A+, B, E | Chrome | 257 | 499 | 300W | A, A+, B, E |

### Addington II Type 20 Towel Rail

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1110 | 500 | 450 | 89 | 63 | 20 | 7.36 | 21.08 | Coloured | 370 | 719 | 600W | A, A+, B, E |
| 1750 | 500 | 450 | 89 | 63 | 28 | 10.68 | 30.06 | Coloured | 538 | 1044 | 750W | A, A+, B, E |

* Further heat output information available on eastbrooktrade.com **E&OA**

## ADDINGTON - DESIGNER RANGE


### Addington Type 10 - Vertical / Horizontal

| Height H (mm) | Width W (mm) | Vertical Installation Tappings C1 (mm) | Horizontal Installation Tappings C2 (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 500 | 514 | 514 | 450 | 69 | 40 | 7 | 2.63 | 6.95 | Coloured | 172 | 328 | 150W | A,A+,B,C,E |
| 500 | 588 | 588 | 450 | 69 | 40 | 8 | 3 | 7.93 | Coloured | 196 | 375 | 300W | A,A+,B,C,E |
| 600 | 292 | 292 | 550 | 69 | 40 | 4 | 1.7 | 4.6 | Coloured | 117 | 223 | 150W | A,A+ |
| 600 | 366 | 366 | 550 | 69 | 40 | 5 | 2.1 | 5.8 | Coloured | 146 | 278 | 150W | A,A+ |
| 600 | 440 | 440 | 550 | 69 | 40 | 6 | 2.5 | 6.9 | Coloured | 175 | 334 | 150W | A,A+,B,C,E |
| 600 | 514 | 514 | 550 | 69 | 40 | 7 | 2.97 | 8.04 | Coloured | 204 | 390 | 300W | A,A+,B,C,E |
| 600 | 588 | 588 | 550 | 69 | 40 | 8 | 3.4 | 9.18 | Coloured | 233 | 446 | 300W | A,A+,B,C,E |
| 600 | 662 | 662 | 550 | 69 | 40 | 9 | 3.8 | 10.3 | Coloured | 262 | 501 | 300W | A,A+,B,C,E |
| 600 | 810 | 810 | 550 | 69 | 40 | 11 | 4.7 | 12.6 | Coloured | 320 | 612 | 450W | A+,B,C,E |
| 600 | 1032 | 1032 | 550 | 69 | 40 | 14 | 6 | 16 | Coloured | 408 | 780 | 600W | A,A+,B,C,E |
| 600 | 1180 | 1180 | 550 | 69 | 40 | 16 | 6.8 | 18.3 | Coloured | 466 | 892 | 600W | A,A+,B,C,E |
| 600 | 1254 | 1254 | 550 | 69 | 40 | 17 | 7.2 | 19.4 | Coloured | 495 | 947 | 600W | A,A+,B,C,E |
| 800 | 514 | 514 | 750 | 69 | 40 | 7 | 3.67 | 10.22 | Coloured | 266 | 509 | 300W | A,A+,B,C |
| 800 | 588 | 588 | 750 | 69 | 40 | 8 | 4.19 | 11.67 | Coloured | 304 | 581 | 450W | A,A+,B,C |
| 1000 | 514 | 514 | 950 | 69 | 40 | 7 | 4.36 | 12.41 | Coloured | 326 | 624 | 450W | A,A+,B,C |
| 1000 | 588 | 588 | 950 | 69 | 40 | 8 | 4.99 | 14.17 | Coloured | 360 | 689 | 450W | A,A+,B,C |
| 1200 | 514 | 514 | 1150 | 69 | 40 | 7 | 5.06 | 14.59 | Coloured | 383 | 732 | 450W | A,A+,B,C |
| 1200 | 588 | 588 | 1150 | 69 | 40 | 8 | 5.78 | 16.66 | Coloured | 437 | 837 | 600W | A+,B,C |
| 1400 | 514 | 514 | 1350 | 69 | 40 | 7 | 5.75 | 16.78 | Coloured | 437 | 837 | 600W | A+,B,C |
| 1400 | 588 | 588 | 1350 | 69 | 40 | 8 | 6.57 | 19.16 | Coloured | 500 | 957 | 600W | A+,B,C |
| 1800 | 292 | 292 | 1750 | 69 | 40 | 4 | 4.08 | 12.12 | Coloured | 309 | 590 | N/A | N/A |
| 1800 | 366 | 366 | 1750 | 69 | 40 | 5 | 5.1 | 15.13 | Coloured | 386 | 739 | N/A | N/A |
| 1800 | 440 | 440 | 1750 | 69 | 40 | 6 | 6.12 | 18.14 | Coloured | 463 | 886 | 450W | A, A+, B |
| 1800 | 514 | 514 | 1750 | 69 | 40 | 7 | 7.14 | 21.14 | Coloured | 540 | 1034 | 600W | A+, B |
| 1800 | 588 | 588 | 1750 | 69 | 40 | 8 | 8.16 | 24.15 | Coloured | 617 | 1181 | 600W | A+, B |


*In horizontal installation, the above Heights become Widths and above Widths become Heights

# Technical Tables & Drawings


## ADDINGTON II TYPE 20 VERTICAL / HORIZONTAL





## ADDINGTON TYPE 10 TOWEL RAIL




## ADDINGTON TYPE 20 TOWEL RAIL




## ADDINGTON TYPE 10 VERTICAL / HORIZONTAL



# Technical Tables & Drawings

## ADDINGTON - DESIGNER RANGE

### Addington Type 10 Towel Rail

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 790 | 400 | 350 | 69 | 40 | 8 | 3.2 | 8.5 | Coloured | 156 | 298 | 150W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 790 | 500 | 450 | 69 | 40 | 8 | 3.6 | 10 | Coloured | 195 | 373 | 150W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 790 | 600 | 550 | 69 | 40 | 8 | 4 | 11.3 | Coloured | 234 | 447 | 300W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1110 | 400 | 350 | 69 | 40 | 10 | 4.2 | 11 | Coloured | 205 | 392 | 300W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1110 | 500 | 450 | 69 | 40 | 10 | 4.7 | 12.75 | Coloured | 257 | 491 | 300W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1110 | 600 | 550 | 69 | 40 | 10 | 5.3 | 14.5 | Coloured | 308 | 589 | 450W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1750 | 400 | 350 | 69 | 40 | 14 | 6.3 | 16 | Coloured | 306 | 585 | 450W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1750 | 500 | 450 | 69 | 40 | 14 | 7 | 18.5 | Coloured | 382 | 730 | 450W | A, A+, B, D, E, F, G | - | - | - | - | - |
| 1750 | 600 | 550 | 69 | 40 | 14 | 7.7 | 21 | Coloured | 458 | 875 | 600W | A, A+, B, D, E, F, G | - | - | - | - | - |

* Further heat output information available on eastbrooktrade.com **E&OA**

### Addington Type 20 - Vertical / Horizontal

| Height H (mm) | Width W (mm) | Vertical Installation Tappings C1 (mm) | Horizontal Installation Tappings C2 (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 292 | 292 | 550 | 93 | 64 | 8 | 2.9 | 8.4 | Coloured | 166 | 318 | 150W | A,A+ |
| 600 | 366 | 366 | 550 | 93 | 64 | 10 | 3.7 | 10.4 | Coloured | 208 | 398 | 300W | A,A+ |
| 600 | 440 | 440 | 550 | 93 | 64 | 12 | 4.4 | 12.5 | Coloured | 250 | 478 | 300W | A,A+,B,C |
| 600 | 514 | 514 | 550 | 93 | 64 | 14 | 5.2 | 14.6 | Coloured | 291 | 557 | 300W | A,A+,B,C |
| 600 | 588 | 588 | 550 | 93 | 64 | 16 | 5.9 | 16.7 | Coloured | 333 | 637 | 450W | A,A+,B,C |
| 600 | 662 | 662 | 550 | 93 | 64 | 18 | 6.6 | 18.7 | Coloured | 374 | 716 | 450W | A,A+,B,C |
| 600 | 810 | 810 | 550 | 93 | 64 | 22 | 8.1 | 22.9 | Coloured | 458 | 876 | 600W | A,A+,B,C,E |
| 600 | 1032 | 1032 | 550 | 93 | 64 | 28 | 10.3 | 29.1 | Coloured | 583 | 1115 | 750W | A,A+,B,C,E |
| 600 | 1180 | 1180 | 550 | 93 | 64 | 32 | 11.8 | 33.2 | Coloured | 666 | 1273 | 900W | A,A+,B,C,E |
| 600 | 1254 | 1254 | 550 | 93 | 64 | 34 | 12.5 | 35.3 | Coloured | 707 | 1353 | 1000W | A,A+,B,C,E |
| 1800 | 366 | 366 | 1750 | 93 | 64 | 10 | 9.63 | 29.17 | Coloured | 551 | 1054 | 300W | A,A+,B |
| 1800 | 440 | 440 | 1750 | 93 | 64 | 12 | 11.56 | 34.98 | Coloured | 661 | 1265 | 450W | A,A+,B |
| 1800 | 514 | 514 | 1750 | 93 | 64 | 14 | 13.49 | 40.8 | Coloured | 772 | 1476 | 600W | A+,B |
| 1800 | 588 | 588 | 1750 | 93 | 64 | 16 | 15.41 | 46.62 | Coloured | 882 | 1687 | 600W | A+,B |

*In horizontal installation, the above Heights become Widths and above Widths become Heights

### Addington Type 21 - Horizontal


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 558 | 600 | 550 | 115 | 75 | 16 | 6.75 | 20.48 | Coloured | 412 | 789 | 600W | A+ |
| 558 | 800 | 750 | 115 | 75 | 16 | 8.52 | 26.86 | Coloured | 549 | 1051 | 600W | A+ |
| 558 | 1000 | 950 | 115 | 75 | 16 | 10.28 | 33.23 | Coloured | 702 | 1344 | 600W | A+ |
| 588 | 1200 | 1150 | 115 | 75 | 16 | 12.04 | 39.6 | Coloured | 822 | 1573 | 600W | A+ |

### Addington Type 22 - Horizontal


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 292 | 1200 | 1150 | 135 | 85 | 8 | 5.8 | 21.7 | Coloured | 706 | 1351 | N/A | N/A |
| 558 | 600 | 550 | 135 | 85 | 16 | 6.8 | 22.5 | Coloured | 519 | 993 | 600W | A+ |
| 558 | 800 | 750 | 135 | 85 | 16 | 8.4 | 29.5 | Coloured | 692 | 1325 | 600W | A+ |
| 588 | 1000 | 950 | 135 | 85 | 16 | 10 | 36.4 | Coloured | 870 | 1665 | 600W | A+ |
| 588 | 1200 | 1150 | 135 | 85 | 16 | 12.6 | 43.4 | Coloured | 1045 | 1998 | 600W | A+ |

# Technical Tables & Drawings


## ADDINGTON TYPE 20 VERTICAL / HORIZONTAL





## ADDINGTON TYPE 10 TOWEL RAIL




## ADDINGTON TYPE 21 HORIZONTAL




## ADDINGTON TYPE 22 HORIZONTAL



# Technical Tables & Drawings

## ADDINGTON - DESIGNER RANGE

**Addington Type 20 Towel Rail**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1110 | 500 | 450 | 93 | 64 | 20 | 4.7 | 16.75 | Coloured | 346 | 661 | 450W | A, A+, B, D, E, F, G |
| 1750 | 500 | 450 | 93 | 64 | 28 | 10.6 | 29.7 | Coloured | 485 | 927 | 600W | A, A+, B, D, E, F, G |

* Further heat output information available on eastbrooktrade.com **E&OA**

**Addington Type 21 Towel Rail**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1110 | 500 | 450 | 115 | 75 | 20 | 5.7 | 18.88 | Coloured | 440 | 841 | 600W | A, A+, B, D, E, F, G |
| 1750 | 500 | 450 | 115 | 75 | 28 | 12.1 | 35.65 | Coloured | 603 | 1152 | 900W | A, A+, B, D, E, F, G |

* Further heat output information available on eastbrooktrade.com **E&OA**

## KINGSWOOD SLIMLINE - ALUMINIUM RANGE

**Kingswood Slimline Vertical**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1800 | 310 | 310 | 70/90 | 50/70 | 3 | 0.96 | 6.91 | Coloured | 275 | 571 | N/A | N/A | - | - | - | - | - |
| 1800 | 410 | 410 | 70/90 | 50/70 | 4 | 1.28 | 9.03 | Coloured | 367 | 761 | N/A | N/A | - | - | - | - | - |
| 1800 | 510 | 510 | 70/90 | 50/70 | 5 | 1.60 | 10.98 | Coloured | 459 | 951 | N/A | N/A | - | - | - | - | - |
| 1800 | 610 | 610 | 70/90 | 50/70 | 6 | 1.92 | 13.02 | Coloured | 550 | 1141 | N/A | N/A | - | - | - | - | - |

* Further heat output information available on eastbrooktrade.com **E&OA**

**Kingswood Slimline Horizontal**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 410 | 410 | 70/90 | 50/70 | 4 | 0.56 | 3.57 | Coloured | 170 | 335 | N/A | N/A | - | - | - | - | - |
| 600 | 510 | 510 | 70/90 | 50/70 | 5 | 0.70 | 4.38 | Coloured | 213 | 418 | N/A | N/A | - | - | - | - | - |
| 600 | 610 | 610 | 70/90 | 50/70 | 6 | 0.84 | 5.19 | Coloured | 255 | 502 | N/A | N/A | - | - | - | - | - |
| 600 | 810 | 810 | 70/90 | 50/70 | 8 | 1.12 | 6.78 | Coloured | 340 | 669 | N/A | N/A | - | - | - | - | - |
| 600 | 1010 | 1010 | 70/90 | 50/70 | 10 | 1.40 | 8.40 | Coloured | 425 | 836 | N/A | N/A | - | - | - | - | - |
| 600 | 1210 | 1210 | 70/90 | 50/70 | 12 | 1.68 | 10.01 | Coloured | 510 | 1004 | N/A | N/A | - | - | - | - | - |
| 600 | 1410 | 1410 | 70/90 | 50/70 | 14 | 1.96 | 11.65 | Coloured | 595 | 1171 | N/A | N/A | - | - | - | - | - |

* Further heat output information available on eastbrooktrade.com **E&OA**


**Kingswood Slimline Towel Rail**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 820 | 500 | 471 | 108-128 | 90-110 | 6 | 0.78 | 5.37 | Coloured | 188 | 351 | 150W | A, A+ | - | - | - | - | - |
| 820 | 600 | 571 | 108-128 | 90-110 | 6 | 0.84 | 6.05 | Coloured | 225 | 421 | 150W | A, A+ | - | - | - | - | - |
| 1220 | 500 | 471 | 108-128 | 90-110 | 8 | 1.04 | 7.44 | Coloured | 259 | 492 | 300W | A, A+ | - | - | - | - | - |
| 1220 | 600 | 571 | 108-128 | 90-110 | 8 | 1.12 | 8.37 | Coloured | 311 | 590 | 300W | A, A+ | - | - | - | - | - |
| 1820 | 500 | 471 | 108-128 | 90-110 | 12 | 1.56 | 10.86 | Coloured | 386 | 734 | 600W | A, A+ | - | - | - | - | - |
| 1820 | 600 | 571 | 108-128 | 90-110 | 12 | 1.68 | 12.23 | Coloured | 464 | 880 | 750W | A, A+ | - | - | - | - | - |


* Further heat output information available on eastbrooktrade.com **E&OA**

# Technical Tables & Drawings


## ADDINGTON TYPE 20 TOWEL RAIL





## ADDINGTON TYPE 21 TOWEL RAIL




## KINGSWOOD SLIMLINE




## KINGSWOOD SLIMLINE - TOWEL RAIL



# Technical Tables & Drawings

## QUEENSWOOD VERTICAL / HORIZONTAL - ALUMINIUM RANGE

**Queenswood Vertical / Horizontal**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 485 | 485 | 94 | 59 | 5 | 1.3 | 6.1 | Coloured | 292 | 582 | 450W | A, A+ | - | - | - | - | - |
| 600 | 582 | 582 | 94 | 59 | 6 | 1.6 | 7.3 | Coloured | 351 | 699 | 450W | A, A+ | - | - | - | - | - |
| 600 | 679 | 679 | 94 | 59 | 7 | 1.9 | 8.5 | Coloured | 409 | 815 | 600W | A+ | - | - | - | - | - |
| 600 | 873 | 873 | 94 | 59 | 9 | 2.4 | 10.9 | Coloured | 526 | 1048 | 900W | A+ | - | - | - | - | - |
| 600 | 873 | 1067 | 94 | 59 | 11 | 3 | 13.3 | Coloured | 643 | 1281 | 900W | A+ | - | - | - | - | - |
| 600 | 1261 | 1261 | 94 | 59 | 13 | 3.5 | 15.5 | Coloured | 760 | 1513 | 1200W | A, A+ | - | - | - | - | - |
| 600 | 1455 | 1455 | 94 | 59 | 15 | 4.1 | 17.9 | Coloured | 877 | 1746 | 1200W | A, A+ | - | - | - | - | - |
| 600 | 1649 | 1649 | 94 | 59 | 17 | 4.6 | 20.3 | Coloured | 993 | 1979 | 1200W | A, A+ | - | - | - | - | - |
| 1800 | 291 | 291 | 94 | 59 | 3 | 1.4 | 10 | Coloured | 429 | 867 | N/A | N/A | - | - | - | - | - |
| 1800 | 388 | 388 | 94 | 59 | 4 | 1.9 | 13.3 | Coloured | 572 | 1156 | N/A | N/A | - | - | - | - | - |
| 1800 | 485 | 485 | 94 | 59 | 5 | 2.4 | 16.5 | Coloured | 715 | 1446 | N/A | N/A | - | - | - | - | - |
| 1800 | 582 | 582 | 94 | 59 | 6 | 2.9 | 20 | Coloured | 858 | 1735 | N/A | N/A | - | - | - | - | - |

## MERSEY VERTICAL - ALUMINIUM RANGE

**Mersey Vertical**

| Height H (mm) | Width W (mm) | Tappings C1/C2 (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1800 | 280 | 280 | 76 | 38 | 3 | - | 6.64 | Coloured | 314 | 612 | N/A | N/A | - | - | - | - | - |
| 1800 | 375 | 375 | 76 | 38 | 4 | - | 8.75 | Coloured | 418 | 816 | N/A | N/A | - | - | - | - | - |
| 1800 | 470 | 470 | 76 | 38 | 5 | - | 10.86 | Coloured | 523 | 1019 | N/A | N/A | - | - | - | - | - |
| 1800 | 565 | 565 | 76 | 38 | 6 | - | 12.98 | Coloured | 627 | 1223 | N/A | N/A | - | - | - | - | - |
| 1800 | 660 | 660 | 76 | 38 | 7 | - | 15.09 | Coloured | 732 | 1427 | N/A | N/A | - | - | - | - | - |


## TRENT VERTICAL - ALUMINIUM RANGE

**Trent Vertical**


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1800 | 280 | 280 | 76 | 38 | 3 | - | 6.58 | Coloured | 301 | 597 | N/A | N/A | - | - | - | - | - |
| 1800 | 375 | 375 | 76 | 38 | 4 | - | 8.68 | Coloured | 401 | 796 | N/A | N/A | - | - | - | - | - |
| 1800 | 470 | 470 | 76 | 38 | 5 | - | 10.77 | Coloured | 501 | 995 | N/A | N/A | - | - | - | - | - |
| 1800 | 565 | 565 | 76 | 38 | 6 | - | 12.87 | Coloured | 602 | 1194 | N/A | N/A | - | - | - | - | - |
| 1800 | 660 | 660 | 76 | 38 | 7 | - | 14.97 | Coloured | 702 | 1393 | N/A | N/A | - | - | - | - | - |

# Technical Tables & Drawings


## QUEENSWOOD VERTICAL





## QUEENSWOOD HORIZONTAL




## MERSEY VERTICAL




## TRENT VERTICAL



# Technical Tables & Drawings

## ADDINGTON ALUMINIUM - ALUMINIUM RANGE

### Addington Aluminium Type10 - Vertical / Horizontal

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 500 | 514 | 514 | 76.5 | 45 | 7 | 1.14 | 5.83 | Coloured | 171 | 339 | 150W | A |
| 500 | 588 | 588 | 76.5 | 45 | 8 | 1.3 | 6.66 | Coloured | 196 | 387 | 150W | A |
| 600 | 292 | 292 | 76.5 | 45 | 4 | 0.76 | 3.81 | Coloured | 137* | 253* | 150W | A |
| 600 | 366 | 366 | 76.5 | 45 | 5 | 0.96 | 4.6 | Coloured | 171* | 316* | 150W | A |
| 600 | 440 | 440 | 76.5 | 45 | 6 | 1.15 | 5.66 | Coloured | 205* | 379* | 150W | A |
| 600 | 514 | 514 | 76.5 | 45 | 7 | 1.34 | 6.42 | Coloured | 239* | 442* | 300W | A |
| 600 | 588 | 588 | 76.5 | 45 | 8 | 1.53 | 7.39 | Coloured | 273* | 506* | 300W | A |
| 600 | 662 | 662 | 76.5 | 45 | 9 | 1.72 | 8.26 | Coloured | 307* | 569* | 300W | A |
| 600 | 810 | 810 | 76.5 | 45 | 11 | 2.1 | 10.1 | Coloured | 376* | 695* | 300W | A |
| 600 | 1032 | 1032 | 76.5 | 45 | 14 | 2.67 | 12.86 | Coloured | 478* | 884* | 600W | A |
| 600 | 1180 | 1180 | 76.5 | 45 | 16 | 3.06 | 15.1 | Coloured | 546* | 1011* | 600W | A |
| 600 | 1254 | 1254 | 76.5 | 45 | 17 | 3.25 | 15.96 | Coloured | 580* | 1074* | 600W | A |
| 600 | 1402 | 1402 | 76.5 | 45 | 19 | 4.18 | 17.86 | Coloured | 648* | 1200* | 750W | A |
| 600 | 1624 | 1624 | 76.5 | 45 | 21 | 4.84 | 20.71 | Coloured | 751* | 1389* | 900W | A |
| 600 | 1772 | 1772 | 76.5 | 45 | 23 | 5.28 | 22.61 | Coloured | 819* | 1516* | 900W | A |
| 800 | 514 | 514 | 76.5 | 45 | 7 | 1.74 | 8.02 | Coloured | 256 | 521 | 300W | A |
| 800 | 588 | 588 | 76.5 | 45 | 8 | 1.98 | 9.16 | Coloured | 292 | 595 | 300W | A |
| 1000 | 514 | 514 | 76.5 | 45 | 7 | 2.13 | 9.43 | Coloured | 312* | 635* | 300W | A |
| 1000 | 588 | 588 | 76.5 | 45 | 8 | 2.43 | 10.74 | Coloured | 356* | 726* | 300W | A |
| 1200 | 514 | 514 | 76.5 | 45 | 7 | 2.53 | 10.72 | Coloured | 346* | 681* | 300W | A |
| 1200 | 588 | 588 | 76.5 | 45 | 8 | 2.89 | 12.23 | Coloured | 395* | 779* | 600W | A |
| 1400 | 514 | 514 | 76.5 | 45 | 7 | 2.93 | 12.13 | Coloured | 402 | 792 | 600W | A |
| 1400 | 588 | 588 | 76.5 | 45 | 8 | 3.34 | 13.88 | Coloured | 459 | 905 | 600W | A |
| 1800 | 292 | 292 | 76.5 | 45 | 4 | 2.12 | 8.65 | Coloured | 294 | 606 | 600W | A |
| 1800 | 366 | 366 | 76.5 | 45 | 5 | 2.66 | 10.19 | Coloured | 367 | 758 | 600W | A |
| 1800 | 440 | 440 | 76.5 | 45 | 6 | 3.19 | 12.85 | Coloured | 441 | 909 | 600W | A |
| 1800 | 514 | 514 | 76.5 | 45 | 7 | 3.72 | 15.05 | Coloured | 514 | 1060 | 900W | A |
| 1800 | 588 | 588 | 76.5 | 45 | 8 | 4.25 | 17.09 | Coloured | 587 | 1212 | 900W | A |
| 1800 | 662 | 662 | 76.5 | 45 | 9 | 4.79 | 19.13 | Coloured | 661 | 1363 | 900W | A |

* Further heat output information available on eastbrooktrade.com **E&OA**


### Addington Aluminium Type20 - Vertical / Horizontal

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 292 | 292 | 96.5 | 65 | 8 | 0.76 | 5.09 | Coloured | 186* | 352* | 150W | A |
| 600 | 366 | 366 | 96.5 | 65 | 10 | 0.96 | 6.34 | Coloured | 232* | 440* | 300W | A |
| 600 | 440 | 440 | 96.5 | 65 | 12 | 1.15 | 7.53 | Coloured | 278* | 528* | 300W | A |
| 600 | 514 | 514 | 96.5 | 65 | 14 | 1.34 | 8.54 | Coloured | 325* | 616* | 300W | A |
| 600 | 588 | 588 | 96.5 | 65 | 16 | 1.53 | 9.79 | Coloured | 371* | 704* | 300W | A |
| 600 | 662 | 662 | 96.5 | 65 | 18 | 1.72 | 11.34 | Coloured | 417* | 792* | 300W | A |
| 600 | 810 | 810 | 96.5 | 65 | 22 | 2.1 | 13.42 | Coloured | 510* | 968* | 600W | A |
| 600 | 1032 | 1032 | 96.5 | 65 | 28 | 2.67 | 17.53 | Coloured | 649* | 1232* | 600W | A |
| 600 | 1180 | 1180 | 96.5 | 65 | 32 | 3.06 | 19.49 | Coloured | 742* | 1408* | 900W | A |
| 600 | 1254 | 1254 | 96.5 | 65 | 34 | 3.25 | 20.68 | Coloured | 788* | 1496* | 900W | A |
| 600 | 1402 | 1402 | 96.5 | 65 | 38 | 4.18 | 23.06 | Coloured | 881* | 1672* | 900W | A |
| 600 | 1624 | 1624 | 96.5 | 65 | 42 | 4.84 | 26.63 | Coloured | 1020* | 1936* | 900W | A |
| 600 | 1772 | 1772 | 96.5 | 65 | 46 | 5.28 | 29.01 | Coloured | 1112* | 2112* | 900W | A |
| 1800 | 366 | 366 | 96.5 | 65 | 10 | 2.66 | 15.89 | Coloured | 452 | 910 | 600W | A |
| 1800 | 440 | 440 | 96.5 | 65 | 12 | 3.19 | 18.82 | Coloured | 543 | 1092 | 900W | A |
| 1800 | 514 | 514 | 96.5 | 65 | 14 | 3.72 | 21.94 | Coloured | 633 | 1274 | 900W | A |
| 1800 | 588 | 588 | 96.5 | 65 | 16 | 4.25 | 25.18 | Coloured | 724 | 1455 | 900W | A |
| 1800 | 662 | 662 | 96.5 | 65 | 18 | 4.79 | 28.42 | Coloured | 814 | 1637 | 900W | A |


* Further heat output information available on eastbrooktrade.com **E&OA**

# Technical Tables & Drawings


## ADDINGTON ALUMINIUM TYPE 10 HORIZONTAL





## ADDINGTON ALUMINIUM TYPE 10 VERTICAL




## ADDINGTON ALUMINIUM TYPE 20 HORIZONTAL




## ADDINGTON ALUMINIUM TYPE 20 VERTICAL



# Technical Tables & Drawings

## CHARLTON - ALUMINIUM RANGE

**Charlton - Vertical**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 280 | 280 | 71/91 | 33/53 | 3 | 0.6 | 3.75 | Coloured | 123 | 240 | 150W | A, A+, F, G |
| 1200 | 280 | 280 | 71/91 | 33/53 | 3 | 1.2 | 4.6 | Coloured | 238 | 461 | 300W | A, A+, F, G |
| 1200 | 375 | 375 | 71/91 | 33/53 | 4 | 1.6 | 6.1 | Coloured | 315 | 611 | 300W | A, A+, F, G |
| 1200 | 470 | 470 | 71/91 | 33/53 | 5 | 2 | 7.7 | Coloured | 392 | 760 | 450W | A, A+, F, G |
| 1200 | 565 | 565 | 71/91 | 33/53 | 6 | 2.4 | 9.2 | Coloured | 468 | 908 | 600W | A, A+, F, G |
| 1800 | 280 | 280 | 71/91 | 33/53 | 3 | 1.8 | 8.1 | Coloured | 345 | 667 | 450W | A, A+, F, G |
| 1800 | 375 | 375 | 71/91 | 33/53 | 4 | 2.4 | 10.3 | Coloured | 457 | 884 | 600W | A, A+, F, G |
| 1800 | 470 | 470 | 71/91 | 33/53 | 5 | 3 | 12.8 | Coloured | 569 | 1099 | 750W | A, A+, F, G |
| 1800 | 565 | 565 | 71/91 | 33/53 | 6 | 3.5 | 14.8 | Coloured | 679 | 1313 | 1000W | A, A+, F, G |

**Charlton - Horizontal**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 470 | 470 | 71/91 | 33/53 | 5 | 1.1 | 5.7 | Coloured | 203 | 396 | 300W | A, A+, C, H |
| 600 | 660 | 660 | 71/91 | 33/53 | 7 | 1.5 | 7.8 | Coloured | 282 | 550 | 450W | A, A+, C, H |
| 600 | 850 | 850 | 71/91 | 33/53 | 9 | 2 | 9.5 | Coloured | 360 | 701 | 600W | A, A+, C, H |
| 600 | 1040 | 1040 | 71/91 | 33/53 | 11 | 2.4 | 11.5 | Coloured | 437 | 852 | 750W | A, A+, C, H |
| 600 | 1230 | 1230 | 71/91 | 33/53 | 13 | 2.9 | 13.5 | Coloured | 514 | 1002 | 900W | A, A+, C, H |
| 600 | 1420 | 1420 | 71/91 | 33/53 | 15 | 3.3 | 12.3 | Coloured | 590 | 1151 | 900W | A, A+, C, H |

## WITHINGTON - ALUMINIUM RANGE

**Withington - Vertical**


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 280 | 280 | 71/91 | 33/53 | 3 | 0.6 | 3.75 | Coloured | 122 | 240 | 150W | A, A+, F, G |
| 1200 | 280 | 280 | 71/91 | 33/53 | 3 | 1.2 | 4.3 | Coloured | 223 | 439 | 300W | A, A+, F, G |
| 1200 | 375 | 375 | 71/91 | 33/53 | 4 | 1.6 | 5.8 | Coloured | 296 | 583 | 300W | A, A+, F, G |
| 1200 | 470 | 470 | 71/91 | 33/53 | 5 | 2 | 7.3 | Coloured | 368 | 724 | 450W | A, A+, F, G |
| 1200 | 565 | 565 | 71/91 | 33/53 | 6 | 2.4 | 8.8 | Coloured | 440 | 865 | 600W | A, A+, F, G |
| 1800 | 280 | 280 | 71/91 | 33/53 | 3 | 1.8 | 8 | Coloured | 322 | 636 | 450W | A, A+, F, G |
| 1800 | 375 | 375 | 71/91 | 33/53 | 4 | 2.4 | 10.2 | Coloured | 427 | 844 | 600W | A, A+, F, G |
| 1800 | 470 | 470 | 71/91 | 33/53 | 5 | 3 | 12.7 | Coloured | 531 | 1049 | 750W | A, A+, F, G |
| 1800 | 565 | 565 | 71/91 | 33/53 | 6 | 3.5 | 14.8 | Coloured | 634 | 1253 | 1000W | A, A+, F, G |

**Withington - Horizontal**


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 470 | 470 | 71/91 | 33/53 | 5 | 1.1 | 5.7 | Coloured | 202 | 395 | 300W | A, A+, C, H |
| 600 | 660 | 660 | 71/91 | 33/53 | 7 | 1.5 | 7.8 | Coloured | 280 | 548 | 450W | A, A+, C, H |
| 600 | 850 | 850 | 71/91 | 33/53 | 9 | 2 | 9.5 | Coloured | 358 | 700 | 600W | A, A+, C, H |
| 600 | 1040 | 1040 | 71/91 | 33/53 | 11 | 2.4 | 11.5 | Coloured | 434 | 850 | 750W | A, A+, C, H |
| 600 | 1230 | 1230 | 71/91 | 33/53 | 13 | 2.9 | 13.5 | Coloured | 511 | 1000 | 900W | A, A+, C, H |
| 600 | 1420 | 1420 | 71/91 | 33/53 | 15 | 3.3 | 13 | Coloured | 587 | 1148 | 900W | A, A+, C, H |

# Technical Tables & Drawings


## CHARLTON - VERTICAL





## CHARLTON - HORIZONTAL




## WITHINGTON - VERTICAL




## WITHINGTON - HORIZONTAL



# Technical Tables & Drawings

## MALMESBURY - ALUMINIUM RANGE

### Malmesbury - Vertical

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1200 | 185 | 185 | 71/91 | 33/53 | 2 | 0.8 | 2.9 | Coloured | 153 | 296 | 150W | A, A+, F, G |
| 1200 | 280 | 280 | 71/91 | 33/53 | 3 | 1.2 | 4.4 | Coloured | 226 | 437 | 300W | A, A+, F, G |
| 1200 | 375 | 375 | 71/91 | 33/53 | 4 | 1.6 | 5.7 | Coloured | 297 | 576 | 300W | A, A+, F, G |
| 1200 | 470 | 470 | 71/91 | 33/53 | 5 | 2 | 7.3 | Coloured | 368 | 713 | 450W | A, A+, F, G |
| 1200 | 565 | 565 | 71/91 | 33/53 | 6 | 2.4 | 8.3 | Coloured | 437 | 848 | 600W | A, A+, F, G |
| 1800 | 185 | 185 | 71/91 | 33/53 | 2 | 1.18 | 5.6 | Coloured | 220 | 429 | 300W | A, A+, F, G |
| 1800 | 280 | 280 | 71/91 | 33/53 | 3 | 1.8 | 7.9 | Coloured | 325 | 634 | 450W | A, A+, F, G |
| 1800 | 375 | 375 | 71/91 | 33/53 | 4 | 2.4 | 10.1 | Coloured | 428 | 835 | 600W | A, A+, F, G |
| 1800 | 470 | 470 | 71/91 | 33/53 | 5 | 3 | 12.6 | Coloured | 530 | 1033 | 750W | A, A+, F, G |
| 1800 | 565 | 565 | 71/91 | 33/53 | 6 | 3.5 | 13.8 | Coloured | 630 | 1229 | 1000W | A, A+, F, G |

### Malmesbury - Horizontal

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 500 | 375 | 375 | 79/99 | 33/53 | 4 | 0.94 | 4.3 | Coloured | 140 | 269 | 150W | A, A+, C, H |
| 500 | 470 | 470 | 79/99 | 33/53 | 5 | 1.18 | 5.1 | Coloured | 173 | 333 | 150W | A, A+, C, H |
| 500 | 565 | 565 | 79/99 | 33/53 | 6 | 1.41 | 6 | Coloured | 205 | 396 | 300W | A, A+, C, H |
| 600 | 375 | 375 | 79/99 | 33/53 | 4 | 1.75 | 4.6 | Coloured | 163 | 314 | 150W | A, A+, C, H |
| 600 | 470 | 470 | 79/99 | 33/53 | 5 | 2.17 | 5.7 | Coloured | 202 | 389 | 300W | A, A+, C, H |
| 600 | 565 | 565 | 79/99 | 33/53 | 6 | 2.5 | 6.6 | Coloured | 240 | 462 | 300W | A, A+, C, H |
| 600 | 850 | 850 | 79/99 | 33/53 | 9 | 3.75 | 9.5 | Coloured | 352 | 680 | 450W | A, A+, C, H |
| 600 | 1040 | 1040 | 79/99 | 33/53 | 11 | 4.58 | 11.3 | Coloured | 426 | 822 | 600W | A, A+, C, H |
| 600 | 1230 | 1230 | 79/99 | 33/53 | 13 | 5.42 | 13 | Coloured | 499 | 963 | 750W | A, A+, C, H |
| 600 | 1420 | 1420 | 79/99 | 33/53 | 15 | 3.3 | 12.6 | Coloured | 572 | 1103 | 900W | A, A+, C, H |

## ROSANO - ALUMINIUM RANGE

### Rosano - Vertical

| Height H (mm) | Width W (mm) | Tappings C1 / C2** (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 280 | 280/190 | 70/90 | 35/55 | 3 | 0.58 | 4.6 | Coloured | 141 | 263 | 150W | A, A+ |
| 1800 | 280 | 280/190 | 70/90 | 35/55 | 3 | 1.75 | 10 | Coloured | 432 | 800 | 450W | A, A+ |
| 1800 | 375 | 375/285 | 70/90 | 35/55 | 4 | 2.33 | 13.1 | Coloured | 576 | 1067 | 750W | A, A+ |
| 1800 | 470 | 470/380 | 70/90 | 35/55 | 5 | 2.91 | 16.2 | Coloured | 720 | 1334 | 900W | A, A+ |
| 1800 | 565 | 565/475 | 70/90 | 35/55 | 6 | 3.52 | 19.5 | Coloured | 864 | 1600 | 1000W | A, A+ |

* Further heat output information available on eastbrooktrade.com **E&OA**

** Tappings C1 : Side connection, Tappings C2 : Bottom connection.


### Rosano - Horizontal

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 470 | 470 | 70/90 | 35/55 | 5 | 0.96 | 6.7 | Coloured | 235 | 438 | 300W | A, A+, C, H |
| 600 | 660 | 660 | 70/90 | 35/55 | 7 | 1.34 | 9.1 | Coloured | 329 | 613 | 450W | A, A+, C, H |
| 600 | 850 | 850 | 70/90 | 35/55 | 9 | 1.73 | 11.5 | Coloured | 423 | 788 | 600W | A, A+, C, H |
| 600 | 1040 | 1040 | 70/90 | 35/55 | 11 | 2.11 | 13.9 | Coloured | 517 | 963 | 750W | A, A+, C, H |
| 600 | 1230 | 1230 | 70/90 | 35/55 | 13 | 2.5 | 16.3 | Coloured | 611 | 1138 | 900W | A, A+, C, H |


* Further heat output information available on eastbrooktrade.com **E&OA**

# Technical Tables & Drawings


## MALMESBURY - VERTICAL





## MALMESBURY - HORIZONTAL




## ROSANO - VERTICAL




## ROSANO - HORIZONTAL



# Technical Tables & Drawings

## PERETTI - ALUMINIUM RANGE

### Peretti - Vertical

| Height H (mm) | Width W (mm) | Tappings C1 / C2** (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 280 | 280/190 | 70/90 | 35/55 | 3 | 0.58 | 4.6 | Coloured | 145 | 267 | 150W | A, A+ | Polished | 140 | 259 | 150W | A, A+, B |
| 1800 | 280 | 280/190 | 70/90 | 35/55 | 3 | 1.75 | 10 | Coloured | 432 | 800 | 450W | A, A+ | Polished | 420 | 776 | 450W | A, A+, B |
| 1800 | 375 | 375/285 | 70/90 | 35/55 | 4 | 2.33 | 13.1 | Coloured | 576 | 1067 | 750W | A, A+ | Polished | 559 | 1035 | 750W | A, A+, B |
| 1800 | 470 | 470/380 | 70/90 | 35/55 | 5 | 2.91 | 16.2 | Coloured | 720 | 1334 | 900W | A, A+ | Polished | 699 | 1294 | 900W | A, A+, B |
| 1800 | 565 | 565/475 | 70/90 | 35/55 | 6 | 3.52 | 19.5 | Coloured | 864 | 1600 | 1000W | A, A+ | Polished | 839 | 1552 | 1000W | A, A+, B |

* Further heat output information available on eastbrooktrade.com **E&OA**

** Tappings C1 : Side connection, Tappings C2 : Bottom connection.

### Peretti - Horizontal

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 470 | 470 | 70/90 | 35/55 | 5 | 0.96 | 6.7 | Coloured | 241 | 445 | 300W | A, A+, C, H | Polished | 233 | 432 | 300W | A, A+, C, H |
| 600 | 660 | 660 | 70/90 | 35/55 | 7 | 1.34 | 9.1 | Coloured | 337 | 623 | 450W | A, A+, C, H | Polished | 327 | 604 | 450W | A, A+, C, H |
| 600 | 850 | 850 | 70/90 | 35/55 | 9 | 1.73 | 11.5 | Coloured | 433 | 801 | 600W | A, A+, C, H | Polished | 420 | 777 | 600W | A, A+, C, H |
| 600 | 1040 | 1040 | 70/90 | 35/55 | 11 | 2.11 | 13.9 | Coloured | 529 | 979 | 750W | A, A+, C, H | Polished | 513 | 949 | 750W | A, A+, C, H |
| 600 | 1230 | 1230 | 70/90 | 35/55 | 13 | 2.5 | 16.3 | Coloured | 625 | 1156 | 900W | A, A+, C, H | Polished | 606 | 1122 | 900W | A, A+, C, H |

* Further heat output information available on eastbrooktrade.com **E&OA**

## SANDHURST - ALUMINIUM RANGE

### Sandhurst - Vertical

| Height H (mm) | Width W (mm) | Tappings C1 / C2** (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1800 | 275 | 275/210 | 105 | 65 | 4 | 1.6 | 7.5 | Coloured | 376 | 716 | 450W | A, A+ | Polished | 364 | 695 | 450W | A, A+ |
| 1800 | 415 | 415/350 | 105 | 65 | 6 | 2.4 | 11.2 | Coloured | 563 | 1074 | 750W | A, A+ | Polished | 546 | 1042 | 750W | A, A+ |
| 1800 | 485 | 485/420 | 105 | 65 | 7 | 2.8 | 13.1 | Coloured | 657 | 1253 | 900W | A, A+ | Polished | 637 | 1215 | 900W | A, A+ |

* Further heat output information available on eastbrooktrade.com **E&OA**

** Tappings C1 : Side connection, Tappings C2 : Bottom connection.

### Sandhurst - Horizontal

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 485 | 485 | 105 | 65 | 7 | 1.12 | 12.4 | Coloured | 219 | 418 | 300W | A, A+ |
| 600 | 625 | 625 | 105 | 65 | 9 | 1.44 | 15.9 | Coloured | 282 | 537 | 450W | A, A+ |
| 600 | 835 | 835 | 105 | 65 | 12 | 1.91 | 21.2 | Coloured | 376 | 716 | 450W | A, A+ |
| 600 | 1045 | 1045 | 105 | 65 | 15 | 2.39 | 26.5 | Coloured | 469 | 895 | 600W | A, A+ |
| 600 | 1255 | 1255 | 105 | 65 | 18 | 2.86 | 31.8 | Coloured | 563 | 1074 | 750W | A, A+ |

* Further heat output information available on eastbrooktrade.com **E&OA**


## BERKELEY - ALUMINIUM RANGE

### Berkeley - Horizontal


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 603 | 600 | 600 | 70 | 50 | 6 | 1.3 | 5.7 | Coloured | 186 | 342 | N/A | N/A |
| 603 | 800 | 800 | 70 | 50 | 6 | 1.7 | 5.8 | Coloured | 244 | 449 | N/A | N/A |
| 603 | 1000 | 1000 | 70 | 50 | 6 | 2 | 6.33 | Coloured | 302 | 555 | N/A | N/A |
| 603 | 1200 | 1200 | 70 | 50 | 6 | 2.4 | 7.22 | Coloured | 359 | 660 | N/A | N/A |
| 603 | 1400 | 1400 | 70 | 50 | 6 | 2.8 | 8.8 | Coloured | 415 | 763 | N/A | N/A |
| 603 | 1600 | 1600 | 70 | 50 | 6 | 3.1 | 9.6 | Coloured | 472 | 866 | N/A | N/A |
| 603 | 1800 | 1800 | 70 | 50 | 6 | 3.5 | 10.5 | Coloured | 527 | 969 | N/A | N/A |
| 603 | 2000 | 2000 | 70 | 50 | 6 | 3.8 | 11.3 | Coloured | 583 | 1071 | N/A | N/A |

# Technical Tables & Drawings


## PERETTI - VERTICAL





## PERETTI - HORIZONTAL




## SANDHURST - VERTICAL




## BERKELEY - HORIZONTAL



# Technical Tables & Drawings

## TORDINO - ALUMINIUM RANGE

**Tordino - Vertical**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1800 | 280 | 280 | 80/100 | 31/51 | 3 | 1.7 | 6.5 | Coloured | 359 | 686 | 450W | A, A+, F, G |
| 1800 | 375 | 375 | 80/100 | 31/51 | 4 | 2.3 | 8.6 | Coloured | 477 | 912 | 600W | A, A+, F, G |
| 1800 | 470 | 470 | 80/100 | 31/51 | 5 | 2.9 | 10.4 | Coloured | 595 | 1136 | 750W | A, A+, F, G |
| 1800 | 565 | 565 | 80/100 | 31/51 | 6 | 3.5 | 12.5 | Coloured | 712 | 1360 | 1000W | A, A+, F, G |

**Tordino - Horizontal**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 470 | 470 | 80/100 | 31/51 | 5 | 1.1 | 4.3 | Coloured | 208 | 409 | 300W | A, A+, C, H |
| 600 | 660 | 660 | 80/100 | 31/51 | 7 | 1.5 | 6 | Coloured | 290 | 569 | 450W | A, A+, C, H |
| 600 | 850 | 850 | 80/100 | 31/51 | 9 | 2 | 7.8 | Coloured | 371 | 728 | 600W | A, A+, C, H |
| 600 | 1040 | 1040 | 80/100 | 31/51 | 11 | 2.4 | 9.5 | Coloured | 451 | 887 | 750W | A, A+, C, H |
| 600 | 1230 | 1230 | 80/100 | 31/51 | 13 | 2.8 | 11.2 | Coloured | 531 | 1044 | 900W | A, A+, C, H |

## GUARDIA - ALUMINIUM RANGE

**Guardia - Vertical**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1200 | 280 | 280 | 110 | 65 | 3 | 1.14 | 9.16 | Coloured | 344 | 668 | N/A | N/A |
| 1200 | 375 | 375 | 110 | 65 | 4 | 1.52 | 12.12 | Coloured | 458 | 890 | N/A | N/A |
| 1200 | 470 | 470 | 110 | 65 | 5 | 1.9 | 15.05 | Coloured | 572 | 1113 | N/A | N/A |
| 1200 | 565 | 565 | 110 | 65 | 6 | 2.27 | 18.24 | Coloured | 687 | 1335 | N/A | N/A |
| 1800 | 280 | 280 | 110 | 65 | 3 | 1.75 | 14.2 | Coloured | 488 | 946 | N/A | N/A |
| 1800 | 375 | 375 | 110 | 65 | 4 | 2.33 | 18.7 | Coloured | 650 | 1261 | N/A | N/A |
| 1800 | 470 | 470 | 110 | 65 | 5 | 2.91 | 23.1 | Coloured | 813 | 1576 | N/A | N/A |
| 1800 | 565 | 565 | 110 | 65 | 6 | 3.5 | 27.8 | Coloured | 975 | 1892 | N/A | N/A |
| 1800 | 660 | 660 | 110 | 65 | 7 | 3.85 | 28.95 | Coloured | 1137 | 2207 | N/A | N/A |

* Further heat output information available on eastbrooktrade.com **E&OA**


**Guardia - Horizontal**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 470 | 470 | 110 | 65 | 5 | 0.96 | 9 | Coloured | 336 | 637 | 300W | A, A+, C, H |
| 600 | 660 | 660 | 110 | 65 | 7 | 1.34 | 12.2 | Coloured | 470 | 892 | 450W | A, A+, C, H |
| 600 | 850 | 850 | 110 | 65 | 9 | 1.73 | 15.6 | Coloured | 604 | 1146 | 600W | A, A+, C, H |
| 600 | 1040 | 1040 | 110 | 65 | 11 | 2.11 | 19 | Coloured | 738 | 1401 | 900W | A, A+, H |
| 600 | 1230 | 1230 | 110 | 65 | 13 | 2.5 | 22.3 | Coloured | 873 | 1655 | 1000W | A, A+ |
| 600 | 1420 | 1420 | 110 | 65 | 15 | 2.88 | 25.8 | Coloured | 1007 | 1910 | 1000W | A, A+ |
| 600 | 1610 | 1610 | 110 | 65 | 17 | 3.74 | 26.9 | Coloured | 1141 | 2165 | 1200W | A, A+ |
| 600 | 1800 | 1800 | 110 | 65 | 19 | 4.18 | 28.8 | Coloured | 1275 | 2419 | 1200W | A, A+ |


* Further heat output information available on eastbrooktrade.com **E&OA**

# Technical Tables & Drawings


## TORDINO - VERTICAL





## TORDINO - HORIZONTAL




## GUARDIA - HORIZONTAL




## GUARDIA - VERTICAL



# Technical Tables & Drawings

## HADLEIGH - ALUMINIUM RANGE

**Hadleigh - Vertical**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1200 | 275 | 275 | 98 | 65 | 4 | 1.52 | 9.56 | Coloured | 267 | 533 | N/A | N/A |
| 1200 | 415 | 415 | 98 | 65 | 6 | 2.27 | 14.17 | Coloured | 400 | 799 | N/A | N/A |
| 1200 | 485 | 485 | 98 | 65 | 7 | 2.65 | 15.82 | Coloured | 467 | 932 | N/A | N/A |
| 1200 | 555 | 555 | 98 | 65 | 8 | 3.03 | 17.92 | Coloured | 533 | 1065 | N/A | N/A |
| 1800 | 275 | 275 | 98 | 65 | 4 | 1.6 | 12.2 | Coloured | 350 | 689 | N/A | N/A |
| 1800 | 415 | 415 | 98 | 65 | 6 | 2.4 | 18.3 | Coloured | 524 | 1033 | N/A | N/A |
| 1800 | 485 | 485 | 98 | 65 | 7 | 2.8 | 21.3 | Coloured | 611 | 1205 | N/A | N/A |
| 1800 | 555 | 555 | 98 | 65 | 8 | 4.39 | 26.18 | Coloured | 699 | 1377 | N/A | N/A |

* Further heat output information available on eastbrooktrade.com **E&OA**

**Hadleigh - Horizontal**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 485 | 485 | 98 | 65 | 7 | 1.12 | 8.9 | Coloured | 304 | 588 | 400W | A, A+, C, H |
| 600 | 625 | 625 | 98 | 65 | 9 | 1.44 | 11.4 | Coloured | 391 | 755 | 450W | A, A+, C, H |
| 600 | 835 | 835 | 98 | 65 | 12 | 1.91 | 15.2 | Coloured | 521 | 1007 | 600W | A, A+, C, H |
| 600 | 1045 | 1045 | 98 | 65 | 15 | 2.39 | 19 | Coloured | 651 | 1259 | 900W | A, A+, C, H |
| 600 | 1255 | 1255 | 98 | 65 | 18 | 2.86 | 22.8 | Coloured | 781 | 1510 | 1000W | A, A+, C, H |
| 600 | 1395 | 1395 | 98 | 65 | 20 | 4.18 | 24.61 | Coloured | 867 | 1678 | 1200W | A, A+, C, H |

* Further heat output information available on eastbrooktrade.com **E&OA**

## VESIMA - ALUMINIUM RANGE

**Vesima - Vertical**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1800 | 303 | 303 | 85/105 | 60/80 | 3 | 1.75 | 10.9 | Coloured | 452 | 852 | 600W | A |
| 1800 | 403 | 403 | 85/105 | 60/80 | 4 | 2.34 | 14.2 | Coloured | 603 | 1135 | 900W | A |
| 1800 | 503 | 503 | 85/105 | 60/80 | 5 | 2.92 | 17.6 | Coloured | 754 | 1419 | 900W | A |
| 1800 | 603 | 603 | 85/105 | 60/80 | 6 | 3.3 | 20.99 | Coloured | 904 | 1703 | 900W | A |

* Further heat output information available on eastbrooktrade.com **E&OA**


**Vesima - Horizontal**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 503 | 503 | 85/105 | 60/80 | 5 | 0.97 | 7.1 | Coloured | 279 | 526 | 300W | A, C, H |
| 600 | 603 | 603 | 85/105 | 60/80 | 6 | 1.16 | 8.4 | Coloured | 335 | 631 | 300W | A, C, H |
| 600 | 803 | 803 | 85/105 | 60/80 | 8 | 1.55 | 10.9 | Coloured | 447 | 841 | 600W | A, C, H |
| 600 | 1003 | 1003 | 85/105 | 60/80 | 10 | 1.94 | 13.5 | Coloured | 558 | 1051 | 900W | A, C, H |
| 600 | 1203 | 1203 | 85/105 | 60/80 | 12 | 2.33 | 16.1 | Coloured | 670 | 1262 | 1000W | A, C, H |
| 600 | 1403 | 1403 | 85/105 | 60/80 | 14 | 2.93 | 18.54 | Coloured | 781 | 1472 | 1200W | A, C, H |


* Further heat output information available on eastbrooktrade.com **E&OA**

# Technical Tables & Drawings


## HADLEIGH - VERTICAL





## HADLEIGH - HORIZONTAL




## VESIMA - VERTICAL




## VESIMA - HORIZONTAL



# Technical Tables & Drawings

## PRESTON - ALUMINIUM RANGE

**Preston - Vertical**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1200 | 185 | 185 | 71-91 | 33-53 | 2 | 1.2 | 5.8 | Coloured | 154 | 296 | 150W | A, A+, F, G |
| 1800 | 185 | 185 | 71-91 | 33-53 | 2 | 1.2 | 5.6 | Coloured | 222 | 427 | 300W | A, A+, F, G |

## BERLINI - ALUMINIUM RANGE

**Berlini - Vertical**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1200 | 185 | 185 | 70/90 | 35/55 | 2 | 0.78 | 5.6 | Coloured | 183 | 338 | 150W | A, A+ | Polished | 178 | 328 | 150W | A, A+ |
| 1800 | 185 | 185 | 70/90 | 35/55 | 2 | 1.16 | 6.6 | Coloured | 275 | 508 | 300W | A, A+ | Polished | 267 | 492 | 300W | A, A+ |

* Further heat output information available on eastbrooktrade.com **E&OA**

## FAIRFORD - ALUMINIUM RANGE

**Fairford - Vertical**


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1200 | 375 | 375 | 79/99 | 33/53 | 4 | 1.6 | 7.2 | Coloured | 302 | 596 | 450W | A, A+, F, G |
| 1200 | 565 | 565 | 79/99 | 33/53 | 6 | 2.4 | 11 | Coloured | 454 | 897 | 750W | A, A+, F, G |
| 1800 | 375 | 375 | 79/99 | 33/53 | 4 | 2.33 | 9.9 | Coloured | 449 | 892 | 750W | A, A+, F, G |
| 1800 | 565 | 565 | 79/99 | 33/53 | 6 | 3.5 | 13.8 | Coloured | 676 | 1343 | 1000W | A, A+, F, G |

**Fairford - Horizontal**


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 375 | 375 | 79/99 | 33/53 | 4 | 0.87 | 4.5 | Coloured | 157 | 308 | 300W | A, A+ |
| 600 | 565 | 565 | 79/99 | 33/53 | 6 | 1.3 | 6.7 | Coloured | 236 | 464 | 300W | A, A+, C, H |
| 600 | 945 | 945 | 79/99 | 33/53 | 10 | 2.18 | 10.1 | Coloured | 395 | 775 | 600W | A, A+, C, H |
| 600 | 1325 | 1325 | 79/99 | 33/53 | 14 | 3.06 | 13.9 | Coloured | 553 | 1086 | 900W | A, A+, C, H |

# Technical Tables & Drawings


## PRESTON - VERTICAL





## BERLINI - VERTICAL




## FAIRFORD - VERTICAL




## FAIRFORD - HORIZONTAL



# Technical Tables & Drawings

## BURFORD - ALUMINIUM RANGE

**Burford - Vertical**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1800 | 275 | 275 | 108/128 | 33/53 | 4 | 2.28 | 10.4 | Coloured | 373 | 756 | 600W | A, A+, B, F, G |
| 1800 | 345 | 345 | 108/128 | 33/53 | 5 | 2.85 | 12.9 | Coloured | 464 | 939 | 750W | A, A+, B, F, G |
| 1800 | 415 | 415 | 108/128 | 33/53 | 6 | 3.42 | 15.3 | Coloured | 553 | 1122 | 1000W | A, A+, B, F, G |
| 1800 | 485 | 485 | 108/128 | 33/53 | 7 | 3.99 | 17.7 | Coloured | 643 | 1302 | 1200W | A, A+, B, F, G |

**Burford - Horizontal**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 485 | 485 | 108/128 | 33/53 | 7 | 1.43 | 7.3 | Coloured | 246 | 478 | 300W | A, A+, C, H |
| 600 | 625 | 625 | 108/128 | 33/53 | 9 | 1.84 | 9.2 | Coloured | 313 | 609 | 450W | A, A+, C, H |
| 600 | 835 | 835 | 108/128 | 33/53 | 12 | 2.45 | 12 | Coloured | 414 | 804 | 600W | A, A+, C, H |
| 600 | 1045 | 1045 | 108/128 | 33/53 | 15 | 3.07 | 14.8 | Coloured | 513 | 997 | 750W | A, A+, C, H |
| 600 | 1185 | 1185 | 108/128 | 33/53 | 17 | 3.47 | 16.7 | Coloured | 579 | 1125 | 900W | A, A+, C, H |

## KELMSCOTT - ALUMINIUM RANGE

**Kelmscott - Vertical**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1800 | 275 | 275 | 83/103 | 33/53 | 4 | 2.28 | 8.2 | Coloured | 360 | 740 | 600W | A, A+, B, F, G |
| 1800 | 345 | 345 | 83/103 | 33/53 | 5 | 2.85 | 10.1 | Coloured | 450 | 924 | 750W | A, A+, B, F, G |
| 1800 | 415 | 415 | 83/103 | 33/53 | 6 | 3.42 | 12 | Coloured | 538 | 1107 | 1000W | A, A+, B, F, G |
| 1800 | 485 | 485 | 83/103 | 33/53 | 7 | 3.99 | 13.8 | Coloured | 627 | 1289 | 1200W | A, A+, B, F, G |

**Kelmscott - Horizontal**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 485 | 485 | 83/103 | 33/53 | 7 | 1.43 | 6 | Coloured | 245 | 476 | 300W | A, A+, C, H |
| 600 | 625 | 625 | 83/103 | 33/53 | 9 | 1.84 | 7.5 | Coloured | 314 | 610 | 450W | A, A+, C, H |
| 600 | 835 | 835 | 83/103 | 33/53 | 12 | 2.45 | 9.8 | Coloured | 417 | 809 | 600W | A, A+, C, H |
| 600 | 1045 | 1045 | 83/103 | 33/53 | 15 | 3.07 | 12 | Coloured | 519 | 1008 | 750W | A, A+, C, H |
| 600 | 1185 | 1185 | 83/103 | 33/53 | 17 | 3.47 | 13.5 | Coloured | 587 | 1140 | 900W | A, A+, C, H |

## WITNEY - ALUMINIUM RANGE

**Witney - Vertical**


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1800 | 280 | 280 | 136 | 53 | 6 | 3.34 | 14.4 | Coloured | 503 | 985 | 750W | A, A+, B, F, G |
| 1800 | 375 | 375 | 136 | 53 | 8 | 4.46 | 18.9 | Coloured | 662 | 1297 | 1000W | A, A+, B, F, G |
| 1800 | 470 | 470 | 136 | 53 | 10 | 5.57 | 23.4 | Coloured | 819 | 1604 | 1200W | A, A+, B, F, G |

**Witney - Horizontal**


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 470 | 470 | 136 | 53 | 10 | 1.9 | 7.5 | Coloured | 328 | 646 | 300W | A, A+, C, H |
| 600 | 660 | 660 | 136 | 53 | 14 | 2.7 | 10.5 | Coloured | 451 | 889 | 600W | A, A+, C, H |
| 600 | 850 | 850 | 136 | 53 | 18 | 3.5 | 13.5 | Coloured | 573 | 1128 | 900W | A, A+, C, H |
| 600 | 1040 | 1040 | 136 | 53 | 22 | 4.2 | 16.6 | Coloured | 692 | 1364 | 1000W | A, A+, C, H |
| 600 | 1230 | 1230 | 136 | 53 | 26 | 5 | 19.6 | Coloured | 811 | 1597 | 1200W | A, A+, C, H |

# Technical Tables & Drawings


## BURFORD - VERTICAL





## BURFORD - HORIZONTAL





## KELMSCOTT - VERTICAL





## KELMSCOTT - HORIZONTAL




## WITNEY - VERTICAL




## WITNEY - HORIZONTAL



# Technical Tables & Drawings

## PELAGO - ALUMINIUM RANGE

**Pelago Towel Rail**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 500 | 475 | 88-118 | 75-105 | 5 | 0.73 | 2.3 | Coloured | 126 | 231 | 150W | A, A+ | Polished | 122 | 224 | 150W | A, A+ |
| 600 | 600 | 575 | 88-118 | 75-105 | 5 | 0.8 | 2.6 | Coloured | 149 | 272 | 150W | A, A+ | Polished | 145 | 264 | 150W | A, A+ |
| 1200 | 500 | 475 | 88-118 | 75-105 | 9 | 1.37 | 4.3 | Coloured | 237 | 449 | 300W | A, A+ | Polished | 230 | 435 | 300W | A, A+ |
| 1200 | 600 | 575 | 88-118 | 75-105 | 9 | 1.51 | 4.8 | Coloured | 270 | 505 | 450W | A, A+ | Polished | 262 | 490 | 450W | A, A+ |
| 1800 | 500 | 475 | 88-118 | 75-105 | 14 | 2.1 | 6.5 | Coloured | 362 | 685 | 600W | A, A+ | Polished | 351 | 664 | 600W | A, A+ |
| 1800 | 600 | 575 | 88-118 | 75-105 | 14 | 2.31 | 7.3 | Coloured | 417 | 771 | 600W | A, A+ | Polished | 405 | 748 | 600W | A, A+ |

* Further heat output information available on eastbrooktrade.com **E&OA**

## VELOR - ALUMINIUM RANGE

**Velor Towel Rail**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts* | ▲T50 Watts* | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 600 | 500 | 475 | 100-130 | 80-110 | 8 | 0.7 | 3.4 | Coloured | 142 | 271 | 150W | A, D, E |
| 600 | 600 | 575 | 100-130 | 80-110 | 8 | 0.8 | 3.8 | Coloured | 168 | 320 | 150W | A, D, E |
| 1200 | 500 | 475 | 100-130 | 80-110 | 21 | 1.81 | 7.8 | Coloured | 312 | 565 | 300W | A, D, E |
| 1200 | 600 | 575 | 100-130 | 80-110 | 21 | 2.1 | 8.9 | Coloured | 374 | 678 | 300W | A, D, E |
| 1800 | 500 | 475 | 100-130 | 80-110 | 31 | 2.67 | 11.4 | Coloured | 460 | 834 | 600W | A, D, E |
| 1800 | 600 | 575 | 100-130 | 80-110 | 31 | 3.1 | 13.1 | Coloured | 552 | 1001 | 600W | A, D, E |

* Further heat output information available on eastbrooktrade.com **E&OA**

## WINDRUSH - TRADITIONAL RANGE

**Windrush**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 950 | 500 | 356 | 142 | 105 | - | 2.1 | 5.7 | Chrome | 74 | 137 | 100W | A, A+ |
| 950 | 600 | 470 | 142 | 105 | - | 2.27 | 6.4 | Chrome | 75 | 139 | 100W | A, A+ |
| 1195 | 500 | 370 | 130 | 105 | - | 2.7 | 7.4 | Chrome | 93 | 176 | 150W | A, A+, E |
| 1195 | 600 | 470 | 130 | 105 | - | 3 | 7.8 | Chrome | 101 | 189 | 150W | A, A+, E |
| 1550 | 500 | 370 | 130 | 105 | - | 3.5 | 8.7 | Chrome | 117 | 223 | 150W | A, A+, E |
| 1550 | 600 | 470 | 130 | 105 | - | 3.8 | 9.25 | Chrome | 126 | 237 | 150W | A, A+, E |

## STOUR - TRADITIONAL RANGE

**Stour**


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 690 | 500 | 426 | 125 | 53 | - | 1.3 | 5.5 | Coloured | 183 | 343 | 150W | E | Chrome | 69 | 129 | 150W | E |
| 690 | 600 | 526 | 125 | 53 | - | 2.1 | 5.6 | Coloured | 116 | 216 | 100W | A, A+, E | Chrome | 79 | 149 | 100W | A, A+, E |
| 1195 | 500 | 426 | 130 | 53 | - | 3.3 | 8.1 | Coloured | 166 | 310 | 100W | A, A+, E | Chrome | 106 | 201 | 100W | A, A+, E |
| 1195 | 600 | 526 | 130 | 53 | - | 3.7 | 8.47 | Coloured | 183 | 343 | 150W | A, A+, E | Chrome | 118 | 223 | 150W | A, A+, E |
| 1550 | 500 | 426 | 130 | 53 | - | 3.8 | 9.4 | Coloured | 210 | 391 | 150W | A, A+, E | Chrome | 131 | 247 | 150W | A, A+, E |
| 1550 | 600 | 526 | 130 | 53 | - | 4.1 | 9.86 | Coloured | 229 | 430 | 150W | A, A+, E | Chrome | 146 | 276 | 150W | A, A+, E |

**Stour**


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 690 | 500 | 426 | 125 | 53 | - | 1.3 | 5.5 | PVD Finish | 97 | 183 | 150W | E | - | - | - | - | - |
| 690 | 600 | 526 | 125 | 53 | - | 2.1 | 5.6 | PVD Finish | 105 | 197 | 100W | A, A+, E | - | - | - | - | - |
| 1195 | 500 | 426 | 130 | 53 | - | 3.3 | 8.1 | PVD Finish | 153 | 288 | 100W | A, A+, E | - | - | - | - | - |
| 1195 | 600 | 526 | 130 | 53 | - | 3.7 | 8.47 | PVD Finish | 170 | 319 | 150W | A, A+, E | - | - | - | - | - |
| 1550 | 500 | 426 | 130 | 53 | - | 3.8 | 9.4 | PVD Finish | 184 | 347 | 150W | A, A+, E | - | - | - | - | - |
| 1550 | 600 | 526 | 130 | 53 | - | 4.1 | 9.86 | PVD Finish | 213 | 401 | 150W | A, A+, E | - | - | - | - | - |

# Technical Tables & Drawings


## PELAGO TOWEL RAIL





## VELOR TOWEL RAIL




## WINDRUSH




## STOUR



# Technical Tables & Drawings

## **PAINSWICK** - TRADITIONAL RANGE

**Painswick**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Depth - D (mm) | Tappings from floor- A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 778 | 686 | 556 | 254 | 100 | - | 3.51 | 11.5 | Chrome | 148 | 279 | N/A | N/A |

## **FROME** - TRADITIONAL RANGE

**Frome**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from Wall - D (mm) | Tappings from wall- A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 940 | 474 | 344 | 130 | 105 | - | 4.9 | 7.45 | Chrome | 112 | 212 | 150W | A, A+, C, E, H |

## **THAMES** - TRADITIONAL RANGE

**Thames**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from Wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1444 | 630 | 500 | 187 | 150 | - | 8.7 | 21.3 | Chrome | 345 | 654 | 450W | A, A+, C, H |


## **LEADON** - TRADITIONAL RANGE

**Leadon**


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from Wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 940 | 700 | 570 | 260 | 137 | - | 9 | 20.2 | Chrome | 322 | 602 | 450W | A, A+, C, H |

# Technical Tables & Drawings


## PAINSWICK





## FROME




## THAMES




## LEADON



# Technical Tables & Drawings

## SHERBOURNE - TRADITIONAL RANGE

**Sherbourne**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from Wall - D (mm) | Tappings from wall- A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 940 | 600 | 470 | 142 | 105 | - | 3.5 | 7.24 | Chrome | 112 | 210 | 150W | A, A+, C, E, H |

## COLN - TRADITIONAL RANGE

**Coln**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from Wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 510 | 680 | 676 | 260 | 50 | - | 5.82 | 16.3 | Chrome | 247 | 468 | 300W | A, A+, C, H |

*On dual fuel installation, please use only Type A or Type A+ element

## TWYVER - TRADITIONAL RANGE

**Twyver**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from Wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 952 | 684 | 547 | 158 | 108 | - | 3.3 | 14.6 | Chrome | 334 | 644 | N/A | N/A |

## AVON - TRADITIONAL RANGE

**Avon**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from Wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 960 | 429 | 300 | 160 | 110 | - | 4.30 | 15.50 | Chrome / Coloured | 159 | 302 | 150W | A, A+, C, H |
| 960 | 500 | 370 | 185 | 135 | - | 5.50 | 15.70 | Chrome / Coloured | 205 | 384 | 300W | A, A+, C, H |


**Avon**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from Wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 960 | 429 | 300 | 160 | 110 | - | 4.30 | 15.50 | PVD Finish / Coloured | 182 | 342 | 150W | A, A+, C, H |
| 960 | 500 | 370 | 185 | 135 | - | 5.50 | 15.70 | PVD Finish / Coloured | 227 | 428 | 300W | A, A+, C, H |


* PVD finish is Brushed Brass.

# Technical Tables & Drawings


## SHERBOURNE





## COLN




## TWYVER




## AVON



# Technical Tables & Drawings

## ISBOURNE - TRADITIONAL RANGE

**Isbourne**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from Wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 940 | 507 | 377 | 260 | 121 | - | 5.65 | 14.03 | Chrome / Coloured | 207* | 392* | 300W | A, A+, C, H |
| 940 | 600 | 467 | 260 | 121 | - | 6.62 | 16.70 | Chrome / Coloured | 274 | 521 | 450W | A, A+, C, H |

* Further heat output information available on eastbrooktrade.com **E&OA**

**Isbourne**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from Wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 940 | 507 | 377 | 260 | 121 | - | 5.65 | 14.03 | PVD Finish / Coloured | 207 | 392 | 300W | A, A+, C, H |
| 940 | 600 | 467 | 260 | 121 | - | 6.62 | 16.70 | PVD Finish / Coloured | 275 | 522 | 450W | A, A+, C, H |

* PVD Finish is Brushed Brass.

## IMPERIA 2 COLUMN - TRADITIONAL RANGE

**Imperia 2 Column - Vertical / Horizontal**


| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from Wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 300 | 830 | 830 | 92 | 58 | 18 | 7.68 | 9.58 | Coloured | 234 | 432 | 300W | A, A+, C, H |
| 300 | 1010 | 1010 | 92 | 58 | 22 | 9.39 | 13.15 | Coloured | 286 | 528 | 450W | A, A+, C, H |
| 300 | 1145 | 1145 | 92 | 58 | 25 | 10.53 | 14.95 | Coloured | 325 | 600 | 450W | A, A+, C, E*, H |
| 300 | 1370 | 1370 | 92 | 58 | 30 | 12.6 | 16.25 | Coloured | 390 | 720 | 450W | A, A+, C, E*, H |
| 300 | 1460 | 1460 | 92 | 58 | 32 | 13.66 | 16.72 | Coloured | 416 | 768 | 600W | A, A+, C, E*, H |
| 300 | 1640 | 1640 | 92 | 58 | 36 | 15.37 | 18.76 | Coloured | 468 | 864 | 750W | A, A+, C, E*, H |
| 450 | 605 | 605 | 92 | 58 | 13 | 7.03 | 9.76 | Coloured | 247 | 468 | 300W | A, A+, C, H |
| 450 | 830 | 830 | 92 | 58 | 18 | 9.74 | 13.36 | Coloured | 342 | 648 | 450W | A, A+, C, E*, H |
| 450 | 1010 | 1010 | 92 | 58 | 22 | 11.9 | 16.24 | Coloured | 418 | 792 | 600W | A, A+, C, E, H |
| 450 | 1145 | 1145 | 92 | 58 | 25 | 13.53 | 18.4 | Coloured | 475 | 900 | 750W | A, A+, C, E, H |
| 450 | 1460 | 1460 | 92 | 58 | 32 | 17.32 | 23.44 | Coloured | 608 | 1152 | 900W | A, A+, C, E, H |
| 600 | 425 | 425 | 92 | 58 | 9 | 5.74 | 11.57 | Coloured | 225 | 423 | 300W | A, A+, C, H |
| 600 | 470 | 470 | 92 | 58 | 10 | 6.38 | 12.72 | Coloured | 250 | 470 | 300W | A, A+, C, H |
| 600 | 515 | 515 | 92 | 58 | 11 | 7.01 | 13.93 | Coloured | 275 | 517 | 300W | A, A+, C, H |
| 600 | 560 | 560 | 92 | 58 | 12 | 7.65 | 15.09 | Coloured | 300 | 564 | 300W | A, A+, C, H |
| 600 | 605 | 605 | 92 | 58 | 13 | 7.6 | 16.7 | Bare Metal** / Coloured | 325 | 611 | 450W | A, A+, C, H |
| 600 | 830 | 830 | 92 | 58 | 18 | 10.6 | 20.49 | Bare Metal** / Coloured | 450 | 846 | 600W | A, A+, C, E*, H |
| 600 | 1010 | 1010 | 92 | 58 | 22 | 14.03 | 26.68 | Bare Metal** / Coloured | 550 | 1034 | 750W | A, A+, C, H |
| 600 | 1145 | 1145 | 92 | 58 | 25 | 14.9 | 28.1 | Bare Metal** / Coloured | 625 | 1175 | 900W | A, A+, H |
| 600 | 1460 | 1460 | 92 | 58 | 32 | 20.41 | 32.46 | Bare Metal** / Coloured | 800 | 1504 | 1000W | A+ |
| 600 | 1640 | 1640 | 92 | 58 | 36 | 23.6 | 36.4 | Coloured | 900 | 1692 | 1200W | A, A+, H |
| 600 | 1820 | 1820 | 92 | 58 | 40 | 26.22 | 37.6 | Coloured | 1000 | 1880 | 1200W | A, A+, H |
| 1800 | 290 | 290 | 92 | 58 | 6 | 9.03 | 22.27 | Coloured | 414 | 804 | N/A | N/A |
| 1800 | 380 | 380 | 92 | 58 | 8 | 11.6 | 26.31 | Bare Metal** / Coloured | 552 | 1072 | N/A | N/A |
| 1800 | 470 | 470 | 92 | 58 | 10 | 14.6 | 27 | Bare Metal** / Coloured | 690 | 1340 | N/A | N/A |
| 1800 | 515 | 515 | 92 | 58 | 11 | 17.27 | 30.95 | Coloured | 759 | 1474 | N/A | N/A |
| 1800 | 560 | 560 | 92 | 58 | 12 | 18.84 | 31.72 | Bare Metal** / Coloured | 828 | 1608 | N/A | N/A |
| 1800 | 605 | 605 | 92 | 58 | 13 | 20.41 | 34.33 | Coloured | 897 | 1742 | N/A | N/A |
| 1800 | 650 | 650 | 92 | 58 | 14 | 21.98 | 36.94 | Coloured | 966 | 1876 | N/A | N/A |

* 600W Type E Element can be fitted


** Further heat output information available on eastbrooktrade.com **E&OA**

# Technical Tables & Drawings


## ISBOURNE




## IMPERIA 2 COLUMN VERTICAL




## IMPERIA 2 COLUMN HORIZONTAL



# Technical Tables & Drawings

## IMPERIA 3 COLUMN - TRADITIONAL RANGE

**Imperia 3 Column - Vertical / Horizontal**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from Wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 300 | 830 | 830 | 122 | 72 | 18 | 10.73 | 13.27 | Coloured | 293 | 562 | 450W | A, A+, C, E*, H |
| 300 | 1010 | 1010 | 122 | 72 | 22 | 13.12 | 18.15 | Coloured | 358 | 708 | 600W | A, A+, C, E*, H |
| 300 | 1145 | 1145 | 122 | 72 | 25 | 11.88 | 20.65 | Coloured | 407 | 830 | 600W | A, A+, C, E*, H |
| 300 | 1370 | 1370 | 122 | 72 | 30 | 14.21 | 24.6 | Coloured | 488 | 1026 | 750W | A, A+, C, E*, H |
| 300 | 1460 | 1460 | 122 | 72 | 32 | 19.08 | 25.9 | Coloured | 520 | 1126 | 750W | A, A+, C, E*, H |
| 300 | 1640 | 1640 | 122 | 72 | 36 | 21.47 | 26.13 | Coloured | 585 | 1303 | 900W | A, A+, C, E*, H |
| 450 | 605 | 605 | 122 | 72 | 13 | 9.98 | 13.79 | Coloured | 299 | 585 | 450W | A, A+ |
| 450 | 830 | 830 | 122 | 72 | 18 | 13.82 | 18.94 | Coloured | 414 | 810 | 600W | A, A+, C, H |
| 450 | 1010 | 1010 | 122 | 72 | 22 | 16.89 | 23.06 | Coloured | 506 | 990 | 750W | A, A+, C, H |
| 450 | 1145 | 1145 | 122 | 72 | 25 | 19.19 | 26.15 | Coloured | 575 | 1125 | 900W | A, A+, C, H |
| 450 | 1460 | 1460 | 122 | 72 | 32 | 24.57 | 33.36 | Coloured | 736 | 1440 | 1200W | A+, H |
| 600 | 425 | 425 | 122 | 72 | 9 | 7.2 | 16.31 | Coloured | 270 | 522 | 450W | A, A+ |
| 600 | 470 | 470 | 122 | 72 | 10 | 8 | 17.99 | Coloured | 300 | 580 | 450W | A, A+, C, H |
| 600 | 515 | 515 | 122 | 72 | 11 | 8.8 | 19.71 | Coloured | 330 | 638 | 450W | A, A+, C, H |
| 600 | 560 | 560 | 122 | 72 | 12 | 9.6 | 21.39 | Coloured | 360 | 696 | 600W | A+, C, H |
| 600 | 605 | 605 | 122 | 72 | 13 | 11 | 21.63 | Bare Metal** / Coloured | 390 | 754 | 600W | A, A+, C, H |
| 600 | 830 | 830 | 122 | 72 | 18 | 15.3 | 26.85 | Bare Metal** / Coloured | 540 | 1044 | 900W | A+, C, H |
| 600 | 1010 | 1010 | 122 | 72 | 22 | 17.6 | 32.35 | Bare Metal** / Coloured | 660 | 1276 | 1000W | A, A+, C, H |
| 600 | 1145 | 1145 | 122 | 72 | 25 | 21.3 | 36.9 | Bare Metal** / Coloured | 750 | 1450 | 1200W | A, A+, H |
| 600 | 1460 | 1460 | 122 | 72 | 32 | 25.61 | 47.05 | Bare Metal** / Coloured | 960 | 1856 | 1200W | A+, H |
| 600 | 1640 | 1640 | 122 | 72 | 36 | 33.81 | 53.4 | Coloured | 1080 | 2088 | 1200W | A+, H |
| 600 | 1820 | 1820 | 122 | 72 | 40 | 37.57 | 54.2 | Coloured | 1200 | 2320 | 1200W | A+, H |
| 1800 | 290 | 290 | 122 | 72 | 6 | 12.6 | 32.06 | Coloured | 500 | 994 | N/A | N/A |
| 1800 | 380 | 380 | 122 | 72 | 8 | 17.4 | 38.77 | Bare Metal** / Coloured | 667 | 1326 | N/A | N/A |
| 1800 | 470 | 470 | 122 | 72 | 10 | 21.9 | 39.2 | Bare Metal** / Coloured | 834 | 1657 | N/A | N/A |
| 1800 | 515 | 515 | 122 | 72 | 11 | 25.42 | 44.8 | Coloured | 917 | 1823 | N/A | N/A |
| 1800 | 560 | 560 | 122 | 72 | 12 | 27.73 | 46.78 | Bare Metal** / Coloured | 1001 | 1988 | N/A | N/A |
| 1800 | 605 | 605 | 122 | 72 | 13 | 30.04 | 50.645 | Coloured | 1084 | 2154 | N/A | N/A |
| 1800 | 650 | 650 | 122 | 72 | 14 | 32.35 | 54.51 | Coloured | 1168 | 2320 | N/A | N/A |

* 600W Type E Element can be fitted

** Further heat output information available on eastbrooktrade.com **E&OA**

## IMPERIA 4 COLUMN - TRADITIONAL RANGE


**Imperia 4 Column - Horizontal**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from Wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 300 | 830 | 830 | 160 | 90 | 18 | 13.72 | 18.76 | Coloured | 378 | 781 | 600W | A, A+, C, E*, H |
| 300 | 1010 | 1010 | 160 | 90 | 22 | 16.77 | 22.84 | Coloured | 462 | 878 | 750W | A, A+, C, E*, H |
| 300 | 1145 | 1145 | 160 | 90 | 25 | 19.06 | 25.9 | Coloured | 525 | 998 | 750W | A, A+, C, E, H |
| 300 | 1370 | 1370 | 160 | 90 | 30 | 22.87 | 31 | Coloured | 630 | 1197 | 900W | A, A+, C, E, H |
| 300 | 1460 | 1460 | 160 | 90 | 32 | 24.39 | 33.04 | Coloured | 672 | 1277 | 1000W | A, A+, H |
| 300 | 1640 | 1640 | 160 | 90 | 36 | 27.44 | 37.12 | Coloured | 756 | 1436 | 1200W | A, A+, H |
| 600 | 425 | 425 | 160 | 90 | 9 | 10.97 | 18.6 | Coloured | 361 | 688 | 450W | A, A+, C, H |
| 600 | 830 | 830 | 160 | 90 | 18 | 21.95 | 35.95 | Coloured | 722 | 1375 | 1000W | A, A+, H |
| 600 | 1010 | 1010 | 160 | 90 | 22 | 26.83 | 43.1 | Coloured | 882 | 1681 | 1200W | A, A+ |
| 600 | 1145 | 1145 | 160 | 90 | 25 | 30.49 | 48.85 | Coloured | 1003 | 1910 | 1200W | A, A+ |
| 600 | 1460 | 1460 | 160 | 90 | 32 | 39.03 | 62.6 | Coloured | 1283 | 2445 | N/A | N/A |
| 600 | 1640 | 1640 | 160 | 90 | 36 | 43.9 | 71.7 | Coloured | 1444 | 2750 | N/A | N/A |


* 600W Type E Element can be fitted

# Technical Tables & Drawings


## IMPERIA 3 COLUMN VERTICAL




## IMPERIA 3 COLUMN HORIZONTAL




## IMPERIA 4 COLUMN HORIZONTAL



# Technical Tables & Drawings

## IMPERIA 6 COLUMN - TRADITIONAL RANGE

**Imperia 6 Column - Horizontal**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from Wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 300 | 830 | 830 | 243 | 133 | 18 | 20.79 | 26.14 | Coloured | 535 | 1008 | 900W | A, A+, C, H |
| 300 | 1010 | 1010 | 243 | 133 | 22 | 25.41 | 31.86 | Coloured | 654 | 1232 | 1000W | A, A+, C, H |
| 300 | 1145 | 1145 | 243 | 133 | 25 | 28.88 | 36.15 | Coloured | 743 | 1400 | 1200W | A, A+, H |
| 300 | 1370 | 1370 | 243 | 133 | 30 | 34.66 | 43.3 | Coloured | 892 | 1680 | 1200W | A, A+, H |
| 600 | 425 | 425 | 243 | 133 | 9 | 16.57 | 24.61 | Coloured | 478 | 993 | 600W | H |
| 600 | 605 | 605 | 243 | 133 | 13 | 23.93 | 35.37 | Coloured | 691 | 1434 | 900W | C, H |
| 600 | 830 | 830 | 243 | 133 | 18 | 33.14 | 48.82 | Coloured | 956 | 1986 | 1200W | A, A+, H |
| 600 | 1010 | 1010 | 243 | 133 | 22 | 40.5 | 59.58 | Coloured | 1169 | 2427 | 1200W | A, A+, H |
| 600 | 1145 | 1145 | 243 | 133 | 25 | 46.03 | 67.65 | Coloured | 1328 | 2758 | N/A | N/A |
| 600 | 1370 | 1370 | 243 | 133 | 30 | 55.23 | 81.1 | Coloured | 1594 | 3310 | N/A | N/A |
| 600 | 1460 | 1460 | 243 | 133 | 32 | 58.91 | 86.48 | Coloured | 1700 | 3530 | N/A | N/A |

## IMPERIA 6 COLUMN BENCH - TRADITIONAL RANGE

**Imperia 6 Column Bench - Horizontal**

| Total Height H (mm) | Total Width W (mm) | Radiator Height (mm) | Radiator Width (mm) | Tappings C (mm) | Tappings from floor - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 480 | 850 | 290 | 700 | 620 | 130 | 6 | 12.41 | 30.5 | Coloured | 335 | 645 | N/A | N/A |
| 480 | 1200 | 290 | 1050 | 970 | 130 | 6 | 17.22 | 42.0 | Coloured | 505 | 974 | N/A | N/A |

## IMPERIA MULTIRAIL 2 COLUMN - TRADITIONAL RANGE


**Imperia Multirail 2 Column**

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from Wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 612 | 800 | 724 | 98-108 | 63-67 | 8 | 6.73 | 10.95 | Coloured | 259* | 495* | 300W | A, A+,B, D, E, F, G |
| 612 | 1000 | 924 | 98-108 | 63-67 | 8 | 7.88 | 13.19 | Coloured | 321* | 613* | 300W | A, A+,B, D, E, F, G |
| 832 | 500 | 424 | 98-108 | 63-67 | 13 | 7.82 | 11.53 | Coloured | 278 | 532 | 300W | A, A+,B, D, E, F, G |
| 832 | 600 | 524 | 98-108 | 63-67 | 13 | 8.76 | 13.35 | Coloured | 320 | 613 | 300W | A, A+,B, D, E, F, G |
| 1140 | 500 | 424 | 98-108 | 63-67 | 20 | 11.78 | 17.04 | Coloured | 385 | 737 | 450W | A, A+,B, D, E, F, G |
| 1140 | 600 | 524 | 98-108 | 63-67 | 20 | 13.22 | 19.84 | Coloured | 443 | 849 | 600W | A, A+,B, D, E, F, G |
| 1430 | 500 | 424 | 98-108 | 63-67 | 24 | 14.28 | 20.20 | Coloured | 487 | 937 | 600W | A, A+,B, D, E, F, G |
| 1430 | 600 | 524 | 98-108 | 63-67 | 24 | 16.02 | 23.56 | Coloured | 561 | 1079 | 600W | A, A+,B, D, E, F, G |


* Further heat output information available on eastbrooktrade.com **E&OA**

# Technical Tables & Drawings


## IMPERIA 6 COLUMN HORIZONTAL




## IMPERIA 6 COLUMN BENCH HORIZONTAL




## IMPERIA MULTIRAIL 2 COLUMN



# Technical Tables & Drawings

## RIVASSA - TRADITIONAL RANGE

### Rivassa 2 Column - Vertical / Horizontal

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from Wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 300 | 1148 | 1148 | 93 | 58 | 25 | 9.25 | 17.5 | Coloured | 322 | 619 | 450W | A,A+,C,E*,H |
| 300 | 1373 | 1373 | 93 | 58 | 30 | 11.1 | 20.8 | Coloured | 386 | 743 | 600W | A,A+,C,E*,H |
| 600 | 428 | 428 | 93 | 58 | 9 | 5.4 | 10.5 | Coloured | 218 | 420 | 300W | A,A+,C,H |
| 600 | 473 | 473 | 93 | 58 | 10 | 6 | 11.7 | Coloured | 242 | 467 | 300W | A,A+,C,H |
| 600 | 518 | 518 | 93 | 58 | 11 | 6.6 | 12.8 | Coloured | 266 | 514 | 300W | A,A+,C,H |
| 600 | 563 | 563 | 93 | 58 | 12 | 7.2 | 14 | Coloured | 290 | 560 | 450W | A,A+,C,H |
| 600 | 608 | 608 | 93 | 58 | 13 | 7.8 | 18.2 | Coloured | 314 | 607 | 450W | A,A+,C,H |
| 600 | 833 | 833 | 93 | 58 | 18 | 10.8 | 23.9 | Coloured | 435 | 841 | 600W | A,A+,C,E*,H |
| 600 | 1010 | 1010 | 93 | 58 | 22 | 13.2 | 28.5 | Coloured | 532 | 1027 | 750W | A,A+,C,H |
| 600 | 1148 | 1148 | 93 | 58 | 25 | 15.1 | 31.8 | Coloured | 605 | 1168 | 900W | A,A+,H |
| 600 | 1460 | 1460 | 93 | 58 | 32 | 19.2 | 39.7 | Coloured | 774 | 1494 | 1200W | A,A+,H |
| 1800 | 293 | 293 | 93 | 58 | 6 | 8.9 | 22.9 | Coloured | 421 | 826 | N/A | N/A |
| 1800 | 383 | 383 | 93 | 58 | 8 | 11.8 | 29.7 | Coloured | 561 | 1101 | N/A | N/A |
| 1800 | 473 | 473 | 93 | 58 | 10 | 14.8 | 36.9 | Coloured | 702 | 1377 | N/A | N/A |

*600w Type E Element can be fitted

### Rivassa 3 Column - Vertical / Horizontal

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from Wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 300 | 1148 | 1148 | 122 | 72 | 25 | 14.1 | 25.2 | Coloured | 404 | 785 | 600W | A,A+,C,E*,H |
| 300 | 1373 | 1373 | 122 | 72 | 30 | 16.8 | 30.2 | Coloured | 484 | 942 | 750W | A,A+,C,E*,H |
| 600 | 428 | 428 | 122 | 72 | 9 | 7.7 | 15.2 | Coloured | 279 | 543 | 450W | A,A+,C,H |
| 600 | 473 | 473 | 122 | 72 | 10 | 8.6 | 16.8 | Coloured | 310 | 604 | 450W | A,A+,C,H |
| 600 | 518 | 518 | 122 | 72 | 11 | 9.5 | 18.5 | Coloured | 341 | 664 | 450W | A,A+,C,H |
| 600 | 563 | 563 | 122 | 72 | 12 | 10.3 | 20.1 | Coloured | 372 | 724 | 600W | A+,C,H |
| 600 | 608 | 608 | 122 | 72 | 13 | 11.2 | 24.4 | Coloured | 403 | 785 | 600W | A+,C,H |
| 600 | 833 | 833 | 122 | 72 | 18 | 15.5 | 32.8 | Coloured | 558 | 1086 | 900W | A+,C,H |
| 600 | 1010 | 1010 | 122 | 72 | 22 | 18.9 | 40.3 | Coloured | 682 | 1328 | 1000W | A,A+,C,H |
| 600 | 1148 | 1148 | 122 | 72 | 25 | 21.5 | 45.6 | Coloured | 776 | 1509 | 1200W | A,A+,H |
| 600 | 1460 | 1460 | 122 | 72 | 32 | 27.5 | 58.1 | Coloured | 993 | 1931 | 1200W | A,A+,H |
| 1800 | 293 | 293 | 122 | 72 | 6 | 13.2 | 33 | Coloured | 528 | 1030 | N/A | N/A |
| 1800 | 383 | 383 | 122 | 72 | 8 | 17.6 | 43.6 | Coloured | 705 | 1374 | N/A | N/A |
| 1800 | 473 | 473 | 122 | 72 | 10 | 22.1 | 53.9 | Coloured | 881 | 1717 | N/A | N/A |

*600w Type E Element can be fitted


### Rivassa 4 Column - Horizontal

| Height H (mm) | Width W (mm) | Tappings C (mm) | Distance from Wall - D (mm) | Tappings from wall - A (mm) | Tube Qty | Water Content L | Weight KG | Colour | ▲T30 Watts | ▲T50 Watts | Element Output | Element Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 300 | 1010 | 1010 | 155 | 85 | 22 | 16.2 | 30.6 | Coloured | 447 | 876 | 600W | A,A+,C,E*,H |
| 300 | 1373 | 1373 | 155 | 85 | 30 | 22.2 | 42.65 | Coloured | 610 | 1195 | 1000W | A,A+,H |
| 300 | 1505 | 1505 | 155 | 85 | 33 | 24.4 | 46.1 | Coloured | 671 | 1315 | 1000W | A+,H |
| 600 | 425 | 425 | 155 | 85 | 9 | 10.8 | 24.2 | Coloured | 211 | 412 | 450W | A,A+ |
| 600 | 605 | 605 | 155 | 85 | 13 | 15.6 | 34.2 | Coloured | 304 | 595 | 750W | A+,C,H |
| 600 | 785 | 785 | 155 | 85 | 17 | 20.4 | 43.5 | Coloured | 398 | 778 | 900W | A+,H |
| 600 | 1010 | 1010 | 155 | 85 | 22 | 26.4 | 55.5 | Coloured | 515 | 1007 | 1200W | A,A+ |
| 600 | 1190 | 1190 | 155 | 85 | 26 | 31.2 | 66.3 | Coloured | 608 | 1190 | 1200W | A,A+ |


*600w Type E Element can be fitted

# Technical Tables & Drawings


## RIVASSA 2 COLUMN HORIZONTAL




## RIVASSA 3 COLUMN HORIZONTAL




## RIVASSA 4 COLUMN HORIZONTAL



# Notes



**New Product Spotlight:** Violla II - Page 83

# Notes



**New Product Spotlight:** Velino Polished - Page 88

# Notes



**New Product Spotlight:** Imperia 4 Column - Page 316-317

# Notes



**New Product Spotlight:** Imperia 6 Column Bench - Page 321

# Notes

# Notes

# Eastbrook Co Terms & Conditions

We deliver all goods on our own dedicated transport fleet to ensure a speedy and problem-free service, however, in the unlikely event that goods are delivered wrong or damaged, it is the responsibility of the customer to ensure sufficient time is allowed for a replacement to be sent.

**1. DEFINITIONS**

In these terms and conditions, the following words shall have the following meanings:
'Buyer'
shall mean any person, Eastbrook or company, to whom Eastbrook supplies Goods or Services or with whom Eastbrook enters into negotiations for the supply of Goods or Services.
'Eastbrook'
shall mean Brian Michael Doouss and Nicolas Brian Doouss (each a "Partner" together the "Partners") trading as "Eastbrook Co." or "Woodstock".
'Goods'
shall mean products, articles or things which are supplied by or which are the subject of negotiations for supply by Eastbrook to the Buyer.
'Services'
shall mean services are supplied by or which are the subject of negotiations/ or supply by Eastbrook to the Buyer.

**2. MAKING THE CONTRACT**

2.1
Eastbrook's salesmen are not authorised representatives and are not authorised to accept confirm or vary any order nor to make any representation or promise on Eastbrook's behalf
2.2
Any estimate/quotation which comprises an invitation to treat is open for a period of 30 days only from the date thereof, provided that Eastbrook has not previously withdrawn it. Any order issued by the Buyer is subject to acceptance by Eastbrook and a contract will only be formed when Eastbrook has accepted the Buyer's offer to buy in writing. Any offer made by the Buyer must be confirmed in writing by the Buyer.
2.3
All orders are placed under these terms and conditions alone.
2.4
These terms and conditions exclude any other terms and conditions inconsistent therewith which a Buyer might seek to impose even though such other terms and conditions may be submitted in a later document and/or purport to exclude or supersede any terms or conditions with them or may be contained in any offer acceptance or counter-offer made by the Buyer.
2.5
No variation of these terms and conditions is permitted unless expressly accepted by a Partner of Eastbrook in writing.

**3. CANCELLATION**

3.1
No cancellation by the Buyer is permitted except where expressly agreed by a Partner of Eastbrook in writing.
3.2
The Buyer will in the event of agreed cancellation by the Buyer indemnify Eastbrook fully against all expenses incurred up to the time of such cancellation together with by way of liquidated damages a sum of 33 1/3% of the contract price which shall be paid by the Buyer to Eastbrook Forthwith.

**4. PRICE**

4.1
All prices quoted are those ruling at the date of dispatch or supply.
4.2
Unless otherwise stated all prices quoted are nett, exclusive of VAT, and in the case of Goods ex works.
4.3
Eastbrook reserves the right at any time prior to delivery of the Goods or supply of Services to adjust the price to take account of any increase in the cost of raw materials, labour or services or any currency fluctuations affecting the cost of imported materials or services.

**5. TERMS OF PAYMENT**

5.1
All sums become due and payable under these terms and conditions not later than 14 days from date of invoice.
5.2
Time for payment shall be of the essence.
5.3
The Buyer shall have no right to set off, statutory or otherwise.
5.4
If the Buyer (being a Company) has a petition for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed or all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangement with its creditors or commits a material or serious breach of this Agreement (and in the case of such a breach being remediable fails to remedy it within 7 days of receiving notice to do so)' he will be deemed to have repudiated the Contract.
5.5
Eastbrook reserves the right at any time at its discretion to demand security for payment before continuing with or delivering any Order, supplying any Goods or Services.

**6. DELIVERY**

6.1
Delivery will be deemed to have been effected when the Goods are ready for collection at the premises of Eastbrook or as the case may be the premises of the suppliers to Eastbrook in circumstances where the Goods are delivered direct from such suppliers.
6.2
Time of delivery is not of the essence.
6.3
Eastbrook shall not be liable for any loss whatsoever or howsoever arising caused by its non-delivery or by the failure to make Goods ready for collection on the due date.
6.4
Eastbrook reserves the right to make delivery by instalments and to tender a separate invoice in respect of each instalment.
6.5
When delivery is to be by instalments or Eastbrook exercises its right to deliver by instalments under clause 6.4 hereof or if there be delay in the delivery of any one or more instalments for whatever reason this will not entitle the Buyer to treat the contract as repudiated and/or to damages.
6.6
Deviations in quantity between the Goods delivered and Goods ordered representing not more than 10 per cent by value shall not give the Buyer any right to reject the Goods or to claim damages and the Buyer shall be obliged to accept and pay at the contract rate for the quantity of the Goods delivered.

**7. SUPPLY OF SERVICES**

7.1
Time for the supply of Services is not of the essence.
7.2
Eastbrook shall not be liable for any loss whatsoever or howsoever arising caused by its failure to supply Services or any part thereof on the due date.
7.3
Eastbrook reserves the right to supply Services by instalments and to tender a separate invoice in respect of each instalment.
7.4
When the supply of Services is to be by instalments or Eastbrook exercises its right to supply Services by instalments under clause 7.3 hereof or if there be a delay in the supply of any one or more instalments of Services for whatever reason this will not entitle the Buyer to treat the contract as repudiated or to damages.
7.5
Deviation in the quantity between Services supplied and the Services ordered representing not more than 10 per cent by value shall not give the Buyer any right to reject the Services or to claim damages and the Buyer shall be obliged to accept and pay at the contract rate for the quantity of the Services supplied.

**8. RISK AND THE PASSING OF PROPERTY IN GOODS**

8.1
Risk in the Goods shall pass to the Buyer when the Goods are delivered.
8.2
Notwithstanding risk in the Goods passing in accordance with clause 8.1 hereof title in the Goods shall not pass to the Buyer until whichever shall be the first to occur of the following:-
8.2.1
payment being received by Eastbrook for the Goods and Services and no other amounts then being outstanding from the Buyer to Eastbrook in respect of other Goods or Services supplied by Eastbrook
8.2.2
the Buyer selling the Goods in accordance with the provisions of these terms and conditions in which case title to the Goods shall be deemed to have passed to the Buyer immediately prior to delivery of the Goods to the Buyer's customers; and

8.2.3
Eastbrook waiving its rights under this clause 8.2 in respect of specified Goods or Services whereupon title to the said Goods shall forthwith vest in the Buyer.
8.3
The Buyer is licensed by Eastbrook to use or to agree to sell the Goods delivered to the Buyer subject to the express condition that the entire proceeds of any sale are held in trust for Eastbrook and are not mixed with other moneys or paid into an overdrawn bank account and shall at all times be identifiable as Eastbrook's moneys.
8.4 Until title to the Goods passes:
8.4.1 The Buyer will hold the Goods as fiduciary agent and bailee for Eastbrook;
8.4.2
the Goods shall, subject to clause 8.3, be kept separate and distinct from all other property of the Buyer and of third parties and in good and substantial repair and condition and be stored in such a way as to be clearly identifiable as belonging to Eastbrook;
8.4.3
Eastbrook may at any time revoke the power of sale and use contained in clause 8.3 by notice to the Buyer if the Buyer is in default for longer than 14 days in the payment of any sum whatsoever due to Eastbrook (whether in respect of the Goods or any other Goods or Services supplied at any time by it to the Buyer) or if Eastbrook has bona fide doubts as to the solvency of the Buyer;
8.4.4
The Buyer's power of sale and use contained in clause 8.3 shall automatically cease if the Buyer has a petition presented for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or becomes bankrupts or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogues act or proceeding under foreign law;
8.4.5
upon determination of the Buyer's power of sale and use pursuant to clause 8.4.3 or clause 8.4.4. the Buyer shall place any of the Goods in its possession or under its control and unsold at the disposal of Eastbrook and Eastbrook shall be entitled to enter upon any premises of the Buyer for the purpose of removing such Goods.
8.5
Eastbrook shall at any time be entitled to appropriate any payments made by the Buyer in respect of any Goods or Services in settlement of such invoices or accounts in respect of such Goods or Services as Eastbrook may in its absolute discretion think fit notwithstanding any purported appropriation to the contrary by the Buyer.

**9. LIEN AND STOPPAGE**

9.1
Until such time as the title in the Goods has passed to the Buyer Eastbrook has the right to withhold delivery if the Buyer (being a Company) has a petition presented for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceedings under foreign law.
9.2
When the title in the Goods has passed to the Buyer and the time for payment has falled due but payment has not been made or if the Buyer (being a Company) has a petition presented for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purposes of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceedings under foreign law Eastbrook has
9.2.1 a lien on the Goods so long as Eastbrook is in possession of them
9.2.2 a right of stoppage in transit
9.2.3 a right of resale
9.3
For the avoidance of doubt it is hereby declared that nothing in this clause shall affect the rights given to Eastbrook by ss.38-48 of the Sale of Goods Act 1979.

**10. INSPECTION/SHORTAGES**

10.1
The Buyer is under a duty to inspect the Goods forthwith on delivery and satisfy himself as to the due performance of Services forthwith after supply.
10.2
Eastbrook shall be under no liability for any defects or shortages that would be apparent on careful inspection if the terms of this clause are not complied with, and, in any event will be under no liability if a written complaint is not delivered to Eastbrook within 7 days of delivery or supply detailing the alleged detect or shortage.
10.3
In all cases where defects or shortages in respect of Goods are complained of Eastbrook shall be under no liability in respect thereof unless an opportunity to inspect the Goods is given to Eastbrook before any use is made thereof or any alteration or modification is made thereto by the Buyer.
10.4
Subject to clauses 10.2 and 10.3 Eastbrook shall make good any defect or shortage in the Goods and where appropriate replace any Goods damaged in transit as soon as it is reasonably able to do so, but otherwise shall be under no liability whatsoever or howsoever arising from such defect, shortage or damage.
10.5
Subject to clause 10.4 Eastbrook shall remedy any defect in the supply of Services as soon as it is reasonably able to do so but otherwise shall be under no liability whatsoever or howsoever arising from such defect

**11. WARRANTY**

11.1
No representation or warranty is given as to the suitability or fitness of the Goods or Services for any particular purpose and the Buyer shall satisfy himself in this respect and shall be totally responsible therefore
11.2
If the Goods are in such a state or the Services so defectively supplied as would but for this condition entitle the Buyer to repudiate the contract and/ or claim damages from Eastbrook Eastbrook reserves the right to repair or replace the Goods or perform the Services (or the relevant part thereof) again.

**12. LIABILITY**

12.1 Introduction
12.1.1
Nothing in this clause 12 shall be deemed to exclude or restrict Eastbrook's liability for death or personal injury resulting from Eastbrook's negligence.
12.1.2
Each of the sub-clauses in this clause 12 is to be treated as separate and independent.
12.1.3
Eastbrook is willing to undertake liability additional to that provided by this clause 12 in exchange for a higher price.
12.2 Exclusion
12.2.1
Eastbrook agrees that if any defect caused by faulty design, manufacture, materials or workmanship is discovered during the period of 3 months commencing with the date of delivery or supply, Eastbrook will remedy any defect at its own expense or, in the case of Goods if it chooses to do so, replace them. Defects caused by abnormal use, misuse, neglect or wilful or accidental damage are not covered by this clause.
12.2.2 The Buyer cannot claim the benefit of clause 12.2.1 above unless:
-
he informs Eastbrook of the relevant defect in writing within 7 working days of discovering it; and
-
in the case of Goods, he returns the Goods to Eastbrook at his own expense.
12.2.3
The risk of accidental loss whilst any Goods are being returned to Eastbrook will be borne by the Buyer.

12.2.4
Notwithstanding clause 12.2.1 above, if the manufacturer of any Goods has provided any guarantee of such Goods for a period longer than three months (a "Manufacturer's Extended Guarantee"), Eastbrook shall use its reasonable endeavours to transfer to the Buyer the benefit of any such Manufacturer's Extended Guarantee in respect of the Goods, provided that Eastbrook may in its absolute discretion elect to do so only at the cost of the Buyer.
12.2.5
Any Manufacturer's Extended Guarantee is for the Buyer only who must complete a return and registration form within 30 days of purchase. Manufacturer's Extended Guarantees are not transferable to third parties and do not cover previously installed products such as ex showroom displays. Failure to complete and return a registration form to Eastbrook within the 30 day period will result in the guarantee on such Goods being limited to that stated in clause 12.2.1 above.
12.2.6
Manufacturer's Extended Guarantees cover Goods which are used for normal domestic use only and are not applicable to Goods which are used for commercial use (i.e. hotels, residential homes, leisure facilities etc.).
12.2.7
In the event that a manufacturer of Goods providing a Manufacturer's Extended Guarantee pursuant to clause 12.2.3 above ceases trading and/ or no longer honours such guarantee, Eastbrook shall have no liability whatsoever to the Buyer with respect to such Manufacturer's Extended Guarantee.
12.2.8
If the benefit of a Manufacturer's Extended Guarantee is transferred to the Buyer, subject always to clause 12.2.1 above and further subject to the defect not being as a result of fair wear and tear, Eastbrook shall only be liable to provide replacement parts. For the avoidance of doubt, Eastbrook excludes any consequential costs involved in the fitting of such parts. Furthermore, with respect to the following these additional terms are applicable:

Perishable components such as non-glass or metallic parts (e.g. plastic parts, seals, wheels etc.) are excluded from a Manufacturer's Extended Guarantee.

Shower and bath screens: Glass and seals for such products are excluded from a Manufacturer's Extended Guarantee.

Towel rails and radiators: Such products must be individually earthed when installed for a Manufacturer's Extended Guarantee to apply.
12.2.9
If, in the sole opinion of Eastbrook, the Goods which are the subject of the Manufacturer's Extended Guarantee have been modified, misused or neglected or have been wilfully or accidentally damaged, Eastbrook shall not be liable under the Manufacturer's Extended Guarantee for the failure of the Goods.
12.2.10
No claim under a Manufacturer's Extended Guarantee will be accepted if Goods have been installed with a fault that would have been clearly visible before installation. A Manufacturer's Extended Guarantee does not cover any Goods which have been modified, altered, transformed or relocated in any way.
12.2.11
Claims under a Manufacturer's Extended Guarantee must be made by the Buyer within [7 working days] of the defect being discovered.
12.2.12
In consideration for receiving the benefit of this clause, the Buyer agrees that, apart from those terms set out in clause 10 and 11, all other terms, whether conditions, warranties or innominate terms, express or implied, statutory or otherwise, are excluded from the contract between Eastbrook and the Buyer to the extent permitted by law (except where the Buyer deals as consumer within section 12 of the Unfair Contract Terms Act 1977 when the terms implied by sections 13, 14 and 15 of the Sale of Goods Act 1979 shall be implied into the contract).
12.3 Exclusion of Consequential Loss

Eastbrook shall not be liable for any consequential or indirect loss suffered by the Buyer whether such loss arises from breach of a duty in contract or tort or in any other way (including loss arising from Eastbrook's negligence) including, without limitation to the generality of the foregoing:
- loss of profits;
- loss of contracts;
- damage to property of the Buyer or anyone else; or
-
personal injury to the Buyer or anyone else (except so far as such injury is attributable to Eastbrook's negligence).
12.4Limitation
Eastbrook's total liability for any one claim or for the total of all claims arising from any one act or default of Eastbrook (whether arising from Eastbrook's negligence or otherwise) shall not exceed the contract price of the Goods.

**13. FORCE MAJEURE**

13.1
Eastbrook shall not be liable for any failure to deliver the Goods or perform the Services arising from circumstances outside Eastbrook's control.
13.2
Non-exhaustive illustrations of such circumstances would be act of God, war, riot, explosion, abnormal weather conditions, fire, flood, strikes, lockouts, Government action or regulations (UK or otherwise), delay by suppliers, accidents and shortage of materials, labour or manufacturing facilities.
13.3
Should Eastbrook be prevented from delivering the Goods or performing the Services in the above circumstances, it shall give the Buyer written notice of this fact as soon as reasonably practicable after discovering it.
13.4
If the circumstances preventing delivery of the Goods or performing the Services are still continuing three months after the Buyer receives Eastbrook's notice, then either party may give written notice to the other cancelling the contract.
13.5
If the contract is cancelled in this way, Eastbrook will refund any payment which the Buyer has already made on account of the price (subject to deduction of any amount Eastbrook is entitled to claim from the Buyer) but Eastbrook will not be liable to compensate the Buyer for any further loss or damage caused by the failure to deliver the Goods or perform the Services.

**14. SALES PROMOTION DOCUMENTATION**

Whilst Eastbrook takes every precaution in the preparation of its catalogue, technical circulars, price lists and its other literature, these documents are for the Buyer's general guidance only and the particulars contained therein shall not constitute representations by Eastbrook and Eastbrook shall not be bound thereby.

**15. USE OF DATA**

15.1
If the Buyer provides any data relating to the business of the Buyer to Eastbrook for any purpose, then the Buyer agrees that Eastbrook may hold such data and use it in relation to the supply of Goods, to process payment and to inform the Buyer (including all its staff) of other Goods or Services that Eastbrook may offer from time to time. Eastbrook will hold all data relating to the Buyer in accordance with our privacy policy and privacy statements in force from time to time and which is available on demand.

15.2
The Buyer agrees that Eastbrook may share any data referred to in clause 15.1 with third parties only where it is necessary for the provision of the Goods or Services supplied by Eastbrook and further that the Buyer shall hold Eastbrook harmless for the misuse of such data by those third parties.
15.3
In relation to any data supplied by the Buyer to Eastbrook regarding the Buyer's customers, the Buyer warrants and represents that they have obtained consent to share such data with Eastbrook (whether this relates to remedial services or the replacement of Goods or otherwise) and the Buyer agrees to indemnify and keep indemnified, Eastbrook from and against any losses, damages, liability, costs (including legal fees) and expenses incurred by Eastbrook as a result of or in connection with the Buyers breach of this Clause.

**16. NOTICES**

Any notice to be given hereunder shall be in writing and shall be deemed to have been duly given if sent or delivered to the party concerned at its address specified overleaf or such other address as that party may from time to time notify in writing and shall be deemed to have been served, if sent by post, 48 hours after posting.

**17. ASSIGNMENT**

Neither Eastbrook nor the Buyer shall assign or purport to assign or transfer the contract or the benefits thereof to any other person without prior written consent of the other.

**18. SEVERANCE**

18.1
If any provision of this contract (or part of any provision) is or becomes illegal, invalid or unenforceable, the legality, validity and enforceability of any other provision of the Contract shall not be affected.
18.2
If any provision of the contract (or part of any provision) is or becomes illegal, invalid or unenforceable but would be legal, valid and enforceable if some part of it was deleted or modified, the provision or part-provision in question shall apply with such deletions or modifications as may be necessary to make the provision legal, valid and enforceable. In the event of such deletion or modification, the parties shall negotiate in good faith in order to agree the terms of a mutually acceptable alternative provision.

**19. PROPER LAW AND JURISDICTION**

The Contract shall be governed by and construed in accordance with English law and all disputes arising in connection with the contract shall be submitted to the jurisdiction of the English Courts.

**20. HEADINGS**

The headings of these conditions are for convenience only and shall have no effect on the interpretation thereof.

Eastbrook

# Heating

Affordable Luxury

ISSUE 50





## Eastbrook Co.

Eastbrook Road,
Gloucester GL4 3DB
Tel: 01452 317800

www.eastbrooktrade.com


## Eastbrook bathroom collection

Also Available: Issue 50
Volume 1 – Bathroom Brochure

Explore our range of baths, vanity units, toilets, showers, and more—everything for a stylish, functional bathroom.

## Contact Us

For Orders Only:
orders@eastbrookco.com

For Technical Enquiries:
technical@eastbrookco.com

For Sales / Enquiries:
sales@eastbrookco.com