MERLYN™

Specification Manual

GLASS

HINGE

DOOR
HANDLE

MERLYN

MERLYN

Specification Manual

Arysto Eight Sliding Door and Side Panel

Contents

Woodbury Down, London

We are delighted to present our

MERLYN
Specification Manual

From feedback received it was clear that you needed us to present our full product offering under one cover, in one easy-to-use document.

You will find every shower screen we make, as well as all our trays bath screens options. Based on what you have asked for - we have also changed the way we present our products. Regardless of what range (ARYSTO, SERIES, IONIC or MERLYN Black) you are looking for – products are now presented by category e.g Sliding Door, Hinge Door etc.

We want to assure you when you choose a MERLYN product for your client, you are making the correct choice.

We are the Number 1 selling shower screen brand in the UK and Ireland. We want to remain number 1 and we know we can only achieve that by listening to our professional partners.

To ensure we deliver exceptional client management we have a dedicated expert team, ready to work with you and your client - giving you peace of mind, and complete assurance that we will be with you every step of the way.

For further information about any of our products or to make an appointment with one of our team – please email spec@merlyn.ie

Sincerely,

The MERLYN *Spec Team*

About Us

MERLYN

We've built our name and reputation on a simple ethos…

To deliver on everything we promise to our customers. This is because you are at the heart of everything we do.

We have a relentless desire to deliver the highest level of attention to detail, and our award-winning customer service department – and the wider MERLYN team – live this ethos every single day.

We're passionate about innovation, quality and design, and this is reflected throughout our ranges.

Our unique approach has resulted in us becoming the No.1 shower screen brand in the UK and Ireland, with 5 million people enjoying a MERLYN shower experience every day.

When you choose a MERLYN shower you are investing in one of the world's most luxurious showering environments and you get the added peace of mind of our Lifetime Guarantee.

Thank you for choosing MERLYN.

The MERLYN Team

Where It All Began

Based in Kilkenny, in the South East of Ireland, MERLYN has served the UK and Irish market since it was foundation in 2000. This forward thinking company has become increasingly well known as a consumer brand and now its specification reputation is delivering remarkable successes. MERLYN is the UK and Ireland's No. 1 supplier of shower screens and trays to the residential, commercial and hospitality sectors.

In 2017, MERLYN entered an exciting new chapter in its story by being acquired by Norcros PLC.

norcros

Norcros is a market leading supplier of high quality and innovative bathroom and kitchen products.

We have a well established, successful track record of serving consumers, architects, designers, developers, retailers and wholesalers. Our emphasis is on strong branding, contemporary designs, trusted quality, outstanding service, innovation and breadth of range. We base our business on understanding our customers' needs. Norcros is a substantial group with consistent, high quality standards and considerable resources. We invest significantly and continuously in our people, brands, product development and processes and we aim to develop our business in both the quality of our products and the scale of our activities.

VADO   JOHNSON·TILES   abode   TRITON   Croydex   norcros ADHESIVES

- Founded in 2000

- Head office: Kilkenny, Ireland

- Distribution centres: Midlands, Northern Hub & Irish Hub

- Showering Studio: BDC Islington, London

- Acquired by Norcros PLC, November 2017

MERLYN
For Everyone

MERLYN has an extensive brand portfolio of products focused on the mid to high end of the shower screen sector and meets the highest demands in terms of design, performance and quality.

MERLYN's shower screens are exquisite, whether it is the effortless glide of its shower doors, the calibre and weight of fixings or simply the beautiful clean lines of its design, all give a MERLYN customer the ultimate showering experience.

Award Winning Business

From product to innovation to service, MERLYN achieved well-deserved recognition across the board with 10 wins and nominations.

reddot design award
winner 2018

MERLYN – International RED Dot Design Winners

MERLYN are delighted to announce they have been awarded the design industry's Oscar, the prestigious Red Dot award. With over 6,300 entries from 59 countries, the winners of the prestigious Red Dot are justifiably proud of the accolade. All the product entries were tested and assessed individually (in the course of an evaluation process spanning several days) and the Arysto Eight Infold Door by MERLYN Showering was announced as one of the winning products on the 9th April, 2018.

The Winning Arysto Eight Infold Door

MERLYN Showering, the UK and Ireland's number one Shower Enclosure Company showcased a innovative design with its newly launched Arysto Eight Infold Door enclosure. Technical advances have been key to achieving the virtually frameless enclosure; with each component precision engineered to reduce size and maximise performance, eliminating the contradiction between small spaces and heavy frames. An inward opening door provides an ingenious space saving solution. With its ultra-smooth opening action, the enclosure opens and closes effortlessly for a truly quality product.

Barry Hoyne, Commercial Director at MERLYN Showering says "After months of consultation, research, planning and design we have been able to unveil the Arysto Eight at recent industry events. Winning the prestigious Red Dot Award has highlighted the time, resources, and expertise that have been invested in our new collection by our designers and product team, in collaboration with Dolmen design. As number one we need to be leading the market – so continuing to develop new products and innovation that keep us in that position is a must for us".

MERLYN *ISO Certifications*

MERLYN has implemented an Integrated Management System comprising of Quality, Environmental and Occupational Health & Safety. An Integrated Management System ensures the seamless integration of several different standards into a common system that meets the requirements of each of the standards.

MERLYN is certified to internationally recognised standards for Quality, ISO 9001:2015, Environmental, ISO 14001:2015 and Occupational Health and Safety IS) 45001. An Integrated Management System allows MERLYN to work as a single unit with unified objectives, thus increasing the efficiency and effectiveness of MERLYN's processes. These certifications are proof of MERLYN's credibility but also to install confidence in our potential clients that MERLYN will keep its promises.

ISO 9001 QUALITY MANAGEMENT

MERLYN has achieved ISO 9001 certification. ISO 9001 is an international standard that specifies the requirements for companies that want to ensure continuous improvement and meet customer needs. This standard allows companies to plan processes, interactions and have risk based thinking.

ISO 14001 ENVIRONMENTAL MANAGEMENT

MERLYN has achieved ISO 14001 Environmental Management Certification. ISO 14001 provides practical tools for companies of all kinds looking to manage their environmental responsibilities. It focuses on environmental systems to achieve this.

ISO 45001 OCCUPATIONAL HEALTH AND SAFETY

MERLYN has achieved the ISO 45001 which is an International Standard that specifies requirements for an occupational health and safety (OH&S) management system. This enables MERLYN to proactively improve its OH&S performance in preventing injury and ill-health and promoting worker wellness and wellbeing.

bsi. ISO 9001:2015 Quality Management

bsi. ISO 14001:2015 Environmental Management

bsi. ISO 45001 Occupational Health and Safety Management

Customer Service

It is not about what we do but what we can do for you.

Contact Centre of Excellence

At MERLYN our promise is to be with you on every step of your MERLYN journey from end to end. We have a genuine commitment to service and to finding a solution for you which is why MERLYN's customer service team are treble award winning. Our specialised team's philosophy is to make it easy for you to do business with us. We strive every day to make excellence a habit.

We have a dedicated highly trained team in our in-house customer care centre in MERLYN Headquarters in Kilkenny, this consists of a specialised technical team, sales team and bespoke teams who will look after any request that you might have. We are very aware how important first impressions are, but lasting impressions are everything. We really are a friendly team who will do everything we can to help you - You can trust us that we will work with you to find a solution. As a team, we are focused on constant continuous improvement to our service offering and we work everyday to take small steps to improve your experience with us.

Kathy Egan
Customer Services Manager

97%
of calls are answered by our internal team within 30 seconds.

Our Service Ethos

We are here to ensure that we are easy for you to do business **with us.**

SERVICES OFFERED

We can tailor to your requirements

- Measured to consistent high service levels and turnaround times
- Dedicated Key account person to your account
- Specialised and dedicated e-mails
- Freephone for landline and mobile/Dedicated if required
- Online Web Portal
- Web Chat
- What's App
- Team of engineers trained on all MERLYN products and services
- Available for fitting training/ site visits/bespoke survey and measure and fit

Benefits of Partnering With Us

QUALITY PRODUCTS FOR YOUR CUSTOMER

Design lead, premium quality products that are tested to a standard far exceeding any British UKCA Standards.

INSTALLATION INNOVATION

Innovative installation systems, designed with the fitter in mind saving precious time on site.

MARKET LEADING AVAILABILITY

Huge investment in stock holding and an excellent logistics partnership drives an outstanding OTIF of 99%. Reducing project lag by not impacting on CML's whilst also avoiding escalating labour costs.

AWARD WINNING CUSTOMER CARE

All the support you could need, dedicated account manager, product guarantees and comprehensive parts availability. 97% of calls to our customer services team are answered within 30 seconds. Working in conjunction with your Customer Care Charter to bring peace of mind to your customer

MERLYN UK Warehouse – West Brom

OTIFS & Logistics

- 800+ 40ft containers received
- Up to 9,000 pallets can be stored within a 200,000+ sq. ft. warehousing facility
- 450,000+ units picked & shipped
- 98.7% stock availability
- Over 1,000+ SKU's
- 99% of all orders are delivered on time in full
- 99.97% picking accuracy
- 150,000+ orders delivered
- 95+ days stock cover

LOGISTICS

- 48hr delivery to UK to 96% of customers
- 24hr delivery to UK to 4% of customers
- 48hr delivery on all Spares with track and trace

1. MERLYN HQ Kilkenny
2. UK Hub and Warehousing - West Brom
3. Ireland Warehousing - Rosslare
4. Northern Warehouse facility - Carlisle

Specification Service

- We handle everything from proposals to planning, installation to aftersales care.
- Work beside your team of fitters to fit your first enclosure
- Train your teams on how to fit our product
- Offer technical and site advice
- Available for aftersales follow up
- Bespoke options include customisation of glass, shape, space and colour.
- Certified and expert engineer team
- Provide 3D SolidWorks® drawings

At MERLYN *we have created an expert team dedicated exclusively to our specification clients. When you work with* MERLYN, *you will be appointed an Account Manager who will work with our field and internal sales support teams to help in all areas of the project.*

WE ALSO OFFER THE FOLLOWING ADDITIONAL BENEFITS FOR YOUR PROJECT:

- Excellent personal aftersales service
- Tailor-made specification showering packages
- 48 hour delivery of product and spares
- A dedicated R&D department that carries out rigorous testing to UKCA Standards EN12150 and EN14428 (Tempered Glass)
- Lifetime Guarantee & Mershield Stayclear glass protection as standard on most products

Design and Innovation

Tested to Last a Lifetime

MERLYN shower screens come with our built-to-last promise.

Our unrelenting attention to detail is matched only by our passion and understanding of good design and the importance of superb materials.

In order to earn our seal of exceptional quality all our product components have to withstand several endurance tests.

All MERLYN products are UKCA approved – a declaration that our products comply with the essential requirements of the relevant European health, safety and environmental protection legislation, to EN Standards 14428.

To achieve certification al products are rigorously tested over a 2 month period. This is necessary to ensure that all products meet high Industry standards and criteria for endurance, stability and water retention.

MERLYN **GUARANTEE**

MERLYN is committed to developing products that meet the highest demand in design, performance and quality. We are so confident in our products and service, we offer the MERLYN Guarantee.

- All MERLYN products are REACH compliant.

- All shower trays are UKCA certified to EN14527.

- All shower screens and Glass Bath Screens are UKCA certified to EN 14428 by Intertec.

- This includes all glass certified to EN 12150.

- MERLYN is Achilles accredited

- ISO: 9001 : 2015

- ISO: 14001:2015

- ISO: 45001

- Biff Pack (UK) / Repak

Rigorous product and process testing set MERLYN apart from many of its competitors

- All MERLYN testing processes far surpass industry standards

- In-house testing supported by UKCA approvals and REACH compliance (Registration Evaluation Authorisation of Chemicals)

Innovation is at the core of everything we do. We constantly strive to improve and perfect each and every product we manufacture. We have our finger on the pulse of shower design, and we also respond to what our customers and retailers ask for. Our Designers spend approximately 12 months creating and fine tuning each MERLYN piece to ensure the materials and design aesthetics are best in class before manufacturing begins. Our attention to detail means that every aspect of our products is crafted to perfection. And we revisit our products frequently, to ensure your MERLYN is top of the class, all of the time.

Over the past two decades we have finely tuned our product testing to ensure it is the most consistent and rigorous in our industry. Here are just some of the tests we run at our manufacturing plants every day:

CORROSION TEST

All components have been corrosion tested (using Steam & Salt for 98 hours) for the equivalent of 20 years normal usage.

ROLLER STRENGTH TEST

We test the weight each roller holds up to 100kg, depending on the range.

LIFE CYCLE TEST

All moving panels are open / closed over 20,000 times to replicate over 20 years normal usage.

GLASS TOUGHNESS TEST

All glass is tested to ensure that any impact against the product while in use will not result in the glass shattering. 45kg weights swung at glass demonstrates impact resistance.

TEMPERED GLASS TEST

All glass is tested to ensure that if the glass does break that it does so in a safe manner EN14428. MERLYN exceeds minimum 40 particles

DROP TEST

Our packaging is carefully designed to ensure that the products are not damaged during transit and on site. Test: 750mm Flat & 500mm vertical

MERLYN
Showering Studio

We've built our name on stylish, sophisticated solutions that perform better than anything else out there.

That's why we are the leading supplier of showering enclosures and trays in the UK's residential, commercial and hospitality sectors, with an estimated 5 million people experiencing a MERLYN Shower every day.

To showcase our passion for better design, we've created a space where you can learn about the very best that MERLYN has to offer. Located at The Business Design Centre in Islington, our Showering Studio is the ideal place to experience our full range of sophisticated, minimally designed products.

Book a personalised appointment to come & experience the best of what MERLYN has to offer

email: studio@merlyn.ie

MERLYN SHOWERING STUDIO
at the Business Design Centre, London.
Unit 231, 52 Upper St, N1 0QM.

MERLYN
Clients

250 City Road, London, EC1

BARRATT
DEVELOPMENTS PLC

staycity
APARTHOTELS

REDROW

ECOWORLD
INTERNATIONAL
CREATING TOMORROW & BEYOND

ACORN

McCarthy & Stone
The UK's leading retirement housebuilder

Berkeley

BOURNE
LEISURE

DAVID WILSON HOMES
WHERE QUALITY LIVES

Hill

COUNTRYSIDE
Places People Love

BLOOR HOMES

L&Q

Avant
homes

Crest
NICHOLSON

the MERLYN *collections*

specification made simple

Specification

10MM
GLASS
THICKNESS

8MM
GLASS
THICKNESS

MERLYN
IONIC
Easy Fit

MBOX
SHOWER ENCLOSURES
Exceptional Value

6MM
GLASS
THICKNESS

"

We design, engineer and craft the finest showering environments in the world.

MERLYN
ARYSTO
Contemporary Luxury

MERLYN | BLACK
Sleek & Stylish

MERLYN
series
Style & Functionality

MERSHIELD
STAYCLEAR

LIFETIME
GUARANTEE

→ Price

McCarthy & Stone

MERLYN *Showering Wins Prestigious Bathroom Contract with the UK's leading retirement housebuilder, McCarthy & Stone*

THE CHALLENGE

To design and supply lightweight slip resistant shower trays that meet the strict product performance requirements of McCarthy & Stone and their customers' needs, catering primarily for people over the age of 55.

McCarthy & Stone were keen to upgrade their specification and were looking for the right partner who had the credentials and capability to achieve this with them.

THE SOLUTION

The team at MERLYN provided product advice to meet the brief from McCarthy & Stone, catering for people over 55. MERLYN took on the development following detailed negotiations, product briefings and product demonstrations to produce a custom made lightweight slip resistant shower tray.

THE RESULT

MERLYN Showering now manufacture and supply to McCarthy & Stone a new 1700mm x 800mm rectangular slip-resistant tray which is only 30mm high allowing for seamless installation to wetroom situations. This contract is worth £1.3 million over 2 years.

Jadon Silva, Group Procurement, Product & Development Director at McCarthy & Stone said *"We were very impressed by the product and the people from* MERLYN *Showering. We are always looking for long term business relationships with companies that can do the job we want, to the standard we want to achieve the level of customer satisfaction our clients expect".*

Barratt London *Landmark Place*

THE CHALLENGE

Barratt London is a market-leading residential developer and over the years they have helped shape one of the world's most exciting, diverse and dynamic cities. Barratt London chose MERLYN to provide high end showering solutions for phases of its new flagship development overlooking the River Thames, Landmark Place. Comprising 165 different-sized apartments, with penthouse suites costing in excess of £10 million, this unique city location required MERLYN to also tailor delivery logistics and onsite installation support.

THE SOLUTION

MERLYN supplied its premium 10 and 8 Series shower screens, bespoke luxury showerwalls and bath screens, working with Barratt London deploying the consistent, proactive working ethos for which MERLYN is renowned. MERLYN offered a solution from survey to measurement, design to supply, with standard and bespoke fitting solutions and an exemplary after sales service.

THE RESULT

Providing tailored specifications across the project, including personalising profiles of products in the Penthouse Suites to complement the exclusive colour finishes requested. Working with prestigious builders like Barratt London on ongoing developments across the UK, further accentuates MERLYN's superior brand reputation.

Berkeley

MERLYN *Showering Partners with Berkeley, the UK's Best Known Developers of New Homes.*

THE CHALLENGE

To supply an exceptionally high premium specification of shower screens to compliment Berkeley's luxury and top quality design project at Taplow Riverside, Buckinghamshire.

Situated along the River Thames this development of houses, apartments and penthouses needed the best of high-value products to boast its exclusive location and price tag ranging from £575,000 to £1,675,000.

THE SOLUTION

Upon receipt of the brief from Berkeley "to be a world class business generating long term value by creating successful, sustainable places where people aspire to live", the team at MERLYN provided product advice, showcasing the MERLYN Series Collection and its flagship 10 Series range. The finest in style and luxury, the 10 Series range guaranteed the quality feel and effortless function required for these new homes developed by Berkeley.

Following detailed negotiations, product briefings and product demonstrations MERLYN were selected to supply shower screens exclusively to this development.

THE RESULT

With its stylish and elegant finish, MERLYN have supplied the 10 Series range to the entire Berkeley Taplow Riverside development, supplying 250 units to date.

This development was has since been awarded Thames Valley Development of the Year 2017.

Other Projects we have worked on...

The Marker Hotel, Dublin

One The Elephant, London

Woodbury Down, London

250 City Road, London

The Shelbourne Hotel, Dublin

- The Chilterns, London
- 250 City Rd, London
- One the Elephant, London
- Landsdowne Place, Dublin
- Studley Castle Hotel, Warwickshire
- Sugar Quay, London
- Woodberry Down, London
- The Marker Hotel, Docklands, Dublin
- Shelbourne Hotel, Dublin
- Antrim Hospital, Antrim
- Hilton Trafalgar, London
- Hotel Novotel, London
- Newpark Hotel, Kilkenny
- Cornhampton Golf Club, Southhampton
- Western Ave, London
- The Westin, Dublin
- Cloverhill Prison, Dublin
- Capard House, Laois
- Cahernane Hotel, Killarney
- Monart Hotel & Spa, Wexford
- Center Parc Resort Hotels, UK
- The Nadler Hotel, London
- The Silk District, London
- Wembley Hills, London
- The Royal National Hotel, London
- Victoria Point, Kent

MERLYN
revo

A sleek storage system and steadying hand for all the family

Revo unlocks the shower's functionality a sleek storage system and a steadying hand for all the family: independent kids learning to shower; shampoo collections organized & clutter free; a helping hand for mothers to be; confidence for visiting grandparents; Revo is designed for living. A perfect accessory for your shower enclosure.

Revo is designed for living

1 Encourage independence in kids learning to shower

2 Offer a helping hand for mothers-to-be

3 Instill confidence in visiting grandparents

4 Keep shampoo and cosmetic collections organised and clutter free

Accessory basket

Accessory arm with hooks

Revo comes in a wide range of sizes

Horizontal Rail

Curved Rail

L Rail

Straight Rail

Contact spec@merlyn.ie for more details or Freephone: 0808 1011 428

Bespoke Hinge Door with 2 Inline Panels shown with increased height, notch cuts and angle cuts

Bespoke

a unique experience

The Bespoke Collection has everything you need to create that unique showering experience. Whether your preference is for an ultra modern wetroom or something more unique for your attic conversion. The Bespoke Collection allows you to tailor any of our already stunning enclosures/wetroom panels to create a truly unique enclosure for your bathroom.

Choose from an array of options such as 4 glazing finishes, UV Bonding, increased heights and widths and the ability to cut to almost any shape or size to fit any awkward spaces, creating that perfect showering experience in your home. Factor in the reliable survey and installation services as well as the Lifetime Guarantee and you've got added peace of mind.

Available Size Options:

UP TO
2400 MM
HEIGHT
BESPOKE RANGE

Glass Thickness:

10 MM
GLASS THICKNESS

8 MM
GLASS THICKNESS

HINGE DOOR
with Inline Panel

Shown with increased height and smoked black glass.

SLIDING DOOR
3 Panel

Shown with dwarf wall and notch cut.

WALK HINGE
with Inline Panel

Shown with dwarf wall and notch cut.

WALK IN

Shown with increased height, notch and angle cut and 2 towel rails.

BESPOKE OPTIONS

Here is a brief guide to the services and options available through our Bespoke Collection. We can tailor any enclosure from our Arysto Collection to suit your unique requirements.

Glazing Options

Opti White	Standard Clear	Satin	Smoked Black

Colour Finish Options

Mirrored Chrome

Size Options

MERLYN can tailor your shower screen to fit any space, with size options of up to 2400mm in both width and height.

Handles

Halo Handle	Standard Hinge Handle	Traditional Handle	Standard Sliding Handle	Slim Handle	Eyelet Handle

Stabilising Bar

Angled Stabilising Bar	Straight Stabilising Bar	T-Bar	Ceiling Brackets

Notch Cut, Angle Cut & Dwarf Walls

With these options you can fit your shower screen to any space.

Angle Cut	Dwarf Walls	Notch Cut

FREE

MERLYN Glass Wiper & Holder with each complete product purchased.

UV Bonding

UV technology gives you an optically clear, strong perfect bond.

UV Bonding (Two pieces of glass bonded together).

Wall & Floor

Standard Floor Profile

Recessed Floor Profile

Standard Wall Profile

Recessed Wall Profile

Accessories

Seat

Standard Towel Rail

Traditiona Towel Rail

Shelf

Installation & Survey Service

MERLYN Arysto offer a Survey and Installation Service as we understand that creating your dream showering enclosure can be difficult, especially if dealing with awkward spaces. We have a team of highly skilled and experienced professionals who are trained to survey for varying slopes and angles, look for 'out of true' walls and assess that your choice of enclosure is suitable. Prices available upon request.

Please note: The tray or wetroom floor must be installed and walls finished/tiled before any site survey can be done.

MERLYN
Installation and Survey Service

WALL & FLOOR FIXINGS

Choice of wall and floor fixings. Features and fixtures of Bespoke enclosures and Bespoke Wetroom/Panels - please see individual products for details.

Wall Fixings

+8 0 -8

24mm

Recessed Wall
Code MGVC36

+8 0 -8

23mm

Standard Wall
Code MGVCWPSET

-11 0 +11

40mm

Wall Profile (20mm adj)
Code 10SWPSET20008

Floor Fixings

10mm

Recessed Floor
Code MGVC37

10mm

Standard Wetroom Floor
Code MGVC02

Bespoke

Sliding Doors

precision engineering

These spectacular enclosures make a definite style statement. Our superbly designed Sliding Doors have been precision engineered to effortlessly glide open and closed. The smoothest rolling action with impressive heights to choose from. Our Sliding Doors offer everything from affordable quality to sheer luxury – all you have to do is decide.

Sliding Doors			1000	1100	1200	1300	1400	1500	1600	1700	1800	PAGE
Range	Height	Glass										
FRAMELESS ARYSTO X	2000	10mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	36
ARYSTO TEN	2000	10mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	38
ARYSTO EIGHT	2000	8mm	✓	✓	✓	✓	✓	✓	✓	✓		44
10 SERIES	2100	10mm	✓	✓	✓		✓	✓	✓	✓		48
8 SERIES FRAMELESS	2000	8mm			✓		✓					49
MERLYN BLACK	2000	8mm			✓		✓	✓		✓		47
IONIC ESSENCE FRAMELESS	2000	8mm	✓	✓	✓		✓			✓		52
FRAMED ARYSTO SIX	1950	6mm	✓	✓	✓	✓	✓	✓	✓	✓	✓*	46
8 SERIES	1950	8mm	✓	✓	✓	✓	✓	✓	✓	✓		50
6 SERIES	1900	6mm	✓	✓	✓		✓	✓	✓	✓		51
IONIC ESSENCE FRAMED	1900	8mm	✓	✓	✓		✓			✓		54
IONIC EXPRESS	1900	6mm	✓	✓	✓		✓	✓	✓	✓		55
IONIC SOURCE	1850	6mm	✓	✓	✓							57
IQ	1900	6mm	✓	✓	✓		✓	✓	✓	✓		58
MBOX	1900 | 1800	6mm	✓	✓	✓	✓	✓	✓	✓	✓		59

*Please Note: 1800 size is available in a Recess only. Frameless products are inclusive of frameless and semi-frameless where less than 50% of the door is framed. Aysto 10 sizes go up in 25mm increments
For more sizes and information please see the relevant page.

UKCA

Product Information

SLIDING DOOR
in Recess

ARYSTO X

Shown as Right Hand (R)

2000 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS
THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Ultra frameless
- Self cleaning rollers
- Eyelit handle available
- Power shower suitable
- Wetroom compatible
- Concealed fixings
- Concealed inline support bar

Handle & Roller Options

Towel Rail Handle

Eyelet Handle

Bottom Roller

Recess

A – Moving Panel
B – Fixed Panel
X – Door Opening

Arysto X Sliding Door in Recess

Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel
1000	ARXFSL100	965-1000	385	505	440
1100	ARXFSL110	1065-1100	435	555	490
1200	ARXFSL120	1165-1200	485	605	540
1300	ARXFSL130	1265-1300	535	655	590
1400	ARXFSL140	1365-1400	585	705	640
1500	ARXFSL150	1465-1500	585	705	740
1600	ARXFSL160	1565-1600	585	705	840
1700	ARXFSL170	1665-1700	585	705	940
1800	ARXFSL180	1765-1800	585	705	1040

**This product is handed – please choose L for Left and R for Right when ordering.
This product comes with the option of an eyelet handle – please add E to the end of
the code for this preference e.g. ARXFSL100E**

Product Information

ARYSTO X

SLIDING DOOR
with Side Panel

Shown as Right Hand (R)

2000 MM HEIGHT STANDARD RANGE

10 MM GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Ultra frameless
- Self cleaning rollers
- Eyelit handle available
- Power shower suitable
- Wetroom compatible
- Concealed fixings
- Concealed inline support bar

Handle & Roller Options

Towel Rail Handle

Eyelet Handle

Bottom Roller

Side Panel

A – Moving Panel

B – Fixed Panel

X – Door Opening

Arysto X Sliding Door

Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel
1000	ARXFSL100	965-985	385	505	440
1100	ARXFSL110	1065-1085	435	555	490
1200	ARXFSL120	1165-1185	485	605	540
1300	ARXFSL130	1265-1285	535	655	590
1400	ARXFSL140	1365-1385	585	705	640
1500	ARXFSL150	1465-1485	585	705	740
1600	ARXFSL160	1565-1585	585	705	840
1700	ARXFSL170	1665-1685	585	705	940
1800	ARXFSL180	1765-1785	585	705	1040

This product is handed – please choose L for Left and R for Right when ordering.
This product comes with the option of an eyelet handle – please add E to the end of the code for this preference e.g. ARXFSL100E

Side Panel

Size	Code	Adjustment Min-Max
700	ARXFSPSL76	730-750
800	ARXFSPSL80	770-790
900	ARXFSPSL90	870-890
1000	ARXFSPSL100	970-990

Product Information

2 PANEL SLIDING DOOR
in Recess

ARYSTO
TEN

Shown as Left Hand (L)

2000 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Frameless design
- Ultra smooth rolling action
- Handle options available
- Power shower suitable
- Wetroom compatible
- Concealed fixings
- This product is handed

Handle & Frame Options

Standard
Handle

Slim
Handle

Halo
Handle

Halo
Profile

Recess

A – Moving Panel
B – Fixed Panel
X – Door Opening

Arysto Ten 2 Panel Sliding Door					
Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel
1000	GSR1000H (L or R)	960-990	370	528	430
1025	GSR1025H (L or R)	985-1015	370	528	455
1050	GSR1050H (L or R)	1010-1040	370	528	480
1075	GSR1075H (L or R)	1035-1065	370	528	505
1100	GSR1100H (L or R)	1060-1090	420	578	480
1125	GSR1125H (L or R)	1085-1115	420	578	505
1150	GSR1150H (L or R)	1110-1140	420	578	530
1175	GSR1175H (L or R)	1135-1165	420	578	555
1200	GSR2P1200H (L or R)	1160-1190	465	626	530
1400	GSR2P1400H (L or R)	1360-1390	566	723	635

This product is handed – please choose L for Left and R for Right when ordering.

2 PANEL SLIDING DOOR
with Side Panel

Shown as Left Hand (L)

2000 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Frameless design
- Ultra smooth rolling action
- Handle options available
- Power shower suitable
- Wetroom compatible
- Concealed fixings
- This product is handed

Handle & Frame Options

Standard Handle

Slim Handle

Halo Handle

Halo Profile

Side Panel

A – Moving Panel

B – Fixed Panel

X – Door Opening

Arysto Ten 2 panel Sliding Door					
Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel
1000	GSC1000H (L or R)	983-998	380	528	430
1025	GSC1025H (L or R)	1008-1023	380	528	455
1050	GSC1050H (L or R)	1033-1048	380	528	480
1075	GSC1075H (L or R)	1058-1073	380	528	505
1100	GSC1100H (L or R)	1083-1098	430	578	480
1125	GSC1125H (L or R)	1108-1123	430	578	505
1150	GSC1150H (L or R)	1133-1148	430	578	530
1175	GSC1175H (L or R)	1158-1173	430	578	555
1200	GSC2P1200H (L or R)	1183-1198	473	626	530
1400	GSC2P1400H (L or R)	1383-1398	573	723	635

This product is handed – please choose L for Left and R for Right when ordering.

Side Panel		
Size	Code	Adjustment Min-Max
700	GMSSP700	670-685
760	GMSSP760	730-745
800	GMSSP800	770-785
900	GMSSP900	870-885
1000	GMSSP1000	970-985

Shown as Right Hand (R)

Product Information

ARYSTO
TEN

3 PANEL SLIDING DOOR
in Recess

2000 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

− Ultra slim profile

− Smooth rolling action

− Self cleaning rollers

− Soft close door

− Power shower suitable

− Wetroom compatible

− Reversible

Handle & Frame Options

Standard
Handle

Slim
Handle

Halo
Handle

Halo
Profile

Recess

L A
B   X   C

A R
C   X   B

A – Moving Panel   B / C – Fixed Panel   X – Door Opening

Arysto Ten 3 Panel Sliding Door

Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel	Panel C Fixed Panel
1200	GSR1200H (L or R)	1160-1190	450	605	505	70
1225	GSR1225H (L or R)	1185-1215	450	605	505	95
1250	GSR1250H (L or R)	1210-1240	450	605	505	120
1275	GSR1275H (L or R)	1235-1265	450	605	505	145
1300	GSR1300H (L or R)	1260-1290	450	605	505	170
1325	GSR1325H (L or R)	1285-1315	450	605	505	195
1350	GSR1350H (L or R)	1310-1340	450	605	505	220
1375	GSR1375H (L or R)	1335-1365	450	605	505	245
1400	GSR1400H (L or R)	1360-1390	450	605	505	270
1425	GSR1425H (L or R)	1385-1415	450	605	505	295
1450	GSR1450H (L or R)	1410-1440	450	605	505	320
1475	GSR1475H (L or R)	1435-1465	450	605	505	345
1500	GSR1500H (L or R)	1460-1490	600	755	655	70
1525	GSR1525H (L or R)	1485-1515	600	755	655	95
1550	GSR1550H (L or R)	1510-1540	600	755	655	120
1575	GSR1575H (L or R)	1535-1565	600	755	655	145
1600	GSR1600H (L or R)	1560-1590	600	755	655	170
1625	GSR1625H (L or R)	1585-1615	600	755	655	195
1650	GSR1650H (L or R)	1610-1640	600	755	655	220
1675	GSR1675H (L or R)	1635-1665	600	755	655	245
1700	GSR1700H (L or R)	1660-1690	600	755	655	270
1725	GSR1725H (L or R)	1685-1715	600	755	655	295
1750	GSR1750H (L or R)	1710-1740	600	755	655	320
1775	GSR1775H (L or R)	1735-1765	600	755	655	345
1800	GSR1800H (L or R)	1760-1790	600	755	655	370

This product is handed – please choose L for Left and R for Right when ordering.

Product Information

3 PANEL SLIDING DOOR
with Side Panel

ARYSTO TEN

2000 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Ultra slim profile
- Smooth rolling action
- Self cleaning rollers
- Soft close door
- Power shower suitable
- Wetroom compatible
- Reversible

Handle & Frame Options

Standard Handle

Slim Handle

Halo Handle

Halo Profile

Side Panel

Size	Code	Adjustment Min-Max
700	GMSSP700	670-685
760	GMSSP760	730-745
800	GMSSP800	770-785
900	GMSSP900	870-885
1000	GMSSP1000	970-985

Side Panel

A – Moving Panel   B / C – Fixed Panel   X – Door Opening

Arysto Ten 3 Panel Sliding Door

Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel	Panel C Fixed Panel
1200	GSC1200H (L or R)	1168-1183	450	605	505	70
1225	GSC1225H (L or R)	1193-1208	450	605	505	95
1250	GSC1250H (L or R)	1218-1233	450	605	505	120
1275	GSC1275H (L or R)	1243-1258	450	605	505	145
1300	GSC1300H (L or R)	1268-1283	450	605	505	170
1325	GSC1325H (L or R)	1293-1308	450	605	505	195
1350	GSC1350H (L or R)	1318-1333	450	605	505	220
1375	GSC1375H (L or R)	1343-1358	450	605	505	245
1400	GSC1400H (L or R)	1368-1383	450	605	505	270
1425	GSC1425H (L or R)	1393-1408	450	605	505	295
1450	GSC1450H (L or R)	1418-1433	450	605	505	320
1475	GSC1475H (L or R)	1443-1458	450	605	505	345
1500	GSC1500H (L or R)	1468-1483	600	755	655	70
1525	GSC1525H (L or R)	1493-1508	600	755	655	95
1550	GSC1550H (L or R)	1518-1533	600	755	655	120
1575	GSC1575H (L or R)	1543-1558	600	755	655	145
1600	GSC1600H (L or R)	1568-1583	600	755	655	170
1625	GSC1625H (L or R)	1593-1608	600	755	655	195
1650	GSC1650H (L or R)	1618-1633	600	755	655	220
1675	GSC1675H (L or R)	1643-1658	600	755	655	245
1700	GSC1700H (L or R)	1668-1683	600	755	655	270
1725	GSC1725H (L or R)	1693-1708	600	755	655	295
1750	GSC1750H (L or R)	1718-1733	600	755	655	320
1775	GSC1775H (L or R)	1743-1758	600	755	655	345
1800	GSC1800H (L or R)	1768-1783	600	755	655	370

This product is handed – please choose L for Left and R for Right when ordering.

Product Information

SLIDING DOOR
in Recess

ARYSTO EIGHT

2000 MM
HEIGHT STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Ultra slim profile
- Smooth rolling action
- Self cleaning rollers
- Soft close door
- Power shower suitable
- Wetroom compatible
- Reversible

Handle   Profile

Recess

A
B
X

A – Moving Panel
B – Fixed Panel
X – Door Opening

Arysto Eight Sliding Door					
Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel
1000	AR8SL100REC	950-990	365-385	516	428
1100	AR8SL110REC	1050-1090	415-435	566	478
1200	AR8SL120REC	1150-1190	470-490	616	528
1300	AR8SL130REC	1250-1290	465-485	667	626
1400	AR8SL140REC	1350-1390	515-535	716	628
1500	AR8SL150REC	1450-1490	565-585	716	728
1600	AR8SL160REC	1550-1590	565-585	716	828
1700	AR8SL170REC	1650-1690	565-585	716	928

Product Information

SLIDING DOOR
with Side Panel

ARYSTO EIGHT

2000 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Ultra slim profile
- Smooth rolling action
- Self cleaning rollers
- Soft close door
- Power shower suitable
- Wetroom compatible
- Reversible

Handle

Profile

Side Panel

B | A | X

A – Moving Panel

B – Fixed Panel

X – Door Opening

Arysto Eight Sliding Door					
Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel
1000	AR8SL100SP	970-990	384	516	428
1100	AR8SL110SP	1070-1090	434	566	478
1200	AR8SL120SP	1170-1190	484	616	528
1300	AR8SL130SP	1270-1290	534	667	626
1400	AR8SL140SP	1370-1390	584	716	628
1500	AR8SL150SP	1470-1490	584	716	728
1600	AR8SL160SP	1570-1590	584	716	828
1700	AR8SL170SP	1670-1690	584	716	928

Side Panel		
Size	Code	Adjustment Min-Max
700	AR8SPSL70	670-690
760	AR8SPSL76	730-750
800	AR8SPSL80	770-790
900	AR8SPSL90	870-890
1000	AR8SPSL100	970-990

Side Panel is Reversible.

Product Information

ARYSTO
SIX

SLIDING DOOR

1950 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Signature glass cut-out
- Solid chrome handle
- Soft close rollers
- Power shower suitable
- Wetroom compatible
- Concealed fixings
- Reversible

Handle

Profile
Cut-Out

Recess

A – Moving Panel

B – Fixed Panel

X – Door Opening

Aryto Six Sliding Door					
Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel
1000	AR6SL100REC	940-990	372	482	403
1100	AR6SL110REC	1040-1090	422	532	453
1200	AR6SL120REC	1140-1190	472	582	503
1300	AR6SL130REC	1240-1290	522	632	553
1400	AR6SL140REC	1340-1390	572	682	603
1500	AR6SL150REC	1440-1490	572	682	703

Reversible.

Side Panel		
Size	Code	Adjustment Min-Max
760	AR6SP76	725-750
800	AR6SP80	765-790
900	AR6SP90	865-890

Product Information

MERLYN | BLACK

SLIDING DOOR
in Recess & Side Panel

2000 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Concealed fixings
- Reversible
- Chrome double handle
- Smooth action extra strong rollers
- Anodised aluminium matte black finish – more durable than powder coating

Handle

Top Profile

MERLYN Black Sliding Door

Size	Code	Recess Adjustment Min-Max	Side Panel Adjustment Min-Max	Door Opening X1 (Recess)	Door Opening X2 (Side Panel)	Panel A Moving Panel	Panel B Fixed Panel
1200	BLKFSL1200H	1150 - 1190	1140 - 1165	468	450	615	560
1400	BLKFSL1400H	1350 - 1390	1340 - 1365	568	550	715	660
1500	BLKFSL1500H	1450 - 1490	1440 - 1465	568	550	715	760
1700	BLKFSL1700H	1650 -1690	1640 - 1665	568	550	715	960

Please add 20mm to Tray Finish Adjustment when using a Side Panel.

Side Panel

Recess

A
B
X2

A
B
X1

A – Moving Panel
B – Fixed Panel
X – Door Opening

Side Panel

Size	Code	Adjustment Min-Max
800	BLKFSP800	760 - 785
900	BLKFSP900	860 - 885

For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 20mm.

Inline Panel

Size	Code	Adjustment Min-Max
140	M6I125	115-140
215	M6I200	190-215

Inline Panels can be fitted to either or both sides of Sliding Door.

Product Information

10 series

SLIDING DOOR
in Recess & Side Panel

Shown as Right Hand (R)

2100 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Eyelet handle with chrome eyelet option and circular filler plate option

- Extra smooth roller action for quiet closing

- This door is handed

- Wetroom compatible

Glass Options

Clear

Smoked Black

Handle

Top Roller

LH

RH

B | A | | A | B

A: Opening size can be adjusted to your requirements

B: Fixed Panel

A total of 35mm adjustment (max of 12mm adjustment in wall profile on closing side for out of true walls i.e. on right hand side of image shown).

10 Series Sliding Door

Size	Code	Adjustment Min-Max	Glass Type	A Min-Max	B
1000	M108231C (L or R)	950-985	Clear	405-300	510
1100	M108251C (L or R)	1050-1085	Clear	455-350	560
1200	M108241C (L or R)	1150-1185	Clear	505-400	610
1200	M108241B (L or R)	1150-1185	Smoked Black	505-400	610
1400	M108291C (L or R)	1350-1385	Clear	605-500	710
1400	M108291B (L or R)	1350-1385	Smoked Black	605-500	710
1600	M108271C (L or R)	1550-1585	Clear	605-500	910
1700	M10 81700CH (L or R)	1650-1685	Clear	605-500	1010

Side Panel

Size	Code	Adjustment Min-Max	Glass Type
760	M102210C	730-750	Clear
800	M102211C	770-790	Clear
800	M102211B	770-790	Smoked Black
900	M102221C	870-890	Clear
900	M102221B	870-890	Smoked Black

This product is handed please choose L for left and R for right when ordering.
Please add 15mm to Tray Finish Adjustment when using a Side Panel.
Please Note: Moving panel door must close onto the side panel.
For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 20mm.

8 series *frameless*

SLIDING DOOR
in Recess & Side Panel

Shown as Right Hand (R)

2000 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Concealed fixings
- Translucent seals
- Reversible
- Wetroom compatible

Handle   Badge

A: Door Opening
B: Fixed Panel

8 Series Frameless Sliding Door				
Size	Code	Adjustment Min-Max	A	B
1200	A0920DH	1150-1190	450	565
1400	A0920HH	1350-1390	550	665

Please add 20mm to Tray Finish Adjustment when using a Side Panel.

Side Panel		
Size	Code	Adjustment Min-Max
800	A0920LH	765-790
900	A0920PH	865-890

For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 20mm.

Product Information

8|series

SLIDING DOOR
in Recess & Side Panel

1950 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

– Concealed fixings

– Translucent seals

– Easy clean double rollers

– Chrome handle

– Reversible

– Wetroom compatible

Handle

A: Door Opening

B: Fixed Panel

Please add 20mm to Tray Finish Adjustment when using a Side Panel.
For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 20mm.
Inline panels can be fitted to either or both sides of sliding door

8 Series Sliding Door

Size	Code	Adjustment Min-Max	A	B
1000	M88231	950-990	390	440
1100	M88251	1050-1090	430	480
1200	M88241	1150-1190	470	530
1300	M88240	1250-1290	530	580
1400	M88291	1350-1390	570	630
1500	M88261	1450-1490	570	730
1600	M88271	1550-1590	570	830
1700	M88281	1650-1690	570	930

Side Panel

Size	Code	Adjustment Min-Max
700	M82201	670-690
760	M82210	730-750
800	M82211	770-790
900	M82221	870-890
1000	M82231	970-990

Inline Panel

Size	Code	Adjustment Min-Max
150	M8P140	130-150
210	M8P2200	190-210

Product Information

SLIDING DOOR
in Recess & Side Panel

1900 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Translucent seals
- Easy clean double rollers
- Double handed
- Can be used with 2 optional minimalist Side Panels
- Reversible
- Wetroom compatible

Handle

Top Profile

B   A

A: Door Opening
B: Fixed Panel

6 Series Sliding Door

Size	Code	Adjustment Min-Max	A	B
1000	M68231	950-1000	380	420
1100	M68251	1050-1100	430	470
1200	M68241	1150-1200	480	520
1400	M68291	1350-1400	580	620
1500	M68261	1450-1500	580	720
1600	M68271	1550-1600	580	820
1700	M68281	1650-1700	580	920

Please add 20mm to Tray Finish Adjustment when using a Side Panel.

Side Panel

Size	Code	Adjustment Min-Max
700	M62201N	680-705
760 / 800	M62211N	745-790
900	M62221N	875-900
1000	M62231N	975-1000

Sliding Door can be paired with 2 optional Side Panels
For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 20mm.

Inline Panel

Size	Code	Adjustment Min-Max
140	M6I125	115-140
215	M6I200	190-215

Inline Panels can be fitted to either or both sides of Sliding Door.

Product Information

SLIDING DOOR
in Recess

IONIC
Essence Frameless

2000 MM
HEIGHT STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Chrome double handle
- Smooth action extra strong rollers
- Stunning frameless design
- Reversible
- Concealed fixings

Handle

A: Door Opening
B: Fixed Panel

Ionic Essence Frameless Sliding Door				
Size	Code	Adjustment Min-Max	A	B
1000	A0104A0	950-990	365	465
1100	A0104B0	1050-1090	415	515
1200	A0104IH	1150-1190	465	565
1400	A0104DH	1350-1390	565	665
1700	A0104HH	1650-1690	565	965

Product Information

SLIDING DOOR
with Side Panel

IONIC
Essence Frameless

2000 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Chrome double handle
- Smooth action extra strong rollers
- Stunning frameless design
- Reversible
- Concealed fixings

Handle

A: Door Opening
B: Fixed Panel

Please Note: The door needs to close against the side panel.

Ionic Essence Frameless Sliding Door				
Size	Code	Adjustment Min-Max	A	B
1000	A0104A0	940-965	350	465
1100	A0104B0	1040-1065	400	515
1200	A0104IH	1140-1165	450	565
1400	A0104DH	1340-1365	550	665
1700	A0104HH	1640-1665	550	965

Side Panel		
Size	Code	Adjustment Min-Max
800	A0107I0	760-785
900	A0107J0	860-885

Product Information

SLIDING DOOR
in Recess & Side Panel

IONIC
Essence Framed

1900 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Easy clean quick release rollers
- Chrome finishing including top cover caps
- Smooth action extra strong rollers
- Reversible
- Concealed fixings

Handle

A: Door Opening
B: Fixed Panel

Ionic Essence Framed Sliding Door

Size	Code	Adjustment Min-Max	A	B
1000	DWH04A0	930-990	360	380
1100	DWH04BI	1030-1090	410	430
1200	DWH04C0	1130-1190	460	480
1400	DWH04DH	1330-1390	560	580
1700	DWH04EH	1630-1690	560	880

Side Panel

Size	Code	Adjustment Min-Max
760	DWH07B0	720-750
800	DWH07D0	760-790
900	DWH07E0	860-890

Product Information

LOW LEVEL ACCESS SLIDING DOOR
in Recess & Side Panel

IONIC
Express

1900 MM HEIGHT STANDARD RANGE

6 MM GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- No bottom rollers – NEW bottom glide system instead
- Easy–fit system
- Handed
- Push button door release for easy clean
- Rollers pre–assembled on door
- Concealed fixings

Handle

Bottom Track

Push Release

A: Door Opening
B: Fixed Panel

Push Release

Slimline Threshold

Express Low Level Sliding Door

Size	Code	Handed	Recess Adjustment (Min-Max)	Side Panel Adjustment (Min-Max)	A	B
1000	A0303A0	Left	950-990	960-1000	376	433
1000	A0303B0	Right	950-990	960-1000	376	433
1200	A0303G0	Left	1150-1190	1160-1200	476	533
1200	A0303H0	Right	1150-1190	1160-1200	476	533
1400	A0303LH	Left	1350-1390	1360-1400	576	633
1400	A0303MH	Right	1350-1390	1360-1400	576	633
1700	A0303SH	Left	1650-1690	1660-1700	576	933
1700	A0303TH	Right	1650-1690	1660-1700	576	933

Side Panel

Size	Code	Side Panel Adjustment (Min-Max
700	A0307A0	650-670
760	A0307B0	710-730
800	A0307D0	750-770
900	A0307E0	850-870

Inline Panel

Size	Code	Recess Adjustment (Min-Max)
150	A0315B0	130-150
210	A0315C0	190-210
490	A0315D0	470-490

Product Information

SLIDING DOOR
with Side Panel

IONIC
Express

1900 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Easy-fit system
- Smooth action extra strong rollers
- Easy clean quick release rollers
- Rollers pre-assembled on door
- Reversible
- Concealed fixings

Handle

A: Door Opening
B: Fixed Panel

Ionic Express Sliding Door

Size	Code	Adjustment Min-Max	A	B
1000	A0304A0	950-990	380	433
1100	A0304B0	1050-1090	430	483
1200	A0304C0	1150-1190	480	533
1400	A0304DH	1350-1390	580	633
1500	A0304GH	1450-1490	580	733
1600	A0304EH	1550-1590	580	833
1700	A0304HH	1650-1690	580	933

Side Panel

Size	Code	Adjustment Min-Max
700	A0307A0	650-670
760	A0307B0	710-730
800	A0307D0	750-770
900	A0307E0	850-870

Inline Panel

Size	Code	Adjustment Min-Max
150	A0315B0	130-150
210	A0315C0	190-210
490 NEW	A0315D0	470-490

Please Note: Sliding Door can be paired with 2 additional Side Panels.
Please add 5mm to adjustment when used with Side Panel.
Please add 20mm to adjustment per wall profile

Product Information

SLIDING DOOR
in Recess & Side Panel

IONIC
Source

1850 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Chrome quick release easy clean bottom rollers
- Reversible
- Easy fit frame
- Screw cover caps
- Magnetic seals

Handle

A: Door Opening
B: Fixed Panel

Ionic Source Sliding Door				
Size	Code	Adjustment Min-Max	A	B
1000	A1204A0	950-990	380	400
1100	A1204B0	1050-1090	430	450
1200	A1204C0	1150-1190	480	500

20mm Adjustment per wall profile.

Side Panel		
Size	Code	Adjustment Min-Max
760	A1207B0	730-750
800	A1207D0	770-790
900	A1207E0	870-890

Product Information

SLIDING DOOR
with Side Panel

1900 MM
HEIGHT STANDARD RANGE

6 MM
GLASS THICKNESS

10 YEARS GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

– Height 1900mm

– 6mm toughened safety glass

– Easy clean frame

– Reversible

– Mershield stay clean, easy clean glass

– Chrome designer handle

– 10yr guarantee

Slot & Lock Frame System – No Screws

No Drilling on Frame

Click on Rollers

Assambled on Tray

A: Door Opening
B: Fixed Panel

IQ Sliding Door

Size	Code	Recess Adjustment (Min-Max)	Side Panel Adjustment (Min-Max	A	B
1000	KAS10	950-990	960-1000	375	435
1100	KAS11	1050-1090	1060-1100	425	485
1200	KAS12	1150-1190	1160-1200	475	535
1400	KAS14	1350-1390	1360-1400	575	635
1500	KAS15	1450-1490	1460-1500	575	735
1600	KAS16	1550-1590	1560-1600	575	835
1700	KAS17	1650-1690	1660-1700	575	935

Optional Side Panel

Size	Code	Side Panel Adjustment (Min-Max
700	KASP70	670-690
760	KASP76	730-750
800	KASP80	770-790
900	KASP90	870-890
1000	KASP10	970-990

Please add 20mm to Tray Finish Adjustment when using a Side Panel.
For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 20mm.
Inline panels can be fitted to either or both sides of sliding door.

Product Information

MBOX
SHOWER ENCLOSURES

LOW LEVEL ACCESS SLIDING DOOR

1900 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS
THICKNESS

10 YEARS
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- No bottom rollers – NEW bottom glide system instead
- Easy-fit system
- Handed
- Push button door release for easy clean
- Adjustable fin seal for increased water retention

Handle

Bottom Track

Push Release

A: Door Opening

B: Fixed Panel

MBOX Low level Sliding Door

Size	Code	Handed	Adjustment Min-Max	A	B
1000	MBLA1000L	Left	950-990	365	435
1000	MBLA1000R	Right	950-990	365	435
1200	MBLA1200L	Left	1150-1190	465	535
1200	MBLA1200R	Right	1150-1190	465	535
1400	MBLA1400L	Left	1350-1390	565	635
1400	MBLA1400R	Right	1350-1390	565	635
1700	MBLA1700L	Left	1650-1690	565	935
1700	MBLA1700R	Right	1650-1690	565	935

Side Panel

Size	Code	Adjustment Min-Max
700	MBSP700	670-690
760	MBSP760	730-750
800	MBSP800	770-790
900	MBSP900	870-890
1000	MBSP1000	970-990

Reversible

Inline Panel

Size	Code	Adjustment Min-Max
150	MBN150	130-150
210	MBN210	190-210

In Recess

MBOX
SHOWER ENCLOSURES

SLIDING DOOR
in Recess & Side Panel

1900 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS THICKNESS

10 YEARS
GUARANTEE

FEATURES & BENEFITS

- Adjustablen wall profiles
- Power shower suitable
- Wetroom compatible
- Extension profiles available
- Reversible
- Easy clean rollers
- Loft heights available – 1800mm

Handle

A: Door Opening
B: Fixed Panel

A   B

In Recess

Product Information

Size	Code	Adjustment Min-Max	A	B
1000	MBS1000	950 - 990	367	407
1100	MBS1100	1050 - 1090	417	455
1200	MBS1200	1150 - 1190	467	507
1400	MBS1400	1350 - 1390	567	607
1500	MBS1500	1450 - 1490	567	707
1600	MBS1600	1550 - 1590	567	807
1700	MBS1700	1650 - 1690	567	907
Loft Height - 1800mm				
1200	MBS1200/1800	1150 - 1190	467	507

20mm adjustment per wall profile

Side Panel

Size	Code	Adjustment Min-Max
700	MBSP700	670 - 690
760	MBSP760	730 - 750
800	MBSP800	770 - 790
900	MBSP900	870 - 890
1000	MBSP1000	970 - 990
Loft Height - 1800mm		
800	MBSP800/1800	770 - 790
900	MBSP900/1800	870 - 890

Inline Panel

Size	Code	Adjustment Min-Max
150	MBN150	130 - 150
210	MBN210	190 - 210

Hinge Doors

minimal elegance

The MERLYN selection of Hinged shower screens offers everything from minimal elegance to practical functionality. Beautifully engineered hinges combined with stunning frameless options will give you a true show stopper in any bathroom.

Hinge Doors			700	760	800	900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	900 x900	1200 x900	1400 x900	PAGE
Range	Height	Glass																		
ARYSTO COLOUR	2015	10mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	64
ARYSTO TEN	2015 2010	10mm	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	74
8 SERIES FRAMELESS	2000	8mm				✓	✓	✓	✓		✓		✓	✓						86
6 SERIES FRAMELESS	2000	8/6mm		✓	✓	✓	✓	✓	✓		✓	✓								87
MERLYN BLACK	2000	8mm				✓	✓		✓		✓									88
IONIC ESSENCE FRAMELESS	2000	8mm			✓	✓	✓	✓	✓		✓	✓								90
8 SERIES	1950	8mm	✓	✓	✓	✓	✓													93

FRAMELESS (rows: ARYSTO TEN through IONIC ESSENCE FRAMELESS)
FRAMED (row: 8 SERIES)

Please Note: Frameless products are inclusive of frameless and semi-frameless where less than 50% of the door is framed.
For more sizes and information please see the relevant page.

UK CA

ARYSTO
COLOUR

HINGE DOOR & INLINE PANEL
in Recess

2015 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- The ultimate in frameless design with beautifully designed hinges and luxury 10mm glass this enclosure is a true show stopper.

- Designer hinges highly engineered to ensure smooth and solid opening and closing.

- Minimal framework and Mershield Stayclear easy clean glass minimises cleaning time.

- Inline panel supplied with a straight/angled bracing bar.

- All products are reversible.

HOW TO ORDER YOUR COLOUR

When ordering your door please use the correct code to the size required. Then add the colour code you need.

Code + Colour Code.

Example: GHA900H + MB (Matt Black) = GHA900H-MB.

Colour Finish & Handle Options

| Standard Handle *Brushed Brass (BBR)* | Standard Handle *Brushed Stainless Steel (BSS)* | Standard Handle *Matt Black (MB)* | Standard Handle *Brushed Bronze (BBZ)* | Standard Handle *Polished Gold (PG)* | Standard Handle *Polished Nickel (PN)* |

Recess

LH   RH

B A   A B

X   X

A – Moving Panel
B – Fixed Panel
X – Door Opening

Arysto Colour Hinge Door & Inline Panel

Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel
900	GHA900H	865-890	520	600	251
925	GHA925H	890-915	545	625	251
950	GHA950H	915-940	570	650	251
975	GHA975H	940-965	595	675	251
1000	GHA1000H	965-990	620	700	251
1025	GHA1025H	990-1015	645	725	251
1050	GHA1050H	1015-1040	670	750	251
1075	GHA1075H	1040-1065	695	775	251
1100	GHA1100H	1065-1090	620	700	351
1125	GHA1125H	1090-1115	645	725	351
1150	GHA1150H	1115-1140	670	750	351
1175	GHA1175H	1140-1165	695	775	351
1200	GHA1200H	1165-1190	620	700	451
1225	GHA1225H	1190-1215	645	725	451
1250	GHA1250H	1215-1240	670	750	451
1275	GHA1275H	1240-1265	695	775	451
1300	GHA1300H	1265-1290	720	800	451
1325	GHA1325H	1290-1315	745	825	451
1350	GHA1350H	1315-1340	770	850	451
1375	GHA1375H	1340-1365	795	875	451
1400	GHA1400H	1365-1390	720	800	551

This product is reversible.

ARYSTO
COLOUR

HINGE DOOR & 2 INLINE PANELS
in Recess

2015 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

– The ultimate in frameless design with beautifully designed hinges and luxury 10mm glass this enclosure is a true show stopper.

– Designer hinges highly engineered to ensure smooth and solid opening and closing.

– Minimal framework and Mershield Stayclear easy clean glass minimises cleaning time.

– Inline panel supplied with a straight/angled bracing bar.

– All products are reversible.

Colour Finish & Handle Options

Standard Handle *Brushed Brass (BBR)*	Standard Handle *Brushed Stainless Steel (BSS)*	Standard Handle *Matt Black (MB)*	Standard Handle *Brushed Bronze (BBZ)*	Standard Handle *Polished Gold (PG)*	Standard Handle *Polished Nickel (PN)*

Recess

LH   RH

B A C   C A

X   X

A – Moving Panel
B/C – Fixed Panel
X – Door Opening

Arysto Ten Hinge Door & 2 Inline Panels

Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel	Panel C Fixed Panel
1100	GHB1100H	1060-1090	520	600	251	192
1125	GHB1125H	1085-1115	545	625	251	192
1150	GHB1150H	1110-1140	570	650	251	192
1175	GHB1175H	1135-1165	595	675	251	192
1200	GHB1200H	1160-1190	520	600	251	292
1225	GHB1225H	1185-1215	545	625	251	292
1250	GHB1250H	1210-1240	570	650	251	292
1275	GHB1275H	1235-1265	595	675	251	292
1300	GHB1300H	1260-1290	520	600	251	392
1325	GHB1325H	1285-1315	545	625	251	392
1350	GHB1350H	1310-1340	570	650	251	392
1375	GHB1375H	1335-1365	595	675	251	392
1400	GHB1400H	1360-1390	620	700	251	392
1425	GHB1425H	1385-1415	645	725	251	392
1450	GHB1450H	1410-1440	670	750	251	392
1475	GHB1475H	1435-1465	695	775	251	392
1500	GHB1500H	1460-1490	620	700	351	392
1525	GHB1525H	1485-1515	645	725	351	392
1550	GHB1550H	1510-1540	670	750	351	392
1575	GHB1575H	1535-1565	695	775	351	392
1600	GHB1600H	1560-1590	620	700	451	392
1625	GHB1625H	1585-1615	645	725	451	392
1650	GHB1650H	1610-1640	670	750	451	392
1675	GHB1675H	1635-1665	695	775	451	392
1700	GHB1700H	1660-1690	620	700	451	492
1725	GHB1725H	1685-1715	645	725	451	492
1750	GHB1750H	1710-1740	670	750	451	492
1775	GHB1775H	1735-1765	695	775	451	492
1800	GHB1800H	1760-1790	720	800	451	492
1825	GHB1825H	1785-1815	745	825	451	492
1850	GHB1850H	1810-1840	770	850	451	492
1875	GHB1875H	1835-1865	795	875	451	492
1900	GHB1900H	1860-1890	720	800	451	592

This product is reversible.

ARYSTO
COLOUR

HINGE DOOR & INLINE PANEL
with Side Panel

Shown as Left Hand (L)

2015 MM HEIGHT STANDARD RANGE

10 MM GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- The ultimate in frameless design with beautifully designed hinges and luxury 10mm glass this enclosure is a true show stopper.

- Designer hinges highly engineered to ensure smooth and solid opening and closing.

- Minimal framework and Mershield Stayclear easy clean glass minimises cleaning time.

- Inline Panel supplied with a straight/angled bracing bar.

- All products are reversible.

Colour Finish & Handle Options

| Standard Handle *Brushed Brass (BBR)*	Standard Handle *Brushed Stainless Steel (BSS)*	Standard Handle *Matt Black (MB)*	Standard Handle *Brushed Bronze (BBZ)*	Standard Handle *Polished Gold (PG)*	Standard Handle *Polished Nickel (PN)*

HOW TO ORDER YOUR COLOUR

When ordering your door please use the correct code to the size required. Then add the colour code you need.

Code + Colour Code.

Example: GHC900H + BBR (Brushed Brass) = GHC900H-BBR.

Side Panel

A – Moving Panel

B – Fixed Panel

X – Door Opening

Arysto Ten Hinge Door & Inline Panel

Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel
900	GHC900H	865-880	565	600	226
1000	GHC1000H	965-980	665	700	226
1100	GHC1100H	1065-1080	665	700	326
1200	GHC1200H	1165-1180	665	700	426
1300	GHC1300H	1265-1280	765	800	426
1400	GHC1400H	1365-1380	765	800	526

This product is reversible.

Side Panel

Size	Code	Adjustment Min-Max
700	GHSA700H	665-680
760	GHSA760H	725-740
800	GHSA800H	765-780
900	GHSA900H	865-880
1000	GHSA1000H	965-980

Side panel is reversible.

ARYSTO
COLOUR

HINGE DOOR & 2 INLINE PANELS
with Side Panel

Shown as Left Hand (L)

2015 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- The ultimate in frameless design with beautifully designed hinges and luxury 10mm glass this enclosure is a true show stopper.

- Designer hinges highly engineered to ensure smooth and solid opening and closing.

- Minimal framework and Mershield Stayclear easy clean glass minimises cleaning time.

- Inline panel supplied with a straight/angled bracing bar.

- All products are reversible.

Colour Finish & Handle Options

| Standard Handle	Standard Handle	Standard Handle	Standard Handle	Standard Handle	Standard Handle
Brushed Brass (BBR)	*Brushed Stainless Steel (BSS)*	*Matt Black (MB)*	*Brushed Bronze (BBZ)*	*Polished Gold (PG)*	*Polished Nickel (PN)*

HOW TO ORDER YOUR COLOUR

When ordering your door please use the correct code to the size required. Then add the colour code you need.

Code + Colour Code.

Example: GHD1100H + PG (Polished Gold) = GHD1100H-PG.

Side Panel

LH A				RH A	
B		C	C		B
	X			X	

A – Moving Panel
B/C – Fixed Panel
X – Door Opening

Arysto Ten Hinge Door & 2 Inline Panels

Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel	Panel C Fixed Panel
1100	GHD1100H	1065-1080	520	600	251	182
1200	GHD1200H	1165-1180	520	600	251	282
1300	GHD1300H	1265-1280	520	600	251	382
1400	GHD1400H	1365-1380	620	700	251	382
1500	GHD1500H	1465-1480	620	700	351	382
1600	GHD1600H	1565-1580	620	700	451	382
1700	GHD1700H	1665-1680	620	700	451	482
1800	GHD1800H	1765-1780	720	800	451	482
1900	GHD1900H	1865-1880	720	800	451	582

This product is reversible.

Side Panel

Size	Code	Adjustment Min-Max
700	GHSB700H	665-680
760	GHSB760H	725-740
800	GHSB800H	765-780
900	GHSB900H	865-880
1000	GHSB1000H	965-980

Side panel is reversible.

ARYSTO
COLOUR

WALL HINGE DOOR
in Recess

2015 MM
HEIGHT STANDARD RANGE

10 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

– The ultimate in frameless design with beautifully designed hinges and luxury 10mm glass this enclosure is a true show stopper.

– Designer hinges highly engineered to ensure smooth and solid opening and closing.

– Fully frameless enclosure with Mershield Stayclear easy clean glass minimises cleaning time.

– All products are reversible.

Colour Finish & Handle Options

| Standard Handle *Brushed Brass (BBR)*	Standard Handle *Brushed Stainless Steel (BSS)*	Standard Handle *Matt Black (MB)*	Standard Handle *Brushed Bronze (BBZ)*	Standard Handle *Polished Gold (PG)*	Standard Handle *Polished Nickel (PN)*

HOW TO ORDER YOUR COLOUR

When ordering your door please use the correct code to the size required. Then add the colour code you need.

Code + Colour Code.

Example: GHE650H + MB (Matt Black) = GHE650H-MB.

Recess

Reversible A

X

A – Moving Panel
X – Door Opening

Arysto Ten Wall Hinge Door

Size	Code	Adjustment Min-Max	Door Opening X
650	GHE650H	620-640	570
675	GHE675H	645-665	595
700	GHE700H	670-690	620
725	GHE725H	695-715	645
750	GHE750H	720-740	670
775	GHE775H	745-765	695
800	GHE800H	770-790	720
825	GHE825H	795-815	745
850	GHE850H	820-840	770
875	GHE875H	845-865	795
900	GHE900H	870-890	820

Please Note: All wall hinges must be secured to a reinforced/solid wall. Reversible.

ARYSTO
COLOUR

WALL HINGE DOOR
with Side Panel

2015 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

– The ultimate in frameless design with beautifully designed hinges and luxury 10mm glass this enclosure is a true show stopper.

– Designer hinges highly engineered to ensure smooth and solid opening and closing.

– Minimal framework and Mershield Stayclear easy clean glass minimises cleaning time.

– Side Panel supplied with an angled bracing bar.

– All products are reversible.

Colour Finish & Handle Options

| Standard Handle *Brushed Brass (BBR)* | Standard Handle *Brushed Stainless Steel (BSS)* | Standard Handle *Matt Black (MB)* | Standard Handle *Brushed Bronze (BBZ)* | Standard Handle *Polished Gold (PG)* | Standard Handle *Polished Nickel (PN)* |

HOW TO ORDER YOUR COLOUR

When ordering your door please use the correct code to the size required. Then add the colour code you need.

Code + Colour Code.

Example: GHG700H + PG (Polished Gold) = GHG700H-PG.

Arysto Ten Wall Hinge Door

Size	Code	Adjustment Min-Max	Door Opening X
700	GHG700H	670-680	620
800	GHG800H	770-780	720
900	GHG900H	870-880	820

This product is reversible
Please Note: All wall hinges must be secured to a reinforced/solid wall

Side Panel

LH   D
      D   RH
  A   A
    X   X

A – Moving Panel
X – Door Opening

Side Panel

Size	Code	Adjustment Min-Max
700	GHSA700H	665-680
760	GHSA760H	725-740
800	GHSA800H	765-780
900	GHSA900H	865-880
1000	GHSA1000H	965-990

Side panel is reversible.

ARYSTO
COLOUR

WALL HINGE DOOR & INLINE PANEL
with Side Panel

2015 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

– The ultimate in frameless design with beautifully designed hinges and luxury 10mm glass this enclosure is a true show stopper.

– Designer hinges highly engineered to ensure smooth and solid opening and closing.

– Minimal framework and Mershield Stayclear easy clean glass minimises cleaning time.

– Inline panel supplied with a straight/angled bracing bar.

– All products are reversible.

Colour Finish & Handle Options

| Standard Handle *Brushed Brass (BBR)*	Standard Handle *Brushed Stainless Steel (BSS)*	Standard Handle *Matt Black (MB)*	Standard Handle *Brushed Bronze (BBZ)*	Standard Handle *Polished Gold (PG)*	Standard Handle *Polished Nickel (PN)*

HOW TO ORDER YOUR COLOUR

When ordering your door please use the correct code to the size required. Then add the colour code you need.

Code + Colour Code.

Example: GHH900H + BSS (Brushed Stainless Steel) = GHH900H-BSS.

Arysto Ten Wall Hinge Door & Inline Panel

Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel
900	GHH900H	865-875	620	650	182
1000	GHH1000H	965-975	620	650	282
1100	GHH1100H	1065-1075	620	650	382
1200	GHH1200H	1165-1175	620	650	482
1300	GHH1300H	1265-1275	720	750	482
1400	GHH1400H	1365-1375	720	750	482
1500	GHH1500H	1465-1475	820	850	582

This product is reversible.
Please Note: All wall hinges must be secured to a reinforced/solid wal

Side Panel

A – Moving Panel
B – Fixed Panel
X – Door Opening

Size	Code	Adjustment Min-Max
700	GHSB700H	665-680
760	GHSB760H	725-740
800	GHSB800H	765-780
900	GHSB900H	865-880
1000	GHSB1000H	965-980

Side panel is reversible.

Shown as Left Hand (L)

ARYSTO
COLOUR

WALL HINGE DOOR & INLINE PANEL
in Recess

2015 MM
HEIGHT STANDARD RANGE

10 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- The ultimate in frameless design with beautifully designed hinges and luxury 10mm glass this enclosure is a true show stopper.

- Designer hinges highly engineered to ensure smooth and solid opening and closing.

- Minimal framework and mershield stayclear easy clean glass minimises cleaning time.

- Inline panel supplied with a straight/angled bracing bar.

- All products are reversible.

HOW TO ORDER YOUR COLOUR

When ordering your door please use the correct code to the size required. Then add the colour code you need.

Code + Colour Code.

Example: GHF900H + BBZ (Brushed Bronzed) = GHF900H-BBZ.

Colour Finish & Handle Options

Standard Handle *Brushed Brass (BBR)*

Standard Handle *Brushed Stainless Steel (BSS)*

Standard Handle *Matt Black (MB)*

Standard Handle *Brushed Bronze (BBZ)*

Standard Handle *Polished Gold (PG)*

Standard Handle *Polished Nickel (PN)*

Recess

LH

RH

A — Moving Panel
B — Fixed Panel
X — Door Opening

Arysto Ten Wall Hinge Door & Inline Panel					
Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel
900	GHF900H	865-890	620	650	196
925	GHF925H	890-915	645	675	196
950	GHF950H	915-940	670	700	196
975	GHF975H	940-965	695	725	196
1000	GHF1000H	965-990	720	750	196
1025	GHF1025H	990-1015	745	775	196
1050	GHF1050H	1015-1040	770	800	196
1075	GHF1075H	1040-1065	795	825	196
1100	GHF1100H	1065-1090	620	650	396
1125	GHF1125H	1090-1115	645	675	396
1150	GHF1150H	1115-1140	670	700	396
1175	GHF1175H	1140-1165	695	725	396
1200	GHF1200H	1165-1190	620	650	496
1225	GHF1225H	1190-1215	645	675	496
1250	GHF1250H	1215-1240	670	700	496
1275	GHF1275H	1240-1265	695	725	496
1300	GHF1300H	1265-1290	720	750	496
1325	GHF1325H	1290-1315	745	775	496
1350	GHF1350H	1315-1340	770	800	496
1375	GHF1375H	1340-1365	795	825	496
1400	GHF1400H	1365-1390	720	750	596
1425	GHF1425H	1390-1415	745	775	596
1450	GHF1450H	1415-1440	770	800	596
1475	GHF1575H	1440-1465	795	825	596
1500	GHF1500H	1465-1490	820	850	596

This product is reversible. Please Note: All wall hinges must be secured to a reinforced/solid wall.

ARYSTO TEN

PENTANGLE

Shown as Left Hand (L)

2015 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Frameless design
- Smooth & solid opening & closing
- Handle options available
- Power shower suitable
- Wetroom compatible
- Concealed fixings
- This product is handed

Handle Options

| Standard Handle | Traditional Handle | Pentangle Hinge | Pentangle Profile |

A – Moving Panel
B/C – Fixed Panel
X – Door Opening

Arysto Ten Pentangle

Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel	Panel C Fixed Panel
900x900	GHI9090H (L or R)	870-885 / 875-890	620	672	364	364
1200x900	GHI1290H (L or R)	1175-1185 / 870-885	620	672	665	364
1400x900	GHI1490H (L or R)	1370-1385 / 870-885	620	672	865	364

This product is handed – please choose L for Left and R for Right when ordering.

Pentangle Tray

| Size	Code
900x900	T90PW
1200x900 (R)	T129PWR
1200x900 (L)	T129PWL
1400x900 (R)	T149PWR
1400x900 (L)	T149PWL

This product is handed – please choose L for Left and R for Right when ordering.

HINGE DOOR & INLINE PANEL
with Side Panel

ARYSTO TEN

2015 MM HEIGHT STANDARD RANGE

IO MM GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Frameless design
- Smooth & solid opening & closing
- Handle options available
- Power shower suitable
- Wetroom compatible
- Concealed fixings
- This product is handed

Shown as Left Hand (L)

Colour Finish & Handle Options

Mirrored Chrome | Polished Nickel | Standard Handle | Traditional Handle | Standard Hinge

LH — A, B, X

RH — A, B, X

A – Moving Panel
B – Fixed Panel
X – Door Opening

Arysto Ten Hinge Door & Inline Panel

Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel
900	GHC900H (L or R)	865-880	565	600	226
1000	GHC1000H (L or R)	965-980	665	700	226
1100	GHC1100H (L or R)	1065-1080	665	700	326
1200	GHC1200H (L or R)	1165-1180	665	700	426
1300	GHC1300H (L or R)	1265-1280	765	800	426
1400	GHC1400H (L or R)	1365-1380	765	800	526

This product is handed – please choose L for Left and R for Right when ordering.

Side Panel

Size	Code	Adjustment Min-Max
700	GHSA700H	665-680
760	GHSA760H	725-740
800	GHSA800H	765-780
900	GHSA900H	865-880
1000	GHSA1000H	965-980

Side panel is reversible.

Shown as Left Hand (L)

ARYSTO
TEN

HINGE DOOR & INLINE PANEL
in Recess

2015 MM HEIGHT STANDARD RANGE

10 MM GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Frameless design

- Smooth & solid opening & closing

- Handle options available

- Power shower suitable

- Wetroom compatible

- Concealed fixings

- This product is handed

Colour Finish & Handle Options

Mirrored Chrome

Polished Nickel

Standard Handle

Traditional Handle

Standard Hinge

Recess

LH

RH

B   A   A   B

X   X

A – Moving Panel
B – Fixed Panel
X – Door Opening

Arysto Ten Hinge Door & Inline Panel

Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel
900	GHA900H (L or R)	865-890	520	600	251
925	GHA925H (L or R)	890-915	545	625	251
950	GHA950H (L or R)	915-940	570	650	251
975	GHA975H (L or R)	940-965	595	675	251
1000	GHA1000H (L or R)	965-990	620	700	251
1025	GHA1025H (L or R)	990-1015	645	725	251
1050	GHA1050H (L or R)	1015-1040	670	750	251
1075	GHA1075H (L or R)	1040-1065	695	775	251
1100	GHA1100H (L or R)	1065-1090	620	700	351
1125	GHA1125H (L or R)	1090-1115	645	725	351
1150	GHA1150H (L or R)	1115-1140	670	750	351
1175	GHA1175H (L or R)	1140-1165	695	775	351
1200	GHA1200H (L or R)	1165-1190	620	700	451
1225	GHA1225H (L or R)	1190-1215	645	725	451
1250	GHA1250H (L or R)	1215-1240	670	750	451
1275	GHA1275H (L or R)	1240-1265	695	775	451
1300	GHA1300H (L or R)	1265-1290	720	800	451
1325	GHA1325H (L or R)	1290-1315	745	825	451
1350	GHA1350H (L or R)	1315-1340	770	850	451
1375	GHA1375H (L or R)	1340-1365	795	875	451
1400	GHA1400H (L or R)	1365-1390	720	800	551

This product is handed – please choose L for Left and R for Right when ordering.

Shown as Left Hand (L)

HINGE DOOR & 2 INLINE PANELS
in Recess

2015 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Frameless design
- Smooth & solid opening & closing
- Handle options available
- Power shower suitable
- Wetroom compatible
- Concealed fixings
- This product is handed

## Colour Finish & Handle Options

| Mirrored Chrome | Polished Nickel | Standard Handle | Traditional Handle | Standard Hinge |

Recess

LH — B A C X

RH — C A X

A – Moving Panel
B/C – Fixed Panel
X – Door Opening

Arysto Ten Hinge Door & 2 Inline Panels

Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel	Panel C Fixed Panel
1100	GHB1100H (L or R)	1060-1090	520	600	251	192
1125	GHB1125H (L or R)	1085-1115	545	625	251	192
1150	GHB1150H (L or R)	1110-1140	570	650	251	192
1175	GHB1175H (L or R)	1135-1165	595	675	251	192
1200	GHB1200H (L or R)	1160-1190	520	600	251	292
1225	GHB1225H (L or R)	1185-1215	545	625	251	292
1250	GHB1250H (L or R)	1210-1240	570	650	251	292
1275	GHB1275H (L or R)	1235-1265	595	675	251	292
1300	GHB1300H (L or R)	1260-1290	520	600	251	392
1325	GHB1325H (L or R)	1285-1315	545	625	251	392
1350	GHB1350H (L or R)	1310-1340	570	650	251	392
1375	GHB1375H (L or R)	1335-1365	595	675	251	392
1400	GHB1400H (L or R)	1360-1390	620	700	251	392
1425	GHB1425H (L or R)	1385-1415	645	725	251	392
1450	GHB1450H (L or R)	1410-1440	670	750	251	392
1475	GHB1475H (L or R)	1435-1465	695	775	251	392
1500	GHB1500H (L or R)	1460-1490	620	700	351	392
1525	GHB1525H (L or R)	1485-1515	645	725	351	392
1550	GHB1550H (L or R)	1510-1540	670	750	351	392
1575	GHB1575H (L or R)	1535-1565	695	775	351	392
1600	GHB1600H (L or R)	1560-1590	620	700	451	392
1625	GHB1625H (L or R)	1585-1615	645	725	451	392
1650	GHB1650H (L or R)	1610-1640	670	750	451	392
1675	GHB1675H (L or R)	1635-1665	695	775	451	392
1700	GHB1700H (L or R)	1660-1690	620	700	451	492
1725	GHB1725H (L or R)	1685-1715	645	725	451	492
1750	GHB1750H (L or R)	1710-1740	670	750	451	492
1775	GHB1775H (L or R)	1735-1765	695	775	451	492
1800	GHB1800H (L or R)	1760-1790	720	800	451	492
1825	GHB1825H (L or R)	1785-1815	745	825	451	492
1850	GHB1850H (L or R)	1810-1840	770	850	451	492
1875	GHB1875H (L or R)	1835-1865	795	875	451	492
1900	GHB1900H (L or R)	1860-1890	720	800	451	592

This product is handed – please choose L for Left and R for Right when ordering.

ARYSTO TEN

HINGE DOOR & 2 INLINE PANELS
with Side Panel

2015 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Frameless design
- Smooth & solid opening & closing
- Handle options available
- Power shower suitable
- Wetroom compatible
- Concealed fixings
- This product is handed

Shown as Left Hand (L)

Colour Finish & Handle Options

| Mirrored Chrome | Polished Nickel | Standard Handle | Traditional Handle | Standard Hinge |

Side Panel

LH
A
B   C
X

RH
A
C   B
X

A – Moving Panel

B/C – Fixed Panel

X – Door Opening

Arysto Ten Hinge Door & 2 Inline Panels

Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel	Panel C Fixed Panel
1100	GHD1100H (L or R)	1065-1080	520	600	251	182
1200	GHD1200H (L or R)	1165-1180	520	600	251	282
1300	GHD1300H (L or R)	1265-1280	520	600	251	382
1400	GHD1400H (L or R)	1365-1380	620	700	251	382
1500	GHD1500H (L or R)	1465-1480	620	700	351	382
1600	GHD1600H (L or R)	1565-1580	620	700	451	382
1700	GHD1700H (L or R)	1665-1680	620	700	451	482
1800	GHD1800H (L or R)	1765-1780	720	800	451	482
1900	GHD1900H (L or R)	1865-1880	720	800	451	582

This product is handed – please choose L for Left and R for Right when ordering.

Side Panel

Size	Code	Adjustment Min-Max
700	GHSB700H	665-680
760	GHSB760H	725-740
800	GHSB800H	765-780
900	GHSB900H	865-880
1000	GHSB1000H	965-980

Side panel is reversible.

ARYSTO TEN

WALL HINGE DOOR
in Recess

2010 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

– Frameless design

– Smooth & solid opening & closing

– Handle options available

– Power shower suitable

– Wetroom compatible

– Concealed fixings

– Reversible

## Colour Finish & Handle Options

| Mirrored Chrome | Polished Nickel | Standard Handle | Traditional Handle | Standard Hinge |

Recess

Reversible A

X

A – Moving Panel
X – Door Opening

Arysto Ten Wall Hinge Door			
Size	Code	Adjustment Min-Max	Door Opening X
650	GHE650H	620-640	570
675	GHE675H	645-665	595
700	GHE700H	670-690	620
725	GHE725H	695-715	645
750	GHE750H	720-740	670
775	GHE775H	745-765	695
800	GHE800H	770-790	720
825	GHE825H	795-815	745
850	GHE850H	820-840	770
875	GHE875H	845-865	795
900	GHE900H	870-890	820

Please Note: All wall hinges must be secured to a reinforced/solid wall. Reversible.

WALL HINGE DOOR
with Side Panel

ARYSTO TEN

Shown as Right Hand (R)

2015 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Frameless design
- Smooth & solid opening & closing
- Handle options available
- Power shower suitable
- Wetroom compatible
- Concealed fixings
- This product is handed

## Colour Finish & Handle Options

| Mirrored Chrome | Polished Nickel | Standard Handle | Traditional Handle | Standard Hinge |

Side Panel

LH	D D	RH
A		A
X		X

A – Moving Panel
X – Door Opening

Arysto Ten Wall Hinge Door

Size	Code	Adjustment Min-Max	Door Opening X
700	GHG700H (L or R)	670-680	620
800	GHG800H (L or R)	770-780	720
900	GHG900H (L or R)	870-880	820

This product is handed – please choose L for Left and R for Right when ordering.
Please Note: All wall hinges must be secured to a reinforced/solid wall

Side Panel

Size	Code	Adjustment Min-Max
700	GHSA700H	665-680
760	GHSA760H	725-740
800	GHSA800H	765-780
900	GHSA900H	865-880
1000	GHSA1000H	965-990

Side panel is reversible.

ARYSTO TEN

WALL HINGE DOOR & INLINE PANEL
with Side Panel

Shown as Left Hand (L)

2015 MM
HEIGHT STANDARD RANGE

10 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Frameless design
- Smooth & solid opening & closing
- Handle options available
- Power shower suitable
- Wetroom compatible
- Concealed fixings
- This product is handed

Colour Finish & Handle Options

Mirrored Chrome | Polished Nickel | Standard Handle | Traditional Handle | Standard Hinge

Side Panel

LH | RH

A – Moving Panel
B – Fixed Panel
X – Door Opening

Arysto Ten Wall Hinge Door & Inline Panel

Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel
900	GHH900H (L or R)	865-875	620	650	182
1000	GHH1000H (L or R)	965-975	620	650	282
1100	GHH1100H (L or R)	1065-1075	620	650	382
1200	GHH1200H (L or R)	1165-1175	620	650	482
1300	GHH1300H (L or R)	1265-1275	720	750	482
1400	GHH1400H (L or R)	1365-1375	720	750	482
1500	GHH1500H (L or R)	1465-1475	820	850	582

This product is handed – please choose L for Left and R for Right when ordering.
Please Note: All wall hinges must be secured to a reinforced/solid wal

Side Panel

Size	Code	Adjustment Min-Max
700	GHSB700H	665-680
760	GHSB760H	725-740
800	GHSB800H	765-780
900	GHSB900H	865-880
1000	GHSB1000H	965-980

Side panel is reversible.

Shown as Left Hand (L)

WALL HINGE DOOR & INLINE PANEL
in Recess

ARYSTO
TEN

2015 MM HEIGHT STANDARD RANGE

10 MM GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Frameless design
- Smooth & solid opening & closing
- Handle options available
- Power shower suitable
- Wetroom compatible
- Concealed fixings
- This product is handed

Colour Finish & Handle Options

Mirrored Chrome | Polished Nickel | Standard Handle | Traditional Handle | Standard Hinge

Recess

LH RH

A – Moving Panel
B – Fixed Panel
X – Door Opening

A B B A
X X

Arysto Ten Wall Hinge Door & Inline Panel

Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel
900	GHF900H (L or R)	865-890	620	650	196
925	GHF925H (L or R)	890-915	645	675	196
950	GHF950H (L or R)	915-940	670	700	196
975	GHF975H (L or R)	940-965	695	725	196
1000	GHF1000H (L or R)	965-990	720	750	196
1025	GHF1025H (L or R)	990-1015	745	775	196
1050	GHF1050H (L or R)	1015-1040	770	800	196
1075	GHF1075H (L or R)	1040-1065	795	825	196
1100	GHF1100H (L or R)	1065-1090	620	650	396
1125	GHF1125H (L or R)	1090-1115	645	675	396
1150	GHF1150H (L or R)	1115-1140	670	700	396
1175	GHF1175H (L or R)	1140-1165	695	725	396
1200	GHF1200H (L or R)	1165-1190	620	650	496
1225	GHF1225H (L or R)	1190-1215	645	675	496
1250	GHF1250H (L or R)	1215-1240	670	700	496
1275	GHF1275H (L or R)	1240-1265	695	725	496
1300	GHF1300H (L or R)	1265-1290	720	750	496
1325	GHF1325H (L or R)	1290-1315	745	775	496
1350	GHF1350H (L or R)	1315-1340	770	800	496
1375	GHF1375H (L or R)	1340-1365	795	825	496
1400	GHF1400H (L or R)	1365-1390	720	750	596
1425	GHF1425H (L or R)	1390-1415	745	775	596
1450	GHF1450H (L or R)	1415-1440	770	800	596
1475	GHF1575H (L or R)	1440-1465	795	825	596
1500	GHF1500H (L or R)	1465-1490	820	850	596

This product is handed – please choose L for Left and R for Right when ordering. Please Note: All wall hinges must be secured to a reinforced/solid wall.

8 series *frameless*

HINGE AND INLINE
in Recess & Side Panel

Shown with Side Panel

2000 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Concealed fixings
- Secure "clunk" close
- Reversible
- Wetroom compatible
- Ultra slim hinges

Handle

Badge

Side Panel

A: Door Opening
B: Door Swing
C: Inline Panel

8 Series Frameless Hinge & Inline Door - in Recess

Size	Code	Adjustment Min-Max	A	B	C
900	A0611X0	860-905	560	630	240
900+	A0611Y0	905-950	560	630	285
1000	A0611RH	960-1005	645	710	260
1000+	A0611RF	1005-1050	690	755	260
1100	A0611SH	1060-1105	645	710	360
1100+	A0611SF	1105-1150	690	755	360
1200	A0611TH	1160-1205	645	710	460
1200+	A0611TF	1205-1250	690	755	460
1400	A0611UH	1360-1405	645	710	660
1400+	A0611UF	1405-1450	690	755	660
1600	A0611VH	1560-1605	645	710	860
1600+	A0611VF	1605-1650	690	755	860
1700	A0611WH	1660-1705	645	710	960
1700+	A0611WF	1705-1750	690	755	960

Please Note: Only + sizes are to be used with a Side Panel.

8 Series Frameless Hinge & Inline Door- with Side Panel

Size	Code	Adjustment Min-Max	A	B	C
900+	A0611Y0	880-900	560	630	285
1000+	A0611RF	980-1000	690	755	260
1100+	A0611SF	1080-1100	690	755	360
1200+	A0611TF	1180-1200	690	755	460
1400+	A0611UF	1380-1400	690	755	660
1600+	A0611VF	1580-1600	690	755	860
1700+	A0611WF	1680-1700	690	755	960

Side Panel

Size	Code	Adjustment Min-Max
760	A0607B0	740-760
800	A0607D0	780-800
900	A0607E0	880-900

6 series *frameless*

HINGE AND INLINE
in Recess & Side Panel

2000 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- 8mm toughened safety glass
- 6mm moving panel
- Luxury solid metal handle
- Sleek designer bracing bar
- Reversible

Handle

Bracing Bar

A: Door Opening
B: Door Swing
C: Fixed Panel

C B A

6 Series Frameless Hinge & Inline Door - in Recess					
Size	Code	Adjustment Min-Max	A	B	C
760	S6F760REC	720-760	440	460	160
800	S6F800REC	760-800	440	460	200
800+	S6F800CORN	800-840	480	500	200
900	S6F900REC	860-900	490	510	250
900+	S6F900CORN	900-940	530	550	250
1000	S6F1000REC	960-1000	540	560	300
1000+	S6F1000CORN	1000-1040	580	600	350
1100	S6F1100RECH	1060-1100	590	650	350
1100+	S6F1100CORNH	1100-1140	630	610	350
1200	S6F1200RECH	1160-1200	590	650	450
1200+	S6F1200CORNH	1200-1240	630	610	450
1400	S6F1400RECH	1360-1400	590	650	650
1400+	S6F1400CORNH	1400-1440	630	610	650
1500	S6F1500RECH	1460-1500	590	650	750
1500+	S6F1500CORNH	1500-1540	630	610	750

6 Series Frameless Hinge & Inline Door - with Side Panel					
Size	Code	Adjustment Min-Max	A	B	C
800+	S6F800CORN	780-800			
900+	S6F900CORN	880-900			
1000+	S6F1000CORN	980-1000			
1100+	S6F1100CORNH	1080-1100			
1200+	S6F1200CORNH	1180-1200			
1400+	S6F1400CORNH	1380-1400			
1500+	S6F1500CORNH	1480-1500			

Side Panel		
Size	Code	Adjustment Min-Max
760	S6F760SP	720-760
800	S6F800SP	760-800
900	S6F900SP	860-900

For Wetroom instal-use min/max adjustment by 10mm.

MERLYN │BLACK

HINGE AND INLINE

in Recess & Side Panel

2000 MM
HEIGHT STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

**MERSHIELD STAYCLEAR**

FEATURES & BENEFITS

- Wetroom compatible

- Concealed fixings

- Reversible

- Anodised aluminium matte black finish – more durable than powder coating

Handle

Stabiliisng Bar

Side Panel

Recess

B   A
X

B   A
X

A – Moving Panel
B – Fixed Panel
X – Door Opening

MERLYN Black Hinge & Inline Door						
Size	Code	Adjustment Min-Max	Door Opening X	Door Swing	Moving Panel A	Fixed Panel B
900	BLKH900REC	860-900	490	520	550	250
900+	BLKH900SP	900-940	530	560	590	250
1000	BLKH1000REC	960-1000	540	570	600	300
1000+	BLKH1000SP	1000-1040	580	610	640	300
1200	BLKH1200RECH	1200-1240	590	620	650	450
1200+	BLKH1200SPH	1200-1240	630	660	690	450
1400	BLKH1400RECH	1400-1440	590	620	650	670
1400+	BLKH1400SPH	1400-1140	630	660	690	670

Please add 20mm to Tray Finish Adjustment when using a Side Panel.

Side Panel		
Size	Code	Adjustment Min-Max
760	BLKHSP760	730 - 750
800	BLKHSP800	770 - 790
900	BLKHSP900	870 - 890

For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 20mm.

In Recess

MERLYN | BLACK

SQUARED HINGE AND INLINE

Exclusive to specification clients only

2000 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Wetroom compatible

- Reversible

- Anodised aluminium matte black finish – more durable than standard powder coating

- Bracing bar sits flush with the shower panel profile

- Enclosure width can be produced between 800mm and 2000mm

- Enclosure height is a max of 2000mm

- Side panels width from 200mm – 2000mm

- A version with perimeter framing and excluding the horizontal dividing profiles is also available

For all cost and sizing queries please contact spec@merlyn.ie

Side Panel

Recess

B   A

B   A

X

X

A – Moving Panel

B – Fixed Panel

X – Door Opening

MERLYN Black Square Hinge & Inline Door					
Size	Code	Adjustment in Recess Min-Max	Door Opening X	Moving Panel A	Fixed Panel B
1200	BLKFH120	1160-1200			
1400	BLKFHI140	1360-1400			
1500	BLKFH150	1460-1500			
1700	BLKFH170	1660-1700			

Please add 20mm to Tray Finish Adjustment when using a Side Panel.

Hinged Doors

HINGE & INLINE
in Recess

2000 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS THICKNESS

20 YEARS GUARANTEE

MERSHIELD STAYCLEAR

## FEATURES & BENEFITS

- Solid designer hinge with concealed pivot point
- Solid chrome double handle
- Stunning frameless design
- Reversible
- Concealed fixings

Handle   Hinge

A – Door Opening
B – Door Swing
C – Inline Panel

Essence Framed Hinge & Inline					
Size	Code	Adjustment Min-Max	A	B	C
760	A0111F0	720-760	440	460	160
800	A0111C0	760-800	440	460	200
800+	A0111M0	800-840	480	500	200
900	A0111D0	860-900	490	510	250
900+	A0111N0	900-940	530	550	250
1000	A0111E0	960-1000	540	560	300
1000+	A0111O0	1000-1040	580	600	300
1100	A0111JH	1060-1100	590	610	350
1100+	A0111JF	1100-1140	630	650	350
1200	A0111GH	1160-1200	590	610	450
1200+	A0111GF	1200-1240	630	650	450
1400	A0111HH	1360-1400	590	610	650
1400+	A0111HF	1400-1440	630	650	650
1500	A0111KH	1460-1500	590	610	750
1500+	A0111KF	1500-1540	630	650	750

Please Note: Side Panel should only be used with + sizes (not standard sizes).

HINGE & INLINE
with Side Panel

2000 MM
HEIGHT STANDARD RANGE

8 MM
GLASS THICKNESS

20 YEARS
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Solid designer hinge with concealed pivot point
- Solid chrome double handle
- Stunning frameless design
- Reversible
- Concealed fixings

Handle   Hinge

A – Door Opening
B – Door Swing
C – Inline Panel

Product Information

Size	Code	Adjustment Min-Max	A	B	C
800+	A0111M0	770-790	480	500	200
900+	A0111N0	870-890	530	550	250
1000+	A0111O0	970-990	580	600	300
1100+	A0111JF	1070-1090	630	650	350
1200+	A0111GF	1170-1190	630	650	450
1400+	A0111HF	1370-1390	630	650	650
1500+	A0111KF	1470-1490	630	650	750

Please Note: Side Panel should only only be used with + sizes (not standard sizes).

Side Panel

Size	Code	Adjustment Min-Max
800	A0107G0	750-790
900	A0107H0	850-890

8|series

HINGE DOOR
in Recess & Side Panel

1950 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Concealed fixings

- Translucent seals

- Signature hinges with internal flush fixings

- Reversible

- Wetroom compatible

Handle

Side Panel

A: Door Opening
B: Door Swing

8 Series Hinge Door

Size	Code	Adjustment Min-Max	A	B
700	M81201	650-690	550	550
760	M81210	710-750	610	610
800	M81211	750-790	650	650
900	M81221	850-890	750	750
1000	M81231	950-990	850	850

Side Panel

Size	Code	Adjustment Min-Max
700	M82201	670-690
760	M82210	730-750
800	M82211	770-790
900	M82221	870-890
1000	M82231	970-990

Inline Panel

Size	Code	Adjustment Min-Max
150	M8P140	130-150
210	M8P2200	190-210

Please add 20mm to Tray Finish Adjustment when using a Side Panel.

Please Note: Moving Panel door must close onto the Side Panel.

For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 20mm.

Inline panels can be fitted to either or both sides of sliding door

Quadrant Doors

spacious showering

The MERLYN Quadrant Door option showcases beautifully curved glass with exceptional rolling action. Choose from a range Quadrant and Offset Quadrant sizes to provide a spacious showering space. These door options exude traditional style with a contemporary twist – beautiful in any style of bathroom.

Quadrant Doors		Range	Height	Glass	800	900	1000	900x760	900x800	1000x800	1200x800	1200x900	1400x800	PAGE
FRAMELESS		ARYSTO TEN	2000	10mm		✓	✓			✓	✓	✓	✓	96
		ARYSTO EIGHT	2000	8mm	✓	✓	✓	✓		✓	✓	✓	✓	98
		10 SERIES	2000	10mm	✓	✓				✓	✓	✓	✓	100
		8 SERIES FRAMELESS	2000	8mm	✓	✓	✓	✓		✓	✓	✓		102
		IONIC ESSENCE FRAMELESS	2000	8mm		✓						✓		104
FRAMED		ARYSTO SIX	1950	6mm	✓	✓	✓	✓		✓	✓	✓		106
		8 SERIES	1950	8mm	✓	✓	✓	✓		✓	✓	✓	✓	109
		6 SERIES	1900	6mm		✓			✓	✓	✓	✓		112
		IQ	1900	6mm	✓	✓	✓			✓	✓	✓		114
		MBOX	1900	6mm	✓	✓	✓	✓	✓	✓	✓	✓		117
		IONIC ESSENCE FRAMED	1900	8mm	✓	✓	✓			✓	✓	✓		119
		IONIC EXPRESS	1900	6mm	✓	✓			✓	✓	✓	✓		121
		IONIC SOURCE	1850	6mm	✓	✓				✓	✓	✓		123

Please Note: Frameless products are inclusive of frameless and semi-frameless where less than 50% of the door is framed.
For more sizes and information please see the relevant page.

UK
CA

ARYSTO TEN

1 DOOR QUADRANT

Shown as Right Hand (R)

2000 MM HEIGHT STANDARD RANGE

10 MM GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Frameless design
- Ultra smooth rolling action
- Handle options available
- Power shower suitable
- Wetroom compatible
- Concealed fixings
- This product is handed

Handle & Frame Options

Standard Handle

Slim Handle

Halo Profile

LH

A

B

C

X

RH

A

B

C

X

A – Moving Panel

B / C – Fixed Panel

X – Door Opening

Arysto Ten 1 Door Quadrant

Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel	Panel C Fixed Panel
900	GSQ90H (L or R)	870-885	460	615	345	535
1000	GSQ10H (L or R)	970-985	460	615	445	635

This product is handed – please choose L for Left and R for Right when ordering.

ARYSTO TEN

1 DOOR OFFSET QUADRANT

Shown as Right Hand (R)

2000 MM HEIGHT STANDARD RANGE

10 MM GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Frameless design

- Ultra smooth rolling action

- Handle options available

- Power shower suitable

- Wetroom compatible

- Concealed fixings

- This product is handed

Handle & Frame Options

Standard Handle

Slim Handle

Halo Profile

LH

RH

A – Moving Panel
B / C – Fixed Panel
X – Door Opening

Arysto Ten 1 Door Offset Quadrant

Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel	Panel C Fixed Panel
1000x800	GSQ1080H (L or R)	970-985 / 770-785	460	615	445	485
1200x800	GSQ1280H (L or R)	1170-1185 / 770-785	460	615	645	485
1200x900	GSQ1290H (L or R)	1170-1185 / 870-885	460	615	645	535
1400x800	GSQ1480H (L or R)	1370-1385 / 770-785	460	615	845	485

Please add 20mm to Tray Finish Adjustment when using a Side Panel.

1 DOOR QUADRANT

ARYSTO EIGHT

Shown as Left Hand (L)

2000 MM HEIGHT STANDARD RANGE

8 MM GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Ultra slim profile
- Smooth rolling action
- Self cleaning rollers
- Soft close door
- Power shower suitable
- Wetroom compatible
- This product is handed

Handle

LH C A X B

RH C A B X

A – Moving Panel
B / C – Fixed Panel
X – Door Opening

Arysto Eight 1 Door Quadrant						
Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel	Panel C Fixed Panel
800x800	AR81Q800 (L or R)	770x790	430	571	204	506
900x900	AR81Q900 (L or R)	870x890	470	609	304	564
1000x1000	AR81Q1000 (L or R)	970x990	470	609	404	664

This product is handed – please choose L for Left and R for Right when ordering.

ARYSTO
EIGHT

1 DOOR OFFSET QUADRANT

Shown as Left Hand (L)

2000 MM HEIGHT STANDARD RANGE

8 MM GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Ultra slim profile
- Smooth rolling action
- Self cleaning rollers
- Soft close door
- Power shower suitable
- Wetroom compatible
- This product is handed

Handle

LH

A

B

C

X

RH

C

A

B

X

A – Moving Panel
B / C – Fixed Panel
X – Door Opening

Arysto Eight 1 Door Offset Quadrant

Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel	Panel C Fixed Panel
900x760	AR81Q976 (L or R)	870-890 / 730-750	415	549	304	487
1000x800	AR81Q1080 (L or R)	970-990 / 770-790	430	571	404	504
1200x800	AR81Q1280 (L or R)	1170-1190 / 770-790	430	571	604	504
1200x900	AR81Q1290 (L or R)	1170-1190 / 870-890	470	609	604	564
1400x800	AR81Q1480 (L or R)	1370-1390 / 770-790	430	571	804	504

This product is handed – please choose L for Left and R for Right when ordering.

10 | series

1 DOOR QUADRANT

2000 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Eyelet handle with chrome eyelet option and circular filler plate option

- Extra smooth roller action for quiet closing

- This door is handed

- Wetroom compatible

Glass & Handle Options

Clear

Smoked Black

Handle

Handle Round

Handle Cut Out

Top Roller

C | LH | RH | C

A

B | B

A

A: Opening size can be adjusted to your requirements
B: Fixed Panel
C: Curved Panel

All sizes suit 550mm radius tray. Note: Curved Panels 8mm glass.

10 Series 1 Door Quadrant

Size	Code	Adjustment Min-Max	Glass Type	A Min-Max	B	C
800	M103211C (L or R)	775-795	Clear	435-340	235	535
900	M103221C (L or R)	875-895	Clear	485-390	340	575
900	M103221B (L or R)	875-895	Smoked Black	485-390	340	575

*For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 10mm. This product is handed please choose L for left and R for right when ordering.

10|series

1 DOOR OFFSET QUADRANT

2000 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Eyelet handle with chrome eyelet option and circular filler plate option
- Extra smooth roller action for quiet closing
- This door is handed
- Wetroom compatible

Glass & Handle Options

Clear

Smoked Black

Handle

Handle Round

Handle Cut Out

Top Roller

A: Opening size can be adjusted to your requirements
B: Straight Panel
C: Curved Panel

All sizes suit 550mm radius tray. Note: Curved Panels 8mm glass.

10 Series 1 Door Offset Quadrant

Size	Code	Adjustment Min-Max	Glass Type	A Min-Max	B	C
1000x800	M103233C (L or R)	975-995 775-795	Clear	435-340	435	520
1200x800	M103243C (L or R)	1175-1195 775-795	Clear	435-340	635	520
1200x900	M103241C (L or R)	1175-1195 875-895	Clear	485-390	635	570
1200x900	M103241B (L or R)	1175-1195 875-895	Smoked Black	485-390	635	570
1400x800	M10148H (L or R)	1375-1395 775-795	Clear	435-340	835	520

Merlyn Dedicated Offset Quadrant Tray

1400x800	S148Q (L or R)	

This product is handed please choose L for left and R for right when ordering.

Please Note: The 1400mmx800mm tray is not an MStone Tray, it is a dedicated single skinned tray.

For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 20mm.

8 series *frameless*

1 DOOR QUADRANT

2000 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Large horizontal designer handle
- Secure "clunk" close
- Concealed fixings
- Ultra slim hinges
- Reversible
- Wetroom compatible

Handle

Hinge

A: Door Opening
B: Door Swing
C: Straight Panel
D: Curved Panel

All sizes to suit a 550mm Radius Tray.

8 Series Frameless 1 Door Quadrant

Size	Code	Adjustment Min-Max	A	B	C	D
800	A0601TH	780-800	720	790	235	235
900	A0601UH	880-900	720	790	335	335
1000	A0602ZH	980-1000	720	790	435	435

8 | series *frameless*

1 DOOR OFFSET QUADRANT

2000 MM
HEIGHT STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Large horizontal designer handle
- Secure "clunk" close
- Concealed fixings
- Ultra slim hinges
- Reversible
- Wetroom compatible

Handle

Hinge

A: Door Opening
B: Door Swing
C: Straight Panel
D: Curved Panel

All sizes to suit a 550mm Radius Tray.

8 Series Frameless 1 Door Offset Quadrant

Size	Code	Adjustment Min-Max	A	B	C	D
900x760	A0601CH	880-900 740-760	720	790	195	335
1000x800	A0601EH	980-1000 780-800	720	790	235	435
1200x800	A0601HH	1180-1200 780-800	720	790	235	635
1200x900	A0601IH	1180-1200 880-900	720	790	335	635

1 DOOR QUADRANT

IONIC
Essence Frameless

2000 MM
HEIGHT STANDARD RANGE

8 MM
**GLASS** THICKNESS

20 YEARS GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Chrome double handle
- Smooth action extra strong rollers
- Stunning frameless design
- This door is handed
- Concealed fixings

Handle

C LH RH C

A B B A

A – Door Opening
B – Straight Panel
C – Curved Panel

Essence Frameless 1 Door Quadrant

Size	Code	Handed	Adjustment Min-Max	A	B	C
900x900	A0101MH	Left	860-885	475	290	550
900x900	A0101NH	Right	860-885	475	290	550

1 DOOR OFFSET QUADRANT

IONIC
Essence Frameless

2000 MM HEIGHT STANDARD RANGE

8 MM GLASS THICKNESS

20 YEARS GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Chrome double handle
- Smooth action extra strong rollers
- Stunning frameless design
- This door is handed
- Concealed fixings

Handle

A – Door Opening
B – Straight Panel
C – Curved Panel

Essence Frameless 1 Door Offset Quadrant						
Size	Code	Handed	Adjustment Min-Max	A	B	C
1200x900	A0101KH	Left	860-885 1160-1185	475	590	550
1200x900	A0101LH	Right	860-885 1160-1185	475	590	550

1 DOOR QUADRANT

ARYSTO SIX

Shown as Left Hand (L)

1950 MM
HEIGHT STANDARD RANGE

6 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Signature glass cut-out

- Solid chrome handle

- Soft close rollers

- Power shower suitable

- Wetroom compatible

- Concealed fixings

- This product is handed

Handle

Profile Cut-Out

LH

RH

C   A   X   B

C   A   B   X

A – Moving Panel

B / C – Fixed Panel

X – Door Opening

Arysto Six 1 Door Quadrant							
Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel	Panel C Fixed Panel
900x900	AR61Q90 (L or R)	855-880	475	628	497	262
1000x1000	AR61Q100 (L or R)	955-980	475	628	597	362

This product is handed – please choose L for Left and R for Right when ordering.

1 DOOR OFFSET QUADRANT

ARYSTO SIX

Quadrant Doors

1950 MM
HEIGHT STANDARD RANGE

6 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

Shown as Left Hand (L)

FEATURES & BENEFITS

- Signature glass cut-out

- Solid chrome handle

- Soft close rollers

- Power shower suitable

- Wetroom compatible

- Concealed fixings

- This product is handed

Handle

Profile
Cut-Out

LH
C
A
X
B

RH
C
A
B
X

A – Moving Panel

B / C – Fixed Panel

X – Door Opening

Arysto Six 1 Door Offset Quadrant							
Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel	Panel C Fixed Panel
900x760	AR61Q976 (L or R)	855-880 / 715-740	405	549	439	262
1000x800	AR61Q108 (L or R)	955-980 / 755-780	424	570	457	362
1200x800	AR61Q128 (L or R)	1155-980 / 755-780	424	570	457	562
1200x900	AR61Q129 (L or R)	1155-1180 / 855-880	475	628	497	562

This product is handed – please choose L for Left and R for Right when ordering.

ARYSTO
SIX

2 DOOR QUADRANT

1950 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Signature glass cut-out
- Solid chrome handle
- Power shower suitable
- Wetroom compatible
- Concealed fixings
- Reversible

Handle

Profile Cut-Out

A – Moving Panel
B / C – Fixed Panel
X – Door Opening

Arysto Six 2 Door Quadrant

Size	Code	Adjustment Min-Max	Door Opening X	Panel A Moving Panel	Panel B Fixed Panel	Panel C Fixed Panel
800x800	AR62Q80	755-780	375	388	193	193
900x900	AR62Q90	855-880	535	388	293	293

8|series

1 DOOR QUADRANT

1950 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Concealed fixings

- Translucent seals

- Easy clean double rollers

- Chrome design symmetry handle

- Reversible

- Wetroom compatible

Handle

8 Series 1 Door Quadrant					
Size	Code	Adjustment Min-Max	A	B	C
900	M83225	875-895	480	540	275

For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 20mm.

A: Door Opening
B: Fixed Panel
C: Straight Panel

All sizes to suit a 550mm Radius Tray.

8|series

1 DOOR OFFSET QUADRANT

1950 MM
HEIGHT STANDARD RANGE

8 MM
**GLASS** THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Concealed fixings
- Translucent seals
- Chrome design symmetry handle
- Reversible
- Wetroom compatible

Handle

B

A   C

A: Door Opening
B: Fixed Panel
C: Straight Panel

All sizes to suit a 550mm Radius Tray.

8 Series 1 Door Offset Quadrant					
Size	Code	Adjustment Min-Max	A	B	C
900x760	M83222	875-895 735-755	420	540	275
1000x800	M83233	975-995 775-795	425	520	375
1200x800	M83243	1175-1195 775-795	425	520	575
1200x900	M83241	1175-1195 875-895	480	540	575
1400x800	M83244	1375-1395 775-795	425	540	775
Merlyn Dedicated Offset Quadrant Tray					
1400x800	S148Q (L or R)				

8|series

2 DOOR QUADRANT

1950 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Concealed fixings
- Translucent seals
- Easy clean double rollers
- Chrome design symmetry handle
- Reversible
- Wetroom compatible

Handle

A: Door Opening
B: Fixed Panel

All sizes to suit a 550mm Radius Tray.

8 Series 2 Door Quadrant

Size	Code	Adjustment Min-Max	A	B
800	M83211	775-795	410	220
900	M83221	875-895	540	320
1000	M83231	975-995	540	420

For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 20mm.

6|series

1 DOOR QUADRANTS

1900 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Easy clean double rollers
- Double handed
- Single sliding door
- Reversible
- Wetroom compatible

Handle

Top Profile

B

A   **C**

A: Door Panel
B: Curved Panel
C: Straight Panel

All sizes to suit a 550mm Radius Tray.

6 Series 1 Door Quadrants

Size	Code	Adjustment Min-Max	A	B	C
900	M63225	875-900	480	540	250

Product Information - 1 Door Offset Quadrant

Size	Code	Adjustment Min-Max	A	B	C
900x760	M63222	875-900 735-760	405	460	280
1000x800	M63233	975-1000 775-800	430	495	380
1200x800	M63243	1175-1200 775-800	430	495	580
1200x900	M63241	1175-1200 875-900	480	540	580

For wetroom installation, please reduce Tray Finish Adjustment by 20mm.

6|series

2 DOOR QUADRANT

1900 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Easy clean double rollers
- Double handed
- Double sliding doors
- Reversible
- Wetroom compatible

Handle

Top Profile

A – Door Opening
B – Fixed Panel

All sizes to suit a 550mm Radius Tray.

6 Series 2 Door Quadrant

Size	Code	Adjustment Min-Max	A	B
800	M63211	775-800	375	225
900	M63221	875-900	540	325
1000	M63231	975-1000	540	425

For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 20mm.

1 DOOR QUADRANTS

1900 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS THICKNESS

10 YEARS GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Height 1900mm
- 6mm toughened safety glass
- Easy clean frame
- Reversible
- Mershield StayClear, easy clean glass
- Chrome designer handle
- 10yr guarantee

Slot & Lock Frame System – No Screws

No Drilling on Frame

Click on Rollers

Assambled on Tray

1 Door Quadrant

A = Door Opening
B = Fixed Panel
C = Fixed Panel

1 Door Offest Quadrant

IQ 1 Door Quadrants					
Size	Code	Recess Adjustment (Min-Max)	A	B	C
800x800	KA1Q80	770x790	435	490	215
900x900	KA1Q90	870x890	485	530	325
1000x1000	KA1Q100	970x990	485	630	425

1 Door Offset Quadrants					
Size	Code	Side Panel Adjustment (Min-Max	A	B	C
1000x800	KA1Q108	970-990/ 770-790	435	435	435
1200x800	KA1Q128	1170-1190/ 770-790	435	490	625
1200x900	KA1Q129	1170-1190/ 870-890	485	530	625

Please add 20mm to Tray Finish Adjustment when using a Side Panel.
For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 20mm.
Inline panels can be fitted to either or both sides of sliding door.

2 DOOR QUADRANTS

IQ

1900 MM
HEIGHT STANDARD RANGE

6 MM
GLASS THICKNESS

10 YEARS
GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Height 1900mm
- 6mm toughened safety glass
- Easy clean frame
- Reversible
- Mershield StayClear, easy clean glass
- Chrome designer handle
- 10yr guarantee

Slot & Lock Frame System – No Screws

No Drilling on Frame

Click on Rollers

Assambled on Tray

2 Door Quadrant

2 Door Offest Quadrant

A = Door Opening
B = Fixed Panel
C = Fixed Panel

IQ 2 Door Quadrants

Size	Code	Recess Adjustment (Min-Max)	A	B	C
800x800	KA2Q80	770x790	385	225	225
900x900	KA2Q90	870x890	545	325	325

2 Door Offset Quadrants

Size	Code	Side Panel Adjustment (Min-Max	A	B	C
900X760	KA2Q976	870-890/ 730-750	435	325	185
900X800	KA2Q980	870-890/ 730-750	470	325	225
1000x800	KA2Q108	970-990/ 770-790	470	425	225
1200x800	KA2Q128	1170-1190/ 770-790	470	625	225
1200x900	KA2Q129	1170-1190/ 870-890	545	625	325

Please add 20mm to Tray Finish Adjustment when using a Side Panel.
For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 20mm.
Inline panels can be fitted to either or both sides of sliding door.

1 DOOR QUADRANTS

MBOX
SHOWER ENCLOSURES

Shown as left handed

1900 MM
HEIGHT STANDARD RANGE

6 MM
GLASS THICKNESS

10 YEARS GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Quick release double bottom rollers
- Easy fit frame
- Reversible
- Fixing cover caps

Handle

1 Door Quadrant

1 Door Offest Quadrant

A = Door Opening
B = Fixed Panel
C = Fixed Panel

MBox 1 Door Quadrants

Size	Code	Adjustment Min-Max	A	B	C
800x800	MB1Q800	770 - 790	422	468	210
900x900	MB1Q900	870 - 890	476	507	310
1000x1000	MB1Q1000	910 - 1000	476	604	410

MBox 1 Door Offset Quadrants

Size	Code	Adjustment Min-Max	A	B	C
1000x800	MB1Q1080	970 - 990 / 770 - 790	422	468	410
1200x800	MB1Q1280	1170 - 1190 / 770 - 790	424	468	610
1200x900	MB1Q1290	1170 - 1190 / 870 - 790	475	507	610

1 Door Offset Quadrant / Shown as left handed

MBOX
SHOWER ENCLOSURES

2 DOOR QUADRANTS

1900 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS
THICKNESS

10 YEARS
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Loft height of 1800 available
- Quick release double bottom rollers
- Easy fit frame
- Reversible
- Fixing cover caps
- Profile cover caps
- Magnetic seals
- Optional cover strips available

Handle

2 Door Quadrant

2 Door Offest Quadrant

A = Door Opening   B = Fixed Panel   C = Fixed Panel

2 Door Offset Quadrant

MBox 2 Door Quadrants				
Size	Code	Adjustment Min-Max	A	B
800x800	MB2Q800	770 - 790	410	210
900x900	MB2Q900	870 - 890	524	310

New Loft Height - 1800mm				
800x800	MB2Q800/1800	770 - 790	410	210
900x900	MB2Q900/1800	870 - 890	524	310

MBox 2 Door Offset Quadrants					
Size	Code	Adjustment Min-Max	A	B	C
900x760	MB2Q9076	870 - 890 730 - 750	432	170	310
900x800	MB2Q8090	870 - 890 770 - 790	473	210	310
1000x800	MB2Q1080	970 - 990 770 - 790	465	180	211
1200x800	MB2Q1280	1170 - 1190 770 - 790	465	210	610
1200x900	MB2Q1290	1170 - 1190 870 - 890	524	310	610

1 DOOR QUADRANTS

IONIC
Essence Framed

1900 MM HEIGHT STANDARD RANGE

8 MM GLASS THICKNESS

**20 YEARS** GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Easy clean quick release rollers
- Chrome finishing including top cover caps
- Reversible
- Concealed fixings

Handle

1 Door Quadrant

1 Door Offset Quadrant

A – Door Opening
B – Straight Panel
C – Curved Panel

Essence Framed 1 Door Quadrants					
Size	Code	Adjustment Min-Max	A	B	C
900	DWH03DH	850-880	450	330	460
Essence Framed 1 Door Offset Quadrant					
1000x800	DWH03BH	750-780 950-980	394	430	430
1200x800	DWH03CH	750-780 1150-1180	394	630	430
1200x900	DWH03EH	850-880 1150-1180	450	630	460

2 DOOR QUADRANT

IONIC
Essence Framed

1900 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS THICKNESS

**20 YEARS** GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Easy clean quick release rollers
- Chrome finishing including top cover caps
- Chrome magnetic strip
- Reversible
- Concealed fixings

Handle

Essence Framed 2 Door Quadrant

Size	Code	Adjustment Min-Max	A	B
800	DWH02A0	750-780	370	180
900	DWH02B0	850-880	520	280
1000	DWH02CH	950-980	520	380

A = Door Opening
B = Fixed Panel

1 DOOR QUADRANT

IONIC
Express

Quadrant Doors

1900 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS
THICKNESS

20 YEARS
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Easy-fit system
- Smooth action extra strong rollers
- Easy clean quick release rollers
- Rollers pre-assembled on door
- Reversible
- Concealed fixings

Handle

1 Door Quadrant

B

A = Door Opening
B = Fixed Panel
C = Fixed Panel

Ionic Express 1 Door Quadrant					
Size	Code	Adjustment Min-Max	A	B	C
900	A0301B0	855-875	460	526	321

2 DOOR QUADRANTS

IONIC
Express

1900 MM
HEIGHT STANDARD RANGE

6 MM
GLASS THICKNESS

**20 YEARS** GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

– Easy-fit system

– Smooth action extra strong rollers

– Easy clean quick release rollers

– Rollers pre-assembled on door

– Reversible

– Concealed fixings

Handle

A = Door Opening
B = Fixed Panel
C = Fixed Panel

Ionic Express 2 Door Quadrants					
Size	Code	Adjustment Min-Max	A	B	C
800	A0302A0	755-775	390	221	
900	A0302B0	855-875	540	321	
Ionic Express 2 Door Offset Quadrants					
900x760	A0302C0	855-875 715-735	430	321	181
1000x800	A0302D0	955-975 755-775	465	421	221
1200x800	A0302HH	1155-1175 755-775	465	621	221
1200x900	A0302IH	1155-1175 855-875	540	621	321

20mm Adjustment per wall profile.

2 DOOR QUADRANTS

IONIC
Source

1850 MM
HEIGHT STANDARD RANGE

6 MM
GLASS THICKNESS

5 YEARS
GUARANTEE

MERSHIELD STAYCLEAR

Quadrant Doors

## FEATURES & BENEFITS

- Chrome quick release easy clean bottom rollers
- Reversible
- Easy fit frame
- Fixing cover caps
- Magnetic seals

Handle

2 Door Quadrant

A = Door Opening
B = Fixed Panel
C = Fixed Panel

Ionic Source 2 Door Quadrants

Size	Code	Adjustment Min-Max	A	B	C
800	A1202A0	770-790	400	210	210
900	A1202B0	870-890	540	310	310
1000x800	A1202D0	970-990 770-790	470	410	210
1200x800	A1202HH	1170-1190 770-790	470	610	210
1200x900	A1202IH	1170-1190 870-890	540	610	310

20mm Adjustment per wall profile.

Infold Doors

uncompromising on style

The MERLYN selection of Infold Doors provide the option of a unique space-saving solution. Opening inwards, these alternative shower screens are perfect for bathrooms that are tight on space. Uncompromising on style, these enclosures have been carefully designed to maintain a minimal aesthetic.

Infold Doors				700	760	800	900	1000	PAGE
Range		Height	Glass						
FRAMELESS	ARYSTO EIGHT	2000	8mm	✓	✓	✓	✓	✓	126
FRAMED	ARYSTO SIX	1950	6mm	✓	✓	✓	✓	✓	130
	8 SERIES	1950	8mm	✓	✓	✓	✓	✓	131

*Please Note: 1800 size is available in a Recess only. Frameless products are inclusive of frameless and semi-frameless where lees than 50% of the door is framed.
For more sizes and information please see the relevant page.

UK
CA

INFOLD DOOR
in Recess

ARYSTO EIGHT

2000 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Ultra slim profile
- Space saving solution
- Smooth opening action
- Power shower suitable
- Wetroom compatible
- This product is handed
- Red dot award winner

reddot design award
winner 2018

Handle

Pivot Mechanism

Door Open

LH
B
A
C

RH
B
A
C

Door Closed

RH
C

A – Outside Door Swing
B – Inside Door Swing
C – Moving Panel

Arysto Eight Infold Door						
Size	Code	Adjustment Min-Max	Door Opening	Outside Door Swing A	Inside Door Swing B	Moving Panel C
700	AR8NF70 (L or R)	650-690	440-460	211	385	635
760	AR8NF76 (L or R)	710-750	500-520	271	385	695
800	AR8NF80 (L or R)	750-790	540-560	311	385	735
900	AR8NF90 (L or R)	850-890	640-660	411	385	835
1000	AR8NF100 (L or R)	950-990	740-760	511	385	935

This product is handed – please choose L for Left and R for Right when ordering.

Infold Doors

ARYSTO
EIGHT

INFOLD DOOR
with Side Panel

Shown as Left hand (L)

2000 MM
HEIGHT STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Ultra slim profile
- Space saving solution
- Smooth opening action
- Power shower suitable
- Wetroom compatible
- This product is handed
- Red dot award winner

reddot design award
winner 2018

Handle

Pivot Mechanism

Door Open

LH

B

C   A

Door Closed

RH

C

A – Outside Door Swing
B – Inside Door Swing
C – Moving Panel

Extension profiles available. See Page 100.
Please Note: The door must close against the Side Panel

Infold Doors

Arysto Eight Infold Door

Size	Code	Adjustment Min-Max	Door Opening	Outside Door Swing A	Inside Door Swing B	Moving Panel C
700	AR8NF70 (L or R)	655-675	468	211	420	635
760	AR8NF76 (L or R)	715-735	528	271	420	695
800	AR8NF80 (L or R)	755-775	568	311	420	735
900	AR8NF90 (L or R)	855-875	668	411	420	835
1000	AR8NF100 (L or R)	955-975	768	511	420	935

This product is handed – please choose L for Left and R for Right when ordering.

Side Panel

Size	Code	Adjustment Min-Max
700	AR8SP70NF	670-690
760	AR8SP76NF	730-750
800	AR8SP80NF	770-790
900	AR8SP90NF	870-890
1000	AR8SP100NF	970-990
1200	AR8SP120NF	1170-1190

Side Panel is Reversible.

INFOLD DOOR
with Inline Panel

Shown as Left hand (L)

ARYSTO EIGHT

2000 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Ultra slim profile
- Space saving solution
- Smooth opening action
- Power shower suitable
- Wetroom compatible
- This product is handed
- Red dot award winner

reddot design award winner 2018

Handle

Pivot Mechanism

A – Door Opening
B – Outside Door Swing
C – Inside Door Swing

Door Opening

Size	Door Opening A	Outside Door Swing B	Inside Door Swing C
900	480	211	420
960	540	271	420
1000	580	311	420
1100	480	211	420
1160	540	271	420
1200	580	311	420
1300	480	211	420
1360	540	271	420
1400	580	311	420
1500	680	411	420
1600	780	511	420

Extension profiles available. See Page 100.

Please Note: The door must close against the Side Panel

Arysto Eight Infold Door with Inline Panel

Size	Code	Adjustment with Side Panel Min-Max	Adjustment in Recess Min-Max	Door Size	Inline Size
900	AR8NN9002H (L or R)	860-880	860-900	635	210
960	AR8NN9602H (L or R)	920-940	920-960	695	210
1000	AR8NN1002H (L or R)	960-980	960-1000	735	210
1100	AR8NN1104H (L or R)	1060-1080	1060-1100	835	410
1160	AR8NN1164H (L or R)	1120-1140	1120-1160	635	410
1200	AR8NN1204H (L or R)	1160-1180	1160-1200	695	410
1300	AR8NN1306H (L or R)	1260-1280	1260-1300	735	610
1360	AR8NN1366H (L or R)	1320-1340	1320-1360	935	610
1400	AR8NN1406H (L or R)	1360-1380	1360-1400	635	610
1500	AR8NN1506H (L or R)	1460-1480	1460-1500	635	610
1600	AR8NN1606H (L or R)	1560-1580	1560-1600	695	610

This product is handed – please choose L for Left and R for Right when ordering.
Please Note: The door must close against the Inline Panel.

Infold Side Panel

Size	Code	Adjustment Min-Max
700	AR8SPN70H	655-675
760	AR8SPN76H	715-735
800	AR8SPN80H	755-775
900	AR8SPN90H	855-875
1000	AR8SPN100H	955-975
1200	AR8SPN120H	1155-1175

Infold Doors

INFOLD DOOR
in Recess & with Side Panel

ARYSTO SIX

Shown as Left Hand (L)

1950 MM
HEIGHT STANDARD RANGE

6 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

– Signature glass cut-out

– Solid chrome handle

– Space saving solution

– Power shower suitable

– Wetroom compatible

– Concealed fixings

– This product is handed

Handle

Profile Cut-Out

Side Panel

B

A

C

Recess

B

A

C

A – Outside Door Swing

B – Inside Door Swing

C – Moving Panel

Please Note: Inline Panel cannot be used on the closing side of the Infold Door. Side Panel is Reversible

Arysto Six Infold Door

Size	Code	Adjustment Min-Max	Adjustment in Recess Min-Max	Door Opening	Outside Door Swing A	Inside Door Swing B	Moving Panel C
700	AR6NF70 (L or R)	640-690	658-708	479	210	345	554
760	AR6NF76 (L or R)	700-750	718-768	539	270	345	614
800	AR6NF80 (L or R)	740-790	758-808	579	310	345	654
900	AR6NF90 (L or R)	840-890	858-908	679	410	345	754
1000	AR6NF100 (L or R)	940-990	958-1008	779	510	345	854

This product is handed – please choose L for Left and R for Right when ordering.

Side Panel

Size	Code	Adjustment Min-Max
700	AR6SP70	665-690
760	AR6SP76	725-750
800	AR6SP80	765-790
900	AR6SP90	865-890
1000	AR6SP100	965-990

Inline Panel

Size	Code	Adjustment Min-Max
150	AR6IN150	125-150
210	AR6IN210	185-210

8|series

INFOLD DOOR
in Recess & with Side Panel

1950 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Concealed fixings
- Translucent seals
- Chrome design symmetry handle
- Reversible
- Wetroom compatible

Handle

A: Door Opening
B: Door Swing

8 Series Infold Door

Size	Code	Adjustment Min-Max	A	B
700	M84401	650-690	505	200
760	M84410	710-750	565	260
800	M84411	750-790	605	300
900	M84421	850-890	705	400
1000	M84431	950-990	805	500

Please add 20mm to Tray Finish Adjustment when using a Side Panel.
For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 20mm. Inline panels can be fitted to either or both sides of sliding door

Side Panel

Size	Code	Adjustment Min-Max
700	M82201	670-690
760	M82210	730-750
800	M82211	770-790
900	M82221	870-890
1000	M82231	970-990

Inline Panel

Size	Code	Adjustment Min-Max
150	M8P140	130-150
210	M8P2200	190-210

Bifold Doors

classic shape

The MERLYN Bifold Doors provides the ultimate solution where space is premium. This classic shape is available in a range of sizes and is sure to maintain a stylish, contemporary look and feel in any bathroom setting.

Bifold Doors			700	760	760/800	800	900	1000	PAGE
Range	**Height**	**Glass**							
FRAMELESS 8 SERIES FRAMELESS	1950	8mm		✓		✓	✓	✓	134
FRAMED ARYSTO SIX	1950	6mm	✓	✓		✓	✓	✓	135
6 SERIES	1900	6mm	✓		✓		✓	✓	136
IONIC ESSENCE FRAMED	1900	8mm		✓		✓	✓	✓	137
IONIC EXPRESS	1900	6mm		✓		✓	✓	✓	138
IONIC SOURCE	1850	4mm	✓	✓		✓	✓		139
IQ	1900	6mm	✓	✓		✓	✓	✓	140
MBOX	1900 | 1800	6mm	✓	✓		✓	✓	✓	141

*Please Note: 1800 size is available in a Recess only. Frameless products are inclusive of frameless and semi-frameless where less than 50% of the door is framed.
For more sizes and information please see the relevant page.

UK
CA

HINGED BIFOLD

1950 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

– Space solution

– Minimalist designer hinges

– Reversible

Handle

Shown as Right Hand (R)

B

A

A: Door Opening
B: Width of panel when folded

8 Series Frameless Hinged Bifold

Size	Code	Adjustment Min-Max	A	B
760	M87111	720-750	520	355
800	M87211	760-790	560	375
900	M87221	860-890	670	425
1000	M87231	960-990	780	475

Please reduce the Tray Finish Adjustment by 5mm when using a Side Panel.

Side Panel

Size	Code	Adjustment Min-Max
760	M82101	715-735
800	M82102	755-775
900	M82103	855-875

For wetroom installation, reduce Side Panel Tray Finish Adjustment by 5mm.
Please note: Moving Panel door must close onto the Side Panel.

BIFOLD DOOR

Shown as Right Hand (R)

1950 MM HEIGHT STANDARD RANGE

6 MM GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

- Signature glass cut-out
- Solid chrome handle
- Space saving solution
- Power shower suitable
- Wetroom compatible
- Concealed fixings
- This product is handed

Handle

Profile Cut-Out

Side Panel

Y

Y – Door Opening

X – Do not put shower head here

Arysto Six Bifold Door

Size	Code	Adjustment in Recess Min-Max	Adjustment with Side Panel Min-Max	Door Opening Y	Inside Door Swing
700	AR6BF70 (L or R)	640-690	658-708	421	310
760	AR6BF76 (L or R)	700-750	718-768	471	340
800	AR6BF80 (L or R)	740-790	758-808	504	360
900	AR6BF90 (L or R)	840-890	858-908	588	410
1000	AR6BF100 (L or R)	940-990	958-1008	673	455

This product is handed – please choose L for Left and R for Right when ordering.

Side Panel

Size	Code	Adjustment Min-Max
700	AR6SP70	665-690
760	AR6SP76	725-750
800	AR6SP80	765-790
900	AR6SP90	865-890
1000	AR6SP100	965-990

Side Panel is Reversible.

Inline Panel

Size	Code	Adjustment Min-Max
150	AR6IN150	125-150
210	AR6IN210	185-210

BIFOLD DOOR

1900 MM **HEIGHT** STANDARD RANGE

6 MM **GLASS** THICKNESS

**LIFETIME** GUARANTEE

MERSHIELD STAYCLEAR

- – Discreet bifold hinge
- – Sleek frameless door design
- – Reversible
- – Wetroom compatible

Handle

Top Profile

A

Y – Door Opening

X – Do not put shower head here

6 Series Bifold Door

Size	Code	Adjustment Min-Max	A
700	M67201 N	670-720	420
760/800	M67211 N	740-790	490
900	M67221 N	850-900	600
1000	M67231 N	950-1000	650

Can be used with 2 optional minimalist Side Panels.
Please add 10mm to Tray Finish Adjustment when using a Side Panel.

Side Panel

Size	Code	Adjustment Min-Max
700	M62201	680-705
760/800	M62211	745-790
900	M62221	875-900
1000	M62231	975-1000

For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 20mm.

Inline Panel

Size	Code	Adjustment Min-Max
140	M6I125	115-140
215	M6I200	190-215

Inline Panels can be fitted to either or both sides of Sliding Door.

BIFOLD DOOR

1900 MM HEIGHT STANDARD RANGE

6 MM GLASS THICKNESS

20 YEARS GUARANTEE

MERSHIELD STAYCLEAR

- Space saving solution
- Chrome finishing including top cover caps
- Reversible
- Concealed fixings

Handle

A – Door Opening

Ionic Essence Framed Bifold Door

Size	Code	Adjustment Min-Max	A
760	DWH00B0	690-750	436
800	DWH00C0	730-790	476
900	DWH00D0	830-890	576
1000	DWH00E0	930-990	626

Side Panel

Size	Code	Adjustment Min-Max
760	DWH07B0	720-750
800	DWH07D0	760-790
900	DWH07E0	860-890

Bifold Doors

BIFOLD DOOR

1900 MM
HEIGHT STANDARD RANGE

6 MM
GLASS THICKNESS

20 YEARS GUARANTEE

- Easy-fit system
- Concealed fixings
- Reversible
- Discreet chrome bifold hinge

Handle

Bifold Hinge

A – Door Opening

Bifold Hinges

Ionic Express Bifold Door

Size	Code	Adjustment Min-Max	A
760	A0300B0	710-750	475
800	A0300C0	750-790	515
900	A0300D0	850-890	615
1000	A0300E0	950-990	715

Please add 10mm to the above adjustment when fitted with a side panel.

Side Panel

Size	Code	Adjustment Min-Max
700	A0307A0	650-670
760	A0307B0	710-730
800	A0307D0	750-770
900	A0307E0	850-870

Inline Panel

Size	Code	Adjustment Min-Max
150	A0315B0	130-150
210	A0315C0	190-210
490 (New)	A0315D0	470-490

Please add 5mm to door adjustment when used with Side Panel
Please add 20mm adjustment per wall profile

Bifold Doors

BIFOLD DOOR

1850 MM
HEIGHT STANDARD RANGE

4 MM
GLASS THICKNESS

5 YEARS GUARANTEE

- Pre-assembled frame
- Reversible
- Smooth running action
- Screw cover caps
- Magnetic seals

Handle

Bifold Hinge

A – Door Opening

Ionic Source Bifold Door

Size	Code	Adjustment Min-Max	A
700	A1200A0	650-690	400
760	A1200B0	710-750	460
800	A1200C0	750-790	500
900	A1200D0	850-890	600

20mm Adjustment per wall profile.

Side Panel

Size	Code	Adjustment Min-Max
760	A1207B0	730-750
800	A1207D0	770-790
900	A1207E0	870-890

Bifold Doors

BIFOLD DOOR

IQ

1900 MM	6 MM	10 YEARS	MERSHIELD
HEIGHT STANDARD RANGE	GLASS THICKNESS	GUARANTEE	STAYCLEAR

FEATURES & BENEFITS

- Height 1900mm

- 6mm toughened safety glass

- Easy clean frame

- Reversible

- Mershield StayClear, easy clean glass

- Chrome designer handle

- 10yr guarantee

Slot & Lock Frame System – No Screws	No Drilling on Frame	Click on Rollers	Assambled on Tray

A: Door Opening

IQ Bifold Door

Size	Code	Recess Adjustment (Min-Max)	Side Panel Adjustment (Min-Max	A
700	KAB70	650-690	655-675	415
760	KAB76	710-750	715-735	460
800	KAB80	750-790	755-775	490
900	KAB90	850-890	855-875	570
1000	KAB10	950-990	955-975	650

Optional Side Panel

Size	Code	Side Panel Adjustment (Min-Max
700	KASP70	662-682
760	KASP76	722-742
800	KASP80	762-782
900	KASP90	862-882
1000	KASP10	962-982

Please add 20mm to Tray Finish Adjustment when using a Side Panel.
For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 20mm.
Inline panels can be fitted to either or both sides of sliding door.

MBOX
SHOWER ENCLOSURES

Bifold Door

1900 MM HEIGHT STANDARD RANGE

4 MM GLASS THICKNESS

10 YEARS GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- 4mm toughened safety glass
- Reversible
- Fixing cover caps
- Profile cover caps
- Magnetic seals
- Optional side & inline panel available
- Optional cover strips available

Handle

A – Door Opening

MBOX Bifold Door

Size	Code	Adjustment Min-Max	A
700	MBB700	650 - 690	370
760	MBB760	710 - 750	430
800	MBB800	750 - 790	470
900	MBB900	850 - 890	570
1000	MBB1000	950 - 990	670

20mm adjustment per wall profile

Side Panel

Size	Code	Adjustment Min-Max
700	MBSP700	670 - 690
760	MBSP760	730 - 750
800	MBSP800	770 - 790
900	MBSP900	870 - 890
1000	MBSP1000	970 - 990

Inline Panel

Size	Code	Adjustment Min-Max
150	MBN150	130 - 150
210	MBN210	190 - 210

Loft Height Bifold Door – 1800mm

Size	Code	Adjustment Min-Max	A
760	MBB760/1800	710 - 750	430
800	MBB800/1800	750 - 790	470
900	MBB900/1800	850 - 890	570

Loft Height Side Panel – 1800mm

Size	Code	Adjustment Min-Max
800	MBSP800/1800	770 - 790
900	MBSP900/1800	870 - 890

Pivot Doors

ingenious functionality

The MERLYN Pivot Doors offer an alternative space saving solution. Beautifully crafted glass doors pivot on an elegant chrome mechanism. With ingenious functionality and a fusion of style and practicality, this will enhance the feeling of space in your bathroom.

Pivot Doors			700	760	760/800	800	900	1000	1100	1200	1300	1400	1500	1600	1700	1800	PAGE
Range	Height	Glass															
FRAMELESS 10 SERIES	2030	10mm				✓	✓	✓		✓		✓	✓	✓	✓	✓	144
8 SERIES FRAMELESS	1950	8mm		✓		✓	✓	✓	✓	✓	✓	✓	✓				146
FRAMED ARYSTO SIX	1950	6mm	✓	✓		✓	✓	✓									148
6 SERIES	1900	6mm	✓		✓	✓	✓										149
IONIC ESSENCE FRAMED	1900	8mm		✓		✓	✓	✓									150
IONIC EXPRESS	1900	6mm		✓		✓	✓	✓									151
IONIC SOURCE	1850	6mm		✓		✓	✓										152
IQ	1900	6mm	✓	✓		✓	✓	✓									153
MBOX	1900	6mm	✓	✓		✓	✓	✓									155

*Please Note: 1800 size is available in a Recess only. Frameless products are inclusive of frameless and semi-frameless where less than 50% of the door is framed.
For more sizes and information please see the relevant page.

Pivot Doors

UK CA

10 | series

PIVOT DOOR
in Recess & Side Panel

2030 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Solid chrome handle
- Fully concealed fixings
- Reversible
- Wetroom compatible

Handle

A: Door Opening
B: Door Swing

Note: 10mm adjustment only on closing side.

10 Series Pivot Door

Size	Code	Adjustment Min-Max	Glass Type	A Min-Max	B
800	M101211C	760-790	Clear	560	580
900	M101221C	860-890	Clear	660	680
1000	M101231C	960-990	Clear	760	780

Please reduce Tray Finish Adjustment by 10mm when using a Side Panel.

Side Panel

Size	Code	Adjustment Min-Max	Glass Type
800	M10P2211C	770-790	Clear
900	M10P2221C	870-890	Clear
1000	M10P2241C	1170-1190	Clear

Please Note: Moving panel door must close onto the Side Panel.
For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 30mm.

Pivot Doors

10 | series

PIVOT DOOR & INLINE PANEL
in Recess & Side Panel

2030 MM HEIGHT STANDARD RANGE

10 MM GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Solid chrome handle
- Fully concealed fixings
- Reversible
- Wetroom compatible

Handle

Side Panel

A: Door Opening
B: Door Swing
C: Inline Panel

10 Series Pivot & Inline Panel (Glass Type: Clear)

Size	Code	Adjustment Min-Max	Size of Pivot Door Supplied	Size of Pivot Inline Panel Supplied	A Min-Max	B	C
1200	M101241C	1150-1190	800	400	560	580	410
1400	M101291C	1350-1390	800	600	560	580	610
1500	M101261C	1450-1490	900	600	660	680	810
1600	M101271C	1550-1590	800	800	560	580	810
1700	M101281C	1650-1690	900	800	660	680	810
1800	M101218C	1750-1790	1000	800	760	780	810

Side Panel

Size	Code	Adjustment Min-Max	Glass Type
800	M10PI2211C	770-790	Clear
900	M10PI2221C	870-890	Clear

For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 10mm.
Please Note: Moving panel door must close onto the Inline Panel.

Pivot Doors

8 series *frameless*

PIVOT DOOR
in Recess & Side Panel

Shown in a Recess

1950 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Concealed fixings
- Inward / outward opening swing
- Reversible
- Wetroom compatible

Inward Opening

Outward Opening

A: Door Opening
B: Door Swing

Note: 10mm adjustment only on closing side.
Extension profiles available.

8 Series Frameless Pivot Door

Size	Code	Adjustment Min-Max	A	B
760	S8FPV76	730-760	642	640
800	S8FPV80	770-800	682	680
900	S8FPV90	870-900	782	780
1000	S8FPV100	970-1000	882	880

Side Panel

Size	Code	Adjustment Min-Max
760	S8FSP76PV	735-755
800	S8FSP80PV	775-795
900	S8FSP90PV	875-895
1000	S8FSP100PV	975-995
1200	S8FSP120PV	1175-1195

Shown with a Side Panel

Pivot Doors

8|series *frameless*

PIVOT DOOR & INLINE PANEL
in Recess & Side Panel

Shown in a Recess

1950 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Concealed fixings

- Inward / outward opening swing

- Reversible

- Wetroom compatible

Inward Opening

Outward Opening

Pivot Doors

Side Panel

A: Door Opening
B: Door Swing
C1: Inline Panel

Extension profiles available.

C1 | B
A

Recess

A: Door Opening
B: Door Swing
C2: Inline Panel

C2 | B
A

8 Series Frameless Pivot Door & Inline Panel			Sizes		Configuration Measuremnets			
Size	Code	Adjustment Min-Max	Size of Pivot Door	Size of Inline Panels	Panel A	Panel B	Panel C1	Panel C2
1000	S8FPI1002H	960-1000	800	200	682	680	225	218
1100	S8FPI1103H	1060-1100	800	300	682	680	235	318
1100	S8FPI1102H	1060-1100	900	200	782	780	225	218
1200	S8FPI1204H	1160-1200	800	400	682	680	425	418
1200	S8FPI1203H	1160-1200	900	300	782	780	325	318
1200	S8FPI1202H	1160-1200	1000	200	882	880	225	218
1300	S8FPI1305H	1260-1300	800	500	682	680	525	518
1300	S8FPI1304H	1260-1300	900	400	782	780	425	418
1300	S8FPI1303H	1260-1300	1000	300	882	880	325	318
1400	S8FPI1405H	1360-1400	900	500	782	780	525	518
1400	S8FPI1404H	1360-1400	1000	400	882	880	425	418
1500	S8FPI1505H	1460-1500	1000	500	882	880	525	518

Please Note: Panel A and B measurements are the same for a recess and a side panel.
Panel C1 measurements are for use with a side panel.
Panel C2 measurements are for use in a recess.

ARYSTO SIX

PIVOT DOOR
in Recess & Side Panel

1950 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

– Signature glass cut-out

– Solid chrome handle

– Solid "clunk" close

– Power shower suitable

– Wetroom compatible

– Concealed fixings

– Reversible

Handle

Profile Cut-Out

A – Door Swing

X – Door Opening

Arysto Six Pivot Door

Size	Code	Adjustment Min-Max	Adjustment with Side Panel Min-Max	Door Opening X	Door Swing A	Moving Panel
700	AR6PV70	640-690	658-708	423	410	554
760	AR6PV76	700-750	718-768	483	470	614
800	AR6PV80	740-790	758-808	523	510	654
900	AR6PV90	840-890	858-908	623	610	754
1000	AR6PV100	940-990	958-1008	723	710	854

Side Panel

Size	Code	Adjustment Min-Max
700	AR6SP70	665-690
760	AR6SP76	725-750
800	AR6SP80	765-790
900	AR6SP90	865-890
1000	AR6SP100	965-990

Side Panel is Reversible.

Inline Panel

Size	Code	Adjustment Min-Max
150	AR6IN150	125-150
210	AR6IN210	185-210

Pivot Doors

6|series

PIVOT DOOR
in Recess & with Side Panel

1900 MM
HEIGHT STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Translucent seals
- Solid metal minimalist pivots
- Double handed
- Reversible
- Wetroom compatible

Handle

Top Profile

A: Door Opening
B: Door Swing

Note: Side Panel is 6mm glass

6 Series Pivot Door

Size	Code	Adjustment Min-Max	A	B
700	M61201	670-720	410	410
760/800	M61211	740-790	480	480
900	M61221	850-900	590	590
1000	M61231	950-1000	690	690

Please add 10mm to Tray Finish Adjustment when using a Side Panel.

Side Panel

Size	Code	Adjustment Min-Max
700	M62201	680-705
760 / 800	M62211	745-790
900	M62221	875-900
1000	M62231	975-1000

For wetroom installation, please reduce Tray Finish Adjustment by 20mm.

Inline Panel

Size	Code	Adjustment Min-Max
140	M6I125	115-140
215	M6I200	190-215

Inline Panels can be fitted to either or both sides of Sliding Door.

Pivot Doors

IONIC
Essence Framed

PIVOT DOOR
Side Panel Optional

↕ **1900** MM
HEIGHT STANDARD RANGE

8 MM
GLASS THICKNESS

20 YEARS GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

– Solid "clunk" close

– Chrome finishing including top cover caps

– Chrome magnetic seals

– Reversible

– Concealed fixings

Handle

Pivot Doors

A: Door Opening

Ionic Essence Framed Pivot Door

Size	Code	Adjustment Min-Max	A
760	DWH06B0	690-750	433
800	DWH06D0	730-790	473
900	DWH06E0	830-890	573

Side Panel

Size	Code	Adjustment Min-Max
760	DWH07B0	720-750
800	DWH07D0	760-790
900	DWH07E0	860-890

PIVOT DOOR
in Recess & Side Panel

IONIC
Express

1900 MM
HEIGHT STANDARD RANGE

6 MM
GLASS THICKNESS

20 YEARS GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Easy-fit system
- Concealed fixings
- Reversible

Handle

Pivot Door

A

A: Door Opening

Ionic Express Pivot Door

Size	Code	Adjustment Min-Max	A	B
700	A0306A0	650-690	415	390
760	A0306B0	710-750	475	450
800	A0306D0	750-790	515	490
900	A0306E0	850-890	615	590
1000	A0306G0	950-990	715	690

Side Panel

Size	Code	Adjustment Min-Max
700	A0307A0	650-670
760	A0307B0	710-730
800	A0307D0	750-770
900	A0307E0	850-870

Inline Panel

Size	Code	Adjustment Min-Max
150	A0315B0	130-150
210	A0315C0	190-210
490 NEW	A0315D0	470-490

Please add 5mm to door adjustment when used with Side Panel
Please add 20mm adjustment per wall profile

IONIC
Source

PIVOT DOOR
in Recess & with Side Panel

1850 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS
THICKNESS

5 YEARS
GUARANTEE

**MERSHIELD
STAYCLEAR**

FEATURES & BENEFITS

- Minimalist pivot
- Reversible
- Pre-assembled frame
- Screw cover caps
- Magnetic seals

Handle

Pivot Door

A: Door Opening

Ionic Source Pivot Door

Size	Code	Adjustment Min-Max	A	B
760	A1206B0	710-750	490	460
800	A1206D0	750-790	530	500
900	A1206E0	850-890	630	600

20mm adjustment per wall profile.

Side Panel

Size	Code	Adjustment Min-Max
760	A1207B0	730-750
800	A1207D0	770-790
900	A1207E0	870-890

PIVOT DOOR
with Side Panel

1900 MM
HEIGHT STANDARD RANGE

6 MM
GLASS THICKNESS

10 YEARS GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Height 1900mm
- 6mm toughened safety glass
- Easy clean frame
- Reversible
- Mershield Stayclear, easy clean glass
- Chrome designer handle
- 10yr guarantee

Slot & Lock Frame System – No Screws

No Drilling on Frame

Click on Rollers

Assambled on Tray

A: Door Opening

B: Door Swing

IQ Pivot Door

Size	Code	Recess Adjustment (Min-Max)	Side Panel Adjustment (Min-Max	A	B
700	KAP70	650-690	655-675	455	460
760	KAP76	710-750	715-735	515	525
800	KAP80	750-790	755-775	535	560
900	KAP90	850-890	855-875	610	605
1000	KAP10	950-990	955-975	660	655

Optional Side Panel

Size	Code	Side Panel Adjustment (Min-Max
700	KAP70	662-682
760	KAP76	722-742
800	KAP80	762-782
900	KAP90	862-882
1000	KAP10	962-982

Please add 20mm to Tray Finish Adjustment when using a Side Panel.
For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 20mm.
Inline panels can be fitted to either or both sides of sliding door.

Pivot Doors

PIVOT DOOR

MBOX
SHOWER ENCLOSURES

1900 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS
THICKNESS

10 YEARS
GUARANTEE

**MERSHIELD
STAYCLEAR**

FEATURES & BENEFITS

– Reversible

– Fixing cover caps

– Profile cover caps

– Magnetic seals

– Optional side & inline panel available

– Optional cover strips available

Handle

MBox Pivot Door

Size	Code	Adjustment Min-Max	A	B
700	MBP700	650 - 690	425	444
760	MBP760	710 - 750	484	524
800	MBP800	750 - 790	541	548
900	MBP900	850 - 890	599	594
1000	MBP1000	950 - 990	664	652

Side Panel

Size	Code	Adjustment Min-Max
700	MBSP700	670 - 690
760	MBSP760	730 - 750
800	MBSP800	770 - 790
900	MBSP900	870 - 890
1000	MBSP1000	970 - 990

Inline Panel

Size	Code	Adjustment Min-Max
150	MBN150	130 - 150
210	MBN210	190 - 210

Please add 20mm adjustment per wall profile

Pivot Door

A = Door Opening
B = Door Swing

Pivot Doors

Corner Doors

the perfect solution

The MERLYN Corner Doors are functional and contemporary. The perfect solution for small bathrooms or en suites, these doors slide back within the confines of the shower itself, providing ample door opening and giving you the feeling of extra space.

Corner Doors				700	760	760/800	800	900	1000	700x900	900x700	1000x800	800x1000	PAGE
	Range	Height	Glass											
FRAMED	6 SERIES	1900	6mm				✓	✓						158
	IONIC EXPRESS	1900				✓	✓	✓	✓	✓	✓	✓	✓	159
	IONIC SOURCE	1850	6mm			✓		✓						160
	MBOX	1900	6mm		✓		✓	✓						161

Please Note: For more sizes and information please see the relevant page.

UK CA

6|series

CORNER DOOR

1900 MM HEIGHT STANDARD RANGE	**6 MM** GLASS THICKNESS
LIFETIME GUARANTEE	MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Easy clean double rollers

- Double handed

- Double sliding doors

- Reversible

- Wetroom compatible

Handle   Top Profile

A: Door Opening
B: Fixed Panel

6 Series Corner Door

Size	Code	Tray Finish Adjustment	A	B
800	M65211	775 - 800	395	310
900	M65221	875 - 900	465	360

For wetroom installation, please reduce Tray Finish Adjustment by 20mm.

CORNER DOOR

IONIC
Express

1900 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS
THICKNESS

20 YEARS
GUARANTEE

**MERSHIELD
STAYCLEAR**

FEATURES & BENEFITS

- Fast fit system

- Easy clean quick release rollers

- Smooth action extra strong rollers

- Concealed fixings

- Double fin seal for increased water retention

- Rollers pre-assembled on door

Handle

A: Door Opening
B: Fixed Panel
C: Moving Panels

Ionic Express Corner Door

Size	Code	Adjustment (Min-Max)	A
700	A0312DH	675 - 695	335
800	A0312FH	775 - 795	405
900	A0312HH	875 - 895	475
1000	A0312JH	975 - 995	545

20mm Adjustment per wall profile

Corner Doors

CORNER DOOR

IONIC
Source

1850 MM
HEIGHT STANDARD RANGE

6 MM
GLASS THICKNESS

5 YEARS GUARANTEE

FEATURES & BENEFITS

- Chrome quick release easy clean bottom rollers
- Reversible
- Easy fit frame
- Screw cover caps
- Magnetic seals

Handle

B

A

B

A: Door Opening
B: Fixed Panel

Ionic Source Corner Door			
Size	Code	Adjustment Min-Max	A
760/800	A1212V0	740-790	350-390
900	A1212B0	870 -890	460

20mm adjustment per wall profile.

Corner Doors

CORNER DOOR

MBOX
SHOWER ENCLOSURES

1900 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS
THICKNESS

10 YEARS
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Easy fit frame
- Reversible
- Fixing cover caps
- Profile cover caps
- Magnetic seals
- Optional side panel available
- Optional cover strips available

Handle

MBox Corner Door			
Size	Code	Adjustment Min-Max	A
760	MBC760	730 - 760	345
800	MBC800	770 - 800	375
900	MBC900	870 - 900	444

20mm adjustment per wall profile

A: Door Opening

Corner Doors

Showerwalls

make a statement

The MERLYN showerwall screens are guaranteed to make a statement in your bathroom. Whether you are after a New York style loft or you need to create a bathroom with inclusive design, then Wetrooms are the solution for you. Suitable for both corner installation, with or without end panels, or in an alcove / recess, these shower screens offer a variety of sizes and solutions to suit you space requirements.

Wetrooms			300	400	500	600	700	760	800	900	1000	1100	1200	1300	1400	1500	1600	1700	1800	PAGE
Range	Height	Glass																		
ARYSTO COLOUR	2022	10mm		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	162
ARYSTO X	2000	10mm									✓	✓	✓	✓	✓	✓	✓	✓	✓	166
ARYSTO TEN	2015	10mm		✓		✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓			167
10 SERIES	2000	10mm	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓		✓					172
8 SERIES FRAMELESS	1950	8mm					✓	✓	✓	✓										173
MERLYN BLACK	2000	8mm				✓			✓	✓	✓	✓	✓							174
IONIC WETROOMS	2015	8mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓		✓			176
8 SERIES	2015 1950	8mm				✓	✓		✓	✓	✓		✓							178
MERLYN BLACK	2000	8mm							✓	✓	✓		✓							180

FRAMELESS (rows ARYSTO COLOUR through 8 SERIES), FRAMED (row MERLYN BLACK).

Please Note: Frameless products are inclusive of frameless and semi-frameless where lees than 50% of the door is framed.
For more sizes and information please see the relevant page.

UK CA

Wetroom Screens

DOUBLE ENTRY SHOWER SCREEN

ARYSTO COLOUR

2022 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- The ultimate in frameless design with luxury 10mm glass this is a true show stopper.

- Minimal framework and Mershield Stayclear easy clean glass minimises cleaning time.

- All products are reversible.

Colour Finish

Standard Handle	Standard Handle	Standard Handle	Standard Handle	Standard Handle	Standard Handle
Brushed Brass (BBR)	*Brushed Stainless Steel (BSS)*	*Matt Black (MB)*	*Brushed Bronze (BBZ)*	*Polished Gold (PG)*	*Polished Nickel (PN)*

HOW TO ORDER YOUR COLOUR

When ordering your door please use the correct code to the size required. Then add the colour code you need.

Code + Colour Code.

Example: GWF1400 + MB (Matt Black) = GWF1400-MB.

Arysto Colour Double Entry Shower Screen

Size	Code	Glass Width
1400	GWF1400	1380
1600	GWF1600	1580

Supplied with two straight 1000mm bracing bars.

Wetroom Screens

ARYSTO
COLOUR

SHOWER PANEL
with or without End Panel

2022 MM HEIGHT STANDARD RANGE

10 MM GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- The definition of modern showering – the simple shower panel stands at 2022mm high, including rail and provides an easy walk-through, making you feel instantly refreshed.

- Frameless glass and Mershield Stayclear easy clean glass minimises cleaning time.

- All panels over 1100mm and over are supplied with a 1M straight bracing bar.

Colour Finish

Standard Handle *Brushed Brass (BBR)*

Standard Handle *Brushed Stainless Steel (BSS)*

Standard Handle *Matt Black (MB)*

Standard Handle *Brushed Bronze (BBZ)*

Standard Handle *Polished Gold (PG)*

Standard Handle *Polished Nickel (PN)*

HOW TO ORDER YOUR COLOUR

When ordering your door please use the correct code to the size required. Then add the colour code you need.

Code + Colour Code.

Example: GWA400 + PN (Polished Nickel) = GWA400-PN.

Min opening 500mm

Arysto Colour Shower Screens

Size	Code	Adjustment Min-Max
400	GWA400	375-390
600	GWA600	575-590
700	GWA700	675-690
800	GWA800	775-790
900	GWA900	875-890
1000	GWA1000	975-990
1100	GWA1100	1075-1090
1200	GWA1200	1175-1190
1300	GWA1300	1275-1290
1400	GWA1400	1375-1390
1500	GWA1500	1475-1490
1600	GWA1600	1575-1590

End Panel

Size	Code	Adjustment Min-Max
400	GWA400	375-390
600	GWA600	575-590
700	GWA700	675-690
800	GWA800	775-790
900	GWA900	875-890
1000	GWA1000	975-990

Please Note: All panels 1100mm and over come with a 1000mm straight stabilising bar.

Note: Minimum opening we recommend is 500mm.

Wetroom Screens

ARYSTO X

SLIDING SHOWER SCREEN

2000 MM HEIGHT STANDARD RANGE

10 MM GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Frameless Design
- Ultra frameless
- Self cleaning anti–jump rollers
- Eyelet handle available
- Wetroom compatible

- Concealed fixings
- Space saving solution
- Extensive splash protection
- Sliding door moves infront of the fixed panel creating the largest possible entry area

Towel Rail Handle

Eyelet Handle

Stabilising Bar

Bottom Rollers

A: Moving Panel
B: Fixed Panel
C: Support Bar
x: Distance to support bar
(only on showerwalls)

Wetroom Screens

Arysto X Shower Screen

Size	Code	Adjustment Min-Max	Fully Opened	Fully Closed	x
1000	ARXFSL100SW (LorR)	950-970	545	940	460-480
1100	ARXFSL110SW (LorR)	1050-1070	595	1040	510-530
1200	ARXFSL120SW (LorR)	1150-1170	645	1140	560-580
1300	ARXFSL130SW (LorR)	1250-1270	695	1240	610-630
1400	ARXFSL140SW (LorR)	1350-1370	745	1340	660-680
1500	ARXFSL150SW (LorR)	1450-1470	845	1440	760-780
1600	ARXFSL160SW (LorR)	1550-1570	945	1540	860-880
1700	ARXFSL170SW (LorR)	650-1670	1045	1640	960-980
1800	ARXFSL180SW (LorR)	1750-1670	1145	1740	1060-1080

Please Note: To order an eyelet handle, add E to the end of the code, followed by handing (L or R) e.g. ARXFSL100SWEL / ARXFSL100SWER.

Please Note: Images are for illustrative purposes only. Please refer to the installation guide when fitting the product.

ARYSTO TEN

SHOWER SCREEN
with or without End Panel

2015 MM HEIGHT STANDARD RANGE

10 MM GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Frameless Design
- Bespoke Options Available
- Power Shower suitable
- Wetroom Compatible

Colour Finish Options

Mirrored Chrome

Polished Nickel

Min opening 500mm

Arysto Ten Shower Screens		
Size	Code	Adjustment Min-Max
400	GWA400	375-390
600	GWA600	575-590
700	GWA700	675-690
800	GWA800	775-790
900	GWA900	875-890
1000	GWA1000	975-990
1100	GWA1100	1075-1090
1200	GWA1200	1175-1190
1300	GWA1300	1275-1290
1400	GWA1400	1375-1390
1500	GWA1500	1475-1490
1600	GWA1600	1575-1590

End Panel		
Size	Code	Adjustment Min-Max
400	GWA400	375-390
600	GWA600	575-590
700	GWA700	675-690
800	GWA800	775-790
900	GWA900	875-890
1000	GWA1000	975-990

Please Note: All panels 1100mm and over come with a 1000mm straight stabilising bar.

Note: Minimum opening we recommend is 500mm.

ARYSTO
TEN

SHOWER SCREEN & HINGED PANEL
with or without End Panel

2015 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Frameless Design
- Bespoke Options Available
- Power Shower suitable
- Wetroom Compatible

Stabilising
Bar

A: Moving Panel
B: End Panel
X: Hinge Panel

Min opening 500mm

Arysto Ten Shower Screen & Hinged Panel				
Size	Code	Adjustment Min-Max	Shower Panel A	Hinge Panel C
1000	GWE1000	675-690	673	300
1100	GWE1100	775-790	773	300
1200	GWE1200	875-890	873	300
1300	GWE1300	975-990	973	300
1500	GWE1500	1175-1190	1173	300

End Panel		
Size	Code	Adjustment Min-Max
400	GWA400	375-390
600	GWA600	575-590
700	GWA700	675-690
800	GWA800	775-790
900	GWA900	875-890
1000	GWA1000	975-990

Please Note: All panels 1100mm and over come with a 1000mm straight stabilising bar.

Note: Minimum opening we recommend is 500mm.

Wetroom Screens

ARYSTO
TEN

DOUBLE ENTRY SHOWER SCREEN

2015 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Frameless Design

- Bespoke Options Available

- Power Shower suitable

- Wetroom Compatible

Colour Finish Options

| Mirrored Chrome | Polished Nickel | Stabilising Bar |

Panel

Arysto Ten Double Entry Shower Screen		
Size	Code	Glass Width
1400	GWF1400	1380
1600	GWF1600	1580

Supplied with two straight 1000mm bracing bars.

Showerwall / with Swivel Panel (E)

Showerwall / with Cube Panel (F)

10 Series Showerwall / with Wall Profile only

Showerwall / with Vertical Post (G)

SHOWER SCREENS
Wetrooms

2000 MM
HEIGHT
STANDARD RANGE

10 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Height 2015mm including stabilising bars

- Choice of additional options to tailor your wetroom to suit your space

- Suitable for a recess or corner situation

- Suitable for wetroom and shower tray application

- Reversible

A B C

H I J

K

Size	Code	Tray Finish Adjustment	Glass Type	Additonal Options	Code*
300**	S10SW300	275-290	Clear	A	S10SW300H
400**	S10SW400	375-390	Clear	A	S10SW400H
500**	S10SW500	475-490	Clear	A	S10SW500H
600**	S10SW600	575-590	Clear	A	S10SW600H
700**	S10SW700	675-690	Clear	A	S10SW700H
800**	S10SW800	775-790	Clear	A	S10SW800H
900**	S10SW900	875-890	Clear	A	S10SW900H
1000	S10SW1000	975-990	Clear	A	S10SW1000H
1100	S10SW1100	1075-1090	Clear	A	S10SW1100H
1200	S10SW1200	1175-1190	Clear	A	S10SW1200H
1400	S10SW1400	1375-1390	Clear	A	S10SW1400H

10 Series Shower Screens - including Wall Profile only

Showerwall with Straight Stablising Bar - including Wall Profile

*Order code for ordering shower screen with tray.
**Please Note: These sizes are the only sizes we recommend for use as end panels. We recommend a minimum opening space of 500mm.

Additional Options

	Size	Code**
A) Angled Stabilising Bar	350	SP08SCU12320
B) Straight Stabilising Bar*	max 1 metre	SP0S8TRSET N
C) Vertical Ceiling Bracing Bar*** NEW	400	CBB440
D) T Bracket (to connect 2 stabilising bars)	N/A	SP0S8RTPSET
E) Swivel Panel 8mm glass	300	M8SWS30 N
F) Cube Panel 8mm glass**	300	A0413F0 N
G) Vertical Post	max 3 metres	A0417C0 N
H) U channel	max 1400	MGVC35A
I) Glass to glass profile	2000	A04S003

*Please Note: We recommend the use of a stabilising bar for any Showerwall over 900mm.
**Cube Panel must be fitted on a flat tray/wetroom situation.
***Please note: Max height of ceiling bar from top of glass is 400mm.

Additional Options -

J) Flush Wall Profile

K) Flush Floor Profile

*Please Note: These are available as bespoke options.
Please contact Customer Services for sizes and prices.

Wetroom Screens

8 |series| *frameless*

PIVOT SCREEN
Single & Double

Shown as Pivot Showerwall / Double

1950 MM
HEIGHT STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Concealed fixings
- Inward / outward opening swing
- Reversible
- Wetroom compatible

Handle

Corner

Wetroom Screens

Shown as Pivot Showerwall / Single

8 Series Frameless Pivot Shower Screen - Single

Size	Code	Adjustment Min-Max
760	S8FPV76	690-710
800	S8FPV80	730-750
900	S8FPV90	830-850
1000	S8FPV100	930-950

Please Note: We recommend fitting this product in a Wetroom situation only.

Pivot Showerwall - Double

Size	Code	Adjustment Min-Max
760x760	S8FPC76H	690-710
800x800	S8FPC80H	730-750
900x900	S8FPC90H	830-850
1000x1000	S8FPC100H	930-950

Please Note: We recommend fitting this product in a Wetroom situation only.

MERLYN | BLACK

FRAMELESS SHOWERWALL

2015 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Wetroom Compatible

- Reversible

- Suitable for Recess or Corner

- Anodised Aluminium Matte Black Finish
  – more durable than powder coating

Handle

Stabiliisng
Bar

with Vertical Post

A

with End Panel

B

A   X

with Stabilising Bar

A

A: Front Panel
B: End Panel

Product Information			
Size	Code	Tray Finish Adjustment	Fixed Panel A
700	BLKSW700	675-690	670
800	BLKSW800	775-790	770
900	BLKSW900	875-890	870
1000	BLKSW1000	975-990	970
1100	BLKSW1100	1075-1090	1070
1200	BLKSW1200	1175-1190	1170

**We recommend a minimum opening of 500mm for any wetroom area.
See X on configuration diagram**

Additional Options		
	Size	Code
Corner Profile	Max 3 Metres	A04S0003BN
Vertical Post	Max 3 Metres	BLK3MCP
Swivel Panel	300	BLKSVL300
White Waste Cap		DWASCAPWHT

Wetroom
Screens

Showerwall

Showerwall / with Vertical Post

Walk In

Walk In / with Swivel Panel

Cube

Showerwall x 2 / with Corner Profile

IONIC

SHOWER SCREENS

2015 MM
HEIGHT STANDARD RANGE

8 MM
GLASS THICKNESS

20 YEARS
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

– Optional vertical post, swivel pane and cube panel available

– All panels above 700mm come with a 1000mm stabilising bar

– Suitable for recess or corner situation

– Swivel panel can be retrofitted to any 8mm shower wall

– Reversible

How it Works

If you wanted to make up a Walk In Wetroom for an area to fit on to a 1200mm x 800mm tray or floor. You pick a panel E (700mm) and a G(800mm), this also includes the recommended 500mm minimum opening for the Walk In.

E + G =

700mm   800mm   1200mmx800mm Walk In

500mm

We recommend a minimum opening of 500mm for any wetroom area.

500mm min

Ionic Shower Screens

Diagram Ref		Size	Code	Adjustment Min-Max
A		300**	A0409J0	275-290
B		400**	A0409K0	375-390
C		500**	A0409L0	475-490
D		600**	A0409M0	575-590
E		700*	A0409A0	675-690
F	NEW	760*	A0409N0	735-750
G		800*	A0409B0	775-790
H		900*	A0409C0	875-890
I		1000	A0409D0	975-990
J		1100	A0409F0	1075-1090
K		1200	A0409E0	1175-1190
L		1400	A0409G0	1375-1390
M		1600	A0409H0	1575-1590
N		200	A0413H0	Swivel Panel
O		300	A0413G0	Swivel Panel
P		400	A0413J0	Swivel Panel
Q		300	A0413F0	Cube Panel

*Please Note: Panels A-H are the only panels that can be used as an end panel.
**Please Note: Panels A-D do not come with a stabilising bar / Panels E-M come with stabilising bar.

Fitting Options

	Size	Code	Product
	350	SP08SCU12320	Angled stabilising bar
NEW	400	CBB440	Vertical ceiling bracing bar
	1000	A0417A0	8mm round stabilising bar
NEW	1500	A0S0105	8mm extended stabilising bar
	-	A04S0010	Round T Piece bracket
	2000	A04S0003	Corner profile
	3000	A0417C0	Vertical Post

Wetroom Screens

8 Series Showerwall / with Wall Profile only

Showerwall / with Swivel Panel (C)

Showerwall / with Cube Panel (D)

Corner Profile

Showerwall / with Vertical Post (E)

SHOWER SCREEN

2015 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Suitable for wetroom and shower tray application

- 1M Stabilising bar comes as standard with all sizes

- Suitable for recess or corner situation

- Reversible

8 Series Shower Screen			Add a Merlyn MStone Tray	
Size	Code	Tray Finish Adjustment	Tray Size	Code*
700	M8SW201	670-690	1200x900	MS8SW201
800	M8SW211	770-790	1400x900	MS8SW211
900	M8SW221	870-890	1400x900	MS8SW221
1000	M8SW231	970-990	1500x900	MS8SW231
1200	M8SW241	1170-1190	1680x760	MS8SW241

*Order code for ordering shower screen with tray. Please state the tray size required when order.
For full information on our MStone trays see page 94. 1000mm stabilising bar comes as standard with all products.

Additional Options

	Size	Code**
A) Angled Stabilising Bar	350	SP08SCU12320
B) Swivel Panel	300	M8SWS30 N
C) Cube Panel 8mm glass**	300	A0413F0 N
D) Vertical Post	max 3 metres	A0417C0 N
E) Corner profile-Glass to glass profile	2000	A04S003
F) Vertical Ceiling Bracing Bar*** NEW	400	CBB440

*Please Note: We recommend the use of a stabilising bar for any Showerwall over 900mm.
**Cube Panel must be fitted on a flat tray/wetroom situation.
***Please note: Max height of ceiling bar from top of glass is 400mm.

Wetroom Screens

8|series

CURVED SHOWERWALL

2015 MM
HEIGHT STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- Minimalist frameless design

- Suitable for wetroom and shower tray application

- Reversible

- Can be used with 800mm and 900mm trays

Wetroom Application

Tray Application

A = Panel length

B = Curve length

C = Panel opening

D = Maximum depth from the wall to

the outside of the profile is 877mm

8 Series Curved Showerwall		
Size	Code	Tray Finish Adjustment
900	S8CURV900	885 - 900
1000	S8CURV1000	985 - 1000
1200	S8CURV1200	1185 - 1200

Configuration				
Panel Size	Tray Size	A	B	C
900	900x900	805	275	600
1000	1000x800	905	275	500
1200	1200x800 1200x900	1105	275	500 600

C = Panel opening can be adjusted to suit your space.
We recommend a minimum opening of 500mm.

Wetroom Screens

MERLYN | BLACK

FRAMED SHOWERWALL

2000 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

- Wetroom Compatible

- Reversible

- Anodised Aluminium Matte Black Finish
  – more durable than powder coating

- Suitable for recess or corner situation

- Bracing bar sits flush with the shower
  panel profile

Stabiliisng
Bar

Product Information

Size	Code	Adjustment Min-Max
*800	BLKFSW80	775-790
*900	BLKFSW90	875-890
1000	BLKFSW100	975-990
1200	BLKFSW120	1175-1190

We recommend a minimum opening of 500mm for any wetroom area.

T Bracket

Code
BLKFTBRAC

***T Bracket comes as standard with sizes 800 and 900 only.
For other sizes please order using the code above.**

Walk In

Wetroom
Screens

Squared Showerwall

Walk In

MERLYN | BLACK

SQUARED SHOWERWALL

2000 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

– Wetroom Compatible

– Reversible

– Anodised aluminium matte black finish – more durable than standard powder coating

– *Full metal frame – incl. horizontal and vertical bars

– Suitable for recess or corner situation

– Bracing bar sits flush with the shower panel profile

Stabiliisng Bar

MERLYN Black Squared Showerwall

Size	Code	Tray Finish Adjustment
*900	BLKFSWCTL90	875 - 890
1000	BLKFSWCTL100	975 - 990
1200	BLKFSWCTL120	1175 - 1190

We recommend a minimum opening of 500mm for any wetroom area.

*This feature is on the outside ONLY therefore maintaining our easy clean feature on the inside.

T Bracket

Code
BLKFTBRAC

*T Bracket comes as standard with size 900 only.
For other sizes please order using the code above.

Wetroom Screens

BESPOKE OPTIONS AVAILABLE

All other sizes can be fulfilled as bespoke orders. Please note there is a minimum lead time of 12 weeks with a minimum order quantity for bespoke sizes.

Bath Screens

contemporary aesthetics

The MERLYN Bath Screen collection is brought to life with innovative design and contemporary aesthetics. Whether you are looking for a fresh modern, angular style shower screen or minimalist curved frameless screen, we have a great choice of styles, panel options and open and close features, created with superb materials and unrelenting attention to detail.

Available Size Options:

1500 MM
HEIGHT
STANDARD RANGE

1400 MM
HEIGHT
STANDARD RANGE

Glass Thickness:

8 MM
GLASS
THICKNESS

6 MM
GLASS
THICKNESS

Bathscreen

UK CA

DOUBLE PANEL

1500 MM
HEIGHT STANDARD RANGE

10 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- 10mm toughened safety glass
- Colour options available
- Reversible

DOUBLE PANEL		
Size	Code	Panel
1500x1050	GMBS2	2

Reversible
B
A

Screen
Inside bath edge
Screen is reversible

Please ensure product is fitted with moving panel seals in line with bath inside edge.

A: Moving Panel   B: Fixed Panel

Recommended shower head position

SINGLE HINGED

1500 MM
HEIGHT STANDARD RANGE

10 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

- 10mm toughened safety glass
- Colour options available
- Reversible

SINGLE HINGED		
Size	Code	Panel
1500x850	GMBS1	1

Reversible
A

Screen
Inside bath edge
Screen is reversible

Please ensure product is fitted with moving panel seals in line with bath inside edge.

A: Moving Panel

Recommended shower head position

Bathscreen

FIXED SQUARE

MB0
Bathscreen

1500 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

SINGLE CURVED

MB1
Bathscreen

1500 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

FEATURES & BENEFITS

– 6mm toughened safety glass

– Reversible

FEATURES & BENEFITS

Hydra**SEAL**

– 6mm toughened safety glass

– Reversible

– Featuring HydraSeal

FIXED SQUARE		
Size	Code	Panel
800x1500	MB0	1

SINGLE CURVED		
Size	Code	Panel
800x1500	MB1	1

B

Screen

Inside bath edge

Screen is reversible

Please ensure product is fitted with moving panel seals in line with bath inside edge.

B

Door Swing: 90° in and out
B: Radius of Screen Swing = 733mm

Screen

Inside bath edge

Screen is reversible

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Recommended shower head position

Recommended shower head position

Bathscreen

SINGLE SQUARE

SQUARE SINGLE PANEL

FEATURES & BENEFITS   HydraSEAL

- 6mm toughened safety glass
- Reversible
- Featuring HydraSeal

SINGLE SQUARE		
Size	Code	Panel
800x1500	MB2	1

FEATURES & BENEFITS   HydraSEAL

- 6mm toughened safety glass
- Reversible
- Featuring HydraSeal
- Includes towel rail

SQUARE SINGLE PANEL		
Size	Code	Panel
1500X800	MB2T	1

Screen   Screen is reversible

Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Door Swing: 90° in and out
B: Radius of Screen Swing = 733mm

🔲⊙ Recommended shower head position

Screen   Screen is reversible

Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Door Swing: 90° in and out
A: Fixed Panel B: Radius of Screen Swing = 733mm

🔲⊙ Recommended shower head position

Bathscreen

2 PANEL CURVED

MB3
Bathscreen

| 1500 MM HEIGHT STANDARD RANGE | 6 MM GLASS THICKNESS | LIFETIME GUARANTEE | MERSHIELD STAYCLEAR |

2 PANEL FOLDING CURVED

MB3a
Bathscreen

| 1500 MM HEIGHT STANDARD RANGE | 6 MM GLASS THICKNESS | LIFETIME GUARANTEE |

FEATURES & BENEFITS   HydraSEAL

- 6mm toughened safety glass
- Reversible
- Featuring HydraSeal
- Includes towel rail

2 PANEL CURVED		
Size	Code	Panel
1150x1500	MB3	2

FEATURES & BENEFITS   HydraSEAL

- 6mm toughened safety glass
- Reversible
- Featuring HydraSeal

2 PANEL FOLDING CURVED		
Size	Code	Panel
900x1500	MB3A	2

Screen

Inside bath edge

Screen is reversible

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Door Swing: 90° in and out
A: Fixed Panel B: Radius of Screen Swing = 733mm

Recommended shower head position

Screen

Inside bath edge

Screen is reversible

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Door Swing: 90° in and out
A: Fixed Panel B: Radius of Screen Swing = 483mm

Recommended shower head position

Bathscreen

2 PANEL FOLDING SQUARE


```
↕ 1500 MM      6 MM         ⧗
HEIGHT         GLASS        LIFETIME
STANDARD RANGE THICKNESS    GUARANTEE
```

MB3b
Bathscreen

FEATURES & BENEFITS

HydraSEAL

- 6mm toughened safety glass
- Reversible
- Featuring HydraSeal

2 PANEL FOLDING SQUARE		
Size	Code	Panel
900x1500	MB3B	2

Door Swing: 90° in and out
A: Fixed Panel B: Radius of Screen Swing = 483mm

Screen
Screen is reversible
Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

▭◯ Recommended shower head position

2 PANEL HINGED


```
↕ 1500 MM      6 MM         ⧗
HEIGHT         GLASS        LIFETIME
STANDARD RANGE THICKNESS    GUARANTEE
```

MB3c
Bathscreen

FEATURES & BENEFITS

HydraSEAL

- 6mm toughened safety glass
- Reversible
- Featuring HydraSeal

2 PANEL HINGED		
Size	Code	Panel
900x1500	MB3C	2

Door Swing: 180° inwards only
A: Fixed Panel B: Radius of Screen Swing = 383mm

Screen
Screen is reversible
Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

▭◯ Recommended shower head position

Bathscreen

4 FOLD

CURVED CURTAIN RAIL

MB4
Bathscreen

1400 MM	4 MM		
HEIGHT STANDARD RANGE	GLASS THICKNESS	LIFETIME GUARANTEE	MERSHIELD STAYCLEAR

MB5
Bathscreen

1500 MM	6 MM	
HEIGHT STANDARD RANGE	GLASS THICKNESS	LIFETIME GUARANTEE

FEATURES & BENEFITS

UK CA

- 4mm toughened safety glass

- Reversible

FEATURES & BENEFITS

UK CA

- 6mm toughened safety glass

- Reversible

4 FOLD		
Size	Code	Panel
850x1400	MB4	4

CURVED CURTAIN RAIL		
Size	Code	Panel
300x1500	MB5	1

Screen
Screen is reversible
Inside bath edge

A: Moving Panels (Panel width 200mm)

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Recommended shower head position

Screen
Screen is reversible
Inside bath edge

Height is 1550mm including rail
A: Fixed Panel B: Curtail Rail

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Recommended shower head position

Bathscreen

CURTAIN RAIL

MB5a
Bathscreen

1500 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS
THICKNESS

LIFETIME
GUARANTEE

FEATURES & BENEFITS

– 6mm toughened safety glass

– Reversible

UK CA

CURTAIN RAIL		
Size	Code	Panel
300x1800	MB5	1

B

A

Height is 1800mm including rail
A: Fixed Panel B: Curtail Rail

Recommended shower head position

Screen

Inside
bath edge

Screen is
reversible

Please ensure product is fitted with
moving panel seals in line with bath
inside edge.

Bathscreen

HINGED SQUARE

MB**6**
Bathscreen

1500 MM
HEIGHT STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

UK CA

- 8mm toughened safety glass
- Reversible

HINGED SQUARE		
Size	Code	Panel
850x1500	MB6	1

Screen

Inside bath edge

B

Screen is reversible

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Door Swing: 90° outward swing only
B: Radius of Screen Swing = 810mm
Recommended shower head position

2 PANEL HINGED

MB**7**
Bathscreen

1500 MM
HEIGHT STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

UK CA

- 8mm toughened safety glass
- This product is handed

2 PANEL HINGED		
Size	Code	Panel
900x1500	MB7L (Left Handed)	2
900x1500	MB7R (Right Handed)	2

LH   B

B   RH

A

A

LH   RH

A   B   B   A

Screen

Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Door Swing: 180 Degrees inwards only
A: Fixed Panel = 497mm
B: Radius of Screen Swing = 383mm

Recommended shower head position

Bathscreen

2 PANEL HINGED

MB7a
Bathscreen

| 1500 MM HEIGHT STANDARD RANGE | 8MM GLASS THICKNESS | LIFETIME GUARANTEE | MERSHIELD STAYCLEAR |

FEATURES & BENEFITS

UK CA

- 8mm toughened safety glass
- Reversible

2 PANEL FOLDING

Size	Code	Panel
850x1500	MB7AL (L/H)	2
850x1500	MB7AR (R/H)	2

Door Swing: 180 Degrees inwards only
A: Fixed Panel = 505mm
B: Radius of Screen Swing = 290mm

▢◯ Recommended shower head position

---

2 PANEL FOLDING

MB8
Bathscreen

| 1500 MM HEIGHT STANDARD RANGE | 8MM GLASS THICKNESS | LIFETIME GUARANTEE | MERSHIELD STAYCLEAR |

FEATURES & BENEFITS

UK CA

- 8mm toughened safety glass
- Reversible

2 PANEL FOLDING

Size	Code	Panel
1100x1500	MB8	2

Door Swing: 180 degree radius of screen swing inwards and outwards

▢◯ Recommended shower head position

Bathscreen

3 PANEL FOLDING

MB9
Bathscreen

1500 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

UKCA

- 8mm toughened safety glass
- Reversible

3 PANEL FOLDING		
Size	Code	Panel
1400x1500	MB9	3

467 mm 422 mm 422 mm

Screen

Inside bath edge

Screen is reversible

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Door Swing: 90° in and out
B: Radius of Screen Swing = 733mm

Recommended shower head position

SINGLE SQUARE

MB10
Bathscreen

1500 MM
HEIGHT
STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

UKCA

- 8mm toughened safety glass
- Reversible
- Includes towel rail

SINGLE SQUARE		
Size	Code	Panel
800x1500	MB10	1

Screen

Inside bath edge

Screen is reversible

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Door Swing: 90° in and out
B: Radius of Screen Swing = 740mm

Recommended shower head position

Bathscreen

SINGLE CURVED PANEL

MB11 Bathscreen

1500 MM	8 MM	LIFETIME	MERSHIELD
HEIGHT STANDARD RANGE	GLASS THICKNESS	LIFETIME GUARANTEE	MERSHIELD STAYCLEAR

FEATURES & BENEFITS

UK CA

– 8mm toughened safety glass

– Reversible

SINGLE CURVED PANEL		
Size	Code	Panel
800x1500	MB11	1

Screen

Screen is reversible

Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Door Swing: 90° in and out
B: Radius of Screen Swing = 740mm

Recommended shower head position

FIXED SQUARE PANEL

MB12 Bathscreen

1400 MM	5 MM	LIFETIME	MERSHIELD
HEIGHT STANDARD RANGE	GLASS THICKNESS	LIFETIME GUARANTEE	MERSHIELD STAYCLEAR

FEATURES & BENEFITS

UK CA

– 5mm toughened safety glass

– Reversible

SINGLE CURVED PANEL		
Size	Code	Panel
800x1400	MB12	1

Screen

Screen is reversible

Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Door Swing: 90° in and out
B: Radius of Screen Swing = 735mm

Recommended shower head position

Bathscreen

2 PANEL FOLDING

MB13 Bathscreen

1500 MM
HEIGHT STANDARD RANGE

6 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

UKCA

- 8mm toughened safety glass

- Reversible

SINGLE CURVED PANEL		
Size	Code	Panel
1100x1500	MB13	2

538 mm | 488 mm

Screen
Inside bath edge
Screen is reversible

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Door Swing: 180° in and out

⌐O Recommended shower head position

FIXED SQUARE PANEL

MB14 Bathscreen

1500 MM
HEIGHT STANDARD RANGE

8 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

UKCA

- 5mm toughened safety glass

- Reversible

SINGLE CURVED PANEL		
Size	Code	Panel
800x1400	MB12	1

Screen
Inside bath edge
Screen is reversible

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Fixed panel

⌐O Recommended shower head position

Bathscreen

EASY-FIT

Fitting Steps

Easy-Fit profile

1 **REMOVE THE OLD PROFILE**

Existing screw hole

2 **POSITION THE EASY-FIT PROFILE ON THE WALL**

Slide bracket up to align with hole

3 **ADJUST THE BRACKETS TO ALIGN TO THE EXISTING HOLES AND FIX IN POSITION**

SINGLE CURVED

MB1
Bathscreen

1500 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

Hydra**SEAL**

- 6mm toughened safety glass
- Reversible
- Featuring HydraSeal

SINGLE CURVED		
Size	Code	Panel
800x1500	MB1FLEX	1

Screen

Screen is reversible

Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

B

Door Swing: 90° in and out
B: Radius of Screen Swing = 733mm

Recommended shower head position

SINGLE SQUARE

MB2
Bathscreen

1500 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS

Hydra**SEAL**

- 6mm toughened safety glass
- Reversible
- Featuring HydraSeal

| SINGLE SQUARE		
Size	Code	Panel
800x1500	MB2FLEX	1

Screen

Screen is reversible

Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

B

Door Swing: 90° in and out
B: Radius of Screen Swing = 733mm

Recommended shower head position

Bathscreen

2 PANEL CURVED

MB**3**
Bathscreen

1500 MM
HEIGHT STANDARD RANGE

6 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

FEATURES & BENEFITS — HydraSEAL

– 6mm toughened safety glass

– Reversible

– Featuring HydraSeal

– Includes towel rail

2 PANEL CURVED

Size	Code	Panel
1150x1500	MB3FLEX	2

Screen

Inside bath edge

Screen is reversible

Please ensure product is fitted with moving panel seals in line with bath inside edge.

A   B

Door Swing: 90° in and out
A: Fixed Panel B: Radius of Screen Swing = 733mm

Recommended shower head position

2 PANEL FOLDING CURVED

MB**3a**
Bathscreen

1500 MM
HEIGHT STANDARD RANGE

6 MM
GLASS THICKNESS

LIFETIME GUARANTEE

FEATURES & BENEFITS — HydraSEAL

– 6mm toughened safety glass

– Reversible

– Featuring HydraSeal

2 PANEL FOLDING CURVED

Size	Code	Panel
900x1500	MB3AFLEX	2

Screen

Inside bath edge

Screen is reversible

Please ensure product is fitted with moving panel seals in line with bath inside edge.

A   B

Door Swing: 90° in and out
A: Fixed Panel B: Radius of Screen Swing = 483mm

Recommended shower head position

Bathscreen

2 PANEL FOLDING SQUARE

1500 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS THICKNESS

LIFETIME GUARANTEE

FEATURES & BENEFITS

HydraSEAL

- 6mm toughened safety glass
- Reversible
- Featuring HydraSeal

2 PANEL FOLDING SQUARE		
Size	Code	Panel
900x1500	MB3BFLEX	2

Screen
Screen is reversible
Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Door Swing: 90° in and out
A: Fixed Panel B: Radius of Screen Swing = 483mm

Recommended shower head position

2 PANEL HINGED

1500 MM
HEIGHT
STANDARD RANGE

6 MM
GLASS THICKNESS

LIFETIME GUARANTEE

FEATURES & BENEFITS

HydraSEAL

- 6mm toughened safety glass
- Reversible
- Featuring HydraSeal

2 PANEL HINGED		
Size	Code	Panel
900x1500	MB3CFLEX	2

Screen
Screen is reversible
Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Door Swing: 180° inwards only
A: Fixed Panel B: Radius of Screen Swing = 383mm

Recommended shower head position

Bathscreen

SecureSeal Lock

.SecureSeal.
by M E R L Y N

LIFETIME GUARANTEE   MERSHIELD STAYCLEAR

The ultimate leak free bath screens

SecureSeal by MERLYN offers functional and easy to use designs to complement any bathroom space. It has been designed with the same unrelenting attention to detail demonstrated across all MERLYN products.

How SecureSeal works

The SecureSeal by MERLYN has been designed with a Leak Free Sealing Arm which extends from the profile to create a complete seal between the bath and screen. When not in use, the arm simply folds away back into the profile.

01. Extend
Extend screen and locate panels.

02. Pull Down
Pull down arm from storage position.

03. Lock In
Fully extend and clip into position for a secure fit and tight seal.

SECURE SEAL 4 FOLD

SecureSeal. by MERLYN

↕ 1500 MM HEIGHT STANDARD RANGE | 6 MM GLASS THICKNESS | LIFETIME GUARANTEE | MERSHIELD STAYCLEAR

SECURE SEAL 4 FOLD
with Storage

SecureSeal. by MERLYN

↕ 1500 MM HEIGHT STANDARD RANGE | 6 MM GLASS THICKNESS | LIFETIME GUARANTEE | MERSHIELD STAYCLEAR

SECURE SEAL 5 FOLD

SecureSeal. by MERLYN

↕ 1500 MM HEIGHT STANDARD RANGE | 6 MM GLASS THICKNESS | LIFETIME GUARANTEE | MERSHIELD STAYCLEAR

SECURE SEAL 5 FOLD
with Storage

SecureSeal. by MERLYN

↕ 1500 MM HEIGHT STANDARD RANGE | 6 MM GLASS THICKNESS | LIFETIME GUARANTEE | MERSHIELD STAYCLEAR

SECURE SEAL SINGLE PANEL

SecureSeal. by MERLYN

↕ 1500 MM HEIGHT STANDARD RANGE | 6 MM GLASS THICKNESS | LIFETIME GUARANTEE | MERSHIELD STAYCLEAR

SECURE SEAL SINGLE PANEL with Storage

SecureSeal. by MERLYN

↕ 1500 MM HEIGHT STANDARD RANGE | 6 MM GLASS THICKNESS | LIFETIME GUARANTEE | MERSHIELD STAYCLEAR

Bathscreen

FEATURES & BENEFITS

– Mershield Stayclear protected glass

– Reversible

– Lifetime Guarantee

Screen

Screen is reversible

Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

SecureSeal 4 Fold

Size	Code	Panel	Adjustment Min-Max
800 x 1500	MS4	4	780 - 800

A: Moving Panels (screen width when folded into the bath 226mm)

Recommended shower head position

Optional SecureSeal Fixed Panel

Size	Code	Panel	Adjustment Min-Max
300 x 1500	MSFP	1	300 -320

A: Moving Panels (screen width when folded into the bath 226mm)

B: Fixed Panel

Recommended shower head position

FEATURES & BENEFITS

– Mershield Stayclear protected glass

– Reversible

– Lifetime Guarantee

Screen

Screen is reversible

Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

SecureSeal 4 Fold

Size	Code	Panel	Adjustment Min-Max
1000 x 1500	MS5	5	980 - 1000

A: Moving Panels (screen width when folded into the bath 178mm)

Recommended shower head position

Optional SecureSeal Fixed Panel

| Size	Code	Panel	Adjustment Min-Max
300 x 1500	MSFP	1	300 -320

A: Moving Panels (screen width when folded into the bath 178mm)

B: Fixed Panel

Recommended shower head position

FEATURES & BENEFITS

– Mershield Stayclear protected glass

– Reversible

– Lifetime Guarantee

Screen

Screen is reversible

Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

SecureSeal 4 Fold

Size	Code	Panel	Adjustment Min-Max
800 x 1500	MS1	1	780 - 800mm

A: Moving Panels (screen width when folded into the bath 712mm)

Recommended shower head position

Optional SecureSeal Fixed Panel

Size	Code	Panel	Adjustment Min-Max
300 x 1500	MSFP	1	300 -320

A: Moving Panels (screen width when folded into the bath 712mm)

B: Fixed Panel

Recommended shower head position

Bathscreen

MERLYN
ARYSTO
COLOUR

WALL HINGED

1500 MM HEIGHT STANDARD RANGE

10 MM GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

Image is shown in chrome

FEATURES & BENEFITS

UK CA

- 10mm toughened safety glass

- Reversible

- Power shower suitable

AVAILABLE IN COLOURS

Brushed Stainless Steel (BSS)

Matt Black (MB)

Polished Gold (PG)

Brushed Bronze (BBZ)

Polished Nickel (PN)

Brushed Brass (BBR)

Arysto Colour Wall Hinged

Size	Code	Panel
1500x850	GMBS1	1

Reversible

A

A: Moving Panel

Recommended shower head position

Screen

Inside bath edge

Screen is reversible

Please ensure product is fitted with moving panel seals in line with bath inside edge.

DOUBLE PANEL

1500 MM
HEIGHT STANDARD RANGE

10 MM
GLASS THICKNESS

LIFETIME GUARANTEE

MERSHIELD STAYCLEAR

Image is shown in chrome

FEATURES & BENEFITS

UK CA

- 10mm toughened safety glass

- Reversible

- Power shower suitable

AVAILABLE IN COLOURS

Brushed Stainless Steel (BSS)	Matt Black (MB)	Polished Gold (PG)	Brushed Bronze (BBZ)	Polished Nickel (PN)	Brushed Brass (BBR)

Arysto Colour Double Panel

Size	Code	Panel
1500x850	GMBS2	2

Reversible

B

A

A: Moving Panel   B: Fixed Panel

Recommended shower head position

Screen

Screen is reversible

Inside bath edge

Please ensure product is fitted with moving panel seals in line with bath inside edge.

Tray Shapes Available

Square   Rectangle   Quadrant   Offset Quadrant   Pentangle

Trays

the perfect solution

The MERLYN Tray Collection showcases everything from beautifully hand crafted, to ultra-slim and functional style. Our trays can also be fitted flush to the floor, encompassing all the benefits of a wetroom floor and accessibility but without the costly installation. From elegant style to a contemporary aesthetic, our trays will provide a solution for all your needs.

	Shape	Size	TrueStone	Level25	MStone	TouchStone	MerlynUpstand
1	□	760			✓	✓	✓
2	□	800			✓	✓	✓
3	□	900	✓	✓	✓	✓	✓
4	□	800 x 700				✓	
5	□	800 x 760				✓	
6	□	900 x 700				✓	
7	□	900 x 760			✓	✓	✓
8	□	900 x 800				✓	
9	□	1000 x 700				✓	
10	□	1000 x 760				✓	
11	□	1000 x 800	✓	✓	✓	✓	✓
12	□	1000 x 900		✓		✓	
13	□	1100 x 760			✓		
14	□	1100 x 800		✓	✓	✓	
15	□	1100 x 900		✓			
16	□	1200 x 700			✓	✓	
17	□	1200 x 760			✓	✓	✓
18	□	1200 x 800	✓	✓	✓	✓	✓
19	□	1200 x 900	✓	✓	✓	✓	✓
20	□	1300 x 800		✓		✓	
21	□	1300 x 900		✓			
22	□	1400 x 700				✓	
23	□	1400 x 760				✓	
24	□	1400 x 800	✓	✓	✓	✓	
25	□	1400 x 900	✓	✓	✓	✓	
26	□	1500 x 700			✓	✓	
27	□	1500 x 760				✓	
28	□	1500 x 800	✓	✓	✓	✓	
29	□	1500 x 900	✓	✓	✓	✓	
30	□	1600 x 700				✓	
31	□	1600 x 800	✓	✓	✓	✓	
32	□	1600 x 900	✓	✓	✓	✓	
33	□	1685 x 700			✓	✓	
34	□	1680 x 760			✓	✓	
35	□	1700 x 800	✓	✓	✓	✓	
36	□	1700 x 900	✓	✓		✓	
37	◇	800			✓	✓	
38	◇	900	✓	✓	✓	✓	
39	◇	1000			✓		
40	□	900 x 760 L			✓		
41	□	900 x 760 R			✓		
42	□	1000 x 800 L			✓	✓	
43	□	1000 x 800 R			✓	✓	
44	□	1200 x 800 L			✓	✓	
45	□	1200 x 800 R			✓	✓	
46	□	1200 x 900 L	✓	✓	✓	✓	
47	□	1200 x 900 R	✓	✓	✓	✓	
48	□	1400 x 800 L				✓	
49	□	1400 x 800 R				✓	
50	◇	900 x 900				✓	
51	◇	1200 x 900 L				✓	
52	◇	1200 x 900 R				✓	
53	◇	1400 x 900 L				✓	
54	◇	1400 x 900 R				✓	

UK CA

TRUESTONE®

FEATURES & BENEFITS

– Ultra slim – only 30mm in height

– High Grade Stone Resin

– 5 Colour options

– Integrated discreet waste

– Comes with 90mm fast flow waste

– Luxurious textured finish

Integrated 90mm fast flow discreet waste

30mm height

NEW *from MERLYN*   NEW *from MERLYN*

Black   Sandstone   Graphite   White   Fossil Grey

Rectangular Tray

Product Information

Size	Code	Colour
1000x800	T108RTB	Black NEW
1000x800	T108RTS	Sandstone NEW
1000x800	T108RTG	Graphite
1000x800	T108RTW	White
1000x800	T108RTF	Fossil Grey
1200x800	T128RTB	Black NEW
1200x800	T128RTS	Sandstone NEW
1200x800	T128RTG	Graphite
1200x800	T128RTW	White
1200x800	T128RTF	Fossil Grey
1200x900	T129RTB	Black NEW
1200x900	T129RTS	Sandstone NEW
1200x900	T129RTG	Graphite
1200x900	T129RTW	White
1200x900	T129RTF	Fossil Grey

Product Information

Size	Code	Colour
1400x800	T148RTB	Black NEW
1400x800	T148RTS	Sandstone NEW
1400x800	T148RTG	Graphite
1400x800	T148RTW	White
1400x800	T148RTF	Fossil Grey
1400x900	T149RTB	Black NEW
1400x900	T149RTS	Sandstone NEW
1400x900	T149RTG	Graphite
1400x900	T149RTW	White
1400x900	T149RTF	Fossil Grey
1500x800	T158RTB	Black NEW
1500x800	T158RTS	Sandstone NEW
1500x800	T158RTG	Graphite
1500x800	T158RTW	White
1500x800	T158RTF	Fossil Grey
1500x900	T159RTB	Black NEW
1500x900	T159RTS	Sandstone NEW
1500x900	T159RTG	Graphite
1500x900	T159RTW	White
1500x900	T159RTF	Fossil Grey
1600x800	T168RTB	Black NEW
1600x800	T168RTS	Sandstone NEW
1600x800	T168RTG	Graphite
1600x800	T168RTW	White
1600x800	T168RTF	Fossil Grey
1600x900	T169RTB	Black NEW
1600x900	T169RTS	Sandstone NEW
1600x900	T169RTG	Graphite
1600x900	T169RTW	White
1600x900	T169RTF	Fossil Grey
1700x800	T178RTB	Black NEW
1700x800	T178RTS	Sandstone NEW
1700x800	T178RTG	Graphite
1700x800	T178RTW	White
1700x800	T178RTF	Fossil Grey
1700x900	T179RTB	Black NEW
1700x900	T179RTS	Sandstone NEW
1700x900	T179RTG	Graphite
1700x900	T179RTW	White
1700x900	T179RTF	Fossil Grey

Trays

Square Tray

Product Information		
Size	**Code**	**Colour**
900x900	T90RTB	Black NEW
900x900	T90RTS	Sandstone NEW
900x900	T90RTG	Graphite
900x900	T90RTW	White
900x900	T90RTF	Fossil Grey

Quadrant Tray

Product Information		
Size	**Code**	**Colour**
900x900	T90QB	Black NEW
900x900	T90QS	Sandstone NEW
900x900	T90QG	Graphite
900x900	T90QW	White
900x900	T90QF	Fossil Grey

Offset Quadrant Tray

Product Information		
Size	**Code**	**Colour**
1000x800	T108HB (L or R)	Black NEW
1000x800	T108HS (L or R)	Sandstone NEW
1000x800	T108HG (L or R)	Graphite NEW
1000x800	T108HW (L or R)	White NEW
1000x800	T108HF (L or R)	Fossil Grey NEW
1200x900	T129HB (L or R)	Black NEW
1200x900	T129HS (L or R)	Sandstone NEW
1200x900	T129HG (L or R)	Graphite
1200x900	T129HW (L or R)	White
1200x900	T129HF (L or R)	Fossil Grey

This product is handed - please choose(L) for Left or (R) for right when ordering

Trays

DISCLAIMER When wet, the surface of the majority of shower trays will show an increase in the potential for slipping. This is particularly the case when soap, shampoo, bath oil etc. are used. It is important that designers, installers and users are aware of this.

LEVEL**25**

FEATURES & BENEFITS

- Ultra slim 25mm low level tray.

- Sleek minimalist design.

- Discreet integrated waste cover.

- Top acrylic capped ABS layer

- Stone Resin

- Bottom ABS layer

- Can be fitted on or level with floor.

- Comes with 90mm fast flow waste.

- Shower tray 25 year guarantee.

Integrated 90mm fast flow
discreet waste

25mm height

Rectangular Tray

Product Information			
Size	Code	Waste Position (A)	Waste Position (B)
1000x800	L108RT	121.5	500
1000x900	L109RT	121.5	500
1100x800	L118RT	121.5	550
1100x900	L119RT	121.5	550
1200x800	L128RT	121.5	600
1200x900	L129RT	121.5	600
1300x800	L138RT	121.5	650
1300x900	L139RT	121.5	650
1400x800	L148RT	121.5	700
1400x900	L149RT	121.5	700
1500x800	L158RT	121.5	750
1500x900	L159RT	121.5	750
1600x800	L168RT	121.5	800
1600x900	L169RT	121.5	800
1700x800	L178RT	121.5	850
1700x900	L179RT	121.5	850

1200mm

B

A

800mm

Trays

Square Tray

Product Information

Size	Code	Waste Position (A)	Waste Position (B)
900x900	L90SQ	121.5	450

Quadrant Tray

Product Information

Size	Code	Waste Position (A)	Waste Position (B)
900x900	L90Q	121.5	450

Offset Quadrant Tray

Product Information

Size	Code	Waste Position (A)	Waste Position (B)
1200x900	L129QL	121.5	600
1200x900	L129QR	121.5	600

Trays

DISCLAIMER When wet, the surface of the majority of shower trays will show an increase in the potential for slipping. This is particularly the case when soap, shampoo, bath oil etc. are used. It is important that designers, installers and users are aware of this.

‖MSTONE‖

FEATURES & BENEFITS

- Double Skinned for added rigidity

- 50mm high to achieve minimalist design

- 135mm high including tray panel set

- ABS capped acrylic sheets with anti-bacterial properties

- Comes with 90mm fast flow waste

- More than 30 sizes available

- Available with tray panel kits

- Shower tray lifetime guarantee *covers manufacturing defects only

Adjustable legs & tray panel kit

Graduated adjustable leg system

Integrated 90mm fast flow discreet waste

Top & bottom acrylic capped ABS Layer with Stone Resin

Rectangular Tray

Product Information		
Size	Code	Tray Panel Kit (Order Separately)
900x760	D976RT	Kit 4
1000x800	D108RT	Kit 4
1100x760	D1176RT	Kit 4
1100x800	D118RT	Kit 4
1200x700	D127RT	Kit 4
1200x760	D1276RT	Kit 4
1200x800	D128RT	Kit 4
1200x900	D129RT	Kit 4
1400x800	D148RT	Kit 3
1400x900	D149RT	Kit 3
1500x700	D157RT	Kit 3
1500x800	D158RT	Kit 3
1500x900	D159RT	Kit 3
1600x800	D168RT	Kit 3
1600x900	D169RT	Kit 3
1685x700	D177RT	Kit 3
1680x760	D1776RT	Kit 3
1700x800*	D178RT	Kit 3

* Wasted centered for 1700 x 800mm Tray

1500mm

800mm

A
A

Waste position as shown for all trays except
1700 x 800
A = 147mm

1700mm*

800mm

*Waste position for
1700 x 800 tray
A = 850mm
B = 130mm

A

B

Tray Panel Kit (including Legs)		
Size	Code	Tray Panel Kit (Order Separately)
1700x700	DRK3	Kit 3
1700x760	DRK4	Kit 4

Please note: waste is centered on the 1700mm x 800mm tray

Waste Complete Only	
Size	Code
Waste Complete	DWAS

MSTONE

Square Tray

Product Information

Size	Code	Tray Panel Kit (Order Separately)	Waste Position (A)
760	D76SQ	Kit 4	147mm
800	D80SQ	Kit 4	147mm
900	D90SQ	Kit 4	147mm

Tray Panel Kit (including Legs)

Size	Code	Tray Panel Kit (Order Separately)
	DRK4	Kit 4

Waste Complete Only

Size	Code
Waste Complete	DWAS

Quadrant Tray

Product Information

Size	Code	Tray Panel Kit (Order Separately)	Waste Position (A)	Waste Position (B)
800	D80Q	Kit 2	250mm	130mm
900	D90Q	Kit 2	350mm	130mm
1000	D100Q	Kit 5	350mm	130mm

Tray Panel Kit (including Legs)

Size	Code	Tray Panel Kit (Order Separately)
	DRK2	Kit 2
	DRK5	Kit 5

Waste Complete Only

Size	Code
Waste Complete	DWAS

DISCLAIMER When wet, the surface of the majority of shower trays will show an increase in the potential for slipping. This is particularly the case when soap, shampoo, bath oil etc. are used. It is important that designers, installers and users are aware of this.

Trays

||M STONE||

Offset Quadrant Tray

Shown as Right Hand (RH)

Product Information

Size	Code	Tray Panel Kit (Order Separately)	Waste Position (A)	Waste Position (B)
900 x 760	D976Q L	Kit 1	250mm	130mm
900 x 760	D976Q R	Kit 1	250mm	130mm
1000 x 800	D108Q L	Kit 1	350mm	130mm
1000 x 800	D108Q R	Kit 1	350mm	130mm
1200 x 800	D128Q L	Kit 1	450mm	130mm
1200 x 800	D128Q R	Kit 1	450mm	130mm
1200 x 900	D129Q L	Kit 1	450mm	130mm
1200 x 900	D129Q R	Kit 1	450mm	130mm

This product is handed - Please choose L for Left or R for Right when ordering

Tray Panel Kit (including Legs)

Size	Code	Tray Panel Kit (Order Separately)
	DRK1	Kit 1

Waste Complete Only

Size	Code
Waste Complete	DWAS

1200mm

R550mm

900mm

A

B

THIS PRODUCT IS HANDED
Please choose L for Left or
R for Right when ordering.

L   R

Left Handed (L)   Right Handed (R)

DISCLAIMER When wet, the surface of the majority of shower trays will show an increase in the potential for slipping. This is particularly the case when soap, shampoo, bath oil etc. are used. It is important that designers, installers and users are aware of this.

Trays

TOUCHSTONE ®

TOUCHSTONE ®

FEATURES & BENEFITS

- Single Skinned with moulded solid under section

- 50mm high to achieve minimalist design

- 135mm high including tray panel set

- Available with 90mm branded fast flow waste (optional extra)

- Available with tray panel kits (optional extra)

Adjustable legs & tray panel kit

Graduated adjustable leg system

Integrated 90mm fast flow discreet waste

Rectangular Tray

A

1500mm

A = 147mm

800mm

1700mm*

800mm

A = 130mm

B

Product Information				
Size	Code	Tray Panel Kit	Waste Position (A)	Waste Position (B)
800 x 700	S870RRTO	4	147mm	
800 x 760	S876RTTO	4	147mm	
900 x 700	S970RTTO	4	147mm	
900 x 760	S976RTTO	4	147mm	
900 x 800	S980RTTO	4	147mm	
1000 x 700	S107RTTO	4	147mm	
1000 x 760	S1076RTTO	4	147mm	
1000 x 800	S108RTTO	4	147mm	
1000 x 900	S109RTTO	4	147mm	
1100 x 800	S118RTTO	4	147mm	
1200 x 700	S127RTTO	4	147mm	
1200 x 760	S1276RTTO	4	147mm	
1200 x 800	S128RTTO	4	147mm	
1200 x 900	S129RTTO	4	147mm	
1300 x 800	S138RTTO	3	147mm	
1400 x 700	S147RTTO	3	147mm	
1400 x 760	S1476RTTO	3	147mm	
1400 x 800	S148RTTO	3	147mm	
1400 x 900	S149RTTO	3	147mm	
1500 x 700	S157RTTO	3	147mm	
1500 x 760	S1576RTTO	3	147mm	
1500 x 800	S158RTTO	3	147mm	
1500 x 900	S159RTTO	3	147mm	
1600 x 700	S167RTTO	3	147mm	
1600 x 800	S168RTTO	3	147mm	
1600 x 900	S169RTTO	3	147mm	
1685 x 700	S177RTTO	3	147mm	
1680 x 760	S1776RTTO	3	147mm	
1700 x 800*	S178RTTO	3	130mm	850mm
1700 x 900*	S179RTTO	3	130mm	850mm

* Waste centred on 1700 x 800 and 1700 x 900mm Trays.

Optional Extra - Rectangular Tray Panel Kit		
Size	Code	Tray Panel Kit
1700 x 900	DRK3	Kit 3
1200 x 900	DRK4	Kit 4

Waste Complete Only	
Size	Code
Waste Complete	DWAS

Trays

Square Tray

Product Information

Size	Code	Tray Panel Kit (Order Separately)	Waste Position (A)
760 x 760	S76SQTO	Kit 4	147mm
800 x 800	S80SQTO	Kit 4	147mm
900 x 900	S90SQTO	Kit 4	147mm

Optional Extra - Square Tray Panel Kit

Size	Code	Tray Panel Kit
1200 x 900	DRK4	Kit 4

Waste Complete Only

Size	Code
Waste Complete	DWAS

Quadrant Tray

Product Information

Size	Code	Tray Panel Kit (Order Separately)	Waste Position (A)	Waste Position (B)
800	S80QTO	Kit 2	250mm	130mm
900	S90QTO	Kit 2	350mm	130mm

Optional Extra - Quadrant Tray Panel Kit

Size	Code	Tray Panel Kit
900	DRK2	Kit 2

Waste Complete Only

Size	Code
Waste Complete	DWAS

Trays

DISCLAIMER When wet, the surface of the majority of shower trays will show an increase in the potential for slipping. This is particularly the case when soap, shampoo, bath oil etc. are used. It is important that designers, installers and users are aware of this.

Offset QuadrantTray

TOUCHSTONE®

Product Information

Size	Code	Tray Panel Kit (Order Separately)	Waste Position (A)	Waste Position (B)
1000 x 800 L	S108QLTO	Kit 1	350mm	130mm
1000 x 800 R	S108QRTO	Kit 1	350mm	130mm
1200 x 800 L	S128QLTO	Kit 1	450mm	130mm
1200 x 800 R	S128QRTO	Kit 1	450mm	130mm
1200 x 900 L	S129QLTO	Kit 1	450mm	130mm
1200 x 900 R	S129QRTO	Kit 1	450mm	130mm

This product is handed - Please choose L for Left or R for Right when ordering

Optional Extra - Quadrant Tray Panel Kit

Size	Code	Tray Panel Kit
1200 x 900	DRK1	Kit 1

Waste Complete Only

Size	Code
Waste Complete	DWAS

THIS PRODUCT IS HANDED
Please choose L for Left or
R for Right when ordering.

Left Handed (L)   Right Handed (R)

DISCLAIMER When wet, the surface of the majority of shower trays will show an increase in the potential for slipping. This is particularly the case when soap, shampoo, bath oil etc. are used. It is important that designers, installers and users are aware of this.

Trays

MERLYN
UPSTAND

MERLYN
UPSTAND®

FEATURES & BENEFITS

– Single skinned with 4 upstands

– 50mm high (63mm with upstand)

– 135mm high with tray panel set
(148mm high including upstand)

– ABS capped acrylic sheet with
anti–bacterial properties

– Available with 90mm branded fast flow waste
(optional extra)

– Available with tray panel kits (optional extra)

Adjustable legs & tray panel kit

Graduated adjustable leg system

Optional extra 90mm fast flow
waste

13mm high upstand

Rectangular Tray
with 4 Upstands

Shown as right hand

Product Information

Size	Code	Tray Panel Kit (Order Separately)
900 x 760	S976RTUP	Kit 4
1000 x 800	S108RTUP	Kit 4
1200 x 760	S1276RTUP	Kit 4
1200 x 800	S128RTUP	Kit 4
1200 x 900	S129RTUP	Kit 4

Optional Extra - Rectangle Tray Panel Kit (including Legs)

Size	Code	Tray Panel Kit
	DRK4	Kit 4

Waste Complete Only

Size	Code
Waste Complete	DWAS

1500mm

A

A

800mm

Waste position
A = 147mm

Trays

MERLYN
UPSTAND®

Square Tray
with 4 Upstands

Product Information		
Size	Code	Tray Panel Kit (Order Separately)
760	S76SQUP	Kit 4
800	S80SQUP	Kit 4
900	S90SQUP	Kit 4

Optional Extra - Square Tray Panel Kit (including Legs)		
Size	Code	Tray Panel Kit
	DRK4	Kit 4

Waste Complete Only	
Size	Code
Waste Complete	DWAS

Waste position

A = 147mm

Trays

Slip Resistant

the perfect solution

Our slip resistant shower trays have a textured acrylic finish which forms naturally in the manufacturing process. This reveals a property that ensures maximum safety in the shower and gives a very natural feeling, which is also warm and pleasant to the touch.


LEVEL25-SR

TOUCHSTONE-SR

TOUCHSTONE-SR

Stone Resin

Acrylic capped ABS

LEVEL25-SR

The Slip Resistant Pendulum Test

preferred assessment method of the Health and Safety Executive

Test method subject of British Standard British BS 7976: Parts 1-3, 2002.2

BAREFOOT WET CONDITION TEST

The tester swings an imitation heel (using a standardised rubber soling sample), over a set area in a controlled manner.

MERLYN reached an SRV (Slip Resistance Values) in wet conditions greater than the required 36 mark. This ranks MERLYN in a premium class.

The Ramp Test

DIN 51097

Ramp test for barefoot		Ramp angle
Class A Most Slippery	≥	12°
Class B	≥	18°
Class C Least Slippery	≥	24°
MERLYN least slippery Class C **> 24˚**		

MERLYN slip resistant tray has achieved Class C for DIN 51097 – a barefoot ramp test.

LEVEL25-SR

FEATURES & BENEFITS

- Ultra slim 25mm low level tray

- Antislip is manufactured into the coating and won't wear

- Discreet integrated waste cover

- Fitted on or level with floor

- Comes with 90mm fast flow waste Ultra slim 25mm low level tray

- Discreet integrated waste cover

- Fitted on or level with floor

- Comes with 90mm fast flow waste

- Sleek minimalist design

- 25 Year Guarantee

Integrated 90mm fast flow discreet waste

25mm height

Rectangular Tray

Product Information			
Size	Code	Waste Position (A)	Waste Position (B)
1000x800	L108RTAS	121.5	500
1000x900	L109RTAS	121.5	500
1100x800	L118RTAS	121.5	550
1100x900	L119RTAS	121.5	550
1200x800	L128RTAS	121.5	600
1200x900	L129RTAS	121.5	600
1300x800	L138RTAS	121.5	650
1300x900	L139RTAS	121.5	650
1400x760	L1476RTAS	121.5	700
1400x800	L148RTAS	121.5	700
1400x900	L149RTAS	121.5	700
1500x800	L158RTAS	121.5	750
1500x900	L159RTAS	121.5	750
1600x800	L168RTAS	121.5	800
1600x900	L169RTAS	121.5	800
1700x800	L178RTAS	121.5	850
1700x900	L179RTAS	121.5	850

1200mm

B

A

800mm

Square Tray

Product Information

Size	Code	Waste Position (A)	Waste Position (B)
900x900	L90SQAS	121.5	450

900mm

B

A

900mm

Quadrant Tray

Product Information

Size	Code	Waste Position (A)	Waste Position (B)
900x900	L90QAS	121.5	450

900mm

900mm

A

B

Offset Quadrant Tray

Product Information

Size	Code	Waste Position (A)	Waste Position (B)
1200x900	L129QLAS	121.5	600
1200x900	L129QRAS	121.5	600

This product is handed - please choose L for Left and R for Right when ordering.

1200mm

900mm

A

B

Trays

DISCLAIMER When wet, the surface of the majority of shower trays will show an increase in the potential for slipping. This is particularly the case when soap, shampoo, bath oil etc. are used. It is important that designers, installers and users are aware of this.

TOUCHSTONE-SR

FEATURES & BENEFITS

- 10 Year Guarantee
- Single skinned with moulded
- solid under section
- 50mm high to achieve minimalist design
- Antislip is manufactured into the coating and won't wear
- 135mm high including tray panel kit
- Compatible 90mm fast flow waste also available

Adjustable legs & tray panel kit

Graduated adjustable leg system

Integrated 90mm fast flow discreet waste

Rectangular Tray

Product Information

Size	Code	Tray Panel Kit	Waste Position (A)	Waste Position (B)
900 x 800	S980RTASTO	4	147mm	
1000 x 800	S108RTASTO	4	147mm	
1000 x 900	S109RTASTO	4	147mm	
1100 x 800	S118RTASTO	4	147mm	
1200 x 700	S127RTASTO	4	147mm	
1200 x 760	S1276RTASTO	4	147mm	
1200 x 800	S128RTASTO	4	147mm	
1200 x 900	S129RTASTO	4	147mm	
1400 x 700	S147RTASTO	3	147mm	
1400 x 800	S148RTASTO	3	147mm	
1400 x 900	S149RTASTO	3	147mm	
1500 x 760	S1576RTASTO	3	147mm	
1500 x 800	S158RTASTO	3	147mm	
1500 x 900	S159RTASTO	3	147mm	
1600 x 700	S167RTASTO	3	147mm	
1600 x 800	S168RTASTO	3	147mm	
1685 x 700	S177RTASTO	3	147mm	
1700 x 800*	S178RTASTO	3	130mm	850mm
1700 x 900*	S179RTASTO	3	130mm	850mm

* Waste centred on 1700 x 800 and 1700 x 900mm Trays.

1500mm

800mm

A

A = 147mm

1700mm*

800mm

A = 130mm

B

Tray Panel Kits (Including Legs)*** No Waste

Tray Panel Kit	Code
Kit 1	DRK1
Kit 2	DRK2
Kit 3	DRK3
Kit 4	DRK4

Waste Complete Only

Size	Code
Waste Complete	DWAS

Please Note: Price and order codes on the Touchstone-SR do not include waste, waste must be ordered separately. Code: DWAS

Square Tray

Product Information

Size	Code	Tray Panel Kit (Order Separately)	Waste Position (A)
800 x 800	S80SQASTO	Kit 4	147mm
900 x 900	S90SQASTO	Kit 4	147mm

800mm

A

A

800mm

Product Information

Size	Code	Tray Panel Kit (Order Separately)	Waste Position (A)	Waste Position (B)
800	S80QTO	Kit 2	250mm	130mm
900	S90QTO	Kit 2	350mm	130mm

Quadrant Tray

Product Information

Size	Code	Tray Panel Kit (Order Separately)	Waste Position (A)	Waste Position (B)
800	S80QTO	Kit 2	250mm	130mm
900	S90QTO	Kit 2	350mm	130mm

R550mm   900mm

900mm

A

B

Offset Quadrant Tray

Product Information

Size	Code	Tray Panel Kit (Order Separately)	Waste Position (A)	Waste Position (B)
1000 x 800 L	S108QLASTO	Kit 1	350mm	130mm
1000 x 800 R	S108QRASTO	Kit 1	350mm	130mm
1200 x 800 L	S128QLASTO	Kit 1	450mm	130mm
1200 x 800 R	S128QRASTO	Kit 1	450mm	130mm
1200 x 900 L	S129QLASTO	Kit 1	450mm	130mm
1200 x 900 R	S129QRASTO	Kit 1	450mm	130mm

This product is handed - Please choose L for Left or R for Right when ordering

1200mm   R550mm

900mm

A

B

L   R

Left Handed (L)   Right Handed (R)

THIS PRODUCT IS HANDED
Please choose L for Left or
R for Right when ordering.

Trays

DISCLAIMER When wet, the surface of the majority of shower trays will show an increase in the potential for slipping. This is particularly the case when soap, shampoo, bath oil etc. are used. It is important that designers, installers and users are aware of this.

MERLYN™

Specification Manual