

crosswater[®]

Shower Enclosures, Trays & Baths

July 2024



The Crosswater Advantage

As bathrooms have evolved into more experiential spaces for relaxation & revitalisation, Crosswater has curated a stunning mix of colours, textures and materials across a broad range of bathroom elements, allowing you to design your own perfect bathroom space.

This is the **Crosswater advantage**.

crosswater[®]

Shower Enclosures

10mm Enclosures

GALLERY 10	8
OPTIX 10	28

8mm Enclosures

NEW ASURA 8	68
GALLERY 8	96
DESIGN 8	112

6mm Enclosures

CLEAR 6	122
KAI 6	142

Shower Trays

25mm Trays

CREO Engineered Stone	152
VITO Engineered Stone	154

45mm Trays

Edge Waste ABS Capped Stone Resin	156
-----------------------------------	-----

35mm Trays

Acrylic Anti Slip	158
Acrylic	160

Bath Screens

10mm Bath Screens

OPTIX 10	162
----------	-----

8mm Bath Screens

NEW ASURA 8	168
DESIGN 8	169

6mm Bath Screens

CLEAR 6	172
KAI 6	176

Baths

Freestanding Baths

NEW CARNE	180
NEW CERUS	181
MPRO	182

Back to Wall Baths

NEW CURSA	183
ARTIST	184
SERENE	185

Single Ended Baths

KAI S	186
FLOW	187

Double Ended Baths

KAI X	188
VERGE	189

Essentials

Bath Wastes & Fillers

NEW Bath Wastes	190
Bath Fillers	190

Accessories

NEW Niches	191
NEW Grab Bars	191





Shower Heads

- 14 ranges
- 15 finishes
- 7 textures

Shower Enclosures

- 7 ranges
- 6 finishes
- 3 textures

Shower Valves

- 19 ranges
- 15 finishes
- 7 textures

Radiators

- 6 ranges
- 5 finishes

Shower Trays

- 5 ranges
- 3 tray depths
- 4 textures

In contrast to many bathroom companies who specialise in a specific area, Crosswater can offer products for your whole bathroom, adding the ability to coordinate these elements using material colour linking to create a truly personal bathroom space.

More of the **Crosswater advantage**.



Mirrors & Cabinets

- 11 ranges
- 6 shapes

Lights

- 3 ranges
- 6 finishes
- 3 shapes

Basin Taps

- 24 ranges
- 15 finishes
- 7 textures

Basins & Worktops

- 29 ranges
- 15 finishes
- 7 textures

Accessories

- 11 ranges
- 9 finishes
- 6 textures

Furniture

- 10 ranges
- 19 finishes
- 8 textures

Toilets

- 4 ranges
- 2 finishes



What's Your Style?

Whatever your style preference, Crosswater offers a wide range of shower enclosures, bath screens and shower trays with complementary brassware, ceramics, furniture and accessories to help you create your own perfect bathroom space.




GALLERY 10
Walk ins p. 8



OPTIX 10
Shower enclosures p. 28



ASURA 8
Shower enclosures p. 68



GALLERY 8
Walk ins p. 96



DESIGN 8
Shower enclosures & walk ins p. 112



3

CLEAR 6
Shower enclosures p. 122



KAI 6
Shower enclosures p. 142



SHOWER TRAYS
25mm, 35mm & 45mm p. 152



5

OPTIX 10
Bath screens p. 162



6

ASURA 8
Bath screens p. 168



DESIGN 8
Bath screens p. 169



3

CLEAR 6
Bath screens p. 172



KAI 6
Bath screens p. 176



6

ACCESSORIES
Niches & Grab Bars p. 191





Crosswater Clear Treated Glass




Untreated Glass

The Ultimate Glass Protection




Supplied as standard.

Crosswater Clear is a colourless surface treatment applied to all shower and bath panels. The coating is perfectly flat and invisible and works by creating a surface that helps prevent limescale, soap/shampoo build-up, easier to clean and sparkling glass every day.



Untreated Glass

Untreated glass can quickly and easily suffer permanent bonding of limescale and mineral salts onto its surface, which can cause staining and damage, with water spots being difficult, if not impossible, to remove despite regular cleaning.



Crosswater Clear Treated Glass

Helping to prevent build up and making the glass easier to clean, Crosswater Clear allows soils and liquids to 'slide off' the treated surface which prevents limescale and other dirt from building up to make cleaning a quicker and easier process.







GALLERY 10

Expertly curated, our luxury GALLERY 10 collection offers 10mm toughened safety glass, profiles and stabilising options in an assortment of indulgent colours with diverse layout options, giving you complete design flexibility to create your personalised showering solution.

The GALLERY 10 range is suitable for either a shower tray or tiled floor installation.



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

BRUSHED BRONZE

Walk In p 16

SLATE

Walk In p 18

BRUSHED BRASS

Walk In p 20

BRUSHED STAINLESS STEEL

Walk In p 22

POLISHED STAINLESS STEEL

Walk In p 24

MATT BLACK

Walk In p 26




GALLERY 10

Product Highlights

1. Slimline wall profile with concealed fixings and cover cap
2. Glass to glass corner seal for joining glass panels
3. Fixed return panel bracket for joining glass panels
4. Fixed panels with T bracing bar
5. 180° hinged deflector panel
6. Glass to ceiling bracing bar
7. Glass to wall bracing bar






GALLERY 10 Configurations


Once you have identified your space you can create your personalised showering solution; with our flexible modular glass panels, profiles and stabilising fixings the layout options are almost endless.

When choosing your configuration, we recommend you allow 500mm minimum entry space.




Recess

- 1 x Glass Panel
- 1 x Wall Profile
- 1 x Bracing Bar (Wall, Ceiling or Angled)




Recess with Deflector

- 1 x Glass Panel
- 1 x Wall Profile
- 1 x Bracing Bar (Wall or Angled)
- 1 x Hinged or Fixed Deflector




Recess with Double Panel

- 2 x Glass Panels
- 2 x Wall Profiles
- 2 x Bracing Bars (Wall, Ceiling or Angled)




Open Ended

- 1 x Glass Panel
- 1 x Wall Profile
- 1 x Bracing Bar (Wall, Ceiling or Angled)




Open Ended with Deflector

- 1 x Glass Panel
- 1 x Wall Profile
- 1 x Bracing Bar (Wall or Angled)
- 1 x Hinged or Fixed Deflector




Corner with T Bracing Bar

- 2 x Glass Panels (up to 1000mm max.)
- 2 x Wall Profiles
- 1 x T Bracing Bar




Corner with T Bracing Bar & Deflector

- 2 x Glass Panels (up to 1000mm max.)
- 2 x Wall Profiles
- 1 x T Bracing Bar
- 1 x Hinged or Fixed Deflector




Corner

- 1 x Glass Panel
- 1 x Glass Panel (up to 500mm max.)
- 2 x Wall Profiles
- 1 x Bracing Bar (Wall, Ceiling or Angled)




Corner with Deflector

- 1 x Glass Panel
- 1 x Glass Panel (up to 500mm max.)
- 2 x Wall Profiles
- 1 x Bracing Bar (Wall or Angled)
- 1 x Hinged or Fixed Deflector




Walk Through

- 1 x Glass Panel
- 2 x Glass to Wall Bracing Bars




Walk Through with Deflectors

- 1 x Glass Panel
- 2 x Glass to Wall Bracing Bars
- 2 x Hinged or Fixed Deflectors




Glass Corner with T Bracing Bar

- 2 x Glass Panels (up to 1000mm max.)
- 1 x Wall Profile
- 1 x T Bracing Bar
- 1 x Glass to Glass Corner Seal




Glass Corner with Deflector

- 2 x Glass Panels (up to 1000mm max.)
- 1 x Wall Profile
- 1 x T Bracing Bar
- 1 x Glass to Glass Corner Seal
- 1 x Hinged or Fixed Deflector




Glass Corner with Angled Bracing Bar

- 2 x Glass Panels
- 1 x Wall Profile
- 1 x Angled Bracing Bar
- 1 x Glass to Wall Bracing Bar
- 1 x Glass to Glass Corner Seal




Glass Corner with Deflector

- 2 x Glass Panels
- 1 x Wall Profile
- 1 x Angled Bracing Bar
- 1 x Glass to Wall Bracing Bar
- 1 x Glass to Glass Corner Seal
- 1 x Hinged or Fixed Deflector



Three Sided

- 3 x Glass Panels
- 2 x Wall Profiles
- 1 x Angled Bracing Bar
- 1 x T Bracing Bar or 2 x Ceiling Bracing Bars
- 1 x Glass to Glass Corner Seal




Three Sided with Deflector

- 3 x Glass Panels
- 2 x Wall Profiles
- 1 x Angled Bracing Bar
- 1 x T Bracing Bar or 2 x Ceiling Bracing Bars
- 1 x Glass to Glass Corner Seal
- 1 x Hinged or Fixed Deflector

Deflectors

If you've decided to opt for a configuration with a deflector we have 2 options to choose from - 180° hinged or fixed. Each type requires different fittings, details of these are listed below.


We wouldn't recommend installing a deflector panel if you have chosen a glass to ceiling bracing bar.



180° Hinged Deflector Panel

Available in 300mm, our hinged panel rotates through 180° for easier access. The colour matching hinges and clear seal give your walk in a seamless appearance.

- 1 x Glass Panel for Hinged Deflector
- 1 x Deflector Panel 180° Hinges (pair)



Fixed Deflector Panel

Available in 300mm or 400mm, for spaces where you prefer the panel not to move. The colour matching glass to glass brackets and clear seal give a luxury appearance.

- 1 x Glass Panel (up to 400mm max.)
- 1 x Glass to Glass Brackets (pair)
- 1 x Glass to Glass Seal

Additional Design Flexibility

The configurations shown are the most typical options; if you require something different please talk to your local bathroom specialist.

For further installation information or to find your local retailer visit crosswater.co.uk

GALLERY 10 Personalising Your Space

Consider Your Stabilising Fixings

To enable you to create your personalised showering space we have a range of stabilising fixings available. In all cases you should ensure a secure fixing. We do not recommend fixing to plasterboard alone, please consult your local installer for guidance.



Glass to Wall Bracing Bar

1200mm long. Can support panels up to 1400mm.



Glass to Ceiling Bracing Bar

600mm long. Can support panels up to 1000mm.



Angled Glass to Wall Bracing Bar

941mm long. Can support panels up to 1000mm.



T Bracing Bar

1200 x 1200mm. Can support panels up to 1000mm.



Wall Profile with 15mm Adjustment

Can support panels up to 500mm without a bracing bar.



Glass to Glass Corner Seal

For joining two fixed glass panels.

Not sure what you need?

Depending on the configuration you select you may need to use a combination of stabilising fixings. If you need further guidance please visit crosswater.co.uk or speak to your local installer.


Reduce Splashing

Add on a 180° hinged or fixed deflector panel to create a personalised shower space with extra splash protection; giving the pleasure and luxury appearance of a walk-in shower in even the most modest of bathroom spaces.



180° Hinged Deflector Panels

Just as they sound a hinged deflector panel allows the glass to move, enabling greater access to the shower area then protect against over-spray when the water is running.



Fixed Deflector Panels

Fixed deflector panels offer the same design flexibility particularly in smaller spaces. These can be installed using our glass to glass brackets and a glass panel up to 400mm.

Choose Your Perfect Shower Base

Our Gallery 10 Walk In collection can be installed with a shower tray or in a full wet room for full design freedom.



Shower tray



Wet room

Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom. For our full range please visit crosswater.co.uk



Shower Heads



Shower Valves



1700 x 800mm Corner with T Bracing Bar

GALLERY 10 Brushed Bronze

Toughened Glass Panels

Width	Code
255mm	GR030010CF_V2
355mm	GR040010CF_V2
455mm	GR050010CF_V2
555mm	GR060010CF_V2
655mm	GR070010CF_V2
715mm	GR076010CF_V2
755mm	GR080010CF_V2
855mm	GR090010CF_V2
955mm	GR100010CF_V2
1055mm	GR110010CF_V2
1155mm	GR120010CF_V2
1355mm	GR140010CF_V2

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code
Wall Profile with Seal	2000mm	15mm	GRPROFILEBZ

Stabilising Fixings

Part	Size	Code
Glass to Wall Bracing Bar	1200mm	GRBRACEBZ
T Bracing Bar	1200 x 1200mm	GRTBRACEBZ
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEBZ
Angled Bracing Bar	941mm	GRANGLEBRACEBZ
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10

Hinged Deflector Panel Fittings

Part	Size	Code
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEBZ
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300

Fixed Deflector Panel Fittings

Part	Size	Code
Fixed Deflector Glass	300mm	GR030010CF_V2
Fixed Deflector Glass	400mm	GR040010CF_V2
Glass to Glass Brackets (Pair)	-	GRBRACKBZ
Glass to Glass Seal**	2000mm	GRBUBBLESEAL

**Recommended when using glass to glass brackets

Optional Fittings

Part	Size	Code
Glass Bottom Seal	1400 x 10mm	GRSEAL1400X10

Must be cut to length on installation

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Brushed bronze finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind



1200 x 900mm Corner with Glass to Ceiling Bracing Bar

GALLERY 10 Slate

Toughened Glass Panels

Width	Code
255mm	GR030010CF_V2
355mm	GR040010CF_V2
455mm	GR050010CF_V2
555mm	GR060010CF_V2
655mm	GR070010CF_V2
715mm	GR076010CF_V2
755mm	GR080010CF_V2
855mm	GR090010CF_V2
955mm	GR100010CF_V2
1055mm	GR110010CF_V2
1155mm	GR120010CF_V2
1355mm	GR140010CF_V2

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code
Wall Profile with Seal	2000mm	15mm	GRPROFILET

Stabilising Fixings

Part	Size	Code
Glass to Wall Bracing Bar	1200mm	GRBRACET
T Bracing Bar	1200 x 1200mm	GRTBRACET
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACET
Angled Bracing Bar	941mm	GRANGLEBRACET
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10

Hinged Deflector Panel Fittings

Part	Size	Code
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGET
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300

Fixed Deflector Panel Fittings

Part	Size	Code
Fixed Deflector Glass	300mm	GR030010CF_V2
Fixed Deflector Glass	400mm	GR040010CF_V2
Glass to Glass Brackets (Pair)	-	GRBRACKT
Glass to Glass Seal**	2000mm	GRBUBBLESEAL

**Recommended when using glass to glass brackets

Optional Fittings

Part	Size	Code
Glass Bottom Seal	1400 x 10mm	GRSEAL1400X10

Must be cut to length on installation

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Slate finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind



1400 x 800mm Walk Through with Fixed Deflector Panels

20 Visit [crosswater.co.uk](https://www.crosswater.co.uk) for installation instructions, to view our buying guides or to find your local retailer.

GALLERY 10 Brushed Brass

Toughened Glass Panels

Width	Code
255mm	GR030010CF_V2
355mm	GR040010CF_V2
455mm	GR050010CF_V2
555mm	GR060010CF_V2
655mm	GR070010CF_V2
715mm	GR076010CF_V2
755mm	GR080010CF_V2
855mm	GR090010CF_V2
955mm	GR100010CF_V2
1055mm	GR110010CF_V2
1155mm	GR120010CF_V2
1355mm	GR140010CF_V2

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code
Wall Profile with Seal	2000mm	15mm	GRPROFILEF

Stabilising Fixings

Part	Size	Code
Glass to Wall Bracing Bar	1200mm	GRBRACEF
T Bracing Bar	1200 x 1200mm	GRTBRACEF
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEF
Angled Bracing Bar	941mm	GRANGLEBRACEF
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10

Hinged Deflector Panel Fittings

Part	Size	Code
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEF
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300

Fixed Deflector Panel Fittings

Part	Size	Code
Fixed Deflector Glass	300mm	GR030010CF_V2
Fixed Deflector Glass	400mm	GR040010CF_V2
Glass to Glass Brackets (Pair)	-	GRBRACKF
Glass to Glass Seal**	2000mm	GRBUBBLESEAL

**Recommended when using glass to glass brackets

Optional Fittings

Part	Size	Code
Glass Bottom Seal	1400 x 10mm	GRSEAL1400X10

Must be cut to length on installation

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration



1400 x 800mm Walk Through with Fixed Deflector Panels

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Brushed brass finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind





1700 x 800mm Corner with T Bracing Bar

GALLERY 10 Brushed Stainless Steel

Toughened Glass Panels

Width	Code
255mm	GR030010CF_V2
355mm	GR040010CF_V2
455mm	GR050010CF_V2
555mm	GR060010CF_V2
655mm	GR070010CF_V2
715mm	GR076010CF_V2
755mm	GR080010CF_V2
855mm	GR090010CF_V2
955mm	GR100010CF_V2
1055mm	GR110010CF_V2
1155mm	GR120010CF_V2
1355mm	GR140010CF_V2

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code
Wall Profile with Seal	2000mm	15mm	GRPROFILEV

Stabilising Fixings

Part	Size	Code
Glass to Wall Bracing Bar	1200mm	GRBRACEV
T Bracing Bar	1200 x 1200mm	GRTBRACEV
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEV
Angled Bracing Bar	941mm	GRANGLEBRACEV
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10

Hinged Deflector Panel Fittings

Part	Size	Code
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEV
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300

Fixed Deflector Panel Fittings

Part	Size	Code
Fixed Deflector Glass	300mm	GR030010CF_V2
Fixed Deflector Glass	400mm	GR040010CF_V2
Glass to Glass Brackets (Pair)	-	GRBRACKV
Glass to Glass Seal**	2000mm	GRBUBBLESEAL

**Recommended when using glass to glass brackets

Optional Fittings

Part	Size	Code
Glass Bottom Seal	1400 x 10mm	GRSEAL1400X10

Must be cut to length on installation

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration



1700 x 800mm Corner with T Bracing Bar

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Brushed stainless steel finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind





1200 x 800mm Recess with Glass to Wall Bracing Bar and Hinged Deflector Panel

GALLERY 10 Polished Stainless Steel

Toughened Glass Panels

Width	Code
255mm	GR030010CF_V2
355mm	GR040010CF_V2
455mm	GR050010CF_V2
555mm	GR060010CF_V2
655mm	GR070010CF_V2
715mm	GR076010CF_V2
755mm	GR080010CF_V2
855mm	GR090010CF_V2
955mm	GR100010CF_V2
1055mm	GR110010CF_V2
1155mm	GR120010CF_V2
1355mm	GR140010CF_V2

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code
Wall Profile with Seal	2000mm	15mm	GRPROFILESS

Stabilising Fixings

Part	Size	Code
Glass to Wall Bracing Bar	1200mm	GRBRACEPSS
T Bracing Bar	1200 x 1200mm	GRTBRACEPSS
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEPSS
Angled Bracing Bar	941mm	GRANGLEBRACEPSS
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10

Hinged Deflector Panel Fittings

Part	Size	Code
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEPSS
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300

Fixed Deflector Panel Fittings

Part	Size	Code
Fixed Deflector Glass	300mm	GR030010CF_V2
Fixed Deflector Glass	400mm	GR040010CF_V2
Glass to Glass Brackets (Pair)	-	GRBRACKPSS
Glass to Glass Seal**	2000mm	GRBUBBLESEAL

**Recommended when using glass to glass brackets

Optional Fittings

Part	Size	Code
Glass Bottom Seal**	1400 x 10mm	GRSEAL1400X10
Squeegee with Wall Bracket	-	SHSQUEEGCP

**Must be cut to length on installation

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration



1200 x 800mm Recess with Hinged Deflector Panel

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Polished 304 grade stainless steel finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind





1400 x 900mm Glass Corner with T Bracing Bar

GALLERY 10 Matt Black

Toughened Glass Panels

Width	Code
255mm	GR030010CF_V2
355mm	GR040010CF_V2
455mm	GR050010CF_V2
555mm	GR060010CF_V2
655mm	GR070010CF_V2
715mm	GR076010CF_V2
755mm	GR080010CF_V2
855mm	GR090010CF_V2
955mm	GR100010CF_V2
1055mm	GR110010CF_V2
1155mm	GR120010CF_V2
1355mm	GR140010CF_V2

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code
Wall Profile with Seal	2000mm	15mm	GRPROFILEMB

Stabilising Fixings

Part	Size	Code
Glass to Wall Bracing Bar	1200mm	GRBRACEMB
T Bracing Bar	1200 x 1200mm	GRTBRACEMB
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEMB
Angled Bracing Bar	941mm	GRANGLEBRACEMB
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10

Hinged Deflector Panel Fittings

Part	Size	Code
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEMB
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300

Fixed Deflector Panel Fittings

Part	Size	Code
Fixed Deflector Glass	300mm	GR030010CF_V2
Fixed Deflector Glass	400mm	GR040010CF_V2
Glass to Glass Brackets (Pair)	-	GRBRACKMB
Glass to Glass Seal**	2000mm	GRBUBBLESEAL

**Recommended when using glass to glass brackets

Optional Fittings

Part	Size	Code
Glass Bottom Seal	1400 x 10mm	GRSEAL1400X10

Must be cut to length on installation

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration



1400 x 900mm Glass Corner with T Bracing Bar

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Matt black finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind





OPTIX 10

Enhancing luxury within modern and traditional settings, our OPTIX 10 shower enclosures feature 10mm toughened glass for remarkable quality and unparalleled performance. Available in five enclosure types and striking colours, combine function and style effortlessly within your dream bathroom scheme.

The OPTIX 10 range is suitable for either a shower tray or tiled floor installation.



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

BRUSHED BRONZE

Sliding Doors p 32

Pivot Doors p 34

Quadrant Enclosures p 38

SLATE

Sliding Doors p 40

Pivot Doors p 42

Quadrant Enclosures p 46

BRUSHED BRASS

Sliding Doors p 48

Pivot Doors p 50

Quadrant Enclosures p 54

BRUSHED STAINLESS STEEL

Sliding Doors p 56

Pivot Doors p 58

Quadrant Enclosures p 60

POLISHED STAINLESS STEEL

Sliding Doors p 62

Pivot Doors p 64



OPTIX 10

Product Highlights

1. Wall profiles include concealed fixings, squeeze gasket seals for quick in profile adjustment and a top cover cap
2. Ultra-strong 304 grade stainless steel bracing bars finished to match for pivot doors with inline panels
3. Pivot doors with inline panels feature on glass adjustment and flush-fit solid brass hinges for easy cleaning
4. Sliding doors and quadrant enclosures feature soft close, cushioned movement on open and close
5. Concealed, fully adjustable top slider system for smooth soft closing
6. Beautifully designed 304 grade stainless steel double handle for easy opening and closing from inside or out
7. Flush-fit pivot door with inline panel solid brass hinge for easy cleaning and angled no-drip seal
8. Adjustable, self cleaning rollers feature a concealed brush to ensure the smoothest open/close sliding door



1





1400 x 800mm Single Sliding Door with Side Panel

Door Opening

OPTIX 10 Single Sliding Door

BRUSHED BRONZE



1400mm Single Sliding Door in Recess

- 2000mm enclosure height
- Brushed bronze PVD finish
- Colour matched door seals
- Smooth soft close door
- Integrated self cleaning rollers
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door with Soft Close

Width	Door Opening	Adjustment	Code
1200mm	476	1155-1185 (1170-1185**)	OXSLBZC1200
1400mm	576	1355-1385 (1370-1385**)	OXSLBZC1400
1500mm	626	1455-1485 (1470-1485**)	OXSLBZC1500
1700mm	626	1655-1685 (1670-1685**)	OXSLBZC1700

*This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel.*


Side Panel

Width	Adjustment	Code
800mm	765-790	OXSLSPBZC0800
900mm	865-890	OXSLSPBZC0900

Side panels are supplied with clear seal for watertight door closing. The moving door must only close against a side panel.

Optional Upgrades

Part	Code
Knurled Handle	OXKNURLBZ
Hammered Handle	AUHAMMEREDBZ NEW
Fluted Handle	AUFLUTEDBZ NEW
Sleek Handle	AUSLEEKBZ NEW



Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration





900 x 900mm Pivot Door with Side Panel



Door Opening

OPTIX 10 Pivot Door

BRUSHED BRONZE



900mm Pivot Door in Recess

- 2000mm enclosure height
- Brushed bronze PVD finish
- Colour matched door seals
- Outward opening pivot hinges
- Pivot hinge position reduces door overhang
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door

Width	Door Opening	Adjustment	Code
800mm	600	760-785 (770-795**)	OXWPBZC0800
900mm	800	860-885 (870-895**)	OXWPBZC0900

*This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel*


Side Panel

Width	Adjustment	Code
800mm	770-795	OXWSPBZC0800
900mm	870-895	OXWSPBZC0900

Side panels are supplied with bracing bar, glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.

Optional Upgrades

Part	Code
Knurled Handle	OXKNURLBZ
Hammered Handle	AUHAMMEREDBZ NEW
Fluted Handle	AUFLUTEDBZ NEW
Sleek Handle	AUSLEEKBZ NEW



Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration





1200 x 800mm Pivot Door with Inline Panel and Side Panel



Door Opening

OPTIX 10 Pivot Door with Inline Panel

BRUSHED BRONZE



1200mm Pivot Door with Inline Panel in Recess

- 2000mm enclosure height
- Brushed bronze PVD finish
- Colour matched door seals
- Flush-fit pivot hinges
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door with Inline Panel

Width	Door Opening	Adjustment	Code
1000mm	600	960-985 (970-995**)	OXPDZC1000
1200mm	650	1160-1185 (1170-1195**)	OXPDZC1200
1400mm	650	1360-1385 (1370-1395**)	OXPDZC1400

Supplied with required bracing bar and fixed inline panel glass clamp. This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel


Side Panel

Width	Adjustment	Code
800mm	775-795	OXPDSPBZC0800
900mm	875-895	OXPDSPBZC0900

Side panels are supplied with required glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.

Optional Upgrades

Part	Code
Knurled Handle	OXKNURLBZ
Hammered Handle	AUHAMMEREDBZ NEW
Fluted Handle	AUFLUTEDBZ NEW
Sleek Handle	AUSLEEKBZ NEW



Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration






900mm Right Handed Quadrant Single Door



Door Opening LH



Door Opening RH

OPTIX 10 Quadrant Enclosures

BRUSHED BRONZE



1200 x 900mm Left Handed Offset Quadrant Single Door

- 2000mm enclosure height
- Brushed bronze PVD finish
- Colour matched door seals
- Doors available with left or right hand entry
- Smooth soft close door
- Quick release stainless steel rollers
- 20mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code
900mm (R)	446	860-880	OXQSBZC0900_R
900mm (L)	446	860-880	OXQSBZC0900_L

This enclosure requires a shower tray with a minimum ledge of 60mm

Recommended Tray

Size	Code	Page
900mm Quad	CRQ900X900W	152
900mm Quad	CRQ900X900W	152

Offset Quadrant Single Door

Width	Door Opening	Adjustment	Code
1000 x 800mm (R)	403	770-790/960-980	OXQSBZC10X8_R
1000 x 800mm (L)	403	770-790/960-980	OXQSBZC10X8_L
1200 x 800mm (R)	403	770-790/1170-1190	OXQSBZC12X8_R
1200 x 800mm (L)	403	770-790/1170-1190	OXQSBZC12X8_L
1200 x 900mm (R)	446	870-890/1170-1190	OXQSBZC12X9_R
1200 x 900mm (L)	446	870-890/1170-1190	OXQSBZC12X9_L


This enclosure requires a shower tray with a minimum ledge of 60mm

Recommended Tray

Size	Code
800 x 1000mm (R)	CRQ800X1000RHW
800 x 1000mm (L)	CRQ800X1000LHW
800 x 1200mm (R)	CRQ800X1200RHW
800 x 1200mm (L)	CRQ800X1200LHW
900 x 1200mm (R)	CRQ900X1200RHW
900 x 1200mm (L)	CRQ900X1200LHW

Optional Upgrades

Part	Code
Knurled Handle	OXKNURLBZ
Hammered Handle	AUHAMMEREDBZ NEW
Fluted Handle	AUFLUTEDBZ NEW
Sleek Handle	AUSLEEKBZ NEW




Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration





1400 x 800mm Single Sliding Door with Side Panel



Door Opening

OPTIX 10 Single Sliding Door

SLATE



1400mm Single Sliding Door in Recess

- 2000mm enclosure height
- Slate PVD finish
- Colour matched door seals
- Smooth soft close door
- Integrated self cleaning rollers
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door with Soft Close

Width	Door Opening	Adjustment	Code
1200mm	476	1155-1185 (1170-1185**)	OXSLTC1200
1400mm	576	1355-1385 (1370-1385**)	OXSLTC1400
1500mm	626	1455-1485 (1470-1485**)	OXSLTC1500
1700mm	626	1655-1685 (1670-1685**)	OXSLTC1700

*This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel.*


Side Panel

Width	Adjustment	Code
800mm	765-790	OXSLSPTC0800
900mm	865-890	OXSLSPTC0900

Side panels are supplied with clear seal for watertight door closing. The moving door must only close against a side panel.

Optional Upgrades

Part	Code
Knurled Handle	OXKNURLT
Hammered Handle	AUHAMMEREDT NEW
Fluted Handle	AUFLUTEDT NEW
Sleek Handle	AUSLEEKT NEW



Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.


*Subject to online registration





900 x 900mm Pivot Door with Side Panel

42 Visit [crosswater.co.uk](https://www.crosswater.co.uk) for installation instructions, to view our buying guides or to find your local retailer.



Door Opening

OPTIX 10 Pivot Door

SLATE



900mm Pivot Door in Recess

- 2000mm enclosure height
- Slate PVD finish
- Colour matched door seals
- Outward opening pivot hinges
- Pivot hinge position reduces door overhang
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door

Width	Door Opening	Adjustment	Code
800mm	600	760-785 (770-795**)	OXWPTC0800
900mm	800	860-885 (870-895**)	OXWPTC0900

*This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel*


Side Panel

Width	Adjustment	Code
800mm	770-795	OXWPSPTC0800
900mm	870-895	OXWPSPTC0900

Side panels are supplied with bracing bar, glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.

Optional Upgrades

Part	Code
Knurled Handle	OXKNURLT
Hammered Handle	AUHAMMEREDT NEW
Fluted Handle	AUFLUDEDT NEW
Sleek Handle	AUSLEEKT NEW



Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration





1200 x 800mm Pivot Door with Inline Panel and Side Panel



Door Opening

OPTIX 10 Pivot Door with Inline Panel

SLATE



1200mm Pivot Door with Inline Panel in Recess

- 2000mm enclosure height
- Slate PVD finish
- Colour matched door seals
- Flush-fit pivot hinges
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door with Inline Panel

Width	Door Opening	Adjustment	Code
1000mm	600	960-985 (970-995**)	OXPDTC1000
1200mm	650	1160-1185 (1170-1195**)	OXPDTC1200
1400mm	650	1360-1385 (1370-1395**)	OXPDTC1400

Supplied with required bracing bar and fixed inline panel glass clamp. This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel


Side Panel

Width	Adjustment	Code
800mm	775-795	OXPDSPTC0800
900mm	875-895	OXPDSPTC0900

Side panels are supplied with required glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.

Optional Upgrades

Part	Code
Knurled Handle	OXKNURLT
Hammered Handle	AUHAMMEREDT NEW
Fluted Handle	AUFLUTEDT NEW
Sleek Handle	AUSLEEKT NEW



Recommended Tray


Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration





Door Opening LH



Door Opening RH

900mm Right Handed Quadrant Single Door

OPTIX 10 Quadrant Enclosures

SLATE



1200 x 900mm Left Handed Offset Quadrant Single Door

- 2000mm enclosure height
- Slate PVD finish
- Colour matched door seals
- Doors available with left or right hand entry
- Smooth soft close door
- Quick release stainless steel rollers
- 20mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code
900mm (R)	446	870-890	OXQSSTC0900_R
900mm (L)	446	870-890	OXQSSTC0900_L

This enclosure requires a shower tray with a minimum ledge of 60mm

Recommended Tray

Size	Code	Page
900mm Quad	CRQ900X900W	152
900mm Quad	CRQ900X900W	152

Offset Quadrant Single Door

Width	Door Opening	Adjustment	Code
1000 x 800mm (R)	403	770-790/960-980	OXQSSTC10X8_R
1000 x 800mm (L)	403	770-790/960-980	OXQSSTC10X8_L
1200 x 800mm (R)	403	770-790/1170-1190	OXQSSTC12X8_R
1200 x 800mm (L)	403	770-790/1170-1190	OXQSSTC12X8_L
1200 x 900mm (R)	446	870-890/1170-1190	OXQSSTC12X9_R
1200 x 900mm (L)	446	870-890/1170-1190	OXQSSTC12X9_L


This enclosure requires a shower tray with a minimum ledge of 60mm

Recommended Tray

Size	Code
800 x 1000mm (R)	CRQ800X1000RHW
800 x 1000mm (L)	CRQ800X1000LHW
800 x 1200mm (R)	CRQ800X1200RHW
800 x 1200mm (L)	CRQ800X1200LHW
900 x 1200mm (R)	CRQ900X1200RHW
900 x 1200mm (L)	CRQ900X1200LHW

Optional Upgrades

Part	Code
Knurled Handle	OXKNURLT
Hammered Handle	AUHAMMEREDT NEW
Fluted Handle	AUFLUTEDT NEW
Sleek Handle	AUSLEEKT NEW




Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration





1500 x 800mm Single Sliding Door with Side Panel



Door Opening

OPTIX 10 Single Sliding Door

BRUSHED BRASS



1500mm Single Sliding Door in Recess

- 2000mm enclosure height
- Brushed brass PVD finish
- Clear door seals
- Smooth soft close door
- Integrated self cleaning rollers
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door with Soft Close

Width	Door Opening	Adjustment	Code
1200mm	476	1155-1185 (1170-1185**)	OXSLFC1200
1400mm	576	1355-1385 (1370-1385**)	OXSLFC1400
1500mm	626	1455-1485 (1470-1485**)	OXSLFC1500
1700mm	626	1655-1685 (1670-1685**)	OXSLFC1700

*This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel.*


Side Panel

Width	Adjustment	Code
800mm	765-790	OXSLSPFC0800
900mm	865-890	OXSLSPFC0900

Side panels are supplied with clear seal for watertight door closing. The moving door must only close against a side panel.

Optional Upgrades

Part	Code
Knurled Handle	OXKNURLF
Hammered Handle	AUHAMMEREDF NEW
Fluted Handle	AUFLUTEDF NEW
Sleek Handle	AUSLEEKF NEW



Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration





900 x 900mm Pivot Door with Side Panel



Door Opening

OPTIX 10 Pivot Door

BRUSHED BRASS



900mm Pivot Door in Recess

- 2000mm enclosure height
- Brushed brass PVD finish
- Clear door seals
- Outward opening pivot hinges
- Pivot hinge position reduces door overhang
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door

Width	Door Opening	Adjustment	Code
800mm	600	760-785 (770-795**)	OXWPFC0800
900mm	800	860-885 (870-895**)	OXWPFC0900

*This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel*


Side Panel

Width	Adjustment	Code
800mm	770-795	OXWSPFC0800
900mm	870-895	OXWSPFC0900

Side panels are supplied with bracing bar, glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.

Optional Upgrades

Part	Code
Knurled Handle	OXKNURLF
Hammered Handle	AUHAMMEREDF NEW
Fluted Handle	AUFLUTEDF NEW
Sleek Handle	AUSLEEKF NEW



Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration





1400 x 800mm Pivot Door with Inline Panel and Side Panel



Door Opening

OPTIX 10 Pivot Door with Inline Panel

BRUSHED BRASS



1400mm Pivot Door with Inline Panel in Recess

- 2000mm enclosure height
- Brushed brass PVD finish
- Clear door seals
- Flush-fit pivot hinges
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door with Inline Panel

Width	Door Opening	Adjustment	Code
1000mm	600	960-985 (970-995**)	OXPDFC1000
1200mm	650	1160-1185 (1170-1195**)	OXPDFC1200

Supplied with required bracing bar and fixed inline panel glass clamp. This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel


Side Panel

Width	Adjustment	Code
800mm	775-795	OXPDSPFC0800
900mm	875-895	OXPDSPFC0900

Side panels are supplied with required glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.

Optional Upgrades

Part	Code
Knurled Handle	OXKNURLF
Hammered Handle	AUHAMMERDF NEW
Fluted Handle	AUFLUTEDF NEW
Sleek Handle	AUSLEEKF NEW



Recommended Tray


Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration





Door Opening LH



Door Opening RH

900mm Right Handed Quadrant Single Door

OPTIX 10 Quadrant Enclosures

BRUSHED BRASS



1200 x 900mm Left Handed Offset Quadrant Single Door

- 2000mm enclosure height
- Brushed brass PVD finish
- Clear door seals
- Doors available with left or right hand entry
- Smooth soft close door
- Quick release stainless steel rollers
- 20mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code
900mm (R)	446	870-890	OXQSFC0900_R
900mm (L)	446	870-890	OXQSFC0900_L

This enclosure requires a shower tray with a minimum ledge of 60mm

Recommended Tray

Size	Code	Page
900mm Quad	CRQ900X900W	152
900mm Quad	CRQ900X900W	152


Offset Quadrant Single Door

Width	Door Opening	Adjustment	Code
1000 x 800mm (R)	403	770-790/960-980	OXQSFC10X8_R
1000 x 800mm (L)	403	770-790/960-980	OXQSFC10X8_L
1200 x 800mm (R)	403	770-790/1170-1190	OXQSFC12X8_R
1200 x 800mm (L)	403	770-790/1170-1190	OXQSFC12X8_L
1200 x 900mm (R)	446	870-890/1170-1190	OXQSFC12X9_R
1200 x 900mm (L)	446	870-890/1170-1190	OXQSFC12X9_L

This enclosure requires a shower tray with a minimum ledge of 60mm

Optional Upgrades


Part	Code	
Knurled Handle	OXKNURLF	
Hammered Handle	AUHAMMEREDF	NEW
Fluted Handle	AUFLUTEDF	NEW
Sleek Handle	AUSLEEKF	NEW



Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration





Door Opening

OPTIX 10 Single Sliding Door

BRUSHED STAINLESS STEEL



1400mm Single Sliding Door in Recess

- 2000mm enclosure height
- Brushed stainless steel finish
- Clear door seals
- Smooth soft close door
- Integrated self cleaning rollers
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door with Soft Close

Width	Door Opening	Adjustment	Code
1200mm	476	1155-1185 (1170-1185**)	OXSLVC1200
1400mm	576	1355-1385 (1370-1385**)	OXSLVC1400

*This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel*


Optional Upgrades

Part	Code
Knurled Handle	OXKNURLV
Hammered Handle	AUHAMMEREDV NEW
Fluted Handle	AUFLUTEDV NEW
Sleek Handle	AUSLEEKV NEW

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152


This enclosure requires a shower tray with a minimum ledge of 60mm



Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration





1400 x 800mm Pivot Door with Inline Panel and Side Panel

Door Opening

OPTIX 10 Pivot Door with Inline Panel

BRUSHED STAINLESS STEEL



- 2000mm enclosure height
- Brushed stainless steel finish
- Clear door seals
- Flush-fit pivot hinges
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

1400mm Pivot Door with Inline Panel in Recess

Pivot Door with Inline Panel

Width	Door Opening	Adjustment	Code
800mm	500	760–785 (770–795**)	OXPDVC0800
900mm	500	860–885 (870–895**)	OXPDVC0900

Supplied with required bracing bar and fixed inline panel glass clamp. This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel


Side Panel

Width	Adjustment	Code
800mm	775–795	OXPDSPVC0800
900mm	875–895	OXPDSPVC0900

Side panels are supplied with required glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.

Optional Upgrades

Part	Code
Knurled Handle	OXKNURLV
Hammered Handle	AUHAMMEREDV NEW
Fluted Handle	AUFLUTEDV NEW
Sleek Handle	AUSLEEKV NEW



Recommended Tray


Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration





Door Opening LH



Door Opening RH

900mm Right Handed Quadrant Single Door

OPTIX 10 Quadrant Single Door

BRUSHED STAINLESS STEEL



1200 x 900mm Left Handed Offset Quadrant Single Door

- 2000mm enclosure height
- Brushed stainless steel finish
- Clear door seals
- Doors available with left or right hand entry
- Smooth soft close door
- Quick release stainless steel rollers
- 20mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code
900mm (R)	454	870-890	OXQSVC0900_R
900mm (L)	454	870-890	OXQSVC0900_L

This enclosure requires a shower tray with a minimum ledge of 60mm

Recommended Tray

Size	Code	Page
900mm Quad	CRQ900X900W	152
900mm Quad	CRQ900X900W	152

Offset Quadrant Single Door

Width	Door Opening	Adjustment	Code
1000 x 800mm (R)	403	770-790/960-980	OXQSVC10X8_R
1000 x 800mm (L)	403	770-790/960-980	OXQSVC10X8_L
1200 x 800mm (R)	403	770-790/1170-1190	OXQSVC12X8_R
1200 x 800mm (L)	403	770-790/1170-1190	OXQSVC12X8_L
1200 x 900mm (R)	446	870-890/1170-1190	OXQSVC12X9_R
1200 x 900mm (L)	446	870-890/1170-1190	OXQSVC12X9_L


This enclosure requires a shower tray with a minimum ledge of 60mm

Recommended Tray

Size	Code
800 x 1000mm (R)	CRQ800X1000RHW
800 x 1000mm (L)	CRQ800X1000LHW
800 x 1200mm (R)	CRQ800X1200RHW
800 x 1200mm (L)	CRQ800X1200LHW
900 x 1200mm (R)	CRQ900X1200RHW
900 x 1200mm (L)	CRQ900X1200LHW

Optional Upgrades

Part	Code
Knurled Handle	OXKNURLV
Hammered Handle	AUHAMMEREDV NEW
Fluted Handle	AUFLUTEDV NEW
Sleek Handle	AUSLEEKV NEW



Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration





1500 x 800mm Single Sliding Door with Side Panel

Door Opening

OPTIX 10 Single Sliding Door

POLISHED STAINLESS STEEL



1500mm Single Sliding Door in Recess

- 2000mm enclosure height
- Polished 304 stainless steel finish
- Clear door seals
- Smooth soft close door
- Integrated self cleaning rollers
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door with Soft Close

Width	Door Opening	Adjustment	Code
1200mm	476	1155-1185 (1170-1185**)	OXSLSC1200
1400mm	576	1355-1385 (1370-1385**)	OXSLSC1400
1500mm	626	1455-1485 (1470-1485**)	OXSLSC1500
1700mm	626	1655-1685 (1670-1685**)	OXSLSC1700

*This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel*


Side Panel

Width	Adjustment	Code
800mm	765-790	OXSLPSC0800
900mm	865-890	OXSLPSC0900

Side panels are supplied with clear seal for watertight door closing. The moving door must only close against a side panel.

Optional Upgrades

Part	Code
Knurled Handle	OXKNURLPS
Hammered Handle	AUHAMMEREDPS NEW
Fluted Handle	AUFLUTEDPS NEW
Sleek Handle	AUSLEEKPS NEW
Classic Handle	OXCLASSICPS
Squeegee with Wall Bracket	SHSQUEEGCP



Recommended Tray

Range	Page
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration





900 x 900mm Pivot Door with Side Panel



Door Opening

OPTIX 10 Pivot Door

POLISHED STAINLESS STEEL



900mm Pivot Door in Recess

- 2000mm enclosure height
- Polished 304 stainless steel finish
- Clear door seals
- Outward opening pivot hinges
- Pivot hinge position reduces door overhang
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door

Width	Door Opening	Adjustment	Code
800mm	600	760–785 (770–795**)	OXWPSC0800
900mm	800	860–885 (870–895**)	OXWPSC0900

*This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel*


Side Panel

Width	Adjustment	Code
800mm	770–795	OXWSPSC0800
900mm	870–895	OXWSPSC0900

Side panels are supplied with bracing bar, glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.

Optional Upgrades

Part	Code
Knurled Handle	OXKNURLPS
Hammered Handle	AUHAMMEREDPS NEW
Fluted Handle	AUFLUTEDPS NEW
Sleek Handle	AUSLEEKPS NEW
Classic Handle	OXCLASSICPS
Squeegee with Wall Bracket	SHSQUEEGCP



Knurled Handle

Hammered Handle

Fluted Handle

Sleek Handle

Classic Handle

Squeegee

Recommended Tray

Range	Page
25mm CREO Shower Trays	152


This enclosure requires a shower tray with a minimum ledge of 60mm

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration



1400 x 800mm Pivot Door with Inline Panel and Side Panel



Door Opening

OPTIX 10 Pivot Door with Inline Panel

POLISHED STAINLESS STEEL



- 2000mm enclosure height
- Polished 304 stainless steel finish
- Clear door seals
- Flush-fit pivot hinges
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

1400mm Pivot Door with Inline Panel in Recess

Pivot Door with Inline Panel

Width	Door Opening	Adjustment	Code
800mm	500	760-785 (770-795**)	OXPDSC0800
1000mm	600	960-985 (970-995**)	OXPDSC1000
1200mm	650	1160-1185 (1170-1195**)	OXPDSC1200
1400mm	650	1360-1385 (1370-1395**)	OXPDSC1400

Supplied with required bracing bar and fixed inline panel glass clamp. This enclosure requires a shower tray with a minimum ledge of 60mm. **Adjustment when used with a side panel


Side Panel

Width	Adjustment	Code
800mm	775-795	OXPDSPSC0800
900mm	875-895	OXPDSPSC0900

Side panels are supplied with required glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.

Optional Upgrades

Part	Code
Knurled Handle	OXKNURLPS
Hammered Handle	AUHAMMEREDPS NEW
Fluted Handle	AUFLUTEDPS NEW
Sleek Handle	AUSLEEKPS NEW
Classic Handle	OXCLASSICPS
Squeegee with Wall Bracket	SHSQUEEGCP



Recommended Tray

Range	Page
25mm CREO Shower Trays	152

This enclosure requires a shower tray with a minimum ledge of 60mm

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

*Subject to online registration



NEW
AVAILABLE
AUTUMN
2024





ASURA 8

The new Asura collection provides a beautiful solution for modern, minimalist bathroom designs.

This range of 8mm toughened safety glass offers a comprehensive assortment of sizes, configurations and finishes, allowing you to personalise your shower enclosure design with a style that suits you.



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

BRUSHED BRONZE

Sliding Doors / Hinged Doors p 72
Infold Doors / Quadrant Enclosures p 74

SLATE

Sliding Doors / Hinged Doors p 76
Infold Doors / Quadrant Enclosures p 78

BRUSHED BRASS

Sliding Doors / Hinged Doors p 80
Infold Doors / Quadrant Enclosures p 82

BRUSHED STAINLESS STEEL

Sliding Doors / Hinged Doors p 84
Infold Doors / Quadrant Enclosures p 86

POLISHED STAINLESS STEEL

Sliding Doors / Hinged Doors p 88
Infold Doors / Quadrant Enclosures p 90

MATT BLACK

Sliding Doors / Hinged Doors p 92
Infold Doors / Quadrant Enclosures p 94



ASURA 8

Product Highlights

1. High quality engineering ensures smooth and quiet operation on our Infold door
2. The positioning of the hinges at the top and bottom of the glass delivers a sleek contemporary look
3. No visible fixings throughout the Asura range
4. Sliding doors and quadrant enclosures include soft close which provides a quiet and cushioned open and close experience
5. Slim, modern profiles combined with our next generation 2 part hinge technology ensures Asura stands out from the crowd





ASURA 8 Sliding Door

BRUSHED BRONZE



1200 x 900mm Single Sliding Door with Side Panel

Door Opening



1200mm Single Sliding Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door

Width	Door Opening	Adjustment	Code	
1200mm	456	1150-1190	AUSLBZC1200	NEW
1400mm	556	1350-1390	AUSLBZC1400	NEW
1500mm	606	1450-1490	AUSLBZC1500	NEW
1700mm	606	1650-1690	AUSLBZC1700	NEW

Side Panel

Width	Adjustment	Code	
800mm	770-790	AUSLSPBZC0800	NEW
900mm	870-890	AUSLSPBZC0900	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDBZ	NEW
Fluted Handle	AUFLUTEDBZ	NEW
Sleek Handle	AUSLEEKBZ	NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Hinged Door

BRUSHED BRONZE



900 x 900mm Hinged Door with Side Panel

Door Opening



900mm Hinged Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Hinged Door

Width	Door Opening	Adjustment	Code	
800mm	604	775-790	AUHDBZC0800	NEW
900mm	704	875-890	AUHDBZC0900	NEW
1000mm	804	975-990	AUHDBZC1000	NEW

Side Panel

Width	Adjustment	Code	
800mm	760-775	AUHDSBZC0800	NEW
900mm	860-875	AUHDSBZC0900	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDBZ	NEW
Fluted Handle	AUFLUTEDBZ	NEW
Sleek Handle	AUSLEEKBZ	NEW



*Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.



ASURA 8 Infold Door

BRUSHED BRONZE



900 x 900mm infold Door with Side Panel

Door Opening



900mm infold Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Infold Door

Width	Door Opening	Adjustment	Code	
800mm	595	760-790	AUIDBZC0800	NEW
900mm	644	860-890	AUIDBZC0900	NEW

Side Panel

Width	Adjustment	Code	
800mm	770-785	AUIDSPBZC0800	NEW
900mm	870-885	AUIDSPBZC0900	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDBZ	NEW
Fluted Handle	AUFLUTEDBZ	NEW
Sleek Handle	AUSLEEKBZ	NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Quadrant Enclosure

BRUSHED BRONZE



900 x 900mm Quadrant Door

Door Opening



900mm Quadrant Door

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	
800mm	395	766-780	AUQSBZC0800	NEW
900mm	446	865-880	AUQSBZC0900	NEW

Offset Quadrant Single Door


Width	Adjustment	Code	
1000 x 800mm	965-980 / 765-780	AUQSBZC10X8	NEW
1200 x 800mm	1165-1180 / 765-780	AUQSBZC12X8	NEW
1200 x 900mm	1165-1180 / 865-880	AUQSBZC12X9	NEW

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDBZ	NEW
Fluted Handle	AUFLUTEDBZ	NEW
Sleek Handle	AUSLEEKBZ	NEW



*Subject to online registration



ASURA 8 Sliding Door

SLATE



1200 x 900mm Single Sliding Door with Side Panel

Door Opening



1200mm Single Sliding Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door

Width	Door Opening	Adjustment	Code	
1200mm	456	1150-1190	AUSLTC1200	NEW
1400mm	556	1350-1390	AUSLTC1400	NEW
1500mm	606	1450-1490	AUSLTC1500	NEW
1700mm	606	1650-1690	AUSLTC1700	NEW

Side Panel

Width	Adjustment	Code	
800mm	770-790	AUSLSPTC0800	NEW
900mm	870-890	AUSLSPTC0900	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDT	NEW
Fluted Handle	AUFLUTEDT	NEW
Sleek Handle	AUSLEEK	NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Hinged Door

SLATE



900 x 900mm Hinged Door with Side Panel

Door Opening



900mm Hinged Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Hinged Door

Width	Door Opening	Adjustment	Code	
800mm	604	775-790	AUHDTTC0800	NEW
900mm	704	875-890	AUHDTTC0900	NEW
1000mm	804	975-990	AUHDTTC1000	NEW

Side Panel

Width	Adjustment	Code	
800mm	760-775	AUHDSPTC0800	NEW
900mm	860-875	AUHDSPTC0900	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDT	NEW
Fluted Handle	AUFLUTEDT	NEW
Sleek Handle	AUSLEEK	NEW



*Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.



ASURA 8 Infold Door

SLATE



900 x 900mm infold Door with Side Panel

Door Opening



900mm infold Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Infold Door

Width	Door Opening	Adjustment	Code	
800mm	595	760-790	AUIDTC0800	NEW
900mm	644	860-890	AUIDTC0900	NEW

Side Panel

Width	Adjustment	Code	
800mm	770-785	AUIDSPTC0800	NEW
900mm	870-885	AUIDSPTC0900	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDT	NEW
Fluted Handle	AUFLUTEDT	NEW
Sleek Handle	AUSLEEKT	NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Quadrant Enclosure

SLATE



900 x 900mm Quadrant Door

Door Opening



900mm Quadrant Door

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	
800mm	395	766-780	AUQSTC0800	NEW
900mm	446	865-880	AUQSTC0900	NEW

Offset Quadrant Single Door


Width	Adjustment	Code	
1000 x 800mm	965-980 / 765-780	AUQSTC10X8	NEW
1200 x 800mm	1165-1180 / 765-780	AUQSTC12X8	NEW
1200 x 900mm	1165-1180 / 865-880	AUQSTC12X9	NEW

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDT	NEW
Fluted Handle	AUFLUTEDT	NEW
Sleek Handle	AUSLEEKT	NEW



*Subject to online registration



ASURA 8 Sliding Door

BRUSHED BRASS



1200 x 900mm Single Sliding Door with Side Panel

Door Opening



1200mm Single Sliding Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door

Width	Door Opening	Adjustment	Code	
1200mm	456	1150-1190	AUSLFC1200	NEW
1400mm	556	1350-1390	AUSLFC1400	NEW
1500mm	606	1450-1490	AUSLFC1500	NEW
1700mm	606	1650-1690	AUSLFC1700	NEW

Side Panel

Width	Adjustment	Code	
800mm	770-790	AUSLSPFC800	NEW
900mm	870-890	AUSLSPFC900	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDF	NEW
Fluted Handle	AUFLUTEDF	NEW
Sleek Handle	AUSLEEKF	NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Hinged Door

BRUSHED BRASS



900 x 900mm Hinged Door with Side Panel

Door Opening



900mm Hinged Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Hinged Door

Width	Door Opening	Adjustment	Code	
800mm	604	775-790	AUHDFC0800	NEW
900mm	704	875-890	AUHDFC0900	NEW
1000mm	804	975-990	AUHDFC1000	NEW

Side Panel

Width	Adjustment	Code	
800mm	760-775	AUHDSPPFC0800	NEW
900mm	860-875	AUHDSPPFC0900	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDF	NEW
Fluted Handle	AUFLUTEDF	NEW
Sleek Handle	AUSLEEKF	NEW



**Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.*



ASURA 8 Infold Door

BRUSHED BRASS



900 x 900mm infold Door with Side Panel

Door Opening



900mm infold Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Infold Door

Width	Door Opening	Adjustment	Code	
800mm	595	760-790	AUIDFC0800	NEW
900mm	644	860-890	AUIDFC0900	NEW

Side Panel

Width	Adjustment	Code	
800mm	770-785	AUIDSPFC0800	NEW
900mm	870-885	AUIDSPFC0900	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDF	NEW
Fluted Handle	AUFLUTEDF	NEW
Sleek Handle	AUSLEEKF	NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Quadrant Enclosure

BRUSHED BRASS



900 x 900mm Quadrant Door

Door Opening



900mm Quadrant Door

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	
800mm	595	766-780	AUQSFC0800	NEW
900mm	644	865-880	AUQSFC0900	NEW

Offset Quadrant Single Door


Width	Adjustment	Code	
1000 x 800mm	965-980 / 765-780	AUQSFC10X8	NEW
1200 x 800mm	1165-1180 / 765-780	AUQSFC12X8	NEW
1200 x 900mm	1165-1180 / 865-880	AUQSFC12X9	NEW

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDF	NEW
Fluted Handle	AUFLUTEDF	NEW
Sleek Handle	AUSLEEKF	NEW



*Subject to online registration



ASURA 8 Sliding Door

BRUSHED STAINLESS STEEL



1200 x 900mm Single Sliding Door with Side Panel

Door Opening



1200mm Single Sliding Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door

Width	Door Opening	Adjustment	Code	
1200mm	456	1150-1190	AUSLVC1200	NEW
1400mm	556	1350-1390	AUSLVC1400	NEW
1500mm	606	1450-1490	AUSLVC1500	NEW
1700mm	606	1650-1690	AUSLVC1700	NEW

Side Panel

Width	Adjustment	Code	
800mm	770-790	AUSLSPVC0800	NEW
900mm	870-890	AUSLSPVC0900	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDV	NEW
Fluted Handle	AUFLUTEDV	NEW
Sleek Handle	AUSLEEKV	NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Hinged Door

BRUSHED STAINLESS STEEL



900 x 900mm Hinged Door with Side Panel

Door Opening



900mm Hinged Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Hinged Door

Width	Door Opening	Adjustment	Code	
800mm	604	775-790	AUHDVC0800	NEW
900mm	704	875-890	AUHDVC0900	NEW
1000mm	804	975-990	AUHDVC1000	NEW

Side Panel

Width	Adjustment	Code	
800mm	760-775	AUHDSVPC0800	NEW
900mm	860-875	AUHDSVPC0900	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDV	NEW
Fluted Handle	AUFLUTEDV	NEW
Sleek Handle	AUSLEEKV	NEW



*Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

*Subject to online registration



ASURA 8 Infold Door

BRUSHED STAINLESS STEEL



900 x 900mm infold Door with Side Panel

Door Opening



900mm infold Door in Recess

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Infold Door

Width	Door Opening	Adjustment	Code	
800mm	595	760-790	AUIDVC0800	NEW
900mm	644	860-890	AUIDVC0900	NEW

Side Panel

Width	Adjustment	Code	
800mm	770-785	AUIDSPVC0800	NEW
900mm	870-885	AUIDSPVC0900	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDV	NEW
Fluted Handle	AUFLUTEDV	NEW
Sleek Handle	AUSLEEKV	NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Quadrant Enclosure

BRUSHED STAINLESS STEEL



900 x 900mm Quadrant Door

Door Opening



900mm Quadrant Door

- 2000mm enclosure height
- Hard wearing PVD finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	
800mm	595	766-780	AUQSV0800	NEW
900mm	644	865-880	AUQSV0900	NEW

Offset Quadrant Single Door


Width	Adjustment	Code	
1000 x 800mm	965-980 / 765-780	AUQSV10X8	NEW
1200 x 800mm	1165-1180 / 765-780	AUQSV12X8	NEW
1200 x 900mm	1165-1180 / 865-880	AUQSV12X9	NEW

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDV	NEW
Fluted Handle	AUFLUTEDV	NEW
Sleek Handle	AUSLEEKV	NEW



*Subject to online registration



ASURA 8 Sliding Door

POLISHED STAINLESS STEEL



1200 x 900mm Single Sliding Door with Side Panel

Door Opening



1200mm Single Sliding Door in Recess

- 2000mm enclosure height
- Hard wearing Polished stainless steel finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door

Width	Door Opening	Adjustment	Code	
1200mm	456	1150-1190	AUSLSC1200	NEW
1400mm	556	1350-1390	AUSLSC1400	NEW
1500mm	606	1450-1490	AUSLSC1500	NEW
1700mm	606	1650-1690	AUSLSC1700	NEW

Side Panel

Width	Adjustment	Code	
800mm	770-790	AUSLSPSC0800	NEW
900mm	870-890	AUSLSPSC0900	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDPS	NEW
Fluted Handle	AUFLUTEDPS	NEW
Sleek Handle	AUSLEEKPS	NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Hinged Door

POLISHED STAINLESS STEEL



900 x 900mm Hinged Door with Side Panel

Door Opening



900mm Hinged Door in Recess

- 2000mm enclosure height
- Hard wearing Polished stainless steel finish
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Hinged Door

Width	Door Opening	Adjustment	Code	
800mm	604	775-790	AUHDSC0800	NEW
900mm	704	875-890	AUHDSC0900	NEW
1000mm	804	975-990	AUHDSC1000	NEW

Side Panel

Width	Adjustment	Code	
800mm	760-775	AUHDSpsc0800	NEW
900mm	860-875	AUHDSpsc0900	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDPS	NEW
Fluted Handle	AUFLUTEDPS	NEW
Sleek Handle	AUSLEEKPS	NEW



**Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.*



ASURA 8 Infold Door

POLISHED STAINLESS STEEL



900 x 900mm infold Door with Side Panel

Door Opening



900mm infold Door in Recess

- 2000mm enclosure height
- Hard wearing Polished stainless steel finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Infold Door

Width	Door Opening	Adjustment	Code	
800mm	595	760-790	AUIDSC0800	NEW
900mm	644	860-890	AUIDSC0900	NEW

Side Panel

Width	Adjustment	Code	
800mm	770-785	AUIDSPSC0800	NEW
900mm	870-885	AUIDSPSC0900	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDPS	NEW
Fluted Handle	AUFLUTEDPS	NEW
Sleek Handle	AUSLEEKPS	NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Quadrant Enclosure

POLISHED STAINLESS STEEL



900 x 900mm Quadrant Door

Door Opening



900mm Quadrant Door

- 2000mm enclosure height
- Hard wearing Polished stainless steel finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	
800mm	595	766-780	AUQSSC0800	NEW
900mm	644	865-880	AUQSSC0900	NEW

Offset Quadrant Single Door


Width	Adjustment	Code	
1000 x 800mm	965-980 / 765-780	AUQSSC10X8	NEW
1200 x 800mm	1165-1180 / 765-780	AUQSSC12X8	NEW
1200 x 900mm	1165-1180 / 865-880	AUQSSC12X9	NEW

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDPS	NEW
Fluted Handle	AUFLUTEDPS	NEW
Sleek Handle	AUSLEEKPS	NEW



*Subject to online registration



ASURA 8 Sliding Door

MATT BLACK



1200 x 900mm Single Sliding Door with Side Panel

Door Opening



1200mm Single Sliding Door in Recess

- 2000mm enclosure height
- Durable Matt Black powder coated finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door

Width	Door Opening	Adjustment	Code	
1200mm	456	1150-1190	AUSLBC1200	NEW
1400mm	556	1350-1390	AUSLBC1400	NEW
1500mm	606	1450-1490	AUSLBC1500	NEW
1700mm	606	1650-1690	AUSLBC1700	NEW

Side Panel

Width	Adjustment	Code	
800mm	770-790	AUSLSPBC0800	NEW
900mm	870-890	AUSLSPBC0900	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDMB	NEW
Fluted Handle	AUFLUTEDMB	NEW
Sleek Handle	AUSLEEKPMB	NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Hinged Door

MATT BLACK



900 x 900mm Hinged Door with Side Panel

Door Opening



900mm Hinged Door in Recess

- 2000mm enclosure height
- Durable Matt Black powder coated finish
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Hinged Door

Width	Door Opening	Adjustment	Code	
800mm	604	775-790	AUHDBC0800	NEW
900mm	704	875-890	AUHDBC0900	NEW
1000mm	804	975-990	AUHDBC1000	NEW

Side Panel

Width	Adjustment	Code	
800mm	760-775	AUHDSBBC0800	NEW
900mm	860-875	AUHDSBBC0900	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDMB	NEW
Fluted Handle	AUFLUTEDMB	NEW
Sleek Handle	AUSLEEKPMB	NEW



*Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.



ASURA 8 Infold Door

MATT BLACK



900 x 900mm infold Door with Side Panel

Door Opening



900mm infold Door in Recess

- 2000mm enclosure height
- Durable Matt Black powder coated finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Infold Door

Width	Door Opening	Adjustment	Code	
800mm	595	760-790	AUIDBC0800	NEW
900mm	644	860-890	AUIDBC0900	NEW

Side Panel

Width	Adjustment	Code	
800mm	770-785	AUIDSPBC0800	NEW
900mm	870-885	AUIDSPBC0900	NEW


The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDMB	NEW
Fluted Handle	AUFLUTEDMB	NEW
Sleek Handle	AUSLEEKPMB	NEW



†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8 Quadrant Enclosure

MATT BLACK



900 x 900mm Quadrant Door

Door Opening



900mm Quadrant Door

- 2000mm enclosure height
- Durable Matt Black powder coated finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- Handles sold separately - choose from three unique styles to personalise your bathroom design



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code	
800mm	595	766-780	AUQSBC0800	NEW
900mm	644	865-880	AUQSBC0900	NEW

Offset Quadrant Single Door


Width	Adjustment	Code	
1000 x 800mm	965-980 / 765-780	AUQSBC10X8	NEW
1200 x 800mm	1165-1180 / 765-780	AUQSBC12X8	NEW
1200 x 900mm	1165-1180 / 865-880	AUQSBC12X9	NEW

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Required Handle Options

Part	Code	
Hammered Handle	AUHAMMEREDMB	NEW
Fluted Handle	AUFLUTEDMB	NEW
Sleek Handle	AUSLEEKPMB	NEW



*Subject to online registration





GALLERY 8

Expertly curated, our luxury GALLERY 8 collection offers 8mm toughened safety glass, profiles and stabilising options in an assortment of indulgent colours with diverse layout options, giving you complete design flexibility to create your personalised showering solution.

The GALLERY 8 range is suitable for either a shower tray or tiled floor installation.



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

BRUSHED BRONZE

Walk In p 100

SLATE

Walk In p 102

BRUSHED BRASS

Walk In p 104

BRUSHED STAINLESS STEEL

Walk In p 106

POLISHED STAINLESS STEEL

Walk In p 108

MATT BLACK

Walk In p 110




GALLERY 8

Product Highlights

1. Slimline wall profile with concealed fixings and cover cap
2. Glass to glass corner seal for joining glass panels
3. Fixed return panel bracket for joining glass panels
4. Fixed panels with T bracing bar
5. 180° hinged deflector panel
6. Glass to ceiling bracing bar
7. Glass to wall bracing bar





GALLERY 8 Brushed Bronze



Open Ended with Glass to Wall Bracing Bar and Hinged Deflector Panel

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Brushed bronze finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Toughened Glass Panels

Width	Code
255mm	GR030008CF
355mm	GR040008CF
455mm	GR050008CF
555mm	GR060008CF
655mm	GR070008CF
715mm	GR076008CF
755mm	GR080008CF
855mm	GR090008CF
955mm	GR100008CF
1055mm	GR110008CF
1155mm	GR120008CF
1355mm	GR140008CF

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code
Wall Profile with Seal	2000mm	15mm	GRPROFILEBZ

Optional Glass Bottom Seal

Size	Code
1400 x 8mm	GRSEAL1400X8

Must be cut to length on installation

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



Corner with T Bracing Bar

Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom.

To see our full range of complementary brassware, furniture and ceramics please visit crosswater.co.uk

Stabilising Fixings

Part	Size	Code
Glass to Wall Bracing Bar	1200mm	GRBRACEBZ
T Bracing Bar	1200 x 1200mm	GRTBRACEBZ
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEBZ
Angled Bracing Bar	941mm	GRANGLEBRACEBZ
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10

Hinged Deflector Panel Fittings

Part	Size	Code
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEBZ
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300

Fixed Deflector Panel Fittings

Part	Size	Code
Fixed Deflector Glass	300mm	GR030008CF
Fixed Deflector Glass	400mm	GR040008CF
Glass to Glass Brackets (Pair)	-	GRBRACKBZ
Glass to Glass Seal**	2000mm	GRBUBBLESEAL

**Recommended when using glass to glass brackets

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

GALLERY 8 Slate



Open Ended with Angled Glass to Wall Bracing Bar

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Slate finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Toughened Glass Panels

Width	Code
255mm	GR030008CF
355mm	GR040008CF
455mm	GR050008CF
555mm	GR060008CF
655mm	GR070008CF
715mm	GR076008CF
755mm	GR080008CF
855mm	GR090008CF
955mm	GR100008CF
1055mm	GR110008CF
1155mm	GR120008CF
1355mm	GR140008CF

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code
Wall Profile with Seal	2000mm	15mm	GRPROFILET

Optional Glass Bottom Seal

Size	Code
1400 x 8mm	GRSEAL1400X8

Must be cut to length on installation

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



Open Ended with Glass to Wall Bracing Bar and Hinged Deflector Panel

Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom.

To see our full range of complementary brassware, furniture and ceramics please visit crosswater.co.uk

Stabilising Fixings

Part	Size	Code
Glass to Wall Bracing Bar	1200mm	GRBRACET
T Bracing Bar	1200 x 1200mm	GRTBRACET
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACET
Angled Bracing Bar	941mm	GRANGLEBRACET
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10

Hinged Deflector Panel Fittings

Part	Size	Code
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGET
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300

Fixed Deflector Panel Fittings

Part	Size	Code
Fixed Deflector Glass	300mm	GR030008CF
Fixed Deflector Glass	400mm	GR040008CF
Glass to Glass Brackets (Pair)	-	GRBRACKT
Glass to Glass Seal**	2000mm	GRBUBBLESEAL

**Recommended when using glass to glass brackets

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152



GALLERY 8 Brushed Brass



Open Ended with Angled Glass to Wall Bracing Bar



Walk Through with Fixed Deflector Panels

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Brushed brass finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Toughened Glass Panels

Width	Code
255mm	GR030008CF
355mm	GR040008CF
455mm	GR050008CF
555mm	GR060008CF
655mm	GR070008CF
715mm	GR076008CF
755mm	GR080008CF
855mm	GR090008CF
955mm	GR100008CF
1055mm	GR110008CF
1155mm	GR120008CF
1355mm	GR140008CF

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code
Wall Profile with Seal	2000mm	15mm	GRPROFILEF

Optional Glass Bottom Seal

Size	Code
1400 x 8mm	GRSEAL1400X8

Must be cut to length on installation

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



Open Ended with Glass to Wall Bracing Bar

Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom.

To see our full range of complementary brassware, furniture and ceramics please visit crosswater.co.uk

Stabilising Fixings

Part	Size	Code
Glass to Wall Bracing Bar	1200mm	GRBRACEF
T Bracing Bar	1200 x 1200mm	GRTBRACEF
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEF
Angled Bracing Bar	941mm	GRANGLEBRACEF
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10

Hinged Deflector Panel Fittings

Part	Size	Code
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEF
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300

Fixed Deflector Panel Fittings

Part	Size	Code
Fixed Deflector Glass	300mm	GR030008CF
Fixed Deflector Glass	400mm	GR040008CF
Glass to Glass Brackets (Pair)	-	GRBRACKF
Glass to Glass Seal**	2000mm	GRBUBBLESEAL

**Recommended when using glass to glass brackets

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152



GALLERY 8 Brushed Stainless Steel



Open Ended with Glass to Wall Bracing Bar



Corner with T Bracing Bar

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Brushed stainless steel finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Toughened Glass Panels

Width	Code
255mm	GR030008CF
355mm	GR040008CF
455mm	GR050008CF
555mm	GR060008CF
655mm	GR070008CF
715mm	GR076008CF
755mm	GR080008CF
855mm	GR090008CF
955mm	GR100008CF
1055mm	GR110008CF
1155mm	GR120008CF
1355mm	GR140008CF

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code
Wall Profile with Seal	2000mm	15mm	GRPROFILEV

Optional Glass Bottom Seal

Size	Code
1400 x 8mm	GRSEAL1400X8

Must be cut to length on installation

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



Open Ended with Glass to Wall Bracing Bar

Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom.

To see our full range of complementary brassware, furniture and ceramics please visit crosswater.co.uk

Stabilising Fixings

Part	Size	Code
Glass to Wall Bracing Bar	1200mm	GRBRACEV
T Bracing Bar	1200 x 1200mm	GRTBRACEV
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEV
Angled Bracing Bar	941mm	GRANGLEBRACEV
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10

Hinged Deflector Panel Fittings

Part	Size	Code
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEV
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300

Fixed Deflector Panel Fittings

Part	Size	Code
Fixed Deflector Glass	300mm	GR030008CF
Fixed Deflector Glass	400mm	GR040008CF
Glass to Glass Brackets (Pair)	-	GRBRACKV
Glass to Glass Seal**	2000mm	GRBUBBLESEAL

**Recommended when using glass to glass brackets

*Subject to online registration

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

GALLERY 8 Polished Stainless Steel



Open Ended with Angled Glass to Wall Bracing Bar



Recess with Hinged Deflector Panel

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Polished 304 grade stainless steel finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Toughened Glass Panels

Width	Code
255mm	GR030008CF
355mm	GR040008CF
455mm	GR050008CF
555mm	GR060008CF
655mm	GR070008CF
715mm	GR076008CF
755mm	GR080008CF
855mm	GR090008CF
955mm	GR100008CF
1055mm	GR110008CF
1155mm	GR120008CF
1355mm	GR140008CF

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code
Wall Profile with Seal	2000mm	15mm	GRPROFILEPSS

Optional Glass Bottom Seal

Size	Code
1400 x 8mm	GRSEAL1400X8

Must be cut to length on installation

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



Open Ended with Glass to Wall Bracing Bar

Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom.

To see our full range of complementary brassware, furniture and ceramics please visit crosswater.co.uk

Stabilising Fixings

Part	Size	Code
Glass to Wall Bracing Bar	1200mm	GRBRACEPSS
T Bracing Bar	1200 x 1200mm	GRTBRACEPSS
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEPSS
Angled Bracing Bar	941mm	GRANGLEBRACEPSS
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10

Hinged Deflector Panel Fittings

Part	Size	Code
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEPSS
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300

Fixed Deflector Panel Fittings

Part	Size	Code
Fixed Deflector Glass	300mm	GR030008CF
Fixed Deflector Glass	400mm	GR040008CF
Glass to Glass Brackets (Pair)	-	GRBRACKPSS
Glass to Glass Seal**	2000mm	GRBUBBLESEAL

**Recommended when using glass to glass brackets

*Subject to online registration

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

Optional Accessories

Squeegee with Wall Bracket

SHSQUEEGCP



GALLERY 8 Matt Black



Open Ended with Angled Glass to Wall Bracing Bar



Glass Corner with T Bracing Bar

- Diverse layout options (see page 12)
- 2000mm enclosure height
- Matt black finish
- 15mm width adjustment for easy fitting
- Concealed fixings
- Choice of bracing bar options
- Optional hinged or fixed deflector panel
- Suitable for tray or tiled floors (wetroom)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Toughened Glass Panels

Width	Code
255mm	GR030008CF
355mm	GR040008CF
455mm	GR050008CF
555mm	GR060008CF
655mm	GR070008CF
715mm	GR076008CF
755mm	GR080008CF
855mm	GR090008CF
955mm	GR100008CF
1055mm	GR110008CF
1155mm	GR120008CF
1355mm	GR140008CF

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Wall Profile

Part	Size	Adjustment	Code
Wall Profile with Seal	2000mm	15mm	GRPROFILEMB

Optional Glass Bottom Seal

Size	Code
1400 x 8mm	GRSEAL1400X8

Must be cut to length on installation

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



Open Ended with Glass to Wall Bracing Bar

Complete Your Showering Space

We have everything you need to complete your perfect shower; from shower valves to shower heads in perfectly matching MPRO finishes for a fully co-ordinating bathroom.

To see our full range of complementary brassware, furniture and ceramics please visit crosswater.co.uk

Stabilising Fixings

Part	Size	Code
Glass to Wall Bracing Bar	1200mm	GRBRACEMB
T Bracing Bar	1200 x 1200mm	GRTBRACEMB
Glass to Ceiling Bracing Bar	600mm high	GRCEILBRACEMB
Angled Bracing Bar	941mm	GRANGLEBRACEMB
Glass to Glass Corner Seal	2000 x 10mm	GRSEAL2000X10

Hinged Deflector Panel Fittings

Part	Size	Code
Deflector Panel 180° Hinges (Pair)	-	GRDEFHINGEMB
Hinged Deflector Glass with Seal	300mm	GRDEFLEC300

Fixed Deflector Panel Fittings

Part	Size	Code
Fixed Deflector Glass	300mm	GR030008CF
Fixed Deflector Glass	400mm	GR040008CF
Glass to Glass Brackets (Pair)	-	GRBRACKMB
Glass to Glass Seal**	2000mm	GRBUBBLESEAL

**Recommended when using glass to glass brackets

*Subject to online registration

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152







DESIGN 8

Intelligently built across an extensive range of door options and sizes our premium 8mm glass range DESIGN 8 has become a contemporary classic in its field.

A simple and sleek semi-frameless form with strong 8mm toughened, and high performance hardware is finished in Silver anodised aluminium.

The Design 8 range is suitable for either a shower tray or tiled floor installation.



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

SILVER

Sliding Doors p 116

Hinged Doors p 117

Quadrant Enclosures p 118

Walk In Panels p 119



DESIGN 8

Product Highlights

1. Watertight magnetic door seals in Clear
2. Slim modern chrome finish and bracing bars
3. Wall profile and bracing bar with concealed fixings
4. Ultra-strong bracing bar for side or walk-in panels
5. Unique double handle design in chrome finish
6. Smart easy-clean internal flush-fit hinges
7. High-performance hinges and cleverly designed door seals guarantee no leaks





DESIGN 8 Single Sliding Door with Soft Close



1500 x 900mm Single Sliding Door with Side Panel

Door Opening



1500mm Single Sliding Door in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Quick release double rollers for easier cleaning
- Soft close opening and closing
- Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door with Soft Close

Width	Door Opening	Adjustment	Code
1100mm	439	1060–1085 (1070–1095**)	DSLSC1100
1200mm	489	1160–1185 (1170–1195**)	DSLSC1200
1400mm	589	1360–1385 (1370–1395**)	DSLSC1400
1500mm	639	1460–1485 (1470–1495**)	DSLSC1500
1700mm	739	1660–1685 (1670–1695**)	DSLSC1700

**Adjustment when used with a side panel

Side Panel

Width	Adjustment	Code
800mm	775–785	DSLSP0800
900mm	875–885	DSLSP0900

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

This enclosure requires a shower tray with a minimum ledge of 60mm

Optional Fittings

Wall channel for uneven surfaces

DSLADJPROFILE

Bracing bar for 800mm side panel

DEBRACE650

Bracing bar for 900 or 1000mm side panel

DEBRACE700

†Moving door is 6mm toughened glass, the fixed panel is 8mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

DESIGN 8 Hinged Door with Inline Panel



900 x 900mm Hinged Door with Inline Panel and Side Panel

Door Opening



900mm Hinged Door with Inline Panel in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 25mm width adjustment for easy fitting
- Flush fit hinges
- Concealed fixings
- Suitable for tray or tiled floors (wet room)



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Hinged Door with Inline Panel

Width	Door Opening	Adjustment	Code
900mm	590	870-895 (856-871**)	DHDSC0900_V2
1000mm	590	970-995 (956-971**)	DHDSC1000_V2
1200mm	640	1170-1195 (1156-1171**)	DHDSC1200_V2

**Adjustment when used with a side panel

Side Panel

Width	Adjustment	Code
700mm	675-690	DSPSC0700_V2
800mm	775-790	DSPSC0800_V2
900mm	875-890	DSPSC0900_V2
1000mm	975-990	DSPSC1000_V2
1100mm	supplied with bracing bar 1075-1090	DSPSC1100_V2
1200mm	supplied with bracing bar 1175-1190	DSPSC1200_V2

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152

Optional Fittings

15mm Side Panel Extension Profile
DS0000110+
Bracing bar for 700mm side panel
DEBRACE500
Bracing bar for 760mm side panel
DEBRACE550
Bracing bar for 800mm side panel
DEBRACE650
Bracing bar for 900 or 1000mm side panel
DEBRACE700



DESIGN 8 Quadrant Single Door



900mm Offset Quadrant Single Hinged Door

Door Opening



900mm Quadrant Single Hinged Door

- 1950mm enclosure height
- Silver anodised aluminium finish
- 15mm width adjustment for easy fitting
- Flush fit hinges
- Concealed fixings
- Suitable for 550mm radius shower trays or tiled floors (wet room)



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code
900mm	650	870-885	DQSSC0900_V2

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

DESIGN 8 Walk In Easy Access



1400mm Walk In Easy Access with Side Panel

Door Opening



1400mm Walk In Easy Access in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- 90° hinged folding panel for easy access
- Reversible panels for left or right hand entry
- 15mm width adjustment for easy fitting
- Flush fit hinges
- Suitable for tray or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Walk In Easy Access

Width	Door Opening	Adjustment	Code	
1400mm	700mm (fixed panel) 300mm (return panel)	670	1000-1015	DWQSC1400_V2

Side Panel

Width	Adjustment	Code
700mm	642-657	DSPSC0700_V2
800mm	742-757	DSPSC0800_V2
900mm	842-857	DSPSC0900_V2

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Optional Fittings

Bracing bar for 400mm side panel

DEBRACE250

Bracing bar for 500mm side panel

DEBRACE350

Bracing bar for 600mm side panel

DEBRACE450

Bracing bar for 700mm side panel

DEBRACE500

Bracing bar for 760mm side panel

DEBRACE550

Bracing bar for 800mm side panel

DEBRACE650

Bracing bar for 900mm side panel

DEBRACE700

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

†Moving door is 6mm toughened glass, the fixed panel is 8mm toughened glass.

*Subject to online registration



DESIGN 8 Walk In



Walk In Panel with Retro Fit Deflector and Side Panel



Recess Walk In with Retro Fit Deflector Panel

- 1950mm enclosure height
- Silver anodised aluminium finish
- 15mm width adjustment for easy fitting
- Choice of bracing bar options
- Suitable for tray or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Walk In Panel

Width	Adjustment	Code
700mm	642-657	DSPSC0700_V2
800mm	742-757	DSPSC0800_V2
900mm	842-857	DSPSC0900_V2
1000mm	942-957	DSPSC1000_V2
1100mm	supplied with 90° bracing bar 1042-1057	DSPSC1100_V2
1200mm	supplied with 90° bracing bar 1142-1157	DSPSC1200_V2

Retro Fit 90° Deflector Panel

Width	Code
300mm	DWIDP300ST_V2

Recommended Tray

Range	Page
25mm VITO Shower Trays	154
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



Recess with Double Walk In Panels



Walk Through (Requires 2 x Glass To Wall Bracing Bars)



Recess Walk In Panel



Retro Fit Deflector Panel

Optional Fittings

15mm side panel extension profile	DS0000110_V2
Bracing bar for 400mm side panel	DEBRACE250
Bracing bar for 500mm side panel	DEBRACE350
Bracing bar for 600mm side panel	DEBRACE450
Bracing bar for 700mm side panel	DEBRACE500
Bracing bar for 760mm side panel	DEBRACE550
Bracing bar for 800mm side panel	DEBRACE650
Bracing bar for 900 or 1000mm side panel	DEBRACE700
Ceiling mount bracing bar - 600mm	DCBRACE
Glass to wall bracing bar - 1200mm	GRBRACEPSS

12000mm high - requires trimming during installation





CLEAR 6

Introducing the latest click and lock quick-fit installation system.

Dramatically reducing install time this patent protected[†] design is further enhanced by sleek modern profiles.

Upgraded premium hardware often only featured in more expensive shower doors, and a wide selection of door styles and sizes makes Clear 6 the ideal shower range for any bathroom application.



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

BRUSHED BRASS

Sliding Doors p 126

Pivot Doors p 127

Infold Doors p 128

Quadrant Enclosures p 129

MATT BLACK

Sliding Doors p 130

Pivot Doors p 131

Infold Doors p 132

Bi-fold Doors p 133

Quadrant Enclosures p 134

SILVER

Sliding Doors p 135

Hinged Doors p 136

Pivot Doors p 137

Infold Doors p 138

Bi-fold Doors p 139

Quadrant Enclosures p 140



CLEAR 6

Product Highlights

1. Watertight door seals in Clear, Black or Brass
2. Smooth pivot door motion with secure closing
3. Free-flowing rollers with height adjustment and concealed profiles
4. Easy, quick side panel adjustment
5. Rolling Infold door with matchless water guard system
6. Elegant chrome-plated soft square double handle
7. Super-seal wall profiles virtually remove the need for silicone
8. Simple, quick-release, easy-clean double rollers
9. Click and lock quick-fit installation system





CLEAR 6 Single Sliding Door

BRUSHED BRASS



1400 x 900mm Single Sliding Door with Side Panel

Door Opening



1400mm Single Sliding Door in Recess

- 1950mm enclosure height
- Brushed brass anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release double rollers
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door

Width	Door Opening	Adjustment	Code
1000mm	388	960-990	CASLFC1000
1100mm	438	1060-1090	CASLFC1100
1200mm	488	1160-1190	CASLFC1200
1400mm	588	1360-1390	CASLFC1400
1500mm	638	1460-1490	CASLFC1500
1600mm	638	1560-1590	CASLFC1600

Side Panel

Width	Adjustment	Code
760mm	735-750	CASFBC0760
800mm	775-790	CASFBC0800
900mm	875-890	CASFBC0900
1000mm	975-990	CASFBC1000

The moving door must only close against a side panel

†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Optional Fittings

Extension profile - 1950 x 25mm
CAEXTPROFILEFC

CLEAR 6 Pivot Door

BRUSHED BRASS



900 x 900mm Pivot Door with Side Panel

Door Opening



900mm Pivot Door in Recess

- 1950mm enclosure height
- Brushed brass anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Removable bottom seal
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door

Width	Door Opening	Adjustment	Code
800mm	547	760-790	CAPDFC0800
900mm	647	860-890	CAPDFC0900

Side Panel

Width	Adjustment	Code
760mm	735-750	CASFBC0760
800mm	775-790	CASFBC0800
900mm	875-890	CASFBC0900
1000mm	975-990	CASFBC1000

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	152
45mm Edge Waste Shower Trays	156

Optional Fittings

Extension profile - 1950 x 25mm

CAEXTPROFILEFC



CLEAR 6 Infold Door

BRUSHED BRASS



900 x 900mm Infold Door with Side Panel

Door Opening



900mm Infold Door in Recess

- 1950mm enclosure height
- Brushed brass anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Smooth double rollers & removable bottom seal
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Infold Door

Width	Door Opening	Adjustment	Code
760mm	578	720-750	CAIDFC0760
800mm	618	760-790	CAIDFC0800
900mm	718	860-890	CAIDFC0900
1000mm	819	960-990	CAIDFC1000

Side Panel

Width	Adjustment	Code
760mm	735-750	CASFBC0760
800mm	775-790	CASFBC0800
900mm	875-890	CASFBC0900
1000mm	975-990	CASFBC1000

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Optional Fittings

Extension profile - 1950 x 25mm

CAEXTPROFILEFC

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

CLEAR 6 Quadrant Single Door

BRUSHED BRASS



900mm Quadrant Single Door

Door Opening



1000 x 800mm Offset Quadrant Single Door

- 1950mm enclosure height
- Brushed brass anodised aluminium finish
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release smooth double rollers, concealed fixings and profile cover caps
- Suitable for 550mm radius shower trays or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code
800mm	480	770-785	CAQSFC0800
900mm	480	870-885	CAQSFC0900

Offset Quadrant Single Door

Width	Door Opening	Adjustment	Code
1000 x 800mm	480	770-785/970-985	CAQSFC10X8
1200 x 800mm	480	770-785/1170-1185	CAQSFC12X8
1200 x 900mm	480	870-885/1170-1185	CAQSFC12X9

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

*Subject to online registration



CLEAR 6 Single Sliding Door

MATT BLACK



1400 x 900mm Single Sliding Door with Side Panel

Door Opening



1400mm Single Sliding Door in Recess

- 1950mm enclosure height
- Matt black anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release double rollers
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glasst
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door

Width	Door Opening	Adjustment	Code
1000mm	388	960-990	CASLBC1000
1100mm	438	1060-1090	CASLBC1100
1200mm	488	1160-1190	CASLBC1200
1400mm	588	1360-1390	CASLBC1400
1500mm	638	1460-1490	CASLBC1500
1600mm	638	1560-1590	CASLBC1600

Side Panel

Width	Adjustment	Code
760mm	735-750	CASPBC0760
800mm	775-790	CASPBC0800
900mm	875-890	CASPBC0900
1000mm	975-990	CASPBC1000

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Optional Fittings

Extension profile - 1950 x 25mm
CAEXTPROFILEBC

†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

CLEAR 6 Pivot Door

MATT BLACK



900 x 900mm Pivot Door with Side Panel

Door Opening



900mm Pivot Door in Recess

- 1950mm enclosure height
- Matt black anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Removable bottom seal
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door

Width	Door Opening	Adjustment	Code
800mm	547	760-790	CAPDBC0800
900mm	647	860-890	CAPDBC0900

Side Panel

Width	Adjustment	Code
760mm	735-750	CASPBC0760
800mm	775-790	CASPBC0800
900mm	875-890	CASPBC0900
1000mm	975-990	CASPBC1000

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Optional Fittings

Extension profile - 1950 x 25mm

CAEXTPROFILEBC



CLEAR 6 Infold Door

MATT BLACK



900 x 900mm Infold Door with Side Panel

Door Opening



900mm Infold Door in Recess

- 1950mm enclosure height
- Matt black anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Smooth double rollers & removable bottom seal
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Infold Door

Width	Door Opening	Adjustment	Code
760mm	578	720-750	CAIDBC0760
800mm	618	760-790	CAIDBC0800
900mm	718	860-890	CAIDBC0900
1000mm	819	960-990	CAIDBC1000

Side Panel

Width	Adjustment	Code
760mm	735-750	CASPBC0760
800mm	775-790	CASPBC0800
900mm	875-890	CASPBC0900
1000mm	975-990	CASPBC1000

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Optional Fittings

Extension profile - 1950 x 25mm

CAEXTPROFILEBC

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

CLEAR 6 Bi-fold Door

MATT BLACK



900 x 900mm Bi-fold with Side Panel

Door Opening



900mm Bi-fold Door in Recess

- 1950mm enclosure height
- Matt black anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Discreet hinge system with magnetic closing
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Bi-fold Door

Width	Door Opening	Adjustment	Code
800mm	491	760-790	CABFBC0800
900mm	595	860-890	CABFBC0900
1000mm	692	960-990	CABFBC1000

Side Panel

Width	Adjustment	Code
760mm	735-750	CASPBC0760
800mm	775-790	CASPBC0800
900mm	875-890	CASPBC0900
1000mm	975-990	CASPBC1000

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Optional Fittings

Extension profile - 1950 x 25mm

CAEXTPROFILEBC



CLEAR 6 Quadrant Single Door

MATT BLACK



900mm Quadrant Single Door

Door Opening



1000 x 800mm Offset Quadrant Single Door

- 1950mm enclosure height
- Matt black anodised aluminium finish
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release smooth double rollers, concealed fixings and profile cover caps
- Suitable for 550mm radius shower trays or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code
800mm	480	770-785	CAQSBC0800
900mm	480	870-885	CAQSBC0900

Offset Quadrant Single Door

Width	Door Opening	Adjustment	Code
1000 x 800mm	480	770-785/970-985	CAQSBC10X8
1200 x 800mm	480	770-785/1170-1185	CAQSBC12X8
1200 x 900mm	480	870-885/1170-1185	CAQSBC12X9

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

CLEAR 6 Single Sliding Door



1200 x 900mm Single Sliding Door with Side Panel

Door Opening



1200mm Single Sliding Door in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release double rollers
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door

Width	Door Opening	Adjustment	Code
1000mm	388	960-990	CASLSC1000
1100mm	438	1060-1090	CASLSC1100
1200mm	488	1160-1190	CASLSC1200
1400mm	588	1360-1390	CASLSC1400
1500mm	638	1460-1490	CASLSC1500

Side Panel

Width	Adjustment	Code
700mm	675-690	CASPSC0700
760mm	735-750	CASPSC0760
800mm	775-790	CASPSC0800
900mm	875-890	CASPSC0900
1000mm	975-990	CASPSC1000

The moving door must only close against a side panel

†Moving door is 8mm toughened glass, the fixed panel is 6mm toughened glass.

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Optional Fittings


Extension profile - 1950 x 25mm
CAEXTPROFILESC



CLEAR 6 Hinged Door



800 x 900mm Hinged Door with Side Panel



Door Opening



800mm Hinged Door in Recess

- 1980mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 20–30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Rise and fall 180° hinge built into profile
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Hinged Door

Width	Door Opening	Adjustment	Code
800mm	672	770–790	CAHDSC0800
900mm	772	870–890	CAHDSC0900

Side Panel

Width	Adjustment	Code
700mm	675–690	CASPSC0700
760mm	735–750	CASPSC0760
800mm	775–790	CASPSC0800
900mm	875–890	CASPSC0900
1000mm	975–990	CASPSC1000

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Optional Fittings

Extension profile for hinged door

CAEXTHINGESC

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

CLEAR 6 Pivot Door



900 x 900mm Pivot Door with Side Panel

Door Opening



1000mm Pivot Door in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Hinges built into profile & removable bottom seal
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door

Width	Door Opening	Adjustment	Code
760mm	507	720-760	CAPDSC0760
800mm	547	760-790	CAPDSC0800
900mm	647	860-890	CAPDSC0900
1000mm	647	960-990	CAPDSC1000

Side Panel

Width	Adjustment	Code
700mm	675-690	CASPSC0700
760mm	735-750	CASPSC0760
800mm	775-790	CASPSC0800
900mm	875-890	CASPSC0900
1000mm	975-990	CASPSC1000

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Optional Fittings

Extension profile - 1950 x 25mm

CAEXTPROFILESC



CLEAR 6 Infold Door



900 x 900mm Infold Door with Side Panel

Door Opening



900mm Infold Door in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Hinges built into profile & removable bottom seal
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Infold Door

Width	Door Opening	Adjustment	Code
700mm	518	660-690	CAIDSC0700
760mm	578	720-750	CAIDSC0760
800mm	618	760-790	CAIDSC0800
900mm	718	860-890	CAIDSC0900
1000mm	819	960-990	CAIDSC1000

Side Panel

Width	Adjustment	Code
700mm	675-690	CASPSC0700
760mm	735-750	CASPSC0760
800mm	775-790	CASPSC0800
900mm	875-890	CASPSC0900
1000mm	975-990	CASPSC1000

The moving door must only close against a side panel

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Optional Fittings

Extension profile - 1950 x 25mm
CAEXTPROFILESC

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

CLEAR 6 Bi-fold Door



900 x 900mm Bi-fold with Side Panel

Door Opening



900mm Bi-fold Door in Recess

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Discreet hinge system with magnetic closing
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Bi-fold Door

Width	Door Opening	Adjustment	Code
760mm	491	720-750	CABFSC0760
800mm	491	760-790	CABFSC0800
900mm	595	860-890	CABFSC0900
1000mm	692	960-990	CABFSC1000

Side Panel

Width	Adjustment	Code
700mm	675-690	CASPSC0700
760mm	735-750	CASPSC0760
800mm	775-790	CASPSC0800
900mm	875-890	CASPSC0900
1000mm	975-990	CASPSC1000

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

Optional Fittings

Extension profile - 1950 x 25mm
CAEXTPROFILESC

*Subject to online registration



CLEAR 6 Quadrant Single Door



900mm Quadrant Single Door

Door Opening



1200 x 900mm Offset Quadrant Single Door

- 1950mm enclosure height
- Silver anodised aluminium finish
- Reversible for left or right hand entry
- 15mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release double rollers, concealed fixings and profile cover caps
- Suitable for 550mm radius shower trays or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code
800mm	480	770-785	CAQSSC0800
900mm	480	870-885	CAQSSC0900

Offset Quadrant Single Door

Width	Door Opening	Adjustment	Code
1000 x 800mm	480	770-785/970-985	CAQSSC10X8
1200 x 800mm	480	770-785/1170-1185	CAQSSC12X8
1200 x 900mm	480	870-885/1170-1185	CAQSSC12X9

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

CLEAR 6 Quadrant Double Doors



900mm Quadrant Double Doors

Door Opening



900mm Quadrant Double Doors

- 1950mm enclosure height
- Silver anodised aluminium finish
- 15mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Quick release double rollers and secure magnetic seal closing
- Concealed fixings and profile cover caps
- Suitable for 550mm radius shower trays or tiled floors (wet room)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Double Doors

Width	Door Opening	Adjustment	Code
800mm	455	770-785	CAQDS0800
900mm	555	870-885	CAQDS0900

Recommended Tray

Range	Page
25mm CREO Shower Trays	154
45mm Edge Waste Shower Trays	158

*Subject to online registration







KAI 6

Unrivalled engineering, design and outstanding value for money are the underlying characteristics of KAI 6.

Gently contoured silver anodised aluminium profiles with 6mm toughened glass offer plenty of adjustment for out of square walls.

A broad choice of door opening styles and sizes make KAI 6 ideal for smaller bathrooms where form and function are of equal importance.



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Sliding Doors p 146

Pivot Doors p 147

Bi-fold Doors p 148

Quadrant Enclosures p 149

Corner Entry Enclosures p 151



KAI 6

Product Highlights

1. Seamless wall profiles with concealed fixings
2. Stylish pivot hinge and covered profile cap
3. Free running double roller system with height adjustment
4. Simple, quick-release, easy-clean quadrant rollers
5. Comfortable, modern chrome finish handle with internal grasp
6. 180° pivot door hinge
7. Smooth opening, space-saving bi-fold door option



1



KAI 6 Single Sliding Door



1000 x 800mm Single Sliding Door with Side Panel

Door Opening



1000mm Single Sliding Door in Recess

- 1900mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Quick release double rollers
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Sliding Door

Width	Door Opening	Adjustment	Code
1000mm	391	960-1000	KLSLSC1000
1100mm	441	1060-1100	KLSLSC1100
1200mm	491	1160-1200	KLSLSC1200
1400mm	591	1360-1400	KLSLSC1400
1500mm	591	1460-1500	KLSLSC1500

Side Panel

Width	Adjustment	Code
760mm	730-750	KLSPSC0760
800mm	770-790	KLSPSC0800
900mm	870-890	KLSPSC0900

The moving door must only close against a side panel

Recommended Tray

Range	Page
45mm Edge Waste Shower Trays	158

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

KAI 6 Pivot Door



800 x 800mm Pivot Door with Side Panel

Door Opening



800mm Pivot Door in Recess

- 1900mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Inward and outward door opening
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Pivot Door

Width	Door Opening	Adjustment	Code
760mm	562	720-760	KLPDSC0760
800mm	602	760-800	KLPDSC0800
900mm	702	860-900	KLPDSC0900

Side Panel

Width	Adjustment	Code
760mm	730-750	KLSPSC0760
800mm	770-790	KLSPSC0800
900mm	870-890	KLSPSC0900

The moving door must only close against a side panel

Recommended Tray

Range	Page
45mm Edge Waste Shower Trays	158



KAI 6 Bi-fold Door



900 x 900mm Bi-fold Door with Side Panel

Door Opening



900mm Bi-fold Door in Recess

- 1900mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 40mm width adjustment for easy fitting
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Bi-fold Door

Width	Door Opening	Adjustment	Code
760mm	507	720-760	KLBFSC0760
800mm	547	760-800	KLBFSC0800
900mm	647	860-900	KLBFSC0900

Side Panel

Width	Adjustment	Code
760mm	730-750	KLSPSC0760
800mm	770-790	KLSPSC0800
900mm	870-890	KLSPSC0900

The moving door must only close against a side panel

Recommended Tray

Range	Page
45mm Edge Waste Shower Trays	158

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

KAI 6 Quadrant Single Door



800mm Quadrant Single Door

Door Opening



1000 x 800mm Offset Quadrant Single Door

- 1900mm enclosure height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 20mm width adjustment for easy fitting
- Quick release double rollers
- Concealed fixings and profile cover caps
- Suitable for 550mm radius shower trays or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Single Door

Width	Door Opening	Adjustment	Code
800mm	420	770-760/770-790	KLQSSC0800
900mm	472	870-890/870-890	KLQSSC0900

Offset Quadrant Single Door

Width	Door Opening	Adjustment	Code
1000 x 800mm	420	770-790/970-990	KLQSSC10X8
1200 x 800mm	420	770-790/1170-1190	KLQSSC12X8
1200 x 900mm	420	870-890/1170-1190	KLQSSC12X9

Recommended Tray

Range	Page
45mm Edge Waste Shower Trays	158

*Subject to online registration




KAI 6 Quadrant Double Doors



800mm Quadrant Double Doors

Door Opening



800mm Quadrant Double Doors

- 1900mm enclosure height
- Silver anodised aluminium finish
- 20mm width adjustment for easy fitting
- Quick release double rollers
- Secure magnetic seal closing
- Concealed fixings and profile cover caps
- Suitable for 550mm radius shower trays or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Quadrant Double Doors

Width	Door Opening	Adjustment	Code
800mm	401	770-790/770-790	KLQDS0800
900mm	540	870-890/870-890	KLQDS0900

Recommended Tray

Range	Page
45mm Edge Waste Shower Trays	158

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

KAI 6 Corner Entry Enclosure



900mm Corner Entry Enclosure

Door Opening



900mm Corner Entry Enclosure

- 1900mm enclosure height
- Silver anodised aluminium finish
- Sliding doors
- 20mm width adjustment for easy fitting
- Quick release double rollers
- Secure magnetic seal closing
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)
- EN 14428:2015+A1:2018



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Corner Entry Enclosure

Width	Door Opening	Adjustment	Code
760mm	372	730-750/730-750	KLCESC0760
800mm	400	770-790/770-790	KLCESC0800
900mm	471	870-890/870-890	KLCESC0900

Recommended Tray

Range	Page
45mm Edge Waste Shower Trays	158

*Subject to online registration





25MM CREO Shower Trays



Engineered Stone
Construction



25
mm
Low Profile
Shower tray



Lifetime Guarantee*
Peace of mind

- Manufactured from 75% crushed Dolomite rock in a factory powered by 100% green energy.
- Engineered stone construction with anti-bacterial, easy-clean and repairable nano gel coating.
- 60mm outer flat edge and drain gully are almost invisible to the eye.
- Smooth and warm to the touch, with excellent thermal and sound insulation to give you the most relaxing shower possible.
- Flush fitting, colour-matched white stainless steel central waste cover for ultimate comfort.
- Dedicated waste instantly removes water (32 lpm), ensuring no pooling.
- Fully complies with BS EN 274-1:2002, with DIN 51097 class A anti-slip rating.
- Suitable for fitting directly on a floor, flush for level access solution or raised (using our optional riser leg set).
- Trays can be cut on-site, if needed, to accommodate obstructions like soil pipe boxing.



Square

Size	Code
800 x 800mm	CRS800X800W
900 x 900mm	CRS900X900W



Quadrant

Size	Code
800mm Quad	CRQ800X800W
900mm Quad	CRQ900X900W



Rectangular

Size	Code
760 x 1200mm	CRR760X1200W
760 x 1400mm	CRR760X1400W
800 x 1000mm	CRR800X1000W
800 x 1100mm	CRR800X1100W
800 x 1200mm	CRR800X1200W
800 x 1400mm	CRR800X1400W
800 x 1500mm	CRR800X1500W
800 x 1600mm	CRR800X1600W
800 x 1700mm	CRR800X1700W
900 x 1000mm	CRR900X1000W
900 x 1100mm	CRR900X1100W
900 x 1200mm	CRR900X1200W
900 x 1400mm	CRR900X1400W
900 x 1500mm*	CRR900X1500W
900 x 1600mm*	CRR900X1600W
900 x 1700mm*	CRR900X1700W

*Nominal height up to 29mm



Right hand tray

Left hand tray

Offset Quadrant

Size	Code
800 x 1000mm (R)	CRQ800X1000RHW
800 x 1000mm (L)	CRQ800X1000LHW
800 x 1200mm (R)	CRQ800X1200RHW
800 x 1200mm (L)	CRQ800X1200LHW
900 x 1200mm (R)	CRQ900X1200RHW
900 x 1200mm (L)	CRQ900X1200LHW

Required Waste

Finish	Code
White	CRHFWS90_V2

50mm water seal to comply to Building Regulations

Optional Riser Leg Set

Size	Code
8 Leg Riser Kit	TRAY25MMLEGSET8

These trays are produced from natural materials and can experience manufacturing tolerance of +/-5mm.

*Subject to online registration





25MM VITO Shower Trays



Engineered Stone
Construction



25
mm
Low Profile
Shower tray



Lifetime Guarantee*
Peace of mind

- Manufactured from 75% crushed Dolomite rock in a factory powered by 100% green energy.
- Engineered stone construction with anti-bacterial, easy-clean and repairable nano gel coating.
- 60mm outer flat edge and drain gully are almost invisible to the eye.
- Smooth and warm to the touch, with excellent thermal and sound insulation to give you the most relaxing shower possible
- Flush fitting, colour match white stainless steel linear waste cover for ultimate comfort.
- Dedicated waste instantly removes water (32 lpm), ensuring no pooling.
- Fully complies with BS EN 274-1:2002, with DIN 51097 class A anti-slip rating.
- Suitable for fitting directly on a floor, flush for level access solution or raised (using our optional riser leg set).
- Trays can be cut on-site, if needed, for speedy installation.



Square

Size	Code
900 x 900mm	VTS900W



Rectangular

Size	Code
760 x 1200mm	VTR760X1200W
800 x 1000mm	VTR800X1000W
800 x 1100mm	VTR800X1100W
800 x 1200mm	VTR800X1200W
800 x 1400mm	VTR800X1400W
800 x 1500mm	VTR800X1500W
800 x 1600mm	VTR800X1600W
800 x 1700mm	VTR800X1700W
900 x 1100mm	VTR900X1100W
900 x 1200mm	VTR900X1200W
900 x 1400mm	VTR900X1400W
900 x 1500mm	VTR900X1500W
900 x 1700mm	VTR900X1700W

Required Waste

Finish	Code
Grey	VTHFWS90

Optional Riser Leg Set

Size	Code
8 Leg Riser Kit	TRAY25MMLEGSET8


These trays are produced from natural materials and can experience manufacturing tolerance of +/-5mm.

*Subject to online registration






Tray Profile



Waste Position



45MM Edge Waste Shower Trays



Made in Great Britain



Acrylic Capped Stone resin tray



Lifetime Guarantee*
Peace of mind

- Acrylic capped stone resin construction.
- Antibacterial, easy clean and repairable coating.
- 50mm outer flat edge.
- High-flow 90mm waste outlet removes water quickly (30 lpm), ensuring no pooling.
- Edge waste position - dedicated shower waste must be ordered separate, see below for choice of finishes.
- Suitable for fitting directly on concrete or wooden floors or can be raised (using optional panel riser kit).
- EN14527:2006 Class 1 compliant. EN15720:2009 compliant.



Square

Size	Code
760 x 760mm	SR000S760
800 x 800mm	SR000S800
900 x 900mm	SR000S900



Quadrant

Size	Code
800mm Quad	SR000Q800
900mm Quad	SR000Q900



Rectangular

Size	Code
700 x 1200mm	SR0R7001200
760 x 1200mm	SR0R71200
800 x 1000mm	SR0R81000
800 x 1100mm	SR0R81100
800 x 1200mm	SR0R81200
800 x 1400mm	SR0R81400
800 x 1500mm	SR0R81500
800 x 1600mm	SR0R81600
900 x 1200mm	SR0R91200
900 x 1400mm	SR0R91400
900 x 1500mm	SR0R91500
900 x 1600mm	SR0R91600



Right hand tray



Left hand tray

Offset Quadrant

Size	Code
800 x 1000mm (R)	SRQ81000RH
800 x 1000mm (L)	SRQ81000LH
800 x 1200mm (R)	SRQ81200RH
800 x 1200mm (L)	SRQ81200LH
900 x 1200mm (R)	SRQ91200RH
900 x 1200mm (L)	SRQ91200LH



Required High Flow Waste

Colour	Code
Chrome	STHFW6190
Matt Black	STHFW6190MB
Brushed Brass	STHFW6190F
Brushed Stainless Steel Effect	STHFW6190V
Brushed Bronze	STHFW6190BZ
Slate	STHFW6190T

Optional Panel Riser Kit (inc feet)

	Size	Code
Rectangular panel riser kit	900 x 1658 x 85mm	SRRP91680
Quadrant panel riser kit	900 x 900 x 85mm	SRRPQ900
Quadrant panel riser kit	900 x 1200 x 85mm	SRRPQ91200

The riser kits incorporates specifically moulded sockets for accurate and reliable leg location. Easy fit assembly ensures completion in minutes.


These trays are produced from natural materials and can experience manufacturing tolerance of +/-5mm.

*Subject to online registration





Tray Profile



Anti-Slip Surface Test



35MM Anti Slip Acrylic Shower Trays



Acrylic Shower tray



Lifetime Guarantee*
Peace of mind

- Anti-bacterial acrylic capped construction with steel reinforcing frame.
- Impregnated anti microbial zeomic agent protects against bacteria and suppresses mould growth.
- Anti-slip surface is integrated directly into the shower tray and conform to BS7976-2. Market leading DIN51097 class C anti-slip rating.
- High-flow 90mm waste outlet removes water quickly (30 lpm), ensuring no pooling.
- Dedicated shower waste must be ordered separate, see below for choice of finishes.
- Suitable for fitting directly on concrete or wooden floors or can be raised (using optional panel riser kit).



Walk In

Size	Panel Pack	Code
800 x 1700mm	B	GPWK81700
900 x 1400mm	B	GPWK91400



Central waste



Corner waste

Rectangular

Size	Waste	Panel Pack	Code
700 x 1600mm	Central	B	GP0R71600
700 x 1700mm	Central	B	GP0R71700
760 x 1700mm	Central	B	GP0R76170
800 x 1200mm	Central	B	GP0R81200
800 x 1400mm	Central	B	GP0R81400
800 x 1500mm	Central	B	GP0R81500
800 x 1600mm	Central	B	GP0R81600
800 x 1800mm	Central	-	GP0R81800
900 x 1200mm	Central	B	GP0R91200
900 x 1500mm	Central	B	GP0R91500
900 x 1700mm	Central	B	GP0R91700
900 x 1800mm	Central	-	GP0R91800



Required High Flow Waste

Colour	Code
Chrome	STHFW6190
Matt Black	STHFW6190MB
Brushed Brass	STHFW6190F
Brushed Stainless Steel Effect	STHFW6190V
Brushed Bronze	STHFW6190BZ
Slate	STHFW6190T


Optional Panel Riser Kit (inc feet)

Pack	Code	Pack	Code
A	ZP1 + ZL1	G	ZP4 + ZL5
B	ZP2 + ZL2	H	ZP1 + ZL4
D	ZP4 + ZL4	J	ZP5 + ZL4
E	ZP5 + ZL3		





Tray Profile



35MM Acrylic Shower Trays



Acrylic Shower tray



Lifetime Guarantee*
Peace of mind

- Anti-bacterial acrylic capped construction with steel reinforcing frame.
- Impregnated anti microbial zeomic agent protects against bacteria and suppresses mould growth.
- High-flow 90mm waste outlet removes water quickly (30 lpm), ensuring no pooling.
- Dedicated shower waste must be ordered separate, see below for choice of finishes.
- Suitable for fitting directly on concrete or wooden floors or can be raised (using optional panel riser kit).



Square

Size	Panel Pack	Code
800 x 800mm	H	ST000S800
900 x 900mm	H	ST000S900



Quadrant

Size	Panel Pack	Code
900mm Quad	D	ST000Q900



Walk In

Size	Panel Pack	Code
800 x 1700mm	B	STWK81700



Required High Flow Waste

Colour	Code
Chrome	STHFW6190
Matt Black	STHFW6190MB
Brushed Brass	STHFW6190F
Brushed Stainless Steel Effect	STHFW6190V
Brushed Bronze	STHFW6190BZ
Slate	STHFW6190T



Central waste



Corner waste

Rectangular

Size	Waste	Panel Pack	Code
760 x 1200mm	Central	B	ST0R71200
800 x 1200mm	Central	B	ST0R81200
800 x 1400mm	Central	B	ST0R81400
800 x 1500mm	Central	B	ST0R81500
800 x 1800mm	Central	-	ST0R81800
900 x 1200mm	Central	B	ST0R91200
900 x 1500mm	Central	B	ST0R91500
800 x 900mm	Corner	H	ST00R8900
800 x 1000mm	Corner	A	ST0R81000
900 x 1000mm	Corner	A	ST0R91000
900 x 1100mm	Corner	B	ST0R91100

Optional Panel Riser Kit (inc feet)

Pack	Code	Pack	Code
A	ZP1 + ZL1	G	ZP4 + ZL5
B	ZP2 + ZL2	H	ZP1 + ZL4
D	ZP4 + ZL4	J	ZP5 + ZL4
E	ZP5 + ZL3		

*Subject to online registration



OPTIX 10 Single with Inline Panel

BRUSHED BRONZE



900mm Single with Inline Panel



900mm Single with Inline Panel

- 1500mm screen height
- 540mm hinged panel width
- Brushed bronze PVD finish
- 15mm width adjustment for easy fitting



Toughened Glass
Strong and safe



Protective Finish
Easy to clean




Lifetime Guarantee*
Peace of mind


90° Single with Inline Panel

Width	Adjustment	Code
900mm Left	900-915	OXBDBZC0900L
900mm Right	900-915	OXBDBZC0900R

We recommend the bath ledge is flat and a minimum of 70mm width.




Door Opening




180° Single with Inline Panel

Width	Adjustment	Code
900mm Left	900-915	OXBDHBZC0900L
900mm Right	900-915	OXBDHBZC0900R

We recommend the bath ledge is flat and a minimum of 70mm width.



Door Opening



OPTIX 10 Single with Inline Panel

SLATE



900mm Single with Inline Panel



900mm Single with Inline Panel

- 1500mm screen height
- 540mm hinged panel width
- Slate PVD finish
- 15mm width adjustment for easy fitting



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

90° Single with Inline Panel

Width	Adjustment	Code
900mm Left	900-915	OXBDTC0900L
900mm Right	900-915	OXBDTC0900R

We recommend the bath ledge is flat and a minimum of 70mm width.


180° Single with Inline Panel

Width	Adjustment	Code
900mm Left	900-915	OXBDHTC0900L
900mm Right	900-915	OXBDHTC0900R

We recommend the bath ledge is flat and a minimum of 70mm width.



Door Opening



Door Opening

*Subject to online registration



OPTIX 10 Single with Inline Panel

BRUSHED BRASS



900mm Right Handed Single with Inline Panel



900mm right Handed Single with Inline Panel

- 1500mm screen height
- 540mm hinged panel width
- Brushed brass PVD finish
- 15mm width adjustment for easy fitting



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

90° Single with Inline Panel


Width	Adjustment	Code
900mm Left	900-915	OXBDFC0900L
900mm Right	900-915	OXBDFC0900R

We recommend the bath ledge is flat and a minimum of 70mm width.



180° Single with Inline Panel

Width	Adjustment	Code
900mm Left	900-915	OXBDHFC0900L
900mm Right	900-915	OXBDHFC0900R


We recommend the bath ledge is flat and a minimum of 70mm width.



Door Opening



Door Opening



OPTIX 10 Single with Inline Panel

BRUSHED STAINLESS STEEL



900mm Right Handed Single with Inline Panel



900mm Right Handed Single with Inline Panel

- 1500mm screen height
- 540mm hinged panel width
- Brushed stainless steel finish
- 15mm width adjustment for easy fitting



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

90° Single with Inline Panel


Width	Adjustment	Code
900mm Left	900-915	OXBDVC0900L
900mm Right	900-915	OXBDVC0900R

We recommend the bath ledge is flat and a minimum of 70mm width.


180° Single with Inline Panel

Width	Adjustment	Code
900mm Left	900-915	OXBDHVC0900L
900mm Right	900-915	OXBDHVC0900R

We recommend the bath ledge is flat and a minimum of 70mm width.



Door Opening



Door Opening



OPTIX 10 Single with Inline Panel

POLISHED STAINLESS STEEL



900mm Right Handed Single with Inline Panel



900mm Right Handed Single with Inline Panel

- 1500mm screen height
- 540mm hinged panel width
- Polished 304 stainless steel finish
- 15mm width adjustment for easy fitting



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

90° Single with Inline Panel


Width	Adjustment	Code
900mm Left	900-915	OXBDSC0900L
900mm Right	900-915	OXBDSC0900R

We recommend the bath ledge is flat and a minimum of 70mm width.



180° Single with Inline Panel

Width	Adjustment	Code
900mm Left	900-915	OXBDHSC0900L
900mm Right	900-915	OXBDHSC0900R


We recommend the bath ledge is flat and a minimum of 70mm width.



Door Opening




Door Opening





ASURA 8 Single Panel



850mm Single Panel

Door Opening



- 1500mm screen height
- Reversible door for left or right hand entry
- 15mm width adjustment for easy fitting
- Concealed profile
- Rotates 180° opening inwards and outwards
- Rise and fall pivot hinge
- Hard wearing PVD finish (Brushed Bronze, Slate, Brushed Brass, Brushed Stainless Steel finishes)
- Hard wearing Polished Stainless Steel (Polished Stainless Steel finish)
- Durable Matt Black powder coated finish (Matt Black finish)



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Panel

Finish	Width	Adjustment	Code	
Brushed Bronze	875mm	875-890mm	AUBSBZC0900	NEW
Slate	875mm	875-890mm	AUBSTC0900	NEW
Brushed Brass	875mm	875-890mm	AUBSFC0900	NEW
Brushed Stainless Steel	875mm	875-890mm	AUBSVC0900	NEW
Polished Stainless Steel	875mm	875-890mm	AUBSCC0900	NEW
Matt Black	875mm	875-890mm	AUBSBC0900	NEW

DESIGN 8 Single Panel



850mm Single Panel

Door Opening



850mm Single Panel

- 1500mm screen height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- Rotates 180° opening inwards and outwards
- Rise and fall pivot hinge
- Concealed profile



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Panel

Finish	Width	Adjustment	Code
Silver	850mm	850-870mm	DBSSC0850

† Moving door is 6mm toughened glass, the second panel is 8mm toughened glass.

*Subject to online registration



DESIGN 8 Double Panel



1060mm Double Panel

Door Opening



1060mm Double Panel

- 1500mm screen height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- Second panel rotates 270°, outward opening
- Rise and fall pivot hinge
- Concealed profile



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Double Panel

Finish	Width	Adjustment	Code
Silver	1060mm	1060-1080mm	DBDSC1060_V2

† Moving door is 6mm toughened glass, the fixed panel is 8mm toughened glass.

DESIGN 8 Double Panel Fully Folding



1060mm Double Panel Fully Folding

Door Opening



1060mm Double Panel Fully Folding

- 1500mm screen height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- Second panel 90° hinge rotation, outward opening
- Screen folds away flat to the wall
- Concealed profile



Toughened Glass†
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Double Panel Fully Folding

Finish	Width	Adjustment	Code
Silver	1060mm	1060-1080mm	DBVSC1060_V2

*Subject to online registration



CLEAR 6 Fixed Single Panel



900mm Fixed Single Panel in Matt Black



900mm Fixed Single Panel in Silver

- 1500mm screen height
- Matt Black or Silver anodised aluminium finish
- Reversible panel for left or right hand entry
- Concealed profile



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind


Single Panel

Finish	Width	Adjustment	Code
Matt Black	900mm	900-920mm	CABSBC0900
Silver	900mm	900-920mm	CABSSC0900

CLEAR 6 Single Panel



800mm Single Panel in Matt Black



Door Opening



800mm Single Panel in Silver

- 1500mm screen height
- Matt Black or Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 180° hinge rotation
- Rise and fall hinge
- Concealed profile



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Panel

Finish	Width	Adjustment	Code
Matt Black	800mm	800-820mm	CABSBC0800
Silver	800mm	800-820mm	CABSSC0800

*Subject to online registration



CLEAR 6 Double Panel



1150mm Double Panel

Door Opening



1150mm Double Panel



- 1500mm screen height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- Second panel rotates 180°, opening inwards and outwards
- Concealed profile
- Complete with fixed panel bracing bar



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Double Panel


Finish	Width	Adjustment	Code
Silver	1150mm	1150-1170mm	CABDSC1150

CLEAR 6 Double Panel Fully Folding



1150mm Double Panel Fully Folding

Door Opening



- 1500mm screen height
- Brushed brass anodised aluminium finish
- Reversible door for left or right hand entry
- Rotates 180° opening inwards
- Concealed profile
- Complete with fixed panel bracing bar



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Panel

Finish	Width	Adjustment	Code
Brushed Brass	1150mm	1150-1170mm	CADBSFC1150

*Subject to online registration



KAI 6 Single Panel



900mm Single Panel

Door Opening



900mm Single Panel



- 1500mm screen height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- Rotates 180° opening inwards and outwards
- Concealed profile



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Panel

Width	Adjustment	Code
900mm	880-900mm	KLBSSC0900

KAI 6 Single Hinged Panel



875mm Single Hinged Panel

Door Opening



875mm Single Hinged Panel

- 1380mm screen height
- Silver anodised aluminium finish
- Reversible door for left or right hand entry
- 90° hinge rotation, outwards
- Concealed profile



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Single Hinged Panel

Width	Adjustment	Code
700mm	694-714mm	KLBSSC0650
875mm	854-874mm	KLBSSC0875

*Subject to online registration



KAI 6 Four Panel Fully Folding



800mm Right Handed Four Panel Fully Folding

Door Opening



800mm Right Handed Four Panel Fully Folding

- 1502mm screen height
- Silver anodised aluminium finish
- Folds away to 230mm width



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Four Panel Fully Folding

Width	Adjustment	Code
800mm Left Hand	805-820mm	KLFBSSC0800L
800mm Right Hand	805-820mm	KLFBSSC0800R

KAI 6 Bath Guard



210mm Bath Guard

- 1280mm screen height
- Silver anodised aluminium finish
- Reversible panel for left or right hand entry



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee*
Peace of mind

Bath Guard

Width	Adjustment	Code
210mm	205-225mm	KLBSSC0210
350mm	345-365mm	KLBSSC0350

*Subject to online registration



CARNE Freestanding Bath



Carne Grande Bath



- Gloss finish
- Available in two sizes
- Supplied with overflow
- Baths are made from 4mm thick acrylic inner and encapsulated base board
- Conforms to BS EN 14516:2006
- Compatible with freestanding taps
- Supplied with matching white waste



10 Year Guarantee*
Peace of mind

Carne Grande Bath

Size	Weight empty	Displaced capacity	Code
L: 1700 W: 800 H: 600 mm	43 kg	199 litres	FSBCAR1775W NEW

Carne Petite Bath

Size	Weight empty	Displaced capacity	Code
L: 1500 W: 750 H: 600 mm	38 kg	150 litres	FSBCAR1575W NEW

Compatible Wastes

Part	Finish	Code
Click clack bath waste (slotted)	Chrome	BTW0206C NEW
Click clack bath waste (slotted)	Brushed Bronze	BTW0206BZ NEW
Click clack bath waste (slotted)	Slate	BTW0206T NEW
Click clack bath waste (slotted)	Brushed Brass	BTW0206F NEW
Click clack bath waste (slotted)	Matt Black	BTW0206M NEW
Click clack bath waste (slotted)	Stainless Steel Effect	BTW0206V NEW



CERUS Freestanding Bath



Cerus Petite Bath



- Gloss finish
- Available in two sizes
- Supplied with overflow
- Baths are made from 4mm thick acrylic inner and encapsulated base board
- Conforms to BS EN 14516:2006
- Compatible with freestanding taps
- Supplied with matching white waste



10 Year Guarantee*
Peace of mind

Cerus Grande Bath

Size	Weight empty	Displaced capacity	Code
L: 1690 W: 800 H: 550 mm	43 kg	281 litres	FSBCER16978W NEW

Cerus Petite Bath

Size	Weight empty	Displaced capacity	Code
L: 1690 W: 800 H: 550 mm	38 kg	173 litres	FSBCER1578W NEW

Compatible Wastes

Part	Finish	Code
Click clack bath waste (slotted)	Chrome	BTW0206C NEW
Click clack bath waste (slotted)	Brushed Bronze	BTW0206BZ NEW
Click clack bath waste (slotted)	Slate	BTW0206T NEW
Click clack bath waste (slotted)	Brushed Brass	BTW0206F NEW
Click clack bath waste (slotted)	Matt Black	BTW0206M NEW
Click clack bath waste (slotted)	Stainless Steel Effect	BTW0206V NEW



*Subject to online registration



MPRO Freestanding Bath



MPRO Petite Bath



- Available in gloss or matt finish
- Available in two sizes
- Supplied with overflow undrilled
- Made from stone
- Conforms to BS EN 14516:2006
- Compatible with freestanding taps



Stone
Construction



10 Year Guarantee*
Peace of mind

MPRO Grande Bath

Size	Finish	Weight empty	Displaced capacity	Code
L: 1690 W: 800 H: 570 mm	Gloss	84 kg	277 litres	N2ACSCW
L: 1690 W: 800 H: 570 mm	Matt	84 kg	277 litres	N2ACSMCW

MPRO Petite Bath

Size	Finish	Weight empty	Displaced capacity	Code
L: 1500 W: 800 H: 570 mm	Gloss	76 kg	218 litres	N1ACSCW
L: 1500 W: 800 H: 570 mm	Matt	76 kg	218 litres	N1ACSMCW

Compatible Wastes

Part	Finish	Code
Click clack bath waste (unslotted)	Chrome	CW2CW
Click clack bath waste (unslotted)	Stone Gloss	CW2NCSCW
Click clack bath waste (unslotted)	Stone Matt	CW2NCSMCW
P trap	Chrome	CW3CW
Special waste pack	Chrome	CW11CW

If using underfloor heating please take care not to put the heating pipes/matt underneath the bath area. The bath should not sit on a heated floor.

CURSA Back to Wall Bath



Cursa 1500 Bath



- Gloss finish
- Available in two sizes
- Supplied with overflow
- Baths are made from 4mm thick acrylic inner and encapsulated base board
- Conforms to BS EN 14516:2006
- Compatible with freestanding taps
- Supplied with matching white waste



10 Year Guarantee*
Peace of mind

Cursa Grande Bath

Size	Weight empty	Displaced capacity	Code
L: 1690 W: 800 H: 550 mm	43 kg	141 litres	FSBCUR1780W NEW

Cursa Petite Bath

Size	Weight empty	Displaced capacity	Code
L: 1690 W: 800 H: 550 mm	38 kg	108 litres	FSBCUR1580W NEW

Compatible Wastes

Part	Finish	Code
Click clack bath waste (slotted)	Chrome	BTW0206C NEW
Click clack bath waste (slotted)	Brushed Bronze	BTW0206BZ NEW
Click clack bath waste (slotted)	Slate	BTW0206T NEW
Click clack bath waste (slotted)	Brushed Brass	BTW0206F NEW
Click clack bath waste (slotted)	Matt Black	BTW0206M NEW
Click clack bath waste (slotted)	Stainless Steel Effect	BTW0206V NEW



*Subject to online registration



ARTIST Back to Wall Bath



Artist Bath



- Gloss finish
- Available in two sizes
- Supplied with overflow undrilled, template is provided with bath
- Made from stone
- Conforms to BS EN 14516:2006
- Compatible with bath overflow fillers, rim mounted fittings or panel valves. The bath will require drilling to fit a bath filler or bath click clack waste.



Stone
Construction



10 Year Guarantee*
Peace of mind

Artist Grande Bath

Size	Weight empty	Displaced capacity	Code
L: 1690 W: 800 H: 550 mm	88.5 kg	204 litres	N3BCSCW

Tap ledge width 100mm

Artist Petite Bath

Size	Weight empty	Displaced capacity	Code
L: 1524 W: 800 H: 550 mm	85 kg	167 litres	N3ACSCW

Tap ledge width 100mm

Compatible Wastes

Part	Finish	Code
Click clack bath waste (unslotted)	Chrome	CW2CW
Click clack bath waste (unslotted)	Stone	CW2NCSCW
P trap	Chrome	CW3CW
Special waste pack	Chrome	CW11CW
Bath click clack waste	Matt Black	PRO0202M
Bath click clack waste	Brushed Brass	BTW0204F
Bath click clack waste	Brushed Steel Effect	PRO0202V_V2
Bath click clack waste	Carbon Black	PRI0202M
Bath click clack waste	Unlacquered Brushed Brass	PRI0202UB

Compatible Bath Filler with Waste

Finish	Code
Chrome	PRO0351C
Matt Black	PRO0355M
Brushed Steel Effect	PRO0355V_V2
Brushed Brass*	BFW0370F

* Requires extension kit BFW0364

SERENE Back to Wall Bath



Serene Bath



- White finish
- Supplied with overflow predrilled
- Slimmer bath rim to maximise internal bathing space
- Baths are made from 3mm reinforced Lucite™ acrylic inner and encapsulated base board
- Bath surrounds are a bright white gelcoat with GRP reinforcement
- Conforms to BS EN 14516:2006
- Compatible with Crosswater bath click clack wastes and bath fillers with click clack wastes



Lucite™ Acrylic Construction



10 Year Guarantee*
Peace of mind

Serene Freestanding Bath

Size	Weight empty	Displaced capacity	Code
L: 1700 W: 750 H:625 mm	32 kg	131 litres	M4NCW & M4BCW

Please order both codes above if bath surround is required

Compatible Wastes

Range	Page
Bath Click Click Waste	182
Bath Filler with Click Click Waste	182



KAI S Single Ended Bath



Kai S Bath



- White finish
- Supplied with overflow predrilled
- Slimmer bath rim to maximise internal bathing space
- Made from 3mm Lucite™ Acrylic with 8mm steel rod and fully reinforced fibreglass
- Conforms to BS EN 14516:2006
- Ideal for use with a bath screen
- Compatible with Crosswater bath click clack wastes and bath fillers with click clack wastes



Lucite™ Acrylic
Construction



10 Year Guarantee*
Peace of mind

Kai S Single Ended Bath

Size	Weight empty	Displaced capacity	Code
L: 1700 W: 700 H: 415 mm	23.75 kg	108 litres	R5CW
L: 1700 W: 750 H: 415 mm	24.75 kg	123 litres	R6CW
L: 1700 W: 800 H: 415 mm	27.5 kg	137 litres	R42CW
L: 1800 W: 800 H: 415 mm	28.25 kg	148 litres	R7CW

Bath ledge is undrilled, supplied with height adjustable legs

Front Bath Panel

Size	Code
L: 1700 W: 40 H: 540 mm	R25FCW
L: 1800 W: 40 H: 540 mm	R26FCW

End Bath Panel

Size	Code
L: 700 W: 40 H: 540 mm	R27ECW
L: 750 W: 40 H: 540 mm	R28ECW
L: 800 W: 40 H: 540 mm	R29ECW

Compatible Wastes

Range	Page
Bath Click Click Waste	182
Bath Filler with Click Click Waste	182

Compatible Bath Screens

Range	Page
Optix 10	162
Svelte 8	168
Infinity 8	169
Design 8	171
Clear 6	174
Kai 6	178

Before arranging your choice of deck mounted bath filler you should check the available top ledge available after tiling.

FLOW Single Ended Bath



Flow Bath



- White finish
- Supplied with overflow predrilled
- Slimmer bath rim to maximise internal bathing space
- Made from 3mm Lucite™ Acrylic with 8mm steel rod and fully reinforced fibreglass
- Conforms to BS EN 14516:2006
- Ideal for use with a bath screen
- Compatible with Crosswater bath click clack wastes and bath fillers with click clack wastes



Lucite™ Acrylic Construction



10 Year Guarantee*
Peace of mind

Flow Single Ended Bath

Size	Weight empty	Displaced capacity	Code
L: 1700 W: 700 H: 370 mm	23.25 kg	77 litres	R13CW
L: 1700 W: 750 H: 370 mm	24.5 kg	82 litres	R52CW
L: 1700 W: 800 H: 370 mm	27 kg	104 litres	R44CW
L: 1800 W: 750 H: 370 mm	27.25 kg	98 litres	R14CW

Front Bath Panel

Size	Code
L: 1700 W: 40 H: 540 mm	R25FCW
L: 1800 W: 40 H: 540 mm	R26FCW

End Bath Panel

Size	Code
L: 700 W: 40 H: 540 mm	R27ECW
L: 750 W: 40 H: 540 mm	R28ECW
L: 800 W: 40 H: 540 mm	R29ECW

Compatible Wastes

Range	Page
Bath Click Click Waste	182
Bath Filler with Click Click Waste	182

Compatible Bath Screens

Range	Page
Optix 10	162
Svelte 8	168
Infinity 8	169
Design 8	171
Clear 6	174
Kai 6	178

Before arranging your choice of deck mounted bath filler you should check the available tap ledge available after tiling.

*Subject to online registration



KAI X Double Ended Bath



Kai X Bath



- White finish
- Supplied with overflow predrilled
- Slimmer bath rim to maximise internal bathing space
- Made from 3mm Lucite™ Acrylic with 8mm steel rod and fully reinforced fibreglass
- Conforms to BS EN 14516:2006
- Compatible with Crosswater bath click clack wastes and bath fillers with click clack wastes



Lucite™ Acrylic
Construction



10 Year Guarantee*
Peace of mind

Kai X Double Ended Bath

Size	Weight empty	Displaced capacity	Code
L: 1700 W: 700 H: 415 mm	23.75 kg	91 litres	R1CW
L: 1700 W: 750 H: 415 mm	24.75 kg	108 litres	R2CW
L: 1800 W: 800 H: 415 mm	28.25 kg	145 litres	R3CW

Bath ledge is undrilled, supplied with height adjustable legs

Front Bath Panel

Size	Code
L: 1700 W: 40 H: 540 mm	R25FCW
L: 1800 W: 40 H: 540 mm	R26FCW

End Bath Panel

Size	Code
L: 700 W: 40 H: 540 mm	R27ECW
L: 750 W: 40 H: 540 mm	R28ECW
L: 800 W: 40 H: 540 mm	R29ECW

Compatible Wastes

Range	Page
Bath Click Click Waste	182
Bath Filler with Click Click Waste	182

Before arranging your choice of deck mounted bath filler you should check the available top ledge available after tiling.

VERGE Double Ended Bath



Verge Bath



- White finish
- Supplied with overflow predrilled
- Slimmer bath rim to maximise internal bathing space
- Made from 3mm Lucite™ Acrylic with 8mm steel rod and fully reinforced fibreglass
- Conforms to BS EN 14516:2006
- Compatible with Crosswater bath click clack wastes and bath fillers with click clack wastes



Lucite™ Acrylic Construction



10 Year Guarantee*
Peace of mind

Verge Double Ended Bath

Size	Weight empty	Displaced capacity	Code
L: 1700 W: 700 H: 415 mm	23.75 kg	95 litres	R8CW
L: 1700 W: 750 H: 415 mm	24.75 kg	110 litres	R9CW
L: 1700 W: 800 H: 415 mm	27.5 kg	113 litres	R43CW
L: 1800 W: 750 H: 415 mm	25 kg	119 litres	R46CW
L: 1800 W: 800 H: 415 mm	26.75 kg	138 litres	R10CW

Front Bath Panel

Size	Code
L: 1700 W: 40 H: 540 mm	R25FCW
L: 1800 W: 40 H: 540 mm	R26FCW

End Bath Panel

Size	Code
L: 700 W: 40 H: 540 mm	R27ECW
L: 750 W: 40 H: 540 mm	R28ECW
L: 800 W: 40 H: 540 mm	R29ECW

Compatible Wastes

Range	Page
Bath Click Click Waste	182
Bath Filler with Click Click Waste	182

Before arranging your choice of deck mounted bath filler you should check the available tap ledge available after tiling.

*Subject to online registration



BATH Wastes

Which waste you need will depend on your bath. Please check the compatibility to ensure you select the correct waste for your bath. If you are unsure please talk to your installer, retailer or visit crosswater.co.uk



Bath Click Clack Waste

Finish	Code
Chrome	BTW0202C
Matt Black	PRO0202M
Brushed Brass	BTW0204F
Brushed Steel Effect	PRO0202V_V2
Brushed Bronze	BTW0210BZ
Slate	BTW0210T



Bath Filler with Click Clack Waste

Finish	Code
Chrome	PRO0351C
Matt Black	PRO0355M
Brushed Brass	BFW0370F
Brushed Steel Effect	PRO0355V_V2
Brushed Bronze	BFW0360BZ
Slate	BFW0360T



Solutions for every bathroom

We offer bath click clack wastes to suit a variety of baths. To see our full range please visit crosswater.co.uk

Wastes for freestanding baths



Click Clack Bath Waste (slotted)

Finish	Code	
Chrome	BTW0206C	NEW
Brushed Bronze	BTW0206BZ	NEW
Slate	BTW0206T	NEW
Brushed Brass	BTW0206F	NEW
Matt Black	BTW0206M	NEW
Stainless Steel Effect	BTW0206V	NEW

Wastes for Stone baths



Click Clack Bath Waste (unslotted)

Finish	Code
Chrome	CW2CW
Stone Gloss	CW2NCSCW
Stone Matt	CW2NCSCMW

Compatible with our Stone baths only



P Trap

Finish	Code
Chrome	CW3CW

Compatible with our Stone baths only



Special Waste Pack

Finish	Code
Chrome	CW11CW

For baths without a pre-drilled overflow (inc. click clack waste)

NICHES & Grab Rails



Niche LED 305 x 305

W: 305mm D: 120mm H: 305mm

Finish	Code	
Br. Bronze	NI305305LBZ	NEW
Slate	NI305305LT	NEW
Br. Brass	NI305305LF	NEW
Matt Black	NI305305LMB	NEW
St. Steel Effect	NI305305LV	NEW



Niche LED 610 x 305

W: 610mm D: 120mm H: 305mm

Finish	Code	
Br. Bronze	NI305610LBZ	NEW
Slate	NI305610LT	NEW
Br. Brass	NI305610LF	NEW
Matt Black	NI305610LMB	NEW
St. Steel Effect	NI305610LV	NEW



Niche 305 x 305

W: 305mm D: 120mm H: 305mm

Finish	Code	
Br. Bronze	NI305305BZ	NEW
Slate	NI305305T	NEW
Br. Brass	NI305305F	NEW
Matt Black	NI305305MB	NEW
St. Steel Effect	NI305305V	NEW



Niche 610 x 305

W: 610mm D: 120mm H: 305mm

Finish	Code	
Br. Bronze	NI305610BZ	NEW
Slate	NI305610T	NEW
Br. Brass	NI305610F	NEW
Matt Black	NI305610MB	NEW
St. Steel Effect	NI305610V	NEW



Angled Grab Bar & WC Holder

W: 719mm D: 98mm H: 332mm

Finish	Code	
Chrome	GBA7232C	NEW
Br. Bronze	GBA7232BZ	NEW
Slate	GBA7232T	NEW
Br. Brass	GBA7232F	NEW
Matt Black	GBA7232M	NEW
St. Steel Effect	GBA7232V	NEW



Grab Bar Handset Holder

W: 118mm D: 40mm H: 63mm

Finish	Code	
Chrome	GBH01C	NEW
Br. Bronze	GBH01BZ	NEW
Slate	GBH01T	NEW
Br. Brass	GBH01F	NEW
Matt Black	GBH01M	NEW
St. Steel Effect	GBH01V	NEW



Right Angle Grab Bar

W: 446mm D: 93mm H: 843mm

Finish	Code	
Chrome	GBR8343C	NEW
Br. Bronze	GBR8343BZ	NEW
Slate	GBR8343T	NEW
Br. Brass	GBR8343F	NEW
Matt Black	GBR8343M	NEW
St. Steel Effect	GBR8343V	NEW



Straight Grab Bar 400

W: 411mm D: 93mm H: 55mm

Finish	Code	
Chrome	GBS400C	NEW
Br. Bronze	GBS400BZ	NEW
Slate	GBS400T	NEW
Br. Brass	GBS400F	NEW
Matt Black	GBS400M	NEW
St. Steel Effect	GBS400V	NEW



Straight Grab Bar 600

W: 611mm D: 93mm H: 55mm

Finish	Code	
Chrome	GBS600C	NEW
Br. Bronze	GBS600BZ	NEW
Slate	GBS600T	NEW
Br. Brass	GBS600F	NEW
Matt Black	GBS600M	NEW
St. Steel Effect	GBS600V	NEW



Straight Grab Bar 800

W: 808mm D: 93mm H: 55mm

Finish	Code	
Chrome	GBS800C	NEW
Br. Bronze	GBS800BZ	NEW
Slate	GBS800T	NEW
Br. Brass	GBS800F	NEW
Matt Black	GBS800M	NEW
St. Steel Effect	GBS800V	NEW



Product Guidelines

Product Compatibility

While the majority of Crosswater products are compatible, please take care when selecting products before ordering to avoid installation issues.

Trays must be plumbed and level, walls should be tiled down to the tray and sealed before doors or frames are fitted.

Dimensions are designed for tiled in trays, not unfitted tray sizes.

All doors and enclosures must be fitted to a tiled surface, not tiled up to the inside edge of the door.

Enclosures must not be completely sealed on the inside.

Due to the weight of the shower doors, you must ensure that the walls to which they are fixed are of suitable construction to support the enclosure.

Due to the nature of wetroom/walk in panel products, water integrity cannot be guaranteed. Please consult your installer.

All heights printed for shower doors and bath screens are from the top of the shower tray or bath.

Installation

Products must be installed according to our installation instructions, please visit www.crosswater.co.uk for full details.

Cleaning

To maintain the look and performance of your Crosswater shower enclosure, you should:

- Remove any residual water after every use.
- Wipe clean the frame and glass elements with a soft, non-abrasive, colourfast cloth after every use.
- Never use an abrasive cloth or scouring pad which could damage the product.
- Clean the glass gently with warm soapy water and never use any aggressive fluids or strong household cleaning agents which could damage the product.
- Not allow limescale to build-up on any element, particularly in harder water areas.

Quality

All Crosswater showering products are CE / UKCA marked and are manufactured to the following standards:



- BS EN 14428:2015 + A1:2018 for shower enclosures.
- BS EN 12150 for toughened glass.
- BS EN 14527 for shower trays.

Clear 6 Patents

To provide the very best performing and safest shower doors using the latest materials technology several European patents have been approved for Clear 6. Details of these if required can be applied for by calling our technical department.

Lifetime Guarantee

The Crosswater Lifetime guarantee is subject to online registration and represents the perceived lifetime of the product, which is 25 years.

To register and activate your guarantee or for full details of all Crosswater guarantees, please visit www.crosswater.co.uk

Shower doors and bath screens, excluding display installs:

- Glass breaks within 6 months of installation product replaced and costs for refitting are reimbursed by Crosswater
- Glass breaks within 6-24 months of installation product is replaced but no fitting costs reimbursed
- Glass breaks 24+ months of installation a 10% discount against a replacement product
- General wear and tear to any of the above items would be considered a specific exclusion

Crosswater guarantees do not affect your statutory rights.

For further advice visit www.crosswater.co.uk



Find a local bathroom specialist at www.crosswater.co.uk

Expertise, design & aftercare

Specialist bathroom retailers can offer expert assistance with your bathroom design, providing full 3D plans to help you visualise and create your own perfect bathroom space. Once your bathroom is installed, they can offer a personal point of contact for any after sales support you may need, delivering complete peace of mind.

Experience the products

The purchase process is an emotional one. Specialist showrooms allow you to touch and feel a wide variety of bathroom products in relaxed surroundings while gaining inspiration from knowledgeable professionals who will explain the benefits of each product and make recommendations that match your personal preferences.

crosswater^x

Lake View House, Rennie Drive, Dartford, Kent DA1 5FU

crosswater.co.uk

25^{Years}
OF BATHROOM
EXCELLENCE



Part of the Bathroom Brands Group

