

crosswater[®]

Complete
Bathroom Solutions



The Crosswater Advantage

As bathrooms have evolved into more experiential spaces for relaxation & revitalisation, Crosswater has curated a stunning mix of colours, textures and materials across a broad range of bathroom elements, allowing you to design the perfect bathroom space.

This is the **Crosswater advantage**.



Brassware

We've been brassware obsessed since we started. Our diverse ranges include everything you need for basin, bath, shower or finishing touches in styles that suit any bathroom design.



Furniture & Ceramics

Offering a place to cleanse and beautify, bathroom furniture and ceramics play a key role in your bathroom design. Our ranges allow you to turn this essential element from functional to focal point.



Shower Enclosures, Trays & Baths

The bathroom is more than a place to get clean, it's a place to restore the mind and relieve stress and. Our shower enclosures, walk ins, trays and baths are designed with this in mind.



Wall Panels

Our latest addition allows you to choose from stunning wall murals, realistic laminates and tile effect designs, with the added benefit of quicker installation and easier cleaning.

Contents

BATHROOM TAPS & SHOWERS p.12



SHOWER HEADS & SHOWER ARMS p.76



BRASSWARE ACCESSORIES p.90



FURNITURE p.102



BASINS p.116




TOILETS & CISTERNS p.122



MIRRORS & LIGHTS p.136



TOWEL WARMERS p.144



SHOWER ENCLOSURES p.148




SHOWER TRAYS p.184



BATH SCREENS & BATHS p.192



WALL PANELS p.202



Contents

BRASSWARE

Bathroom & Shower Taps

3ONE6 Lever	12
3ONE6	14
Foile	16
Limit	17
Lazo	18
MPRO	19
NEW Shower Sets	22
MPRO Crosshead	42
MPRO Sensor	43
MPRO Industrial	44
Union	46
Belgravia	48
Glide II	52
Verge	53
Myron	54
Calix	55
Clover	56
Huck	57
Ixora	58
Varda	59
Drift	60
Fuse	62
Wisp	63
Pier	64
Kai Lever	65
Fusion	68
Flow	69
Mini Mixers	70

Wastes, Traps & Bath Fillers

Basin Wastes & Traps	72
Bath Wastes & Fillers	74

Shower Heads, Kits & Systems

Shower Heads Recessed	76
Shower Heads Wall Mounted	77
Shower Heads Fixed	78
Shower Arms & Body Jets	80

Shower Heads, Kits & Systems Continued

Shower Kits	81
Bath & Shower Handsets	82
Shower Handsets Packages	83
Shower Accessories	84
Douches	86
Multifunction Showers	87
Exposed Shower Valves	88

Kitchen Ranges

MPRO, Cook, Belgravia, Tropic, Tube & Design	89
--	----

Accessories

MPRO	90
3ONE6	92
Rotar	93
The Mio	94
The Lui	95
Velo	96
Belgravia	97
Shower Baskets & Fold	98
Grab Bars	99
NEW Niches	100

FURNITURE & CERAMICS

Furniture for Bathrooms

Canvass	102
Tambour	103
Avenue	104
Svelte	105
Limit	106
Mada	107
Glide II	110
Infinity	112

Furniture for Cloakrooms

Limit	114
Alo	115

Basins

Countertop	116
Cloakroom	118
Wall Mounted	119
Undermount & Inset	120
Wastes, Overflows & Traps	121

Toilets

Glide II	122
Kai X	123
Kai	124
Mada	125

Support Frames, Cisterns, Flush Plates & Surrounds

NEW In-Wall Cistern Frame Sets	126
NEW In-Wall Cistern Sets	128
NEW In-Wall Furniture Cistern Sets	130
Wall Hung Toilet Support Frames	132
Concealed Toilet Cisterns	133
Flush Plates	134
Toilet Furniture	135

Mirrors & Cabinets

Mada	136
Artist	136
Glide II	137
Lustro	137
Infinity	138
MPRO	139
Canvass	140
Dune	140
Image	141
Svelte	142

Lights

Tranquil Lights	143
-----------------	-----

Towel Warmers & Controls

Air	144
Wedge	144
Celeste	144
Limit	144
MPRO	145
MPRO Electric	145

Towel Warmers & Controls

Valves	145
Summer Heating Elements	146

SHOWER ENCLOSURES, TRAYS & BATHS

Shower Enclosures

10mm Enclosures

Gallery 10	148
Optix 10	152
NEW Optix 10 Quadrant Sets	160

8mm Enclosures

NEW Design 8 Sliding Door Sets	161
NEW Asura 8	162
Gallery 8	172

6mm Enclosures

NEW Clear 6	176
--------------------	-----

Shower Trays

25mm Trays

CREO Engineered Stone	184
NEW VITO Engineered Stone	186

45mm Trays

Edge Waste ABS Capped Stone Resin	190
-----------------------------------	-----

10mm Bath Screens

Optix 10	192
----------	-----

8mm Bath Screens

NEW Asura 8	193
--------------------	-----

6mm Bath Screens

NEW Clear 6	194
--------------------	-----

Baths

NEW Freestanding Baths	196
NEW Back to Wall Baths	198
Single & Double Ended Baths	200

Wall Panels

NEW Acrylic Wall Panels	202
NEW Tile Wall Panels	203
NEW Waterproof Core Laminate Wall Panels	204

In contrast to many bathroom companies who specialise in a specific area, Crosswater can offer products for your whole bathroom, adding the ability to coordinate these elements using material colour linking to create a truly personal bathroom space.

More of the **Crosswater advantage**.

Lights

- 3 ranges
- 6 finishes
- 3 shapes

Mirrors & Cabinets

- 10 ranges
- 6 shapes

Basin & Worktops

- 29 ranges
- 15 finishes

Basin Taps

- 26 ranges
- 12 finishes
- 2 textures

Furniture

- 10 ranges
- 14 finishes
- 6 textures

Toilets

- 4 ranges
- 2 finishes



Shower Heads

- 16 ranges
- 12 finishes
- 2 textures

Shower Enclosures

- 5 ranges
- 6 finishes
- 3 textures

Accessories

- 10 ranges
- 8 finishes

Shower Valves

- 20 ranges
- 12 finishes
- 2 textures


Wall Panels

- 3 ranges
- 18 finishes
- 3 textures


Shower Trays

- 3 ranges
- 7 tray depths
- 3 textures


Brassware *Collections*




3ONE6 LEVER p.12



3ONE6 p.14




FOILE p.16



LIMIT p.17




LAZO p.18




MPRO p.19


NEW




MPRO CROSSHEAD p.42




MPRO SENSOR p.43




MPRO INDUSTRIAL p.44




UNION p.46



BELGRAVIA p.48



GLIDE II p.52



VERGE p.53




MYRON p.54



CALIX p.55



CLOVER p.56




HUCK p.57



IXORA p.58



VARDA p.59




DRIFT p.60



FUSE p.62



WISP p.63



PIER p.64



KAI LEVER p.65



FUSION p.68




FLOW p.69




ACCESSORIES p.90


Furniture *Collections*




CANVASS p.102




TAMBOUR p.103



AVENUE p.104



SVELTE p.105




LIMIT p.106




MADA p.107



GLIDE II p.110



INFINITY p.112




LIMIT CLOAKROOM p.114




ALO p.115


Shower Enclosures & Bath Screens



GALLERY 10 p.148




OPTIX 10 p.152



ASURA 8 p.160

NEW




GALLERY 8 p.170




CLEAR 6 p.174

NEW




OPTIX 10 p.190



ASURA 8 p.191

NEW



CLEAR 6 p.192

NEW

Metallic *Accents*

Finishes



Brushed Bronze
(BZ)



Slate
(T)



Matt Black
(M, MB)



Brushed Brass
(F)



Chrome
(C)



Union Brushed Brass
(U)




Brushed Black
Chrome (B)



Brushed Nickel
(L, V)



Unlacquered
Brushed Brass (UB)



Carbon Black
(M)



Stainless Slate
(T, ST)



Stainless Brushed
Brass Effect (F, SF)



Stainless Steel
(S)



Chrome/White
(C_LV, W)



Brushed Metallic
(E)

Colours & Finishes

Authentic Wood Effects



Royal Walnut
Authentic wood effect



Modern Oak
Authentic wood effect



Windsor Oak
Authentic wood effect



Steelwood
Authentic wood effect

Real Wood Veneer



Grey Ash
Real wood veneer



American Walnut
Real wood veneer


Colours



White Matt



Warm Stone



Soft Clay



Matt Black



White Gloss



Deep Indigo Blue




Storm Grey Matt



Sage Green




Rattan & White



Rattan & Black

3ONE6 Lever



Stainless
Slate
(T)



Stainless
Brushed Brass
Effect
(F)



Stainless
Steel
(S)



Mini Basin Monobloc

Without pop up waste
H: 133mm P: 94mm
Min 1 bar

- TL114DNST
- TL114DNSF
- TL114DNS



Basin Monobloc

Without pop up waste
H: 153mm P: 114mm
Min 1 bar

- TL110DNST
- TL110DNSF
- TL110DNS



Basin Mixer Swivel Spout

Without pop up waste
H: 185mm P: 131mm
Min 1 bar

- TL111DNST
- TL111DNSF
- TL111DNS



Basin 2 Handle Mixer Swivel Spout

Without pop up waste
H: 185mm P: 131mm
Min 1 bar

- TL116DNST
- TL116DNSF
- TL116DNS



Tall Basin Monobloc

Without pop up waste
H: 317.5mm P: 190mm
Min 1 bar

- TL112DNST
- TL112DNSF
- TL112DNS



Tall Basin Mixer

Without pop up waste
H: 275mm P: 171mm
Min 1 bar

- TL113DNST
- TL113DNSF
- TL113DNS



Basin 2 Hole Set

Without pop up waste
H: 95mm P: 180mm
Min 1 bar

- TL120WNST
- TL120WNSF
- TL120WNS



Universal Basin Click Clack Waste

Suitable for all basins with or without an overflow

- TS0290ST
- TS0290SF
- TS0290S



Basin 3 Hole Set

Without pop up waste
H: 168mm P: 160.5mm
Min 1 bar

- TL135DNST
- TL135DNSF
- TL135DNS



Basin 3 Hole Set

Without pop up waste
H: 50mm P: 180mm
Min 1 bar

- TL130WNST
- TL130WNSF
- TL130WNS



Bath Shower Mixer

H: 914mm P: 300mm
Min 3 bar

- TL416FST
- TL416FSF
- TL416FS



Wall Outlet, Handset & Hose

Single mode
Min 1 bar

- TS963ST
- TS963SF
- TS963S

Superior to 304, 316 stainless steel offers advanced strength, durability and corrosion resistance. Created with lead-free material, precision manufacturing and strict quality controls to give our 3ONE6 taps a smooth water channel that prevents bacteria build-up.

COMPLETE THE LOOK

Matching accessories for this range can be found on page 92



Tall Bottle Trap

Without 400mm pipe

- TS0402ST
- TS0402SF
- TS0402S



Bath Spout

P: 150mm
Min 1 bar

- TS0370WST
- TS0370WSF
- TS0370WS



Bath Filler with Click Clack Waste

Min 1 bar

- TS0370ST
- TS0370SF
- TS0370S



Bath Click Clack Waste

Min 1 bar

- TS0204ST
- TS0204SF
- TS0204S



Shower Head Ø200mm

Single mode
8mm head thickness
Min 1 bar
KIWA Approved Product

- TS200ST
- TS200SF
- TS200S



Shower Head Ø300mm

Single mode
8mm head thickness
Min 1 bar
KIWA Approved Product

- TS300ST
- TS300SF
- TS300S



Wall Mounted Shower Arm

P: 350mm

- TS684ST
- TS684SF
- TS684S



Ceiling Shower Arm

P: 200mm

- TS689ST
- TS689SF
- TS689S



All CROSSBOX shower valves are thermostatically controlled for 100% safety. Trim sets include: flow control, thermostat, backplate and handles.



Crossbox Universal Box

Easy-fit installation box
Install with a 1, 2 or 3 outlet Crossbox Trimset
KIWA Approved Product

CROSSBOX



Crossbox 1 Outlet Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar
KIWA Approved Product

- TLCB1000LBPST
- TLCB1000LBPSF
- TLCB1000LBPS



Crossbox 2 Outlet Multi-flow Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar
KIWA Approved Product

- TLCB1500LBPST
- TLCB1500LBPSF
- TLCB1500LBPS



Crossbox 3 Outlet Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar
KIWA Approved Product

- TLCB2500LBPST
- TLCB2500LBPSF
- TLCB2500LBPS

*Subject to online registration.



3ONE6



Stainless
Slate
(T)



Stainless
Brushed Brass
Effect
(F)



Stainless
Steel
(S)



Basin Monobloc

Without pop up waste
H: 147mm P: 114mm
Min 1 bar
KIWA Approved Product

- TS110DNST
- TS110DNSF
- TS110DNS



Tall Basin Monobloc

Without pop up waste
H: 311mm P: 190mm
Min 1 bar
KIWA Approved Product

- TS112DNST
- TS112DNSF
- TS112DNS



Basin 3 Hole Set

Without pop up waste
H: 173mm P: 161mm
Min 1 bar
KIWA Approved Product

- TS135DNST
- TS135DNSF
- TS135DNS



Basin 2 Hole Set

Without pop up waste
H: 60mm P: 180mm
Min 1 bar
KIWA Approved Product

- TS120WNST
- TS120WNSF
- TS120WNS



Basin 3 Hole Set

Without pop up waste
H: 60mm P: 180mm
Min 1 bar
KIWA Approved Product

- TS130WNST
- TS130WNSF
- TS130WNS



Universal Basin Click Clack Waste

Suitable for all basins with or without an overflow

- TS0290ST
- TS0290SF
- TS0290S



Tall Bottle Trap

Without 400mm pipe

- TS0402ST
- TS0402SF
- TS0402S



Bath Spout

P: 150mm
Min 1 bar

- TS0370WST
- TS0370WSF
- TS0370WS



Bath Click Clack Waste

- TS0204ST
- TS0204SF
- TS0204S



Bath Filler Click Clack Waste

Min 1 bar

- TS0370ST
- TS0370SF
- TS0370S



Wall Outlet, Handset & Hose

Single mode
Min 1 bar

- TS963ST
- TS963SF
- TS963S



Slide Rail Kit & Wall Outlet

Single mode
Min 1 bar

- TS803ST
- TS803SF
- TS803S



Bath Shower Mixer

H: 905mm P: 300mm
Min 3 bar

- TS416FST
- TS416FSF
- TS416FS



Shower Head Ø200mm

Single mode
8mm head thickness
Min 1 bar
KIWA Approved Product

- TS200ST
- TS200SF
- TS200S



Shower Head Ø300mm

Single mode
8mm head thickness
Min 1 bar
KIWA Approved Product

- TS300ST
- TS300SF
- TS300S

Superior to 304, 316 stainless steel offers advanced strength, durability and corrosion resistance.
Created with lead-free material, precision manufacturing and strict quality controls to give our 3ONE6 taps a smooth water channel that prevents bacteria build-up.

COMPLETE THE LOOK

Matching accessories for this range can be found on page 92



Ceiling Shower Arm

P: 200mm

- TS689ST
- TS689SF
- TS689S



Wall Mounted Shower Arm

P: 350mm

- TS684ST
- TS684SF
- TS684S

MODULE

All MODULE shower valves are thermostatically controlled for 100% safety. Trim sets include: flow control, thermostat, minimalist backplate and handles.



2 Handle Trimset

Must be installed with a concealed valve

- TSMODDIVLBPT
- TSMODDIVLBPF
- TSMODDIVLBPS

Concealed Module Valves

Thermostatic. Min 1 bar
KIWA Approved Product

2 Outlet
MOD1500R
3 Outlet
MOD2500R



2 Handle Trimset & Bath Spout

Must be installed with a concealed valve

- TSMOD1601TRIMT
- TSMOD1601TRIMF
- TSMOD1601TRIMS

Concealed Module Valves

Thermostatic. Min 1 bar
KIWA Approved Product

2 Outlet
MOD1701R
3 Outlet
MOD3701R



2 Handle Trimset & Handset


Must be installed with a concealed valve

- TSMOD1701TRIMT
- TSMOD1701TRIMF
- TSMOD1701TRIMS

Concealed Module Valves

Thermostatic. Min 1 bar
KIWA Approved Product

2 Outlet
MOD1701R
3 Outlet
MOD3701R



2 Handle Trimset, Spout & Handset

Must be installed with a concealed valve

- TSMOD440TRIMT
- TSMOD440TRIMF
- TSMOD440TRIMS

Concealed Module Valves

Thermostatic. Min 1 bar
KIWA Approved Product

2 Outlet
MOD440R



CROSSBOX

All CROSSBOX shower valves are thermostatically controlled for 100% safety. Trim sets include: flow control, thermostat, backplate and handles.



Crossbox Universal Box

Easy-fit installation box
Install with a 1, 2 or 3 outlet Crossbox Trimset
KIWA Approved Product

CROSSBOX



Crossbox 1 Outlet Trimset

Must be installed with a Crossbox
Universal Box
Min 1 bar

- TSCB1000LBPST
- TSCB1000LBPSF
- TSCB1000LBPS



Crossbox 2 Outlet Multi-flow Trimset

Must be installed with a Crossbox
Universal Box
Min 1 bar

- TSCB1500LBPST
- TSCB1500LBPSF
- TSCB1500LBPS



Crossbox 3 Outlet Trimset


Must be installed with a Crossbox
Universal Box
Min 1 bar

- TSCB2500LBPST
- TSCB2500LBPSF
- TSCB2500LBPS

*Subject to online registration.



Foile



Brushed Brass
(F)

Matt Black
(M)

Chrome
(C)



Basin Monobloc

Without pop up waste
H: 156mm P: 140mm
Min 1 bar

- FO110DNM
- FO110DNF
- FO110DNC



Basin 2 Hole Set

Without pop up waste
H: 115mm P: 174mm
Min 1 bar

- FO120WNM
- FO120WNF
- FO120WNC



Basin 3 Hole Set

Without pop up waste
H: 50mm P: 185mm
Min 1 bar

- FO130WNM
- FO130WNF
- FO130WNC



Basin 3 Hole Deck Set

Without pop up waste
H: 155mm P: 150mm
Min 1 bar

- FO135DNM
- FO135DNF
- FO135DNC



Bath Spout

H: 70mm P: 230mm
Min 1 bar

- FO0370WM
- FO0370WF
- FO0370WC

COMPLETE THE LOOK

Shower heads see page 76
Accessories see page 90
Wastes see page 72

MODULE

All MODULE shower valves are thermostatically controlled for 100% safety. Trim sets include: flow control, thermostat, minimalist backplate and handles.



2 Handle Trimset

Must be installed with a concealed valve

- FOMODIVLBPM
- FOMODIVLBPF
- FOMODIVLBPC

Concealed Module Valves

Thermostatic. Min 1 bar
KIWA Approved Product

2 Outlet
MOD1500R
3 Outlet
MOD2500R



2 Handle Trimset & Bath Spout

Must be installed with a concealed valve

- FOMOD1601LBPM
- FOMOD1601LBPF
- FOMOD1601LBPC

Concealed Module Valves

Thermostatic. Min 1 bar
KIWA Approved Product

2 Outlet
MOD1701R
3 Outlet
MOD3701R



2 Handle Trimset & Handset

Must be installed with a concealed valve

- FOMOD1701TRIMM
- FOMOD1701TRIMF
- FOMOD1701TRIMC

Concealed Module Valves

Thermostatic. Min 1 bar
KIWA Approved Product

2 Outlet
MOD1701R
3 Outlet
MOD3701R



2 Handle Trimset, Spout & Handset

Must be installed with a concealed valve


- FOMOD440TRIMM
- FOMOD440TRIMF
- FOMOD440TRIMC

Concealed Module Valves

Thermostatic. Min 1 bar
KIWA Approved Product

2 Outlet
MOD440R

Limit



Brushed Brass
(F)



Matt Black
(M)



Chrome
(C)



Basin Monobloc

Without pop up waste
H: 145mm P: 138mm
Min 1 bar
KIWA Approved Product

● LI110DNM

● LI110DNC



Tall Basin Monobloc

Without pop up waste
H: 288mm P: 205mm
Min 1 bar
KIWA Approved Product

● LI112DNM

● LI112DNC




Basin 2 Hole Set

Without pop up waste
H: 114mm P: 200mm
Min 1 bar
KIWA Approved Product

● LI120WNM

● LI120WNC



Basin 3 Hole Set

Without pop up waste
H: 187mm P: 135mm
Min 1 bar
KIWA Approved Product

● LI130WNM

● LI130WNF

● LI130WNC



Basin 3 Hole Set

Without pop up waste
H: 132mm P: 200mm
Min 1 bar
KIWA Approved Product

● LI135DNM

● LI135DNF

● LI135DNC

COMPLETE THE LOOK
Shower heads see page 76
Accessories see page 90
Wastes see page 72



CROSSBOX


All CROSSBOX shower valves are thermostatically controlled for 100% safety. Trim sets include: flow control, thermostat, backplate and handles.



Crossbox Universal Box

Easy-fit installation box
Install with a 1, 2 or 3 outlet Crossbox Trimset
KIWA Approved Product

CROSSBOX




Crossbox 1 Outlet Trimset

Must be installed with a Crossbox
Universal Box
Min 1 bar
KIWA Approved Product

● LICB1000LBPM

● LICB1000LBPF

● LICB1000LBPC



Crossbox 2 Outlet Multi-flow Trimset

Must be installed with a Crossbox
Universal Box
Min 1 bar
KIWA Approved Product

● LICB1500LBPM

● LICB1500LBPF

● LICB1500LBPC



Crossbox 3 Outlet Trimset

Must be installed with a Crossbox
Universal Box
Min 1 bar
KIWA Approved Product

● LICB2500LBPM

● LICB2500LBPF

● LICB2500LBPC

*Subject to online registration.



Lazo



Matt Black
(M)



Brushed Brass
(F)



Chrome
(C)



Basin Monobloc

Without pop up waste
H: 160mm P: 118mm
Min 1 bar
KIWA Approved Product

- LA110DNM
- LA110DNF
- LA110DNC



Tall Basin Monobloc

Without pop up waste
H: 268mm P: 158mm
Min 1 bar
KIWA Approved Product

- LA112DNM
- LA112DNF
- LA112DNC



Basin 2 Hole Set

Without pop up waste
H: 79mm P: 196mm
Min 1 bar
KIWA Approved Product

- LA120WNM
- LA120WNF
- LA120WNC



Basin 3 Hole Set

Without pop up waste
H: 60mm P: 192mm
Min 1 bar
KIWA Approved Product

- LA130WNM
- LA130WNF
- LA130WNC



Basin 3 Hole Set

Without pop up waste
H: 98mm P: 140mm
Min 1 bar
KIWA Approved Product

- LA135DNM
- LA135DNF
- LA135DNC



Bath Shower Mixer

H: 933mm P: 212mm
Min 2 bar

- LA416FM
- LA416FF
- LA416FC



Freestanding Bath Spout

H: 1010mm P: 238mm
Min 1 bar

- BS0370FM
- BS0370FF
- BS0370FC

COMPLETE THE LOOK
Shower heads see page 76
Accessories see page 90
Wastes see page 72



All CROSSBOX shower valves are thermostatically controlled for 100% safety. Trim sets include: flow control, thermostat, backplate and handles.



Crossbox Universal Box

Easy-fit installation box
Install with a 1, 2 or 3 outlet Crossbox Trimset
KIWA Approved Product

CROSSBOX



Crossbox 1 Outlet Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar

- LACB1000LBPM
- LACB1000LBPF
- LACB1000LBPC



Crossbox 2 Outlet Multi-flow Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar
KIWA Approved Product

- LACB1500LBPM
- LACB1500LBPF
- LACB1500LBPC



Crossbox 3 Outlet Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar
KIWA Approved Product

- LACB2500LBPM
- LACB2500LBPF
- LACB2500LBPC

MPRO



Brushed
Bronze
(BZ)



Slate
(T)



Matt Black
(M)



Brushed Brass
(F)



Brushed
Nickel
(V)



Chrome
(C)



Mini Basin Monobloc

Without pop up waste
H: 138mm P: 92mm
Min 0.5 bar
WRAS Approved Product

PRO114DNC



LOWER PRICE**

Basin Monobloc

Without pop up waste
H: 165mm P: 120mm
Min 0.5 bar
WRAS Approved Product

PRO110DNBZ
PRO110DNT
PRO110DNM
PRO110DNF
PRO110DNV
PRO110DNC



LOWER PRICE**

Basin Monobloc (Knurled)

Without pop up waste
H: 165mm P: 120mm
Min 0.5 bar
WRAS Approved Product

PRO110DNBZ_K
PRO110DNT_K
PRO110DNM_K
PRO110DNF_K
PRO110DNV_K
PRO110DNC_K



NEW

Basin Monobloc XL

Without pop up waste
H: 175mm P: 120mm
Min 0.5 bar

PRO110DNBZ_XL
PRO110DNT_XL
PRO110DNM_XL
PRO110DNF_XL
PRO110DNV_XL
PRO110DNC_XL



LOWER PRICE**

Tall Basin Monobloc

Without pop up waste
H: 362mm P: 140mm
Min 0.5 bar
KIWA Approved Product

PRO112DNBZ
PRO112DNT
PRO112DNM
PRO112DNF
PRO112DNV
PRO112DNC



LOWER PRICE**

Mini Basin Monobloc

Without pop up waste
H: 208mm P: 110mm
Min 0.5 bar

PRO118DNC



LOWER PRICE**

Basin Monobloc

Without pop up waste
H: 243mm P: 135mm
Min 0.5 bar

PRO116DNC



LOWER PRICE**


Basin 3 Hole Set

Without pop up waste
H: 187mm P: 135mm
Min 0.5 bar
KIWA Approved Product

PRO135DNBZ
PRO135DNT
PRO135DNM
PRO135DNF
PRO135DNV
PRO135DNC



MPRO



LOWER PRICE**

Basin 2 Hole Set

Without pop up waste
H: 60mm P: 140 or 220mm
Min 0.5 bar
WRAS Approved Product

- PRO120WNBZ
- PRO120WNT
- PRO120WNM
- PRO120WNF
- PRO120WNV
- PRO120WNC



LOWER PRICE**

Basin 3 Hole Set

Without pop up waste
H: 60mm P: 190mm
Min 0.5 bar
KIWA Approved Product

- PRO130WNBZ
- PRO130WNT
- PRO130WNM_V2
- PRO130WNF_V2
- PRO130WNV_V2
- PRO130WNC_V2



Tall Bottle Trap

With 400mm pipe

- BTR0402BZ
- BTR0402T
- BTR0402M
- BTR0402F
- BTR0402V
- BTR0402C



LOWER PRICE**

Bath Spout

P: 203mm
Min 0.5 bar
KIWA Approved Product

- PRO0370WBZ
- PRO0370WT
- PRO0370WM
- PRO0370WF
- PRO0370VV
- PRO0370WC



LOWER PRICE**

Bath Shower Mixer

H: 1116mm P: 238mm
Min 3 bar
KIWA Approved Product

- PRO416FBZ
- PRO416FT
- PRO416FM
- PRO416FF
- PRO416FV
- PRO416FC



Freestanding Bath Spout

H: 1010mm P: 238mm
Min 1 bar

- BS0370FBZ
- BS0370FT
- BS0370FM
- BS0370FF
- BS0370FV
- BS0370FC



Bath Filler with Click Clack Waste

- BFW0360BZ
- BFW0360T
- PRO0355M
- BFW0370F
- PRO0355V_V2
- PRO0351C



Bath Click Clack Waste

- BTW0210BZ
- BTW0210T
- PRO0202M
- BTW0204F
- PRO0202V_V2
- BTW0202C

COMPLETE THE LOOK

Matching accessories for this range can be found on page 90



LOWER PRICE**

Bath 3 Hole Set

H: 60mm P: 172mm
Min 1 bar
KIWA Approved Product

- PRO330WNBZ
- PRO330WNT
- PRO330WM
- PRO330WF
- PRO330WV
- PRO330WC



Bath Filler

H: 167mm P: 165mm
Min 0.2 bar

- PRO322DC



Bath Shower Mixer with Kit

H: 167mm P: 165mm
Min 0.2 bar

- PRO422DC



LOWER PRICE**

Bath 5 Hole Set

H: 270mm P: 191mm
Min 2 bar

- PRO450DC



Follow Me Round Shower Handset

Hose Length: 1.5m
KIWA Approved Product

- PRO812M
- PRO812F
- PRO812V
- SK812C



Universal Basin Click Clack Waste

Suitable for basins with or without an overflow

- BSW0290BZ
- BSW0290T
- PRO0260M
- BSW0290F
- PRO0260V_V2
- BSW0260C



Flush Plate

Mechanical Operation
W: 245mm H: 165mm

- MPROFLUSHBZ
- MPROFLUSHT
- MPROFLUSHB
- MPROFLUSHF
- MPROFLUSHV
- MPROFLUSHC



Integrated Douche Valve

With bracket, handset and smooth hose
Temperature control with comfort setting
Integrated shut off
Min 1 bar

- PRO945T
- PRO945M
- PRO945F
- PRO945V

DESIGN

Engineered to Last. Proven to Perform.

Perfectly Balanced

Always the right water temperature, no matter what else is running.

Built to Last

Cast from premium solid brass. Tighter manufacturing tolerances for better performance.

Safety Assured

Certified to UK safety standards. Protecting you and your family from sudden temperature changes.

Smooth, Effortless Control


Precision-engineered. Giving you complete control over your water flow.


Installation Benefits

Adjustable installation depth. Ensuring a perfect fit and clean finish in every bathroom.

Consumer Peace of Mind

Front access for servicing. Ensures the product can last the lifetime without having to disrupt your decor.





Revive
Shower Head



Design
3 Outlet & Hose



Niche with LED



Bath Filler with
Click Clack Waste




Strong Heart. Amazing Shower




Ultimate Flexibility

One valve. Three outlets. Endless possibilities. Total control and versatility from a single, smart solution.



Installation Benefits

Fits anywhere. Works everywhere. Installs easily in wall cavities from just 45mm deep.




Easy Access for Maintenance

You can repair or replace the on/off and thermostatic valves without touching your tiling.



Installation Assurity

Tested. Trusted. Guaranteed. Pressure-test at first fix for total confidence and reliability.



Ultimate Shower Experience

Reduced noise transference. Great flow rate. Enjoy an amazing shower, everyday.



Easy to Restyle


You can upgrade, remove or change between 6 finishes at any time, without any plumbing.



Crossbox Technology

Easy levelling


1, 2 or 3 outlets



Protective casing
for install

Front and rear
mounting options





MODULE

Powered by Crossbox technology

Seamless Alignment

Pre-assembled single body. Simplifying installation and ensuring consistent spacing.

Minimalist Design

Ensuring perfect placement every time, delivering a sleek, modern aesthetic.

Flexible Options

Available in 2 and 3 outlet. Bath spout and hand shower options for versatile setups.

Safety & Comfort

Precise flow control and instant temperature regulation from the high-precision Vernet thermostat cartridge.

Installation Benefits

Compatible with all wall types. Integrated flat covers ensure a perfectly level finish every time.

Consumer Peace of Mind

Front access for servicing. Ensures the product can last the lifetime without having to disrupt your decor.





MPRO
Shower Head

Asura 8
Shower Enclosure


Module MPRO
Push 2 Outlet Shower
Valve & Handset

Niche with LED

CREO
Shower Tray

DESIGN

Engineered to Last. Proven to Perform

				
C RM531WC	C DESET1C200	C DESET2C	C DESET3C200	C DESET4C200
MB RM531WM	MB DESET1M200	MB DESET2M	MB DESET3M200	MB DESET4M200
BB RM531WF	BB DESET1F200	BB DESET2F	BB DESET3F200	BB DESET4F200
BZ RM531WBZ	BZ DESET1BZ200	BZ[†] DESET2BZ	BZ DESET3BZ200	BZ[†] DESET4BZ200
BN RM531WL	BN DESET1L200	BN[†] DESET2L	BN DESET3L200	BN[†] DESET4L200
S RM531WT	S DESET1T200	S[†] DESET2T	S DESET3T200	S[†] DESET4T200

Change to a ceiling mounted shower arm
 Upgrade any 200mm wall mounted shower head to a bigger 300mm head
By adding 1cm to the end of the pipe



Chrome



Matt Black



Brushed
Brass



Brushed
Bronze



Brushed
Nickel



Slate



C DESET5C

MB DESET5M

BB DESET5F

BZ DESET5BZ

BN DESET5L

S DESET5T



C DESET6C

MB DESET6M

BB DESET6F

BZ[†] DESET6BZ

BN[†] DESET6L

S[†] DESET6T



C DESET7C200

MB DESET7M200

BB DESET7F200

BZ DESET7BZ200

BN DESET7L200

S DESET7T200



C DESET8C200

MB DESET8M200

BB DESET8F200

BZ DESET8BZ200

BN DESET8L200

S DESET8T200



C DESET9C200

MB DESET9M200

BB DESET9F200

BZ[†] DESET9BZ200

BN[†] DESET9L200

S[†] DESET9T200



All handsets include an outlet elbow in the box. [†] Available in April 2026.

Strike through prices are the total RRP's of the individual components at December 2025.

*Subject to online registration.

29





CROSSBOX

Powered by Crossbox technology



C CBSET1C200

MB CBSET1M200

BB CBSET1F200

BZ CBSET1BZ200

BN CBSET1L200

S CBSET1T200



C CBSET2C

MB CBSET2M

BB CBSET2F

BZ[†] CBSET2BZ

BN[†] CBSET2L

S[†] CBSET2T



C CBSET3C200

MB CBSET3M200

BB CBSET3F200

BZ CBSET3BZ200

BN CBSET3L200

S CBSET3T200



C CBSET4C200

MB CBSET4M200

BB CBSET4F200

BZ[†] CBSET4BZ200

BN[†] CBSET4L200

S[†] CBSET4T200



C CBSET5C

MB CBSET5M

BB CBSET5F

BZ CBSET5BZ

BN CBSET5L

S CBSET5T



Change to a ceiling mounted shower arm
Upgrade any 200mm wall mounted shower head to a bigger 300mm head



Chrome



Matt Black



Brushed
Brass



Brushed
Bronze



Brushed
Nickel



Slate



All handsets include an outlet elbow in the box. † Available in April 2026.

Strike through prices are the total RRP's of the individual components at December 2025.

*Subject to online registration.

31





CROSSBOX **PUSH**

Powered by Crossbox technology



Change to a ceiling mounted shower arm
 Upgrade any 200mm wall mounted shower head to a bigger 300mm head
By adding 41cm to the end of the pipe



Chrome



Matt Black



Brushed
Brass



Brushed
Nickel



Slate



C PUSHSET6C

MB PUSHSET6M

BB PUSHSET6F

BN PUSHSET6L

S PUSHSET6T



C PUSHSET7C200

MB PUSHSET7M200

BB PUSHSET7F200

BN PUSHSET7L200

S PUSHSET7T200



C PUSHSET8C200

MB PUSHSET8M200

BB PUSHSET8F200

BN [†] PUSHSET8L200

S [†] PUSHSET8T200



C PUSHSET9C

MB PUSHSET9M

BB PUSHSET9F

BN PUSHSET9L

S PUSHSET9T




C PUSHSET10C

MB PUSHSET10M

BB PUSHSET10F

BN [†] PUSHSET10L

S [†] PUSHSET10T



All handsets include an outlet elbow in the box. [†] Available in April 2026.

Strike through prices are the total RRP's of the individual components at December 2025.

*Subject to online registration.

33



MODULE

Powered by Crossbox technology

				
200mm	200mm	200mm		
				
				
 MODSET1C200	 MODSET2C200	 MODSET3C200	 MODSET4C	 MODSET5C
 MODSET1M200	 MODSET2M200	 MODSET3M200	 MODSET4M	 MODSET5M
 MODSET1F200	 MODSET2F200	 MODSET3F200	 MODSET4F	 MODSET5F
 MODSET1BZ200	 MODSET2BZ200 [†]	 MODSET3BZ200	 MODSET4BZ [†]	 MODSET5BZ
 MODSET1L200	 MODSET2L200 [†]	 MODSET3L200	 MODSET4L [†]	 MODSET5L
 MODSET1T200	 MODSET2T200 [†]	 MODSET3T200	 MODSET4T [†]	 MODSET5T

Change to a ceiling mounted shower arm
Upgrade any 200mm wall mounted shower head to a bigger 300mm head
By adding 4L to the end of the code



Chrome



Matt Black



Brushed
Brass



Brushed
Bronze



Brushed
Nickel



Slate



All handsets include an outlet elbow in the box. † Available in April 2026.

Strike through prices are the total RRP's of the individual components at December 2025.

*Subject to online registration.

35




MODULE +

Powered by Crossbox technology



Revive

New velvet rain jets
Integrated shower arm
Head can be angled



Revive

New velvet rain jets
Integrated shower arm
Head can be angled




Revive Multi Flow

5 Shower modes: rainfall,
rainfall & massage,
massage, massage & soft
flow, soft flow
Integrated shower arm



Revive Multi Flow

5 Shower modes: rainfall,
rainfall & massage,
massage, massage & soft
flow, soft flow
Integrated shower arm



Tranquil 380

Elegant recessed ceiling
mounting
576 Nozzles provide a
tranquil rainfall experience



C MPLUSSET1C

BB MPLUSSET1F

BN MPLUSSET1L

C MPLUSSET2C

BB MPLUSSET2F

BN MPLUSSET2L

C MPLUSSET3C

BB MPLUSSET3F

BN MPLUSSET3L

C MPLUSSET4C

BB MPLUSSET4F

BN MPLUSSET4L

C MPLUSSET5C

BB MPLUSSET5F

BN MPLUSSET5L




Chrome



Brushed
Brass



Brushed
Nickel




380mm

Tranquil 380

Elegant recessed ceiling mounting

576 Nozzles provide a tranquil rainfall experience




380mm

Tranquil 380

Elegant recessed ceiling mounting

576 Nozzles provide a tranquil rainfall experience




380mm

MPRO Stream

2 Shower modes


Rainfall and column water flow for an intense shower experience



380mm

MPRO Stream

2 Shower modes: rainfall and icicle column water flow for an intense shower experience



380mm

MPRO Stream

2 Shower modes: rainfall and icicle column water flow for an intense shower experience



C MPLUSSET6C

BB MPLUSSET6F

BN MPLUSSET6L



C MPLUSSET7C

BB MPLUSSET7F

BN MPLUSSET7L



C MPLUSSET8C

BB MPLUSSET8F

BN MPLUSSET8L



C MPLUSSET9C

BB MPLUSSET9F

BN MPLUSSET9L




C MPLUSSET10C

BB MPLUSSET10F

BN MPLUSSET10L

MPRO



MODULE

All MODULE shower valves are thermostatically controlled for 100% safety. Trim sets include: flow control, thermostat, minimalist backplate and handles.



2 Handle Trimset

Must be installed with a concealed valve

- PROMODDIVLBPBZ
- PROMODDIVLBPT
- PROMODDIVLBPM
- PROMODDIVLBPF
- PROMODDIVLBPV
- PROMODDIVLBPC

Concealed Thermostatic Valve

Min 1 bar
KIWA Approved Product
2 Outlet
MOD1500R
3 Outlet
MOD2500R



2 Handle Trimset & Bath Spout

Must be installed with a concealed valve

- PROMOD1601TRIMBZ
- PROMOD1601TRIMT
- PROMOD1601TRIMM
- PROMOD1601TRIMF
- PROMOD1601TRIMV
- PROMOD1601TRIMC

Concealed Thermostatic Valve

Min 1 bar
KIWA Approved Product
2 Outlet
MOD1701R
3 Outlet
MOD3701R



2 Handle Trimset & Handset

Must be installed with a concealed valve
KIWA Approved Product

- PROMOD1701TRIMBZ
- PROMOD1701TRIMT
- PROMOD1701TRIMM
- PROMOD1701TRIMF
- PROMOD1701TRIMV
- PROMOD1701TRIMC

Concealed Thermostatic Valve

Min 1 bar
KIWA Approved Product
2 Outlet
MOD1701R
3 Outlet
MOD3701R



2 Handle Trimset, Spout & Handset

Must be installed with a concealed valve

- PROMOD440TRIMBZ
- PROMOD440TRIMT
- PROMOD440TRIMM
- PROMOD440TRIMF
- PROMOD440TRIMV
- PROMOD440TRIMC

Concealed Thermostatic Valve

Min 1 bar
KIWA Approved Product
2 Outlet
MOD440R

Module Push presents the latest in luxury showering technology and design. Featuring a sleek, minimalist design, Module Push elevates any modern showering space.

The precise water flow and thermostatic controls provide the opportunity to tailor your showering experience to your needs. With push button on/off controls, Module Push is easy to use without the need of gripping a lever. This functionality allows you to leave your temperature and flow controls in place, ready for the next time you step in.

Enjoy water flow from multiple outlets at the same time with its multi-button design.



Module Push 3 Handle Trimset

Must be installed with a concealed valve

- PROMODPUSH2000LBPBZ
- PROMODPUSH2000LBPT
- PROMODPUSH2000LBPM
- PROMODPUSH2000LBPF
- PROMODPUSH2000LBPV
- PROMODPUSH2000LBPC

Concealed Thermostatic Valve

Min 1 bar
2 Outlet
MODPUSH2000R



Module Push 3 Handle Trimset & Handset

Must be installed with a concealed valve

- PROMODPUSH2701LBPBZ
- PROMODPUSH2701LBPT
- PROMODPUSH2701LBPM
- PROMODPUSH2701LBPF
- PROMODPUSH2701LBPV
- PROMODPUSH2701LBPC

Concealed Thermostatic Valve

Min 1 bar
2 Outlet
MODPUSH2701R

COMPLETE THE LOOK

Matching accessories for this range can be found on page 90



All CROSSBOX shower valves are thermostatically controlled for 100% safety. Trim sets include: flow control, thermostat, backplate and handles.



Crossbox Universal Box

Easy-fit installation box
Install with a 1, 2 or 3 outlet Crossbox Trimset
KIWA Approved Product

CROSSBOX



Crossbox 1 Outlet Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar
KIWA Approved Product

- PROCB1000LBPBZ
- PROCB1000LBPT
- PROCB1000LBPM_V2
- PROCB1000LBPF_V2
- PROCB1000LBPV_V2
- PROCB1000LBPC_V2



Crossbox 2 Outlet Multi-flow Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar
KIWA Approved Product

- PROCB1500LBPBZ
- PROCB1500LBPT
- PROCB1500LBPM_V2
- PROCB1500LBPF_V2
- PROCB1500LBPV_V2
- PROCB1500LBPC_V2



Crossbox 3 Outlet Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar
KIWA Approved Product

- PROCB2500LBPBZ_V2
- PROCB2500LBPT_V2
- PROCB2500LBPM_V2
- PROCB2500LBPF_V2
- PROCB2500LBPV_V2
- PROCB2500LBPC_V2



Crossbox Push 2 Outlet Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar
KIWA Approved Product

- PROCBPUSH1500LBPT
- PROCBPUSH1500LBPM
- PROCBPUSH1500LBPF
- PROCBPUSH1500LBPV
- PROCBPUSH1500LBPC




Crossbox Push 3 Outlet Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar
KIWA Approved Product

- PROCBPUSH2500LBPT
- PROCBPUSH2500LBPM
- PROCBPUSH2500LBPF
- PROCBPUSH2500LBPV
- PROCBPUSH2500LBPC



MPRO



NEW*

1 Outlet 2 Handle Trimset

Etched with shower

Must be installed with a concealed valve

- PRO1000LBPBZ*
- PRO1000LBPT*
- PRO1000LBPM*
- PRO1000LBPF*
- PRO1000LBPV*
- PRO1000LBPC_V2

Concealed Module Valves

Min 0.2 bar

WRAS, KIWA & TMV2 Approved Product

1 Outlet

WLBP1000R



2 Outlet 2 Handle Trimset

Etched with shower/handset

Must be installed with a concealed valve

- PRO1510LBPBZ
- PRO1510LBPT
- PRO1510LBPM
- PRO1510LBPF
- PRO1510LBPV
- PRO1510LBPC

Concealed Module Valves

Min 1 bar

WRAS, KIWA & TMV2 Approved Product

2 Outlet for Chrome trimsets

WLBP1500RC_V2

2 Outlet for all other trimsets

WLBP25X3R



2 Outlet 2 Handle Trimset

Etched with bath/handset

Must be installed with a concealed valve

- PRO1500LBPBZ
- PRO1500LBPT
- PRO1500LBPM
- PRO1500LBPF
- PRO1500LBPV
- PRO1500LBPC

Concealed Module Valves

Min 1 bar

WRAS, KIWA & TMV2 Approved Product

2 Outlet for Chrome trimsets

WLBP1500RC_V2

2 Outlet for all other trimsets

WLBP25X3R



2 Outlet 2 Handle Trimset & Handset

Etched with bath/handset

Must be installed with a concealed valve

KIWA Approved Product

- PRO1701LBPBZ
- PRO1701LBPT
- PRO1701LBPM
- PRO1701LBPF
- PRO1701LBPV
- PRO1701LBPC

Concealed Module Valves

Min 1 bar

WRAS, KIWA & TMV2 Approved Product

2 Outlet

WLBP25X31R



2 Outlet 3 Handle Trimset

Etched with shower/handset

Must be installed with a concealed valve

- PRO2001LBPBZ
- PRO2001LBPT
- PRO2001LBPM
- PRO2001LBPF
- PRO2001LBPV
- PRO2001LBPC

Concealed Module Valves

Min 0.2 bar

WRAS, KIWA & TMV2 Approved Product

2 Outlet Valve

WLBP2001R



3 Outlet 3 Handle Trimset

Etched with bath/shower/handset

Must be installed with a concealed valve

- PRO3001LBPBZ
- PRO3001LBPT
- PRO3001LBPM
- PRO3001LBPF
- PRO3001LBPV
- PRO3001LBPC

Concealed Module Valves

Min 1 bar

WRAS, KIWA & TMV2 Approved Product

3 Outlet Valve

WLBP3001R_V2



2 Outlet 3 Handle Trimset

Etched with shower/handset

Must be installed with a concealed valve

- PRO2000LBPBZ
- PRO2000LBPT
- PRO2000LBPM
- PRO2000LBPF
- PRO2000LBPV
- PRO2000LBPC

Concealed Module Valves

Min 0.2 bar

WRAS, KIWA & TMV2 Approved Product

2 Outlet Valve

WLBP2000R



3 Outlet 3 Handle Trimset

Etched with bath/shower/handset

Must be installed with a concealed valve

- PRO3000LBPBZ
- PRO3000LBPT
- PRO3000LBPM
- PRO3000LBPF
- PRO3000LBPV
- PRO3000LBPC

Concealed Module Valves

Min 0.2 bar

WRAS, KIWA & TMV2 Approved Product

3 Outlet Valve

WLBP3000R_V2

COMPLETE THE LOOK

Matching accessories for this range can be found on page 90



LOWER PRICE**

Shower Kit

Includes:
MPRO 130mm three mode easy clean handset,
MPRO 700mm slide rail, MPRO shower hose
1500mm, MPRO wall outlet
Min 0.5 bar
KIWA Approved Product

- MPROKITT_V2
- MPROKITM_V2
- MPROKITF_V2
- MPROKITV_V2



Wall Outlet, Handset & Hose

Single mode
Min 0.2 bar
WRAS Approved Product

- PRO963BZ
- PRO963T
- PRO963M
- PRO963F
- PRO963V
- PRO963C



Wall Mounted Shower Arm

P: 330mm
KIWA Approved Product

- FH684BZ
- FH684T_V2
- FH684M_V2
- FH684F_V2
- FH684V_V2
- FH684C



Ceiling Shower Arm

P: 198mm
KIWA Approved Product

- FH620BZ
- FH620T
- FH620M
- FH620F
- FH620V
- FH620C



Shower Head Ø200mm

Single mode
5.8mm head thickness
Min 0.5 bar
KIWA Approved Product

- PRO200BZ
- PRO200T
- PRO200M_V2
- PRO200F_V2
- PRO200V_V2
- PRO200C_V2



Shower Head Ø300mm

Single mode
5.8mm head thickness
Min 0.5 bar
KIWA Approved Product

- PRO300BZ
- PRO300T
- PRO300M_V2
- PRO300F_V2
- PRO300V_V2
- PRO300C_V2



Stream Shower Head

With rainfall and column flow
W: 380mm D: 380mm
Min 2 bar

- PRO380T
- PRO380M
- PRO380F
- PRO380V
- PRO380C

*Subject to online registration.



MPRO

Crosshead



Brushed
Bronze
(BZ)



Slate
(T)



Matt Black
(M)



Brushed Brass
(F)



Brushed
Nickel
(V)



Chrome
(C)



Basin Monobloc

Without pop up waste
H: 295mm P: 151mm
Min 1 bar
KIWA Approved Product

- PRC110DNBZ
- PRC110DNT
- PRC110DNM
- PRC110DNF
- PRC110DNV
- PRC110DNC



Basin 3 Hole Set

Without pop up waste
H: 242mm P: 132.5mm
Min 1 bar
KIWA Approved Product

- PRC135DNBZ
- PRC135DNT
- PRC135DNM
- PRC135DNF
- PRC135DNV
- PRC135DNC



Basin 3 Hole Set

Without pop up waste
H: 75.5mm P: 192mm
Min 1 bar
KIWA Approved Product

- PRC130WNBZ
- PRC130WNT
- PRC130WNM
- PRC130WNF
- PRC130WNV
- PRC130WNC



Bath 5 Hole Set

H: 250mm P: 191mm
Min 2 bar

- PRC450DBZ
- PRC450DT
- PRC450DM
- PRC450DF
- PRC450DV
- PRC450DC



1 Outlet 2 Handle Trimset

Must be installed with a concealed valve

- PRC1000LBPC

Concealed Thermostatic Valve
Min 0.2 bar
WRAS, KIWA & TMV2 Approved Product
1 Outlet
WLBP1000RC_V2



2 Outlet 2 Handle Trimset

Must be installed with a concealed valve

- PRC1000LBPBZ
- PRC1000LBPT
- PRC1000LBPM
- PRC1000LBPF
- PRC1000LBPV
- PRC1000LBPC

Concealed Thermostatic Valve
Min 0.2 bar
WRAS, KIWA & TMV2 Approved Product
2 Outlet
WLBP25X3R
2 Outlet for chrome trimset
WLBP1500RC_V2



2 Outlet 3 Handle Trimset

Must be installed with a concealed valve

- PRC2000LBPBZ
- PRC2000LBPT
- PRC2000LBPM
- PRC2000LBPF
- PRC2000LBPV
- PRC2000LBPC

Concealed Thermostatic Valve
Min 0.2 bar
WRAS, KIWA & TMV2 Approved Product
2 Outlet
WLBP2000R
2 Outlet for chrome trimset
WLBP2000RC_V2



3 Outlet 3 Handle Trimset

Must be installed with a concealed valve

- PRC2000LBPBZ
- PRC2000LBPT
- PRC2000LBPM
- PRC2000LBPF
- PRC2000LBPV
- PRC2000LBPC

Concealed Thermostatic Valve
Min 0.2 bar
WRAS, KIWA & TMV2 Approved Product
3 Outlet
WLBP3000R_V2
3 Outlet for chrome trimset
WLBP3000RC_V2

COMPLETE THE LOOK

Matching accessories for this range can be found on page 90



2 Outlet 3 Handle Trimset

Must be installed with a concealed valve

- PRC2001LBPBZ
- PRC2001LBPT
- PRC2001LBPM
- PRC2001LBPF
- PRC2001LBPV
- PRC2001LBPC

Concealed Thermostatic Valve

Min 0.2 bar
WRAS, KIWA & TMV2 Approved Product

2 Outlet

WLBP2001R

2 Outlet for chrome trimset

WLBP2001RC_V2



3 Outlet 3 Handle Trimset

Must be installed with a concealed valve

- PRC2001LBPBZ
- PRC2001LBPT
- PRC2001LBPM
- PRC2001LBPF
- PRC2001LBPV
- PRC2001LBPC

Concealed Thermostatic Valve

Min 0.2 bar
WRAS, KIWA & TMV2 Approved Product

3 Outlet

WLBP3001R_V2

3 Outlet for chrome trimset

WLBP3001RC_V2

MPRO Sensor



Matt Black
(M)



Brushed Brass
(F)



Brushed
Nickel
(V)



Chrome
(C)



Basin Monobloc

Without pop up waste
H: 161mm P: 116mm
Min 1 bar
KIWA Approved Product

- PROX110DNM
- PROX110DNF
- PROX110DNV
- PROX110DNC



Basin Monobloc

Without pop up waste
H: 161mm P: 116mm
Min 1 bar
KIWA Approved Product

- PROX135DNM
- PROX135DNF
- PROX135DNV
- PROX135DNC



Basin Monobloc

Without pop up waste
H: 161mm P: 116mm
Min 1 bar
KIWA Approved Product

- PROX0160WM_220
- PROX0160WF_220
- PROX0160WV_220
- PROX0160WC_220



Basin Monobloc

Without pop up waste
H: 161mm P: 116mm
Min 1 bar
KIWA Approved Product



- PROX0160WM_135
- PROX0160WF_135
- PROX0160WV_135
- PROX0160WC_135

*Subject to online registration.



MPRO

Industrial



Basin Monobloc

Without pop up waste
H: 159mm P: 112mm
Min 0.5 bar

- PRI110DNM
- PRI110DNUB
- PRI110DNC



Tall Basin Monobloc

Without pop up waste
H: 350mm P: 125mm
Min 0.5 bar

- PRI112DNM
- PRI112DNUB
- PRI112DNC



Basin 2 Hole Set

Without pop up waste
P: 210-211mm
Min 0.5 bar
KIWA Approved Product

- PRI120WNM
- PRI120WNUB
- PRI120WNC



Basin 3 Hole Set

Without pop up waste
P: 210-211mm
Min 0.5 bar

- PRI130WNM
- PRI130WNUB
- PRI130WNC



Universal Basin Click Clack Waste

Suitable for basins with or without an overflow

- PRI0260M
- PRI0260UB
- BSW0260C



Bath Filler Wall Tap

Spout P: 175mm Wall stop taps P: 169mm
Min 1 bar

- PRI0330M
- PRI0330UB
- PRI0330WC



Bath 5 Hole Set

With spout & handset
P: 230mm
Min 2 bar

- PRI0450M
- PRI0450WC



Bath Click Clack Waste

- PRI0202M
- PRI0202UB
- BTW0202C



All CROSSBOX shower valves are thermostatically controlled for 100% safety. Trim sets include: flow control, thermostat, backplate and handles.



Bath Spout

Spout P: 175mm
Min 1 bar

- PRI0370WM
- PRI0370WUB
- PRI0370WC



Crossbox Universal Box

Easy-fit installation box
Install with a 1, 2 or 3 outlet Crossbox Trimset
KIWA Approved Product

CROSSBOX



Crossbox 1 Outlet Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar
KIWA Approved Product

- PRICB1000LBPM
- PRICB1000LB PUB
- PRICB1000LBPC



Crossbox 2 Outlet Multi-flow Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar
KIWA Approved Product

- PRICB1500LBPM
- PRICB1500LB PUB
- PRICB1500LBPC



Shower Head Ø200mm

Single mode
Min 1 bar
WRAS Approved Product

● PRI08C



Shower Head Ø200mm Easy Clean

Single mode
Min 1 bar
WRAS Approved Product

● PRI08M_EC

● PRI08UB_EC

● PRI08C_EC



Wall Mounted Shower Arm

P: 330mm

● PRI684M

● PRI684UB

● PRI684C



Wall Outlet, Handset & Hose

Single mode
Min 0.2 bar

● PRI963M

● PRI963UB

● PRI963C



Bath Shower Mixer

H: 1021mm P: 270mm
Min 3 bar

● PRI416FM

● PRI416FUB

● PRI416FC



Multifunction Shower Valve

H: 1086mm (to shower head: 945mm)
P: 491mm (to centre of shower head 393mm)
Min 1 bar

● PRI_SLIDERM

● PRI_SLIDERUB

● PRI_SLIDERC

Union



Matt Black
(M)



Union Brass
(U)



Brushed Black
Chrome
(B)



Basin Monobloc

Without pop up waste
H: 167mm P: 130mm
Min 1 bar
KIWA Approved Product

- UB110DNM
- UB110DNU
- UB110DNB



Tall Basin Monobloc

Without pop up waste
H: 276mm P: 160mm
Min 1 bar
KIWA Approved Product

- UB112DNM
- UB112DNU
- UB112DNB



Basin 3 Hole Set

With wheel handles
H: 167mm P: 160mm
Min 1 bar
KIWA Approved Product

- UB135DNM



Basin 3 Hole Set

With lever handles
H: 167mm P: 160mm
Min 1 bar
KIWA Approved Product

- UB135DNM_LV



Basin 1 Hole Set

P: 205mm
Min 1 bar
KIWA Approved Product

- UB111WNM
- UB111WNU
- UB111WNB



Basin 3 Hole Set

With wheel handles
P: 185mm or 205mm
Min 1 bar

- UB130WNM_V2
- UB130WNU_V2
- UB130WNB_V2



Basin 3 Hole Set

With lever handles
P: 195mm or 205mm
Min 1 bar

- UB130WNM_LV_V2
- UB130WNU_LV_V2
- UB130WNB_LV_V2



Universal Basin Click Clack Waste

Suitable for basins with or without an overflow

- PRO0260M
- UB0260U
- UB0260B



Tall Bottle Trap

H: 1021mm P: 270mm
Min 3 bar

- BTR0402M
- UB0402U
- UB0402B



Bath Spout

P: 230mm
Min 1 bar

- UB0370M
- UB0370U
- UB0370B



Freestanding Bath Filler & Shower Kit

With wheel handles
H: 889mm P: 230mm
Min 1 bar

- UB422DM_V2
- Optional Floor Plate
UBPLATEM



Freestanding Bath Filler & Shower Kit

With lever handles
H: 889mm P: 230mm
Min 1 bar

- UB422DM_LV_V2
- Optional Floor Plate
UBPLATEM



1 Outlet 2 Handle Trimset

Must be installed with a concealed valve

- UB1000LBPM_LV
- UB1000LBPU_LV
- UB1000LBPB_LV

Concealed Thermostatic Valve
 Min 1 bar
 WRAS, KIWA & TMV2 Approved Product
 1 Outlet
 WLB1000R



2 Outlet 2 Handle Trimset

Must be installed with a concealed valve

- UB1000LBPM_LV
- UB1000LBPU_LV
- UB1000LBPB_LV

Concealed Thermostatic Valve
 Min 1 bar
 WRAS, KIWA & TMV2 Approved Product
 2 Outlet
 WLB1500R



2 Outlet 3 Handle Trimset

Must be installed with a concealed valve

- UB2000LBPM_LV
- UB2000LBPU_LV
- UB2000LBPB_LV

Concealed Thermostatic Valve
 Min 0.2 bar
 WRAS, KIWA & TMV2 Approved Product
 2 Outlet
 WLB2000R



3 Outlet 3 Handle Trimset

Must be installed with a concealed valve

- UB2000LBPM_LV
- UB2000LBPU_LV
- UB2000LBPB_LV

Concealed Thermostatic Valve
 Min 1 bar
 WRAS, KIWA & TMV2 Approved Product
 3 Outlet
 WLB3000R_V2



2 Outlet 3 Handle Trimset

Must be installed with a concealed valve

- UB2001LBPM
- UB2001LBPB

Concealed Thermostatic Valve
 Min 0.2 bar
 WRAS, KIWA & TMV2 Approved Product
 2 Outlet
 WLB2001R



3 Outlet 3 Handle Trimset

Must be installed with a concealed valve

- UB2001LBPM
- UB2001LBPB

Concealed Thermostatic Valve
 Min 0.2 bar
 WRAS, KIWA & TMV2 Approved Product
 3 Outlet
 WLB3001R_V2



2 Outlet 2 Handle Trimset & Handle

Must be installed with a concealed valve
WRAS Approved Product

- UB1701LBPM
- UB1701LBPU
- UB1701LBPB

Concealed Thermostatic Valve
 Min 1 bar
 WRAS, KIWA & TMV2 Approved Product
 2 Outlet
 WLB1501R



Multifunction Thermostatic Shower

H: 1061mm (to shower head: 903mm)
 P: 550mm (to centre of shower head: 380mm)
 Min 2 bar
 WRAS Approved Product

- RM650WM
- RM650WU
- RM650WB



Shower Head Ø250mm

Single mode with wipe clean nozzles
 8mm head thickness
 Min 0.5 bar
 WRAS Approved Product

- UB250M
- UB250U
- UB250B



Wall Mounted Shower Arm

P: 400mm
 WRAS Approved Product

- UB400M
- UB400U
- UB400B



Wall Outlet, Handset & Hose

Single mode
 Min 1 bar
 WRAS Approved Product

- UB963M
- UB963U
- UB963B

Belgravia



Brushed
Brass
(F)



Brushed
Nickel
(L)



Chrome with
White Lever
(C_LV)



Chrome
Crosshead
(C)



Mini Basin Monobloc

Without pop up waste
H: 127mm P: 119mm
Min 0.5 bar

● BL114DNC_LV



Basin Monobloc

Without pop up waste
H: 116mm P: 120mm
Min 0.5 bar
WRAS Approved Product

● BL110DNF
● BL110DNL
● BL110DNC



Basin Monobloc

With pop up waste
H: 116mm P: 122mm
Min 0.5 bar
WRAS Approved Product

● BL110DPF
● BL110DPL
● BL110DPC_LV
● BL110DPC



High Neck Basin Monobloc

Without pop up waste
H: 190mm P: 127mm
Min 0.5 bar

● BL112DNC



High Neck Basin Monobloc

With pop up waste
H: 190mm P: 127mm
Min 0.5 bar


● BL112DPF
● BL112DPL
● BL112DPC_LV
● BL112DPC



Cloakroom Basin Taps

Without pop up waste
H: 146mm P: 90mm
Min 0.5 bar
WRAS Approved Product

● BL150DNF
● BL150DNL
● BL150DNC_LV
● BL150DNC



Long Nose Basin Taps

Without pop up waste
H: 148mm P: 125mm
Min 0.5 bar


● BL140DNC_LV
● BL140DNC



Tall Basin Monobloc

Without pop up waste
H: 465mm P: 168mm
Min 0.5 bar

● BL118DNF
● BL118DNL
● BL118DNC_LV
● BL118DNC



Basin 3 Hole Set

With pop up waste
H: 134mm P: 115mm
Min 0.5 bar
KIWA Approved Product

● BL130DPF
● BL130DPL
● BL130DPC_LV
● BL130DPC



Basin 3 Hole Set

Without pop up waste
P: 141mm
Min 0.5 bar
WRAS Approved Product

● BL131WNF
● BL131WNL
● BL131WNC_LV
● BL131WNC



Basin 3 Hole Set

With pop up waste
H: 116mm P: 122mm
Min 0.5 bar
WRAS Approved Product

● BL135DPC_LV
● BL135DPC



Universal Basin Click Clack Waste

With pop up waste
H: 116mm P: 122mm
Min 0.5 bar

● BSW0290F
● BSW0260L
● BSW0260C

COMPLETE THE LOOK

Matching accessories for this range can be found on page 97



Bath 4 Hole Set with Kit

H: 256mm P: 166mm
Min 1 bar

● BL440DC



Bath Spout

P: 176mm
Min 0.5 bar

● BL0370WF
● BL0370WL
● BL0370WC



Bath Filler

H: 205mm P: 165mm
Min 1 bar
WRAS Approved Product

● BL322DF
● BL322DL
● BL322DC_LV
● BL322DC



Bath Shower Mixer with Kit

H: 400mm P: 165mm
Min 1 bar
WRAS Approved Product


● BL422DF
● BL422DL
● BL422DC_LV
● BL422DC



Bath Shower Mixer with Legs

Combine with BL322D or BL422D for use with freestanding baths

● BL422FF
● BL422FL
● BL422FC



Bath Filler with Legs

Combine with BL322D or BL422D for use with freestanding baths

● BL322FF
● BL322FL
● BL322FC



Bath Legs

Combine with BL322D or BL422D for use with freestanding baths

● BL002FF
● BL002FL
● BL002FC



Bath Filler Wall Taps

● BL322WF
● BL322WL
● BL322WC



Bath Shower Mixer Wall Taps

● BL422WF
● BL422WL
● BL422WC



Wall Stop Taps

Min 1 bar

● BL350WF
● BL350WL
● BL350WC_LV
● BL350WC



Bath Click Clack Waste

● BTW0204F
● BTW0202L
● BTW0202C




NEW Belgravia Traditional Flush Plate

Brass
w 245 x h 165mm

● BLFLUSHF
● BLFLUSHL
● BLFLUSHC

*Subject to online registration.





CROSSBOX



Crossbox Universal Box

Easy-fit installation box
Install with a 1, 2 or 3 outlet Crossbox Trimset
KIWA Approved Product

CROSSBOX

All CROSSBOX shower valves are thermostatically controlled for 100% safety. Trim sets include: flow control, thermostat, backplate and handles.



Crossbox 1 Outlet Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar

● BLCB1000LBPC



Crossbox 2 Outlet Multi-flow Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar

● BLCB1500LBPF

● BLCB1500LBPL

● BLCB1500LBPC



Crossbox 3 Outlet Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar

● BLCB2500LBPF

● BLCB2500LBPL

● BLCB2500LBPC



1 Outlet 2 Handle Trimset

Must be installed with a concealed valve

● BL1000LBPC_LV_VS_V2

● BL1000LBPC_VS_V2

Concealed Thermostatic Valve
Min 0.2 bar
WRAS, KIWA & TMV2 Approved Product
1 Outlet
WLBP1000RC_V2



2 Outlet 2 Handle Trimset

Must be installed with a concealed valve

● BL1500LBPC_LV_VS_V2

● BL1500LBPC_VS_V2

Concealed Thermostatic Valve
Min 1 bar
WRAS, KIWA & TMV2 Approved Product
2 Outlet
WLBP1500RC_V2



3 Outlet 2 Handle Trimset

Must be installed with a concealed valve

● BL2500LBPC_VS_V2

Concealed Thermostatic Valve
Min 1 bar
WRAS, KIWA & TMV2 Approved Product
3 Outlet
WLBP2500RC_V2



2 Outlet 3 Handle Trimset

Must be installed with a concealed valve

● BL2000LBPC_LV_VS_V2

● BL2000LBPC_VS_V2

Concealed Thermostatic Valve
Min 0.2 bar
WRAS, KIWA & TMV2 Approved Product
2 Outlet
WLBP2000RC_V2



3 Outlet 3 Handle Trimset

Must be installed with a concealed valve

● BL3000LBPC_LV_VS_V2

● BL3000LBPC_VS_V2

Concealed Thermostatic Valve
Min 1 bar
WRAS, KIWA & TMV2 Approved Product
3 Outlet
WLBP3000RC_V2



2 Outlet 2 Handle Trimset

Must be installed with a concealed valve

● BL1501LBPC_VS_V2

Concealed Thermostatic Valve
Min 1 bar
WRAS, KIWA & TMV2 Approved Product
2 Outlet
WLBP1501RC_V2



2 Outlet 3 Handle Trimset

Must be installed with a concealed valve

● BL2000LBPC_VS_V2

Concealed Thermostatic Valve
Min 0.2 bar
WRAS, KIWA & TMV2 Approved Product
2 Outlet
WLBP2001RC_V2



3 Outlet 3 Handle Trimset

Must be installed with a concealed valve

● BL3000LBPC_VS_V2

Concealed Thermostatic Valve
Min 1 bar
WRAS, KIWA & TMV2 Approved Product
3 Outlet
WLBP3001RC_V2



Shower Head Ø200mm

Single mode
Min 1 bar
WRAS Approved Product

● FH08C



Shower Head Ø200mm

Easy clean
Single mode
Min 1 bar
WRAS Approved Product

● FH08F_EC
● FH08L_EC
● FH08C_EC_V2



Shower Head Ø300mm

Single mode
Min 1 bar
WRAS Approved Product

● FH12C

COMPLETE THE LOOK
Matching accessories for
this range can be found on
page 97



Wall Mounted Shower Arm

P: 310mm

● BL684C



Wall Mounted Shower Arm

P: 330mm

● FH684F_V2
● FH684L



Wall Outlet with Handset Holder

Min 0.2 bar

● BL963C



Wall Outlet

Min 0.2 bar

● BL963F
● BL963L



Traditional Shower Handset Bracket

● BL953C



Wall Outlet, Handset & Hose

Single mode
Min 0.2 bar

● BL964F
● BL964L
● BL964C



Slide Rail, Handset & Hose

Slide rail H: 600mm
Min 1 bar

● BELPACKAGE1F
● BELPACKAGE1L
● BELPACKAGE1



Thermostatic Shower Kit

Includes: Single outlet shower valve, rigid riser, shower arm, 200mm fixed head, handset, wall bracket, 1.5m hose, wall bracket and stop cock/diverter
Rigid riser H: 900mm
Min 1 bar

● BEL_CRADLE



Thermostatic Shower Kit

Includes: Single outlet shower valve, rigid riser and shower arm, 200mm fixed head, handset, riser bracket, 1.5m hose, wall bracket and stop cock/diverter
Rigid riser H: 900mm
Min 1 bar

● BEL_SLIDERF
● BEL_SLIDERL
● BEL_SLIDER



Thermostatic Shower Kit

Includes: Single outlet shower valve, rigid riser, shower arm, 200mm fixed head and wall bracket
Rigid riser H: 900mm
Min 1 bar

● BEL_SHOWER




Thermostatic Bath Shower Kit

Includes: Single outlet shower valve, rigid riser, shower arm, 200mm fixed head, wall bracket and LP bath spout
Rigid riser H: 1200mm
Min 1 bar

● BEL_BSM

Glide II



Brushed
Bronze
(BZ)



Slate
(T)



Matt Black
(M)



Brushed Brass
(F)



Brushed
Nickel
(V)



Chrome
(C)



Basin Monobloc

Without pop up waste
H: 295mm P: 151mm
Min 1 bar
KIWA Approved Product

- GD110DNBZ
- GD110DNT
- GD110DNM
- GD110DNF
- GD110DNV
- GD110DNC



Tall Basin Monobloc

Without pop up waste
H: 242mm P: 132.5mm
Min 1 bar
KIWA Approved Product

- GD112DNBZ
- GD112DNT
- GD112DNM
- GD112DNF
- GD112DNC



Basin 2 Hole Set

Without pop up waste
H: 75.5mm P: 192mm
Min 1 bar
KIWA Approved Product

- GD121WNBZ
- GD121WNT
- GD121WNM
- GD121WNF
- GD121WNC

COMPLETE THE LOOK
Shower heads see page 76
Accessories see page 90
Wastes see page 72



All CROSSBOX shower valves are thermostatically controlled for 100% safety. Trim sets include: flow control, thermostat, backplate and handles.



Crossbox Universal Box

Easy-fit installation box
Install with a 1, 2 or 3 outlet Crossbox Trimset
KIWA Approved Product

CROSSBOX



Crossbox 1 Outlet Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar
KIWA Approved Product

- ATCB1000LBPC



Crossbox 2 Outlet Multi-flow Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar
KIWA Approved Product

- ATCB1500LBPT
- ATCB1500LBPM
- ATCB1500LBPF
- ATCB1500LBPV
- ATCB1500LBPC




Crossbox 3 Outlet Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar
KIWA Approved Product

- ATCB2500LBPC

Verge



Matt Black
(M)



Brushed Brass
(F)



Brushed
Nickel
(V)



Chrome
(C)



Basin Monobloc

Without pop up waste
H: 154.5mm P: 142mm
Min 1 bar
KIWA Approved Product

- VR110DNM
- VR110DNF
- VR110DNV
- VR110DNC



Tall Basin Monobloc

Without pop up waste
H: 315mm P: 235mm
Min 1 bar
KIWA Approved Product

- VR112DNM
- VR112DNF
- VR112DNC



Basin 2 Hole Set

Without pop up waste
H: 90mm P: 210mm
Min 1 bar
KIWA Approved Product

- VR121WNM
- VR121WNF
- VR121WNC



Bath Filler

H: 315mm P: 235mm
Min 1 bar
KIWA Approved Product

- VR322DM
- VR322DF
- VR322DC



1 Outlet 2 Handle Trimset

Must be installed with a concealed valve

- WS1000LBPC

Concealed Thermostatic Valve
Min 0.2 bar
WRAS, KIWA & TMV2 Approved Product
1 Outlet
WLB1000RC_V2



2 Outlet 2 Handle Trimset

Must be installed with a concealed valve

- WS1000LBPC

Concealed Thermostatic Valve
Min 1 bar
WRAS, KIWA & TMV2 Approved Product
2 Outlet
WLB1500RC_V2



2 Outlet 3 Handle Trimset

Must be installed with a concealed valve

- WS2000LBPC

Concealed Thermostatic Valve
Min 0.2 bar
WRAS, KIWA & TMV2 Approved Product
2 Outlet
WLB2000RC_V2



3 Outlet 3 Handle Trimset

Must be installed with a concealed valve

- WS2000LBPC

Concealed Thermostatic Valve
Min 1 bar
WRAS, KIWA & TMV2 Approved Product
3 Outlet
WLB3000RC_V2



CROSSBOX



Crossbox Universal Box

Easy-fit installation box
Install with a 1, 2 or 3 outlet Crossbox Trimset
KIWA Approved Product

CROSSBOX

All CROSSBOX shower valves are thermostatically controlled for 100% safety. Trim sets include: flow control, thermostat, backplate and handles.



Crossbox 2 Outlet Multi-flow Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar
KIWA Approved Product

- WSCB1500LBPM
- WSCB1500LBPF
- WSCB1500LBPV
- WSCB1500LBPC



Crossbox 3 Outlet Trimset

Must be installed with a Crossbox Universal Box
Min 1 bar
KIWA Approved Product

- WSCB2500LBPM
- WSCB2500LBPF
- WSCB2500LBPV
- WSCB2500LBPC

Myron



Matt Black
(M)



Brushed
Brass
(F)



Brushed
Metallic
(E)



Chrome
(C)



Basin Mono Tap

H: 155mm L: 108mm

● TMR110DNF


● TMR110DNE



Basin Tall Mono Tap

H: 295mm L: 190mm

● TMR112DNE



Basin 2H Wall Mounted Tap

H: 70mm L: 185mm

● TMR120TRIMM

● TMR120TRIMF

● TMR120TRIME

● TMR120TRIMC

Required rough

CLB120ROUGH



Bath Shower Mixer Tap

H: 850mm L: 230mm

● TMR416TRIMFM

● TMR416TRIMFF

● TMR416TRIMFE

● TMR416TRIMFC

Required rough

CLB416ROUGH



Matt Black
(M)



Brushed
Brass
(F)



Brushed
Metallic
(E)



Chrome
(C)



Basin 3H Deck Mounted

H: 175mm L: 175mm

● TCA135DNF



Basin Mono Tap 2 Control

H: 305mm L: 155mm

● TCA116DNM
● TCA116DNF
● TCA116DNE
● TCA116DNC



Basin 3H Wall Mounted Tap

L: 225mm

● TCA130TRIMM
● TCA130TRIMF
● TCA130TRIME
● TCA130TRIMC

Required rough
CLB130ROUGH



Bath Wall Mounted Kit

L: 230mm

● TCA441TRIMWF
● TCA441TRIMWE
● TCA441TRIMWC

Required rough
CLB350ROUGH



Bath Shower Mixer Tap

H: 1132mm L: 263mm W: 350mm

● TCA422FM
● TCA422FF
● TCA422FE
● TCA422FC

Clover



Matt Black
(M)



Brushed
Brass
(F)



Brushed
Metallic
(E)



Chrome
(C)



Basin Mono Tap

H: 265mm L: 132mm

THCO110DNF

THCO110DNE



Basin Tall Mono Tap

H: 455mm L: 182mm

THCO112DNF



Basin 3H Wall Mounted Tap

L: 220mm

THCO130TRIMM

THCO130TRIMF

THCO130TRIME

THCO130TRIMC

Required rough

CLB130ROUGH



Basin 3H Deck Mounted Tap

H: 257mm L: 130mm

THCO135DNM

THCO135DNF

THCO135DNE

THCO135DNC




Bath Shower Mixer Tap

H: 1180mm L: 284mm W: 180mm

THCO422FF

THCO422FE

THCO422FC



Matt Black
(M)



Brushed
Brass
(F)



Brushed
Metallic
(E)



Chrome
(C)



Basin Mono Tap

H: 157mm L: 107mm

● THU110DNF

● THU110DNE



Basin Tall Mono Tap

H: 290mm L: 177mm

● THU112DNF

● THU112DNC



Basin 2H Tap Set

H: 70mm L: 180mm

● THU120TRIMM

● THU120TRIMF

● THU120TRIME

● THU120TRIMC

Required rough

CLB120ROUGH



Bath Shower Mixer Tap

H: 95mm L: 180mm

● THU431TRIMWF

● THU431TRIMWE

● THU431TRIMWC

Required rough

CLB330ROUGH



Bath Shower Mixer Tap

H: 860mm L: 220mm

● THU416TRIMFM

● THU416TRIMFF


● THU416TRIMFE

● THU416TRIMFC

Required rough

CLB416ROUGH

Ixora



316 Stainless
Steel (S)



Basin Mono Tap

H: 220mm L: 150mm

● TIX110DNS



Basin Tall Mono Tap

H: 342mm L: 150mm

● TIX112DNS



Basin 3H Deck Mounted Tap

H: 220mm L: 160mm

● TIX135DNS



Basin 2H Wall Mounted Tap

L: 200mm

● TIX120TRIMS

Required rough
CLB120ROUGH



Basin 3H Wall Mounted Tap

L: 200mm

● TIX130TRIMS

Required rough
CLB130ROUGH



Bath Shower Mixer Tap

H: 80mm L: 200mm

● TIX431TRIMWS

Required rough
CLB331ROUGH



Bath Shower Mixer Tap

H: 830mm L: 305mm

● TIX431TRIMFS

Required rough
CLB331ROUGH




Outdoor Shower

● TIX520FS

Required rough
TIX520ROUGH

Varda



Matt Black
(M)



Brushed
Brass
(F)



Brushed
Metallic
(E)



Chrome
(C)



Basin Mono Tap

H: 160mm L: 123mm

● TVA110DNF

● TVA110DNE



Basin Tall Mono Tap

H: 295mm L: 193mm

● TVA112DNF

● TVA112DNE

● TVA112DNC



Basin 2H Wall Mounted Tap

H: 70mm L: 180mm

● TVA120TRIMM

● TVA120TRIMF

● TVA120TRIME

Required rough
CLB120ROUGH



Bath Shower Mixer Tap

H: 95mm L: 180mm

● TVA431TRIMWM

● TVA431TRIMWF

● TVA431TRIMWE

Required rough
CLB331ROUGH



Bath Shower Mixer Tap

H: 900mm L: 230mm


● TVA416TRIMFM

● TVA416TRIMFF

● TVA416TRIMFC

Required rough
CLB416ROUGH

Drift



Matt Black
(M)



Brushed Brass
(F)



Chrome
(C)



Basin Monobloc

With click clack waste
H: 161mm P: 116mm
Min 0.2 bar
WRAS Approved Product

- DR110DNM
- DR110DNF
- DR110DNC



Tall Basin Monobloc

With click clack waste
H: 250mm P: 139mm
Min 0.2 bar
WRAS Approved Product

- DR112DNM
- DR112DNF
- DR112DNC



Basin 2 Hole Set

Without pop up waste
H: 112mm P: 203mm
Min 0.2 bar

- DR120WNM
- DR120WNF
- DR120WNC



Bath Filler

H: 125mm P: 113mm
Min 0.5 bar
WRAS Approved Product

- DR322DM
- DR322DF
- DR322DC



Bath Shower Mixer

With kit
H: 125mm P: 113mm
Min 0.5 bar
WRAS & KIWA Approved Product

- DR422DM
- DR422DF
- DR422DC



Bath Shower Mixer

H: 981mm P: 220mm
Min 2 bar

- DR416FM
- DR416FF
- DR416FC



Freestanding Bath Spout

H: 1010mm P: 238mm
Min 1 bar

- BS0370FM
- BS0370FF
- BS0370FC

COMPLETE THE LOOK
Shower heads see page 76
Accessories see page 90
Wastes see page 72



1 Outlet 2 Handle Valve

Min 1 bar
Supplied with concealed valve

- DR1000RM
- DR1000RF
- DR1000RC



2 Outlet 2 Handle Valve

Min 1 bar
Supplied with concealed valve

- DR1500RM
- DR1500RF
- DR1500RC



2 Outlet 3 Handle Valve

Min 1 bar
Supplied with concealed valve

- DR2000RM
- DR2000RF
- DR2000RC



2 Outlet 3 Handle Valve

Min 1 bar
Supplied with concealed valve

- DR2001RM
- DR2001RF
- DR2001RC

Dial shower valves

Dial push button technology, enables you to precisely control the flow of the water as well as the temperature. This innovative design is smart on the inside using pioneering flow-control technology.



DIAL 1 Outlet Concealed Thermostatic Shower Valve

Min 1 bar

- DIAL_CENT_1



DIAL 2 Outlet Concealed Thermostatic Shower Valve

For fixed head and shower handset
Min 1 bar

- DIAL_CENT_3



DIAL 2 Outlet Concealed Thermostatic Shower Valve

For fixed head and shower handset
Min 1 bar

- DIAL_CENT_4



DIAL 2 Outlet Concealed Thermostatic Bath Shower Valve

For bath filler and shower handset
Min 1 bar

- DIAL_CENT_5



DIAL 2 Outlet Concealed Thermostatic Shower Valve & Handset

For fixed head and shower handset
Single mode shower handset included
Min 1 bar

- DIAL_CENT_6



DIAL 2 Outlet Concealed Thermostatic Bath Shower Valve & Handset

For bath filler and shower handset
Single mode shower handset included
Min 1 bar

- DIAL_CENT_11

Fuse



Matt Black
(M)

Brushed Brass
(F)

Chrome
(C)



Basin Monobloc

With click clack waste
H: 144mm P: 114mm
Min 0.2 bar
WRAS Approved Product

- FS110DNM
- FS110DNF
- FS110DNC



Tall Basin Monobloc

With click clack waste
H: 273mm P: 172mm
Min 0.2 bar
WRAS Approved Product

- FS112DNM
- FS112DNF
- FS112DNC



Basin 2 Hole Set

Without pop up waste
H: 120mm P: 201mm
Min 0.2 bar

- FS120WNM
- FS120WNF
- FS120WNC



Bath Filler

H: 128mm P: 107mm
Min 0.5 bar
WRAS Approved Product

- FS322DM
- FS322DF
- FS322DC



Bath Shower Mixer

With kit
H: 128mm P: 107mm
Min 0.5 bar
WRAS & KIWA Approved Product

- FS422DM
- FS422DF
- FS422DC



Bath Shower Mixer

H: 981mm P: 220mm
Min 2 bar

- FS416FM
- FS416FF
- FS416FC

COMPLETE THE LOOK
Shower heads see page 76
Accessories see page 90
Wastes see page 72



1 Outlet 2 Handle Valve

Min 1 bar
Supplied with concealed valve

- FS1000RM
- FS1000RF
- FS1000RC



2 Outlet 2 Handle Valve

Min 1 bar
Supplied with concealed valve

- FS1500RM
- FS1500RF
- FS1500RC



2 Outlet 3 Handle Valve

Min 1 bar
Supplied with concealed valve

- FS2000RM
- FS2000RF
- FS2000RC




2 Outlet 3 Handle Valve

Min 1 bar
Supplied with concealed valve

- FS2001RM
- FS2001RF
- FS2001RC

Wisp



Chrome
(C)



Mini Basin Monobloc

Without pop up waste
H: 147mm P: 95mm
Min 0.2 bar
KIWA Approved Product

● WP114DNC



Basin Monobloc

Without pop up waste
H: 157mm P: 120mm
Min 0.5 bar
KIWA Approved Product

● WP110DNC



Tall Basin Monobloc

Without pop up waste
H: 326mm P: 140mm
Min 0.5 bar
KIWA Approved Product

● WP112DNC



Basin 2 Hole Set

Without pop up waste
P: 167mm
Min 1 bar

● WP120WNC



Basin 2 Hole Set

Without pop up waste
P: 167mm
Min 1 bar

● WP121WNC



Bath Spout

Without pop up waste
P: 175mm
Min 1 bar

● WP0370WC



Thermostatic Bath Shower Mixer

With kit
H: 982mm P: 300mm
Min 2 bar

● WP418TFC



1 Outlet 2 Handle Trimset

Must be installed with a concealed valve

● WP1000LBPC

Concealed Thermostatic Valve
Min 0.2 bar
WRAS, KIWA & TMV2 Approved Product
1 Outlet
WLBP1000RC_V2



2 Outlet 2 Handle Trimset

Must be installed with a concealed valve

● WP1000LBPC

Concealed Thermostatic Valve
Min 1 bar
WRAS, KIWA & TMV2 Approved Product
2 Outlet
WLBP1500RC_V2



2 Outlet 3 Handle Trimset

Must be installed with a concealed valve

● WP2000LBPC

Concealed Thermostatic Valve
Min 0.2 bar
WRAS, KIWA & TMV2 Approved Product
2 Outlet
WLBP2000RC_V2



3 Outlet 3 Handle Trimset

Must be installed with a concealed valve

● WP2000LBPC

Concealed Thermostatic Valve
Min 1 bar
WRAS, KIWA & TMV2 Approved Product
3 Outlet
WLBP3000RC_V2

*Subject to online registration.



Pier



Basin Monobloc

Without pop up waste
H: 135mm P: 125mm
Min 0.5 bar
WRAS Approved Product

PI110DNW

PI110DNC



Tall Basin Monobloc

Without pop up waste
H: 310mm P: 200mm
Min 0.5 bar

PI112DNC



1 Outlet 2 Handle Trimset

Must be installed with a concealed valve

ZR02_1000LBPC

Concealed Thermostatic Valve

Min 0.2 bar
WRAS, KIWA & TMV2 Approved Product
1 Outlet
WLBP1000RC_V2



3 Outlet 2 Handle Trimset

Must be installed with a concealed valve

ZR02_1000LBPC

Concealed Thermostatic Valve

Min 1 bar
WRAS, KIWA & TMV2 Approved Product
3 Outlet
WLBP2500RC_V2

COMPLETE THE LOOK

Shower heads see page 76

Accessories see page 90

Wastes see page 72



2 Outlet 3 Handle Trimset

Must be installed with a concealed valve

ZR02_2000LBPC

Concealed Thermostatic Valve

Min 0.2 bar
WRAS, KIWA & TMV2 Approved Product
2 Outlet
WLBP2000RC_V2



3 Outlet 3 Handle Trimset

Must be installed with a concealed valve

ZR02_2000LBPC

Concealed Thermostatic Valve

Min 1 bar
WRAS, KIWA & TMV2 Approved Product
3 Outlet
WLBP3000RC_V2



2 Outlet 3 Handle Trimset

Must be installed with a concealed valve

ZR02_2001LBPC

Concealed Thermostatic Valve

Min 0.2 bar
WRAS, KIWA & TMV2 Approved Product
2 Outlet
WLBP2001RC_V2



3 Outlet 3 Handle Trimset


Must be installed with a concealed valve

ZR02_2001LBPC

Concealed Thermostatic Valve

Min 0.2 bar
WRAS, KIWA & TMV2 Approved Product
3 Outlet
WLBP3001RC_V2

Kai Lever



Chrome
(C)



Mini Basin Monobloc

Without pop up waste
H: 143mm P: 84mm
Min 0.2 bar

● KL114DNC



Basin Monobloc

Without pop up waste
H: 159mm P: 107mm
Min 0.2 bar

● KL110DNC



Tall Basin Monobloc

Without pop up waste
H: 317mm P: 106mm
Min 0.2 bar

● KL112DNC



Basin 2 Hole Set

Without pop up waste
P: 140 or 210mm
Min 0.2 bar

● KL120WNC



Basin 2 Hole Set

Without pop up waste
P: 140 or 210mm
Min 0.2 bar

● KL121WNC



Bath Shower Mixer

With kit
H: 412mm P: 122mm
Min 0.2 bar

● KL422DC



Freestanding Bath Spout

H: 1010mm P: 238mm
Min 1 bar

● BS0370FC



Bath Shower Mixer with Legs

For use with freestanding baths
Kit H: 412mm P: 122mm
Legs H: 740mm
Min 0.2 bar

● KL422FC



Bath Legs

Combine KL422DC bath fillers for
use with freestanding baths
H: 740mm

● AA002FC



Thermostatic Bath Shower Mixer


With kit
H: 977mm P: 238mm
Min 2 bar

● KL418TFC

*Subject to online registration.



Kai Lever



Chrome
(C)



Manual Shower Valve

Min 1 bar

● KL0004RC



Manual Shower Valve with Diverter

Min 3 bar

● KL0005RC



Panel Valves

Min 0.2 bar

KIWA Approved Product

● KL350DC



1 Outlet 2 Handle Trimset

Must be installed with a concealed valve

● KL1000LBPC

Concealed Thermostatic Valve

Min 0.2 bar

WRAS, KIWA & TMV2 Approved Product

1 Outlet

WLBP1000RC_V2



2 Outlet 2 Handle Trimset

Must be installed with a concealed valve

● KL1000LBPC

Concealed Thermostatic Valve

Min 1 bar

WRAS, KIWA & TMV2 Approved Product

2 Outlet

WLBP1500RC_V2



3 Outlet 2 Handle Trimset

Must be installed with a concealed valve

● KL1000LBPC

Concealed Thermostatic Valve

Min 1 bar

WRAS, KIWA & TMV2 Approved Product

3 Outlet

WLBP2500RC_V2

COMPLETE THE LOOK

Shower heads see page 76

Accessories see page 90

Wastes see page 72



2 Outlet 3 Handle Trimset

Must be installed with a concealed valve

● KL2000LBPC

Concealed Thermostatic Valve

Min 0.2 bar

WRAS, KIWA & TMV2 Approved Product

2 Outlet

WLBP2000RC_V2



3 Outlet 3 Handle Trimset

Must be installed with a concealed valve

● KL2000LBPC

Concealed Thermostatic Valve

Min 1 bar

WRAS, KIWA & TMV2 Approved Product

3 Outlet

WLBP3000RC_V2



2 Outlet 3 Handle Trimset

Must be installed with a concealed valve

● KL2001LBPC

Concealed Thermostatic Valve

Min 0.2 bar

WRAS, KIWA & TMV2 Approved Product

2 Outlet

WLBP2001RC_V2



3 Outlet 3 Handle Trimset

Must be installed with a concealed valve

● KL2001LBPC

Concealed Thermostatic Valve

Min 1 bar

WRAS, KIWA & TMV2 Approved Product

3 Outlet

WLBP3001RC_V2



2 Outlet 2 Handle Trimset & Handset

Must be installed with a concealed valve

● KL1701LBPC

Concealed Thermostatic Valve
Min 1 bar
WRAS, KIWA & TMV2 Approved Product
2 Outlet
WLBP1501RC_V2



2 Outlet 3 Handle Trimset & Handset

Must be installed with a concealed valve

● KL2701LBPC

Concealed Thermostatic Valve
Min 1 bar
WRAS, KIWA & TMV2 Approved Product
2 Outlet
WLBP2001RC_V2



3 Outlet 3 Handle Trimset

Must be installed with a concealed valve

● KL2701LBPC

Concealed Thermostatic Valve
Min 1 bar
WRAS, KIWA & TMV2 Approved Product
3 Outlet
WLBP3001RC_V2

Dial shower valves


Dial push button technology, enables you to precisely control the flow of the water as well as the temperature. This innovative design is smart on the inside using pioneering flow-control technology.



1 Outlet Concealed Thermostatic Shower Valve

Min 0.5 bar

● DIAL_KAI_1



2 Outlet Concealed Thermostatic Shower Valve

Min 1 bar

● DIAL_KAI_3



2 Outlet Concealed Thermostatic Bath Shower Valve

For bath filler

Min 1 bar

● DIAL_KAI_5



2 Outlet Concealed Thermostatic Shower Valve & Handset

For fixed head and shower handset
Single mode shower handset included
Min 1 bar

● DIAL_KAI_6




2 Outlet Concealed Thermostatic Bath Shower Valve & Handset

For bath filler and shower handset
Single mode shower handset included
Min 1 bar

● DIAL_KAI_11

Fusion



Chrome
(C)



Basin Monobloc

With click clack waste
H: 161mm P: 114mm
Min 0.2 bar

● MBFU110P_V2



Basin 2 Hole Set

P: 205mm
Min 0.2 bar

● MBFU120W



Bath Shower Mixer

With kit
H: 1100mm P: 220mm
Min 2 bar

● MBFU416F



Bath 3 Hole Set

P: 236mm
Min 0.2 bar

● MBFU430W



Bath Filler

H: 132mm P: 110mm
Min 0.2 bar

● MBFU322D



Bath Shower Mixer

With kit
H: 132mm P: 110mm
Min 0.2 bar

● MBFU422D



1 Outlet 2 Handle Trimset

Must be installed with a concealed valve

● MBFU1000LBPC



2 Outlet 2 Handle Trimset

Must be installed with a concealed valve

● MBFU1000LBPC

Concealed Thermostatic Valve
Min 0.2 bar

1 Outlet
MB1000RV_V2

Concealed Thermostatic Valve
Min 1 bar

2 Outlet
MB1500RV_V2



ABS Shower Head Ø200mm with Arm

Single mode
13mm head thickness
340mm wall arm
Min 1 bar

● MBFUWF20



ABS Shower Head Ø250mm with Arm

Single mode
13mm head thickness
340mm wall arm
Min 1 bar

● MBFUWF25



ABS Shower Head Ø200mm with Arm

Single mode
13mm head thickness
200mm wall arm
Min 1 bar

● MBFUAF20




ABS Shower Head Ø250mm with Arm

Single mode
13mm head thickness
200mm wall arm
Min 1 bar

● MBFUAF25

Flow



Chrome
(C)



Mini Basin Monobloc

With click clack waste
H: 122mm P: 81mm
Min 0.2 bar

● MBFW114P_V2



Basin Monobloc

With click clack waste
H: 140mm P: 103mm
Min 0.2 bar

● MBFW110P_V2



Bath Filler

H: 130mm P: 105mm
Min 0.2 bar

● MBFW322D



Bath Shower Mixer

With kit
H: 130mm P: 105mm
Min 0.2 bar

● MBFW422D



Bath Shower Mixer 4 Hole Set

With kit
H: 132.3mm P: 126mm
Min 1 bar


● MBFW440D

COMPLETE THE LOOK

Shower heads see page 76
Accessories see page 90
Wastes see page 72



Mini Mixers



Stainless
Slate
(T)



Stainless
Brushed Brass
Effect
(F)



Stainless
Steel
(S)



Chrome
(C)



3ONE6 Mini Basin Monobloc

Without pop up waste
H: 60mm P: 180mm
Min 1 bar

- TL114DNST
- TL114DNSF
- TL114DNS



MPRO Mini Basin Monobloc

Without pop up waste
H: 138mm P: 92mm
Min 0.5 bar
WRAS Approved Product

- PRO114DNC



LOWER PRICE**

MPRO Mini Basin Monobloc

Without pop up waste
H: 208mm P: 110mm
Min 0.5 bar

- PRO118DNC



Belgravia Mini Basin Monobloc

Without pop up waste
H: 127mm P: 119mm
Min 0.5 bar

- BL114DNC_LV



Kai Lever Mini Basin Monobloc

Without pop up waste
H: 143mm P: 84mm
Min 0.2 bar

● KL114DNC



Wisp Mini Basin Monobloc

Without pop up waste
H: 147mm P: 95mm
Min 0.2 bar
KIWA Approved Product

● WP114DNC



Planet Mini Basin Monobloc

With click clack waste
H: 140mm P: 87mm
Min 0.2 bar

● MBPS114P_V2



Fusion Mini Basin Monobloc

With click clack waste
H: 122mm P: 81mm
Min 0.2 bar

● MBFW114P_V2



Basin Wastes & Traps



Brushed
Bronze
(BZ)



Slate
(T)



Matt Black
(M)



Brushed Brass
(F)



Brushed
Nickel
(V)



Chrome
(C)



Brushed
Metallic
(E)



Universal Basin Free Flow Waste

For basins with or without an overflow

BSW0270C



Universal Basin Click Clack Waste

For basins with or without an overflow. Please note appearance may vary.

BSW0290BZ

BSW0290F

BSW0290T

PRO0260V_V2*

PRO0260M*

BSW0260C*

*WRAS & KIWA Approved Product



Basin Waste Click Clack

H: 70mm L: 87mm W: 87mm

CLW0260M

CLW0260F

CLW0260E

CLW0260C



Unslotted Basin Click Clack Waste

For basins without an overflow

BSBSW0101C

Extended Waste 100cm
BSW0102C



Unslotted Basin Click Clack Waste

For ceramic basins without an overflow

BSW0101GW_V2



Unslotted Basin Click Clack Waste

MBWA0101

Extended Waste 100cm
MBWA0102



Unslotted Basin Click Clack Waste

100mm thread

BSBSW0102C



Slotted Basin Click Clack Waste

For basins with an overflow

BSW0103C

Extended Waste 100cm
BSW0104C



Slotted Basin Click Clack Waste

For ceramic basins with an overflow

BSW0103GW_V2



Slotted Basin Click Clack Waste

MBWA0103



Slotted Basin Click Clack Waste

BSBSW0103C



Unslotted Basin Flip Top Waste

For basins without an overflow

● BSW0142C



Slotted Basin Flip Top Waste

For basins with an overflow

● BSW0141C



NEW

Basin Overflow Cover

For ceramic basins

● OVFLOWBZ_V2

● OVFLOWT_V2

● OVFLOWMB_V2

● OVFLOWF_V2

● OVFLOWV_V2

● OVFLOWC_V2



Bottle Trap Millennium Tall

With 400mm Pipe

● CLR0402MB



Standard Small Bottle Trap

With 400mm pipe

● BTR0406C



Standard Bottle Trap

With 400mm pipe

● BTR0403C



Small Bottle Trap

With 400mm pipe

● BTR0401C



Tall Bottle Trap

With 400mm pipe

● BTR0402BZ

● BTR0402T

● BTR0402M

● BTR0402F

● BTR0402V

● BTR0402C

Bath Wastes & Fillers



Brushed
Bronze
(BZ)



Slate
(T)



Matt Black
(M)



Brushed Brass
(F)



Brushed
Nickel
(V)



Chrome
(C)



Brushed
Metallic
(E)



Bath Pop Up Waste

● BTW0241C

Extended Waste 90cm
BTW0242C



Bath Click Clack Waste

● BTW0201C



Bath Click Clack Waste

Extended waste 900mm. Please note appearance may vary

● BTW0210BZ

● BTW0204F

● BTW0210T

● PRO0202V_V2*

● PRO0202M*

● BTW0202C*

*WRAS Approved Product



Water Drop Bath Waste

● BTW0245C



Bath Click Clack Waste

For freestanding baths

● BTW0206BZ

● BTW0206F

● BTW0206T

● BTW0206V

● BTW0206M

● BTW0206C



Bath Waste Click Clack

H: 82mm L: 85mm W: 120mm

● CLW0390M

● CLW0390F

● CLW0390E

● CLW0390C



Special Waste Pack

For baths without a pre-drilled overflow
(inc. click clack waste)

● CW11CW



**Unslotted Click Clack
Bath Waste**

Compatible with our Stone baths only

CW2CW (CHROME)

CW2NCSCW (STONE GLOSS)

CW2NCSCMW (STONE MATT)



P Trap

Compatible with our Stone baths only

● CW3CW



Bath Filler with Pop Up Waste

Min 0.5 bar

● BFW0341C

Extended Waste 90cm
BFW0342C



Bath Filler with Click Clack Waste

Min 0.5 bar

● BFW0301C

Extended Waste 90cm
BFW0302C



Bath Filler with Click Clack Waste

Min 0.5 bar. Please note appearance may vary

● BFW0360BZ

● BFW0360T

● PRO0355M

● BFW0370F*

● PRO0355V_V2

● PRO0351C

*WRAS Approved Product



Bath Filler with Pop Up Waste

Requires bath panel valves or recessed shower valve to operate

Min. 0.5 bar

● BFW0158C

Extended Waste 100cm
BFW0159C



Bath Filler with Click Clack Waste

Requires bath panel valves or recessed shower valve to operate

Min. 0.5 bar

● BFW0168C

Extended Waste 100cm
BFW0169C



MPRO Bath Filler Waste Extended

● PRO0360M

● PRO0360V

EXTENSION KITS FOR BATHS

Bath fillers and wastes are supplied with dual length fixings for baths up to 9mm thick.

Extension kits are available for bath thickness's from 9mm to 34mm.

Only suitable for use with Crosswater bath wastes, not compatible with BFW0370, TS0370, BTW0204, BTW0210, PRI0202 or TS0204 VS bath fillers and wastes.



Extension Kit for Bath Filler

With click clack waste

BFW0361



Extension Kit for Bath Pop Ups

BFW0362



Extension Kit for Bath Filler

BFW0363

Shower Heads *Recessed*



Slate
(T)



Matt Black
(M)




Brushed Brass
(F)



Brushed
Nickel
(V)



Chrome
(C)



Tranquil 500 Chromotherapy

With lights** tranquil rainfall and waterfall

Two modes


W: 500mm D: 500mm

Min 3 bar

● FHX760M

● FHX760F

● FHX760C



Tranquil 500

With tranquil rainfall and waterfall

Two modes

W: 500mm D: 500mm


Min 1 bar

● FH510M

● FH510F

● FH510V

● FH510C



Tranquil 380

With tranquil rainfall

Single mode

W: 380mm D: 380mm


Min 1 bar

● FH381M

● FH381F

● FH381V

● FH381C



Tranquil 380 Multi Flow

With tranquil rainfall and intense rainfall

Single mode

W: 380mm D: 380mm


Min 1 bar

● FH382M

● FH382F

● FH382V

● FH382C



MPRO Stream

With rainfall and column flow

Two modes

W: 380mm D: 380mm

Min 2 bar

● PRO380T

● PRO380M

● PRO380F

● PRO380V

● PRO380C

**Products with lights requiring mains power must be installed by an electrical engineer in compliance with IEE wiring regulations.

Shower Heads *Wall Mounted*



Brushed
Bronze
(BZ)



Slate
(T)



Matt Black
(M)



Brushed Brass
(F)



Brushed
Nickel
(V)



Chrome
(C)



Revive

Single mode with wipe clean nozzles
Ø300mm Head thickness: 30mm
Min 1 bar

● FH337BZ

● FH337T

● FH337M

● FH337F

● FH337V

● FH337C



Revive Multi Flow

With rainfall, massage and soft flow
Three modes with adjustable head position
W: 100mm D: 183mm
Min 2 bar
KIWA Approved Product

● FH342M

● FH342F

● FH342V

● FH342C



Revive Overhead Shower

With rainfall and waterfall
Three modes
W: 270mm D: 598mm Head thickness: 36mm
Min 2 bar

● FH2000C



Reflex Shower Head with Arm

Single mode with wipe clean nozzles
Ø66mm
Min 0.5 bar

● FH631C_V2



Reflex Shower Head with Arm

Six mode with wipe clean nozzles
Ø66mm
Min 0.5 bar

● FH632C_V2



The Sireli Shower Head

Wall Mounted
H: 168mm L: 100mm

● TSFH341M

Shower Heads *Fixed*



Brushed
Bronze
(BZ)



Slate
(T)



Matt Black
(M)



Brushed Brass
(F)



Brushed
Nickel
(V)



Chrome
(C)



Brushed
Metallic
(E)



MPRO Easy Clean Shower Head

Single mode with wipe clean nozzles
Ø200mm Head thickness: 5.8mm
Min 0.5 bar
KIWA Approved Product

- PRO200BZ
- PRO200T
- PRO200M_V2
- PRO200F_V2
- PRO200V_V2
- PRO200C_V2



MPRO Easy Clean Shower Head

Single mode with wipe clean nozzles
Ø300mm Head thickness: 5.8mm
Min 0.5 bar
KIWA Approved Product

- PRO300BZ
- PRO300T
- PRO300M_V2
- PRO300F_V2
- PRO300V_V2
- PRO300C_V2



Revive Easy Clean Shower Head

Single mode with wipe clean nozzles
Ø300mm Head thickness: 30mm
Min 1 bar

- FH335BZ
- FH335T
- FH335M
- FH335F
- FH335V
- FH335C



The Dara Shower Head

H: 62.5mm L: 300mm W: 300mm

● TDFH301E



Tranquil Easy Clean Shower Head

With tranquil rainfall
Single mode
Ø300mm Head thickness: 14.5mm
Min 1 bar

- FH340M
- FH340F
- FH340V
- FH340C



Zion Easy Clean Shower Head

Single mode with wipe clean nozzles
Ø200mm Head thickness: 8mm
Min 1 bar

- FH220M_V2
- FH220F_V2
- FH220V_V2
- FH220C_V2



Zion Easy Clean Shower Head

Single mode with wipe clean nozzles
Ø300mm Head thickness: 8mm
Min 1 bar

- FH330M_V2
- FH330F_V2
- FH330V_V2
- FH330C_V2



Planet ABS Shower Head Ø200mm with Arm

Single mode
13mm head thickness
200mm wall arm
Min 1 bar

● MBPSAF20



Waldorf Shower Head

Single mode
Ø200mm
Min 1 bar
WRAS Approved Product

● WF08C



Waldorf Easy Clean Shower Head

Single mode with wipe clean nozzles
Ø200mm
Min 1 bar
WRAS Approved Product

● WF08C_EC



Central Easy Clean Shower Head

Single mode with wipe clean nozzles
Ø200mm Head thickness: 12mm
Min 1 bar

● FH200C_V2



Central Easy Clean Shower Head

Single mode with wipe clean nozzles
Ø250mm Head thickness: 12mm
Min 1 bar
WRAS Approved Product

● FH250C_V2



Central Easy Clean Shower Head

Single mode with wipe clean nozzles
Ø300mm Head thickness: 12mm
Min 1 bar

● FH300C_V2



Dial Easy Clean Shower Head

Single mode with wipe clean nozzles
Ø225mm Head thickness: 8mm
Min 0.5 bar

● FH225C_V2



Essence Easy Clean Shower Head

Single mode with wipe clean nozzles
Integrated air fusion system
W: 320mm D: 210mm Head thickness: 20mm
Min 1 bar

● FH321C

Shower Arms & Body Jets



Brushed
Bronze
(BZ)



Slate
(T)



Matt Black
(M)



Brushed Brass
(F)



Brushed
Nickel
(L,V)



Chrome
(C)



Brushed
Metallic
(E)



Wall Mounted Shower Arm

P: 330mm

- FH684L
- FH684BZ
- FH684T_V2
- FH684M_V2
- FH684F_V2
- FH684V_V2
- FH684C



Ceiling Shower Arm

P: 198mm

- FH620BZ
- FH620T
- FH620M
- FH620F
- FH620V
- FH620C



Shower Arm

P: 380mm

KIWA Approved Product

- FH689C



Round Wall Arm

H: 115mm L: 350mm W: 70mm

- CFH635E



REX Extendible Ceiling Shower Arm

Three extendible length options: 80, 120 & 200mm

KIWA Approved Product

- FH685C



Dial Rotating Body Jet

Adjustable
Min 1 bar

- RB820C



The Nixie Spin Body Jet

H: 100mm L: 100mm

- TNRB810M

BODY JETS

If you are teaming your body jets with other items such as a shower head or handset, you will need to use a 2, 3 or 4 way diverter valve, which allows you to control multiple outlets with ease.

Shower Kits



Slate
(T)



Matt Black
(M)



Brushed Brass
(F)



Brushed Nickel
(V)



Chrome
(C)



LOWER PRICE**

MPRO Shower Kit

Includes: MPRO 130mm Multi Handset, MPRO 700mm Slide Rail, MPRO Shower Hose 1.5m & MPRO Wall Outlet
Slides up and down, twist and lock
Min 0.5 bar

KIWA Approved Product

- MPROKITV_V2
- MPROKITM_V2
- MPROKITF_V2
- MPROKITV_V2



Ethos Shower Kit

Includes: Ethos Push-Button Shower Rail, Ethos 3 Mode Handset with Easy Clean Head 120mm & Shower Hose 8mm x 1.5m
Min 1 bar

- ETHOSPACKAGE2V2
- ETHOSPACKAGE2M



Ethos Shower Kit

Includes: Ethos Push-Button Shower Rail, Ethos 3 Mode Handset with Easy Clean Head 140mm & Shower Hose 8mm x 1.5m
Min 1 bar

- ETHOSPACKAGE6V2



Ethos Shower Kit

Includes: Whisp Shower Rail, Ethos Push-Button Shower Head & Shower Hose 8mm x 1.5m
Slides up and down, twist and lock
Min 0.5 bar

- ETHOSPACKAGE1V2



Svelte Shower Kit

Includes: Svelte Shower Rail with Wall Outlet, Svelte Single Mode Handset & 11 x 1500mm Hose
Slides up and down, twist and lock
Min 0.2 bar

- SVELTEPACKAGE1_V2



Svelte Shower Kit

Includes: Svelte Shower Rail with Wall Outlet, Svelte Multifunction Handset & 11 x 1500mm Hose
Slides up and down, twist and lock
Min 0.5 bar

- SVELTEPACKAGE2_V2



Central Shower Kit

Five modes with wipe clean nozzles
Rail height: 900mm Hose length: 1500mm
Slides up and down, twist and lock
Wall outlet sold separately
Min 0.2 bar

- SK984C



Fusion Shower Kit

Three mode with wipe clean nozzles
Rail height: 904.8mm Hose length: 1500mm
Slides up and down, twist and lock
Wall outlet sold separately
Min 0.2 bar

- MBSK814C



Pier Shower Kit

Single mode with wipe clean nozzles
Rail height: 600mm Hose length: 1500mm
Slides up and down, twist and lock
Wall outlet sold separately
Min 0.2 bar

- SK610C



NEW

Shower Kit with Outlet

Three mode with wipe clean nozzles
Rail height: 698mm Hose length: 1500mm
Slides up and down, twist and lock
Includes wall outlet
Min 1 bar

- SK971BZ
- SK971T
- SK971M
- SK971F
- SK971L
- SK971C

*Subject to online registration.



Bath & Shower Handsets



Slate
(T)



Matt Black
(M)



Brushed Brass
(F)



Brushed Nickel
(V)



Chrome
(C)



MPRO Follow Me Shower Handset

With hose
Single mode with wipe clean nozzles
Min 0.5 bar
KIWA Approved Product

- PRO812M
- PRO812F
- PRO812V



Round Follow Me Shower Handset

With hose
Single mode with wipe clean nozzles
Min 0.5 bar

- SK812C



The Lita Shower Handset

H: 190mm L: 24mm

- TLSH963E



MPRO Handset

Three modes with wipe clean nozzles
Min 0.5 bar

- PRO633T
- PRO633M
- PRO633F
- PRO633V



Wisp Handset

Single mode
Min 0.2 bar

- SH620C



Wisp Handset

Three modes
Min 0.2 bar

- SH625C



Wisp Handset

Three modes
Min 1 bar

- SH605C



Svelte Handset

Single mode
Min 0.2 bar

- SH200C



Svelte Handset

Three modes with wipe clean nozzles
Min 0.5 bar

- SH210C



Ethos Handset

Multi mode with wipe clean nozzles
Min 0.5 bar

- SH630C



Ethos Handset

Multi mode with wipe clean nozzles
Push button control

Min 1 bar

- SH635C (Ø120mm)
- SH640C (Ø140mm)



The Zinnina Shower Handset

- TZSH690M

Shower Handsets Packages



Brushed Bronze (BZ)



Slate (T)



Matt Black (M)



Brushed Brass (F)



Brushed Nickel (V)



Chrome (C)



Stainless Slate (ST)



Stainless Brushed Brass Effect (SF)



Stainless Steel (S)



MPRO Handset Package

With wall outlet, handset and hose
Single mode
Min 0.2 bar
KIWA Approved Product

- PRO963BZ
- PRO963T
- PRO963M
- PRO963F
- PRO963V
- PRO963C



Square Handset Package

With wall outlet, handset and hose
Single mode
Min 0.2 bar

- SK962M
- SK962F
- SK962V
- SK962C_V2



3ONE6 Handset Package

With wall outlet, handset and hose
Single mode
Min 1 bar

- TS963ST
- TS963SF
- TS963S



Ethos Handset Package

With wall outlet, handset and hose
Single mode
Min 1 bar

- ETHOSPACKAGE3



Wisp Handset Package

With wall outlet, handset and hose
Three modes
Min 0.2 bar

- WISPPACKAGE4



Designer Handset Package

With wall outlet, handset and hose
Single mode
Min 0.2 bar
KIWA Approved Product

- SK963C



Belgravia Handset Package

With wall outlet, handset and hose
Single mode
Min 0.2 bar

- BL964C

Shower Accessories



Slate
(T)



Matt Black
(M)



Brushed Brass
(F)



Brushed Nickel
(L,V)



Chrome
(C)



Brushed Metallic
(E)



Unlacquered
Brushed Brass
(Q)



MPRO Wall Outlet

Min 0.5 bar

● PRO955T

● PRO955M

● PRO955F

● PRO955V



Standard Wall Outlet

Min 0.2 bar

● WL951C



Svelte Wall Outlet

Min 0.2 bar

● WL955C



Square Wall Outlet

Min 0.2 bar

● WL952C



Designer Wall Outlet

Min 0.2 bar

● WL953C



**Golf Wall Outlet with
Handset Holder**

Min 0.2 bar

● WL963C



**Wall Outlet with Handset
Holder**

Min 0.2 bar

● BL963C



Wall Outlet

Min 0.2 bar

● BL963F

● BL963L



**Traditional Shower Handset
Bracket**

● BL953C



**Round Wall Outlet with
Backplate**

H: 70mm L: 70mm

● CWL963M



**Square Wall Outlet with
Backplate**

H: 70mm L: 70mm

● CWL961E



MPRO Shower Hose

1500mm

- PRO980T
- PRO980M
- PRO980F (SMOOTH HOSE)
- PRO980V



Shower Hose

- SH974L (11 X 1500MM)
- SH974Q (8 X 1500MM)
- SH974C (8 X 1500MM)
- SH970C (11 X 1500MM)



Easy Clean Shower Hose

8 x 1500mm

- SH774C



Easy Clean Smooth Shower Hose

8 x 1750mm

- SH964C



Shower Hose

L: 1500mm W: 23mm

- CSH974M
- CSH974S

Douches



Brushed
Bronze
(BZ)



Slate
(T)



Matt Black
(M)



Brushed Brass
(F)



Brushed
Nickel
(L,V)



Chrome
(C)



MPRO Integrated Douche Valve

With bracket, handset and smooth hose
Temperature control with comfort setting
Integrated shut off
Min 1 bar

● PRO945T

● PRO945M

● PRO945F

● PRO945V



Kai Douche Valve

With bracket, handset and hose
Manual temperature control valve
Operating shut off trigger
Integrated shut off valve
Min 0.2 bar - Max 1 bar

● SH940C



Luxury Douche Kit

With bracket, handset and hose
Operating shut off trigger
Use in conjunction with douche valve
Min 0.2 bar - Max 1 bar

● SH935C

Multifunction Showers



Planet Thermostatic Shower Kit

Includes: Shower valve, riser and shower arm, square fixed head, handset, riser bracket & hose
Min 1 bar


● MB510SQ



Fusion Thermostatic Shower Kit

Includes: Shower valve, riser and shower arm, square fixed head, three mode handset, riser bracket & hose
Min 1 bar

● MB500RM



Atoll Thermostatic Shower Kit

Includes: Shower valve, adjustable riser and shower arm, 200mm square fixed head, handset, riser bracket & hose
Height adjustable fixed head
Valve to head H: 780-1380mm
Compatible with RM-SHUTOFF
Min 1 bar


● SQ600WC



Curve Thermostatic Shower Kit

Includes: Shower valve, adjustable riser and shower arm, Ø225mm round fixed head, handset, riser bracket & hose
Valve to head H: 1039mm
Compatible with RM-SHUTOFF
Min 1 bar

● RM553WC_V2



Central Thermostatic Shower Kit

Includes: Shower valve, adjustable riser and shower arm, Ø225mm round fixed head, handset, riser bracket and hose
Valve to head H: 1070mm
Compatible with RM-SHUTOFF
Min 1 bar
WRAS Approved Product

● RM531WBZ

● RM531WT

● RM531WM

● RM531WF

● RM531WL

● RM531WC



Exposed Shower Unions

Thermostatic with integrated shutoff

● RM_SHUTOFF

HEIGHT ADJUSTABLE

Our Central, Atoll or Curve Multifunction Thermostatic Shower Kits are perfect if you have varying heights within your household. The riser rail is height adjustable from 740 to 1300mm.

Exposed Shower Valves



Chrome
(C)



Central Thermostatic Shower Valve

Compatible with RM_SHUTOFF
Min 0.5 bar

● EV1215EC_V2



Kai Thermostatic Shower Valve

Compatible with RM_SHUTOFF
Min 0.5 bar
KIWA Approved Product

● EV1252EC



Kai Thermostatic Shower Valve

Compatible with RM_SHUTOFF
Min 1 bar

● EV1210EC



Kai Thermostatic Bath Shower Valve

Compatible with RM_SHUTOFF
Min 1 bar

● EV1211EC



Thermostatic Bath Shower Valve

Compatible with RM_SHUTOFF
Min 1 bar

● EV1251EC



Thermostatic Bath Shower Valve

Compatible with RM_SHUTOFF
Min 0.5 bar
KIWA Approved Product

● EV1253EC




Exposed Shower Unions

Thermostatic with integrated shutoff

● RM_SHUTOFF

Kitchen



Matt Black
(M)



Brushed Brass
(F)



Stainless
Steel
(S)



Chrome
(C)



MPRO Side Lever Kitchen Mixer

Swivel Spout
H: 377mm P: 248mm
Min 0.5 bar
WRAS Approved Product

- PRO714DM
- PRO714DF
- PRO714DS
- PRO714DC



Cook Dual Control Kitchen Mixer with Flexi Spray

Swivel Spout
H: 573mm P: 228mm
Min 1 bar

- CO711DC



Cook Side Lever Kitchen Mixer with Flexi Spray

Swivel Spout
H: 597mm P: 230mm
Min 1 bar

- CO717DC



Cook Side Lever Kitchen Mixer with Concealed Dual Function Spray

Swivel Spout
H: 386mm P: 252mm
Min 1 bar

- CO714DC



Belgravia Dual Lever Kitchen Mixer

Swivel Spout
H: 399mm P: 194mm
Min 0.1 bar

- BL710DC_LV



Belgravia 2 Handle Kitchen Mixer

Swivel Spout
H: 337mm P: 174mm
Min 0.2 bar

- BL711DC



Tropic Dual Lever Kitchen Mixer

Swivel Spout
H: 309mm P: 230mm
Min 1 bar

- TP711DC



Tube Side Lever Kitchen Mixer

Swivel Spout
H: 306mm P: 225mm
Min 1 bar

- TU713DS



Design Side Lever Kitchen Mixer

Swivel Spout
H: 277mm P: 224mm
Min 1 bar

- DE716DS





Brushed
Bronze
(BZ)



Slate
(T)



Matt Black
(M)



Brushed Brass
(F)



Brushed
Nickel
(L, V)



Chrome
(C)



Accessory Set 1

Freestanding

Toothbrush & Toothpaste Holder
Soap Dispenser
Toilet Brush Holder

- C ACCSET1C
- MB ACCSET1M
- BB ACCSET1F
- BN ACCSET1L
- BZ ACCSET1BZ
- S ACCSET1T



Accessory Set 2

Wall Mounted

Robe Hook
Towel Ring
Toilet Roll Holder
Toilet Brush Holder

- C ACCSET2C
- MB ACCSET2M
- BB ACCSET2F
- BN ACCSET2L
- BZ ACCSET2BZ
- S ACCSET2T

ACCESSORY SETS

Towel Ring, Toilet Roll Holder and Toilet Brush Holder are made from solid brass.
All brushed finishes are PVD (Physical Vapor Deposition) enhancing durability.

Strikethrough prices are the total RRP's of the individual components at December 2025.



LOWER PRICE**

Wall Soap Dispenser

W: 93mm H: 170mm

- BZ PRO011BZ
- T PRO011T
- M PRO011M
- F PRO011F
- V PRO011V
- C PRO011C_V2



LOWER PRICE**

Freestanding Soap Dispenser

W: 51mm H: 170mm

- BZ PRO012BZ
- T PRO012T
- M PRO012M
- F PRO012F
- V PRO012V
- C PRO012C



LOWER PRICE**

Freestanding Toothbrush Holder

W: 52mm H: 128mm

- BZ PRO004BZ
- T PRO004T
- M PRO004M
- F PRO004F
- V PRO004V
- C PRO004C



LOWER PRICE**

Towel Ring

W: 200mm H: 100mm

- BZ PRO013BZ
- T PRO013T
- M PRO013M_V2
- F PRO013F_V2
- V PRO013V_V2
- C PRO013C_V2



LOWER PRICE**
Toilet Roll Holder

W: 190mm D: 70mm

- PRO029BZ
- PRO029T
- PRO029M_V2
- PRO029F_V2
- PRO029V_V2
- PRO029C_V2



LOWER PRICE**
Spare Toilet Roll Holder

W: 190mm D: 72mm

- PRO041BZ
- PRO041T
- PRO041M
- PRO041F
- PRO041V
- PRO041C



LOWER PRICE**
Wall Toilet Brush Holder

W: 80mm H: 400mm

- PRO025BZ
- PRO025T
- PRO025M_V2
- PRO025F_V2
- PRO025V_V2
- PRO025C_V2



LOWER PRICE**
Freestanding Toilet Brush Holder

W: 93mm H: 413mm

- PRO026BZ
- PRO026T
- PRO026M
- PRO026F
- PRO026V
- PRO026C



LOWER PRICE**
Robe Hook

W: 20mm D: 30mm

- PRO021BZ
- PRO021T
- PRO021M_V2
- PRO021F_V2
- PRO021V_V2
- PRO021C_V2



LOWER PRICE**
Towel Rail

W: 450mm D: 72mm

- PRO043BZ
- PRO043T
- PRO043M
- PRO043F
- PRO043V
- PRO043C



LOWER PRICE**
2 Swivel Towel Rail

W: 446mm H: 80mm

- PRO047BZ
- PRO047T
- PRO047M
- PRO047F
- PRO047V
- PRO047C



Towel Rail Single

W: 650mm D: 70mm

- PRO023C_V2



Soap Dish

W: 116mm H: 38mm

- PRO005C_V2



Grab Bar Straight

W: 300mm D: 80mm

- PRO036C_V2



Tumbler Holder

W: 70mm H: 120mm

- PRO003C_V2

3ONE6



Stainless
Slate
(T)



Stainless
Brushed Brass
Effect
(F)



Stainless
Steel
(S)



Robe Hook

H: 45mm D: 33mm

- TS021ST
- TS021SF
- TS021S



Tumbler Holder

H: 147mm D: 74mm

- TS003ST
- TS003SF
- TS003S



Toilet Roll Holder

W: 163mm D: 78mm

- TS029ST
- TS029SF
- TS029S



Toilet Brush Holder

H: 434mm D: 82mm

- TS025ST
- TS025SF
- TS025S



Soap Dispenser

H: 197mm D: 63mm

- TS011ST
- TS011SF
- TS011S



Towel Rail

W: 660mm D: 78mm

- TS013ST
- TS013SF
- TS013S

Rotar



Brushed
Bronze
(BZ)



Slate
(T)



Matt Black
(M)



Brushed Brass
(F)



Brushed
Nickel
(V)



Chrome
(C)



Tumbler Holder

W: 70mm H: 94mm

- RT003BZ
- RT003T
- RT003M
- RT003F
- RT003V
- RT003C



Soap Dispenser

W: 74mm H: 149mm

- RT011BZ
- RT011T
- RT011M
- RT011F
- RT011V
- RT011C



Towel Ring

W: 230mm D: 154mm

- RT013BZ
- RT013T
- RT013M
- RT013F
- RT013V
- RT013C



Robe Hook

W: 30mm H: 42mm

- RT021BZ
- RT021T
- RT021M
- RT021F
- RT021V
- RT021C



Toilet Brush Holder

W: 94mm D: 409mm

- RT025BZ
- RT025T
- RT025M
- RT025F
- RT025V
- RT025C



Toilet Roll Holder

W: 161mm D: 68mm

- RT029BZ
- RT029T
- RT029M
- RT029F
- RT029V
- RT029C



Towel Rail 450

W: 450mm

- RT023BZ
- RT023T
- RT023M
- RT023F
- RT023V
- RT023C



Towel Rail 600

W: 600

- RT015BZ
- RT015T
- RT015M
- RT015F
- RT015V
- RT015C




Shelf, Soap Dispenser & Tumbler Holder

W: 600mm. Can be installed left or right handed

- RT001BZ
- RT001T
- RT001M
- RT001F
- RT001V
- RT001C



The Mio



Matt Black
(M)



Brushed
Brass
(F)



Brushed
Metallic
(E)



Chrome
(C)



The Mio Tumbler Holder

H: 77mm L: 139mm W: 148mm

- TMI003M
- TMI003F
- TMI003E
- TMI003C



The Mio Soap Dispenser

Wall Mounted
H: 77mm L: 125mm W: 240mm

- TMI011M
- TMI011F
- TMI011E
- TMI011C



The Mio Toilet Brush Holder

H: 150mm L: 200mm W: 460mm

- TMI025M
- TMI025F
- TMI025E
- TMI025C

Optional Back Plate

- TMI001M
- TMI001F
- TMI001E
- TMI001C



The Mio Towel Rail

Wall Mounted
H: 50mm L: 565mm W: 90mm

- TMI023M
- TMI023F
- TMI023E
- TMI023C

Optional Back Plate x2

- TMI001M
- TMI001F
- TMI001E
- TMI001C



The Mio Robe Hook

Wall Mounted
H: 70mm L: 90mm W: 130mm

- TMI021M
- TMI021F
- TMI021E
- TMI021C

Optional Back Plate

- TMI001M
- TMI001F
- TMI001E
- TMI001C



The Mio Toilet Roll Holder

H: 77mm L: 139mm

- TMI029M
- TMI029F
- TMI029E
- TMI029C



Central Towel Rail

550mm

- CE023C_V2



Central Towel Rail Double

660mm

- CE028C_V2

The Lui



Stainless
Steel
(S)



The Lui Tumbler Holder

Wall Mounted

● TLU003S



The Lui Soap Dispenser

Wall Mounted

● TLU011S



The Lui Toilet Brush Holder

Wall Mounted

H: 150mm L: 200mm W: 460mm

● TLU025S



The Lui Towel Rail

Wall Mounted

H: 50mm L: 565mm W: 90mm

● TLU023S



The Lui Toilet Roll holder

Wall Mounted

H: 150mm L: 139mm W: 148mm

● TLU029S



The Lui Robe Hook

Wall Mounted

● TLU021S



Velo



Brushed
Bronze
(BZ)



Slate
(T)



Matt Black
(M)



Brushed Brass
(F)



Brushed
Nickel
(V)



Chrome
(C)



Tumbler Holder

W: 69mm H: 110mm

- VE003BZ
- VE003T
- VE003M
- VE003F
- VE003V
- VE003C



Soap Dispenser

W: 69mm H: 165mm

- VE011BZ
- VE011T
- VE011M
- VE011F
- VE011V
- VE011C



Robe Hook

H: 60mm D: 28mm

- VE021BZ
- VE021T
- VE021M
- VE021F
- VE021V
- VE021C



LOWER PRICE**

Toilet Brush Holder

W: 80mm H: 400mm

- PRO025BZ
- PRO025T
- PRO025M_V2
- PRO025F_V2
- PRO025V_V2
- PRO025C_V2



Toilet Roll Holder

W: 165mm D: 90mm

- VE029BZ
- VE029T
- VE029M
- VE029F
- VE029V
- VE029C



Towel Rail 450

W: 450mm D: 80mm

- VE038BZ
- VE038T
- VE038M
- VE038F
- VE038V
- VE038C



Towel Rail 600

W: 600mm D: 80mm

- VE023BZ
- VE023T
- VE023M
- VE023F
- VE023V
- VE023C




Shelf, Soap Dispenser & Tumbler Holder

W: 604mm. Can be installed left or right handed

- VE040BZ
- VE040T
- VE040M
- VE040F
- VE040V
- VE040C

Belgravia



Brushed
Brass
(F)



Brushed
Nickel
(L)



Chrome
(C)



Single Robe Hook

W: 55mm D: 68mm

- BL021F
- BL021L
- BL021C_V2



Double Robe Hook

W: 55mm H: 114mm

- BL022F
- BL022L
- BL022C_V2



Tumbler Holder

H: 111mm D: 132mm

- BL003F
- BL003L
- BL003C_V2



Towel Ring

W: 170mm H: 192mm

- BL013F
- BL013L
- BL013C_V2



Toilet Roll Holder

W: 175mm H: 110mm

- BL029F
- BL029L
- BL029C_V2



Toilet Brush Holder

H: 406mm D: 161mm

- BL025F
- BL025L
- BL025C_V2



Towel Rail

W: 545mm D: 68mm

- BL023F
- BL023L
- BL023C_V2



Double Towel Rail

W: 655mm D: 154mm

- BL028F
- BL028L
- BL028C_V2



Soap Basket

W: 141mm D: 127mm

- BL044C_V2

Shower Baskets & *Fold*



Brushed
Bronze
(BZ)



Slate
(T)



Matt Black
(M)



Brushed Brass
(F)



Brushed
Nickel
(V)



Chrome
(C)



Fold Single Hook

8mm/10mm

Compatible with 8mm & 10mm thick glass panels

● FO070BZ

● FO070T

● FO070M

● FO070F

● FO070V

● FO070C



Wall Mounted Basket & Black Tray

W: 220mm D: 100mm H: 60

● SB035BM

● SB035BF

● SB035BV

● SB035BC



Wall Mounted Basket & White Tray

W: 200mm D: 100mm H: 60

● SB035WM

● SB035WF


● SB035WV

● SB035WC

SHOWER BASKETS

Our shower baskets include a removable tray for easy cleaning or colour change and useful hooks to hang items underneath.

Grab Bars



Brushed Bronze
(BZ)



Slate
(T)



Matt Black
(M)



Brushed Brass
(F)



Brushed Nickel
(V)



Chrome
(C)



Straight Grab Bar 400

W: 400mm

- GBS400BZ
- GBS400T
- GBS400M
- GBS400F
- GBS400V
- GBS400C



Straight Grab Bar 600

W: 600mm

- GBS600BZ
- GBS600T
- GBS600M
- GBS600F
- GBS600V
- GBS600C



Straight Grab Bar 800

W: 800mm

- GBS800BZ
- GBS800T
- GBS800M
- GBS800F
- GBS800V
- GBS800C



Angled Grab Bar & WC Roll Holder

W: 720mm H: 320mm

- GBA7232BZ
- GBA7232T
- GBA7232M
- GBA7232F
- GBA7232V
- GBA7232C



Right Angle Grab Bar

W: 830mm D: 435mm

- GBR8343BZ
- GBR8343T
- GBR8343M
- GBR8343F
- GBR8343V
- GBR8343C



Grab Bar Handset Holder

Must be used with Right Angle Grab Bar

- GBH01BZ
- GBH01T
- GBH01M
- GBH01F
- GBH01V
- GBH01C

Niches



Brushed
Bronze
(BZ)



Slate
(T)



Matt Black
(MB)



Brushed Brass
(F)



Brushed
Nickel
(V)



Chrome
(C)**

**Made from polished stainless steel to match our chrome finish.
(reduces fingerprint marks)

All Niches are made with high quality 304 stainless steel which provides a protective oxide layer increasing corrosion resistance.

5 pieces of stainless steel are robotically welded ensuring a seamless joint finish that will not leak.

All brushed finishes are PVD (Physical Vapor Deposition) enhancing durability.

Fully insulated with 2mm EVA sound deadening backing to reduce noise transmission.

Compatible with both solid and drywall (stud) installations.

Built in 1% fall on the internal shelf to prevent water pooling.

LED lighting is warm white (3000 Kelvin value).

LED's are rated at IP (Ingress Protection) 66 giving protection from dust and high pressure water jets.



NEW

Niche LED 305 x 80

W: 305mm H: 305mm D: 80mm
IP rating IP66

- NI80305305LBZ
- NI80305305LT
- NI80305305LMB
- NI80305305LF
- NI80305305LV
- NI80305305LC NEW



Niche LED 305 x 120

W: 305mm H: 305mm D: 120mm
IP rating IP66

- NI305305LBZ
- NI305305LT
- NI305305LMB
- NI305305LF
- NI305305LV
- NI305305LC NEW



NEW

Niche LED 610 x 80

W: 610mm H: 305mm D: 80mm
IP rating IP66

- NI80305610LBZ
- NI80305610LT
- NI80305610LMB
- NI80305610LF
- NI80305610LV
- NI80305610LC NEW



Niche LED 610 x 120

W: 610mm H: 305mm D: 120mm
IP rating IP66

- NI305610LBZ
- NI305610LT
- NI305610LMB
- NI305610LF
- NI305610LV
- NI305610LC NEW



NEW

Niche 305 x 80

W: 305mm H: 305mm D: 80mm

- NI80305305BZ
- NI80305305T
- NI80305305MB
- NI80305305F
- NI80305305V
- NI80305305C NEW



Niche 305 x 120

W: 305mm H: 305mm D: 120mm

- NI305305BZ
- NI305305T
- NI305305MB
- NI305305F
- NI305305V
- NI305305C NEW



NEW

Niche 610 x 80

W: 610mm H: 305mm D: 80mm

- NI80305610BZ
- NI80305610T
- NI80305610MB
- NI80305610F
- NI80305610V
- NI80305610C NEW



Niche 610 x 120

W: 610mm H: 305mm D: 120mm

- NI305610BZ
- NI305610T
- NI305610MB
- NI305610F
- NI305610V
- NI305610C NEW


Water saving regulations

Should you wish to reduce the water consumption of your household, you can easily insert a flow regulator into your basin tap or shower hose/head.



Basin Tap Flow Regulator

Due to our vast selection of tap designs, we have a wide range of tap flow regulators. We recommend contacting our sales office to discuss the compatible version for your tap.



Shower Flow Regulator

Designed for hand showers or fixed heads operating min 1 bar.

6 lpm Shower Flow Regulator

5886361

8 lpm Shower Flow Regulator

5886381

NEOPERL®

Furniture 10 Year
Guarantee*



White Gloss
Lacquered finish
ACTIVE antibacterial



- 

- 

- 

w 910 x d 460 x h 12.5mm

Tambour



Sage Green
Matt lacquered finish
ACTIVE antibacterial
Anti fingerprint



Soft Clay
Matt lacquered finish
ACTIVE antibacterial
Anti fingerprint



Matt White
Lacquered finish
ACTIVE antibacterial
Anti fingerprint

Worktop

Worktops are produced from solid 20mm thick recycled marble material. Highly durable to daily wear and tear, scratching and normal household cleaning materials.



Gold Vein Estatuario
Supplied undrilled

Basin

Easy to clean, anti-bacterial and highly durable mineral composite basins.



Cast Mineral Marble
Gel Coat Stone Resin



600 Single Drawer Unit

w 606 x d 463 x h 475mm (w/top 495mm)

TA600DWHSGR

TA600DWHSC

TA600DWHWM



800 Single Drawer Unit

w 806 x d 463 x h 475mm (w/top 495mm)

TA800DWHSGR

TA800DWHSC

TA800DWHWM



600 Floorstanding Unit

w 606 x d 463 x h 795mm (w/top 815mm)

TA600FFSSGR

TA600FFSSC

TA600FFSWM



800 Floorstanding Unit

w 806 x d 463 x h 795mm (w/top 815mm)

TA800FFSSGR

TA800FFSSC

TA800FFSWM

Worktop TA600WTGE

w 606 x d 463 x h 20mm

Worktop TA800WTGE

w 806 x d 463 x h 20mm

Worktop TA600WTGE

w 606 x d 463 x h 20mm

Worktop TA800WTGE

w 806 x d 463 x h 20mm

600 Cast Mineral Marble Basin

with overflow. w 605 x d 460 x h 15mm

1TH TA0601SCW

800 Cast Mineral Marble Basin

with overflow. w 805 x d 460 x h 15mm

1TH TA0801SCW

600 Cast Mineral Marble Basin

with overflow. w 605 x d 460 x h 15mm

1TH TA0601SCW

800 Cast Mineral Marble Basin

with overflow. w 805 x d 460 x h 15mm

1TH TA0801SCW



Avenue



Worktops

Worktops are produced from solid 20mm thick recycled marble material. The surfaces are resistant to day to day wear and tear, impact, scratching and normal household cleaning agents.



Gold Vein Estatuario

Supplied undrilled

Easy clean, highly heat resistant solid surface
Impenetrable to dust, dirt and bacteria



Carrara Marble Effect

Supplied undrilled

Easy clean, highly heat resistant solid surface
Impenetrable to dust, dirt and bacteria



Sage Green

Matt finish
ACTIVE antibacterial
Anti fingerprint



Windsor Oak

Matt finish
ACTIVE antibacterial
Anti fingerprint



Warm Stone

Matt finish
ACTIVE antibacterial
Anti fingerprint

Basin



White Ceramic

Easy clean, highly heat resistant solid surface
Impenetrable to dust, dirt and bacteria
In built overflow



600 Double Drawer Unit

w 609 x d 460 x h 580

- AV600DWHSGR
- AV600DWHWO
- AV600DWHWS



800 Double Drawer Unit

w 809 x d 460 x h 580

- AV800DWHSGR
- AV800DWHWO
- AV800DWHWS



Optional Legs Kit

Pair of legs. All fixings supplied.
Colour matched to Crosswater brassware.

- AVLK01C
- AVLK01V
- AVLK01F
- AVLK01BZ
- AVLK01T
- AVLK01M

600 Ceramic Basin

with overflow. w 615 x d 465 x h 120mm

- 1TH AVA0601SCW
- 3TH AVA0603SCW

800 Ceramic Basin

with overflow. w 815 x d 465 x h 120mm

- 1TH AVA0801SCW
- 3TH AVA0803SCW

METALLIC SWATCHES

For finish information please see
page 10

600 Gold Vein Worktop

w 610 x d 455 x h 20mm

- FWT6100TGE

800 Gold Vein Worktop

w 810 x d 460 x h 20mm

- FWT8100TGE

600 Carrara Marble Worktop

w 610 x d 455 x h 12.5mm

- IF6100TMC

800 Carrara Marble Worktop

w 810 x d 460 x h 12.5mm

- IF8100TMC_V2

Svelte



Basins



Ice White Glass
Handcast from low iron soda silicate glass
External overflow with chrome cover



Cast Mineral Marble
Manufactured from a mix of dolomite and elastic resin, then finished with a high gloss nanocoat.
Overflow colour options available



American Walnut
Real wood veneer
Matching edging
PU



Grey Ash
Real wood veneer
Matching edging
PU



White Gloss
Lacquered finish
ACTIVE Antibacterial

All Crosswater real wood veneer finishes are produced from sustainable forestry projects. 85% of the boards are produced from recyclable materials.

Optional Overflow Cover

Optional upgrade, Chrome comes as standard

- OVFLOWMB_V2
- OVFLOWF_V2
- OVFLOWV_V2

METALLIC SWATCHES

For finish information please see page 10



600 Double Drawer Unit
w 595 x d 453 x h 520mm (w/ basin 540mm)

- SE6000DAW
- SE6000DGA
- SE6000DWG



800 Double Drawer Unit
w 795 x d 447 x h 520mm (w/ basin 540mm)

- SE8000DAW
- SE8000DGA
- SE8000DWG



1000 Double Drawer Unit
w 1000 x d 460 x h 520mm (w/ basin 540mm)

- SE1000SD2AW
- SE1000SD2GA
- SE1000SD2WG

600 Ice White Glass Basin
with overflow. w 600 x d 457 x h 20mm

1TH SE0611SICE

800 Ice White Glass Basin
with overflow. w 800 x d 457 x h 20mm

1TH SE0811SICE

1000 Ice White Glass Basin
with overflow. w 1010 x d 471/415 x h 20mm

1TH SE1011SICE

600 Cast Mineral Marble Basin
with overflow. w 600 x d 457 x h 20mm

1TH SE0611S2RW

800 Cast Mineral Marble Basin
with overflow. w 800 x d 457 x h 20mm

1TH SE0811S2RW

1000 Cast Mineral Marble Basin
with overflow. w 1010 x d 471/415 x h 20mm

1TH SE1011S2SRW

Limit



Steelwood
Authentic wood effect
Matching edging
Antibacterial*
PU



Royal Walnut
Authentic wood effect
Matching edging
Antibacterial*
PU



Modern Oak
Authentic wood effect
Matching edging
Antibacterial*
PU



Warm Stone
Lacquered finish
ACTIVE antibacterial
Anti fingerprint

All our finishes are designed to be visually striking whilst offering high levels of durability.

Worktops



Steelwood
Supplied undrilled
Produced from 18mm thick, high density core board.



Royal Walnut
Supplied undrilled
Produced from 18mm thick, high density core board.



Modern Oak
Supplied undrilled
Produced from 18mm thick, high density core board.



Warm Stone
Supplied undrilled
Produced from 18mm thick, high density core board.



Gold Vein Estatuário
Supplied undrilled
Easy clean, highly heat resistant solid surface
Impenetrable to dust, dirt and bacteria.
Produced from 20mm solid thick recycled marble material.



Carrara Marble Effect
Supplied undrilled
Easy clean, highly heat resistant solid surface
Impenetrable to dust, dirt and bacteria.
Produced from 20mm solid thick recycled marble material.

Basins

Please note: Not all basins are compatible with 500mm and 600mm floorstanding units.



Ice White Glass
Handcast low iron soda lime silicate glass
Gloss finish, with built in overflow



Cast Mineral Marble
High gloss white antibacterial nanocoat
Overflow colour options available



Matt White
Matt white antibacterial nanocoat
Overflow colour options available



Ceramic (500 unit)
White vitreous china
Overflow colour options available



Ceramic (600 unit)
White vitreous china
Overflow colour options available



Internal Drawer (optional)
To be used with worktop only

500mm **LIMITINTDRAWER50_V2**

600mm **LIMITINTDRAWER60_V2**

700mm **LIMITINTDRAWER70_V2**



Wall Hung Tower Unit

Single door with soft close. Reversible left/ right hand opening. 3 fixed height shelves.
w 350 x d 350 x h 1600mm



LM3516FSTAN_V2



LM3516FRWAN_V2



LM3516FMOAN_V2



LM3516FWSAN_V2



500 Single Drawer Unit

w 500 x d 450 x h 450mm (w/ top 475mm)

- LM5000DSTAN_V2
- LM5000DRWAN_V2
- LM5000DMOAN_V2
- LM5000DWSAN_V2



500 Floorstanding Door Unit

w 490 x d 355 x h 820mm

- LM5000FSDSTAN
- LM5000FSDRWAN
- LM5000FSDMOAN
- LM5000FSDWSAN



600 Single Drawer Unit

w 600 x d 450 x h 450mm (w/ top 475mm)

- LM6000DSTAN_V2
- LM6000DRWAN_V2
- LM6000DMOAN_V2
- LM6000DWSAN_V2



600 Floorstanding Door Unit

w 600 x d 450 x h 820mm

- LM6000FSDSTAN
- LM6000FSDRWAN
- LM6000FSDMOAN
- LM6000FSDWSAN

500 Worktop

w 510 x d 455 x h 25mm

- LM5100TST_V2
- LM5100TRW_V2
- LM5100TMO_V2
- LM5100TWS_V2

500 Ice White Glass Basin

w 500 x d 360 x h 18mm

- 1TH LM500GWBASIN1TH
- 0TH LM500GWBASIN0TH

600 Worktop

w 605 x d 455 x h 25mm

- LM6100TST_V2
- LM6100TRW_V2
- LM6100TMO_V2
- LM6100TWS_V2

600 Worktop

w 605 x d 455 x h 25mm

- LM6100TST_V2
- LM6100TRW_V2
- LM6100TMO_V2
- LM6100TWS_V2

500 Gold Vein Worktop

w 510 x d 455 x h 20mm

- FWT5100TGE

600 Gold Vein Worktop

w 610 x d 455 x h 20mm

- FWT6100TGE

600 Gold Vein Worktop

w 610 x d 455 x h 20mm

- FWT6100TGE

500 Ice White Glass Basin

with overflow, w 506 x d 455 x h 12mm

- 1TH GL0511SIW_V2
- 0TH GL0510SIW_V2

600 Ice White Glass Basin

with overflow, w 606 x d 455 x h 12mm

- 1TH GL0611SIW
- 0TH GL0610SIW

600 Ice White Glass Basin

With overflow, w 606 x d 450 x h 12mm

- 1TH GL0611SIW
- 0TH GL0610SIW

500 Cast Mineral Marble Basin

with overflow, w 510 x d 460 x h 13mm

- 1TH FB0511SRW
- 0TH FB0510SRW

600 Cast Mineral Marble Basin

with overflow, w 610 x d 460 x h 13mm

- 1TH FB0611SRW
- 0TH FB0610SRW

600 Cast Mineral Marble Basin

With overflow, w 610 x d 460 x h 13mm

- 1TH FB0611SRW
- 0TH FB0610SRW

500 Matt White Basin

with overflow, w 510 x d 460 x h 20mm

- 1TH FB0511SRWM
- 0TH FB0510SRWM

600 Matt White Basin

with overflow, w 610 x d 460 x h 20mm

- 1TH FB0611SRWM
- 0TH FB0610SRWM

600 Matt White

With overflow, w 610 x d 460 x h 20mm

- 1TH FB0611SRWM
- 0TH FB0610SRWM

500 Ceramic Basin

With overflow, w 510 x d 460 x h 20mm

- 1TH DE0002SCW_V2
- 3TH DE0513SCW_V2

600 Ceramic Basin

With overflow, w 610 x d 460 x h 20mm

- 1TH DE0005SCW_V2
- 3TH DE0613SCW_V2

600 Ceramic Basin

With overflow, w 610 x d 460 x h 20mm

- 1TH DE0005SCW_V2
- 3TH DE0613SCW_V2

600 Carrara Marble Worktop

w 610 x d 455 x h 12.5mm

- IF6100TMC

600 Carrara Marble Worktop

w 610 x d 455 x h 12.5mm

- IF6100TMC

Limit



700 Single Drawer Unit

w 700 x d 450 x h 450mm (w/ top 475mm)

-  LM7000DSTAN_V2
-  LM7000DRWAN_V2
-  LM7000DMOAN_V2
-  LM7000DWSAN_V2



1000 Double Unit

(500 Single Drawer Unit x2)

w 500 x d 450 x h 450mm (w/ top 475mm)

-  LM5000DSTAN_V2 (x2)
-  LM5000DRWAN_V2 (x2)
-  LM5000DMOAN_V2 (x2)
-  LM5000DWSAN_V2 (x2)



1200 Double Unit

(600 Single Drawer Unit x2)

w 600 x d 450 x h 450mm (w/ top 475mm)

-  LM6000DSTAN_V2 (x2)
-  LM6000DRWAN_V2 (x2)
-  LM6000DMOAN_V2 (x2)
-  LM6000DWSAN_V2 (x2)



1400 Double Unit

(700 Single Drawer Unit x2)

w 700 x d 450 x h 450mm (w/ top 475mm)

-  LM7000DSTAN_V2 (x2)
-  LM7000DRWAN_V2 (x2)
-  LM7000DMOAN_V2 (x2)
-  LM7000DWSAN_V2 (x2)

700 Worktop

w 710 x d 460 x h 12.5mm

-  LM7100TST_V2
-  LM7100TRW_V2
-  LM7100TMO_V2
-  LM7100TWS_V2

1000 Worktop

w 1011 x d 453 x h 12mm

-  LM1010TST_V2
-  LM1010TRW_V2
-  LM1010TMO_V2
-  LM1010TWS_V2

1200 Worktop

w 1211 x d 453 x h 12mm

-  LM1210TST_V2
-  LM1210TRW_V2
-  LM1210TMO_V2
-  LM1210TWS_V2

1400 Worktop

w 1411 x d 453 x h 12mm

-  LM1410TST_V2
-  LM1410TRW_V2
-  LM1410TMO_V2
-  LM1410TWS_V2

700 Gold Vein Worktop

w 710 x d 455 x h 20mm

-  FWT7100TGE

Spacer Panel LMDDFIXPANEL_V2

w 6 x d 438 x h 450mm

Spacer Panel LMDDFIXPANEL_V2

w 6 x d 438 x h 450mm

Spacer Panel LMDDFIXPANEL_V2

w 6 x d 438 x h 450mm

700 Ice White Glass Basin

with overflow. w 706 x d 455 x h 12mm

- 1TH GL0711SIW_V2
- 0TH GL0710SIW_V2

700 Cast Mineral Marble Basin

with overflow. w 710 x d 460 x h 13mm

- 1TH FB0711SRW
- 0TH FB0710SRW

700 Matt White Basin

with overflow. w 710 x d 460 x h 18mm

- 1TH FB0711SRWM
- 0TH FB0710SRWM

Mada



Soft Clay
Matt lacquered finish
ACTIVE antibacterial
Anti fingerprint



Deep Indigo Blue
Matt lacquered finish
ACTIVE antibacterial
Anti fingerprint



Sage Green
Matt lacquered finish
ACTIVE antibacterial
Anti fingerprint



Matt White
Matt lacquered finish
ACTIVE antibacterial
Anti fingerprint

Basins / Worktops



Cast Mineral Marble
High gloss white antibacterial nanocoat
Overflow colour options available
We recommend the use of BTR0410W Slimline Basin Trap with this basin



Carrara Marble Effect
Supplied undrilled
Easy clean, highly heat resistant solid surface
Impenetrable to dust, dirt and bacteria



500 Single Drawer Unit

w 500 x d 360 x h 360mm

- MA5000DSC
- MA5000DIB
- MA5000DSGR
- MA5000DWM



600 Single Drawer Unit

w 600 x d 360 x h 360mm

- MA6000DSC
- MA6000DIB
- MA6000DSGR
- MA6000DWM



700 Single Drawer Unit

w 700 x d 360 x h 360mm

- MA7000DSC
- MA7000DIB
- MA7000DSGR
- MA7000DWM

Worktop MA500TMC

w 500 x d 360 x h 12mm

Worktop MA600TMC

w 600 x d 360 x h 12mm

Worktop MA700TMC

w 700 x d 360 x h 12mm

500 Cast Mineral Marble Basin

With overflow. w 500 x d 360 x h 16mm

- 1TH** MA0501SRW
- 0TH** MA0500SRW

600 Cast Mineral Marble Basin

With overflow. w 600 x d 360 x h 16mm

- 1TH** MA0601SRW
- 0TH** MA0600SRW

700 Cast Mineral Marble Basin

With overflow. w 700 x d 360 x h 16mm

- 1TH** MA0701SRW
- 0TH** MA0700SRW

Optional Shelving Units

Oak effect shelf with metal frame in finishes that match the drawer units.



500 Shelf & Frame

- MA5000SFSC
- MA5000SFIB
- MA5000SFSGR
- MA5000SFWM



600 Shelf & Frame

- MA6000SFSC
- MA6000SFIB
- MA6000SFSGR
- MA6000SFWM



700 Shelf & Frame

- MA7000SFSC
- MA7000SFIB
- MA7000SFSGR
- MA7000SFWM

*Subject to online registration. 109



Glide II



Sage Green
Lacquered finish
ACTIVE antibacterial
Anti fingerprint



Steelwood
Authentic wood effect
Matching edging
PU
Antibacterial*



Windsor Oak
Authentic wood effect
Matching edging
PU
Antibacterial*



Nordic Oak
Authentic wood effect
Matching edging
PU
Antibacterial*



Matt Black
Lacquered finish
ACTIVE antibacterial
Anti fingerprint



Storm Grey
Lacquered finish
ACTIVE antibacterial
Anti fingerprint



Warm Stone
Lacquered finish
ACTIVE antibacterial
Anti fingerprint



White Gloss
Lacquered finish
ACTIVE antibacterial

Basins



Ice White Glass
Handcast low iron soda lime silicate glass
Gloss finish. Chrome overflow



Cast Mineral Marble
Manufactured from a mix of dolomite and elastic resin, then finished with a high gloss nanocoat.
Overflow colour options available



Matt White
Matt white antibacterial nanocoat
Overflow colour options available



Ceramic
White vitreous china
Sits flush to the drawer with a useful area to the side for storing your bathroom essentials.
Overflow colour options available

Worktops

Our solid surface worktops are highly heat resistant, impenetrable to dust, dirt and bacteria making them easy to clean.



Carrara Marble Effect
Supplied undrilled
Easy clean, highly heat resistant solid surface
Impenetrable to dust, dirt and bacteria



Gold Vein Estatuario
Supplied undrilled
Easy clean, highly heat resistant solid surface
Impenetrable to dust, dirt and bacteria

Optional Extras

Optional Overflow Cover

Optional upgrade, Chrome comes as standard.
For cast mineral marble or glass basins only.

- SEFLOWMB
- OFCOMPF
- OFCOMPV

METALLIC SWATCHES

For finish information please see page 10

Short Furniture Trap

Height adjustable. 40.6L/min flow rate
Fits 32-43mm waste pipe
50mm water seal
Conforms to BS EN 274-1:2002

BTR0510W



Furniture Basin Trap

Extra slim push-fit trap. Fits 1 1/4" waste pipe.
Horizontal or vertical installation
Min height under basin: 54mm
Anti-back siphoning

BTR0410W

Tower Unit

w 350 x d 350 x h 1600mm

- GL3516F2SGR
- GL3516F2ST
- GL3516F2WO
- GL3516F2BM
- GL3516F2WS
- GL3516FNO_V2
- GL3516F2WG



500 Double Drawer Unit

w 500 x d 450 x h 520mm (w/ top 545mm)

- GL5000D2SGR
- GL5000D2ST
- GL5000D2WO
- GL5000D2BM
- GL5000D2WS
- GL5000DNO_V2
- GL5000D2WG



600 Double Drawer Unit

w 600 x d 450 x h 520mm (w/ basin 5mm)

- GL6000D2SGR
- GL6000D2ST
- GL6000D2WO
- GL6000D2BM
- GL6000D2WS
- GL6000D2WG



700 Double Drawer Unit

w 700 x d 450 x h 520mm (w/ top 545mm)

- GL7000D2SGR
- GL7000D2ST
- GL7000D2WO
- GL7000D2BM
- GL7000D2WS
- GL7000DSG_V2
- GL7000D2WG



1000 Double Drawer Unit

w 1000 x d 450 x h 520mm (w/ top 545mm)

- GL1000D2SGR
- GL1000D2ST
- GL1000D2WO
- GL1000D2BM
- GL1000D2WS
- GL1000D2WG

500 Carrara Marble Effect

w 510 x d 455 x h 12.5mm

- IF5100TMC_V2

600 Carrara Marble Effect

w 610 x d 455 x h 12.5mm

- IF6100TMC

700 Carrara Marble Effect

w 710 x d 455 x h 12.5mm

- IF7100TMC_V2

1000 Carrara Marble Effect

w 1010 x d 455 x h 12.5mm

- IF1010TMC_V2

500 Gold Vein Estatuario

w 510 x d 455 x h 20mm

- FWT5100TGE

600 Gold Vein Estatuario

w 610 x d 455 x h 20mm

- FWT6100TGE

700 Gold Vein Estatuario

w 710 x d 455 x h 20mm

- FWT7100TGE

1000 Gold Vein Estatuario

w 1010 x d 455 x h 20mm

- FWT1000TGE

500 Ice White Glass Basin

With overflow. w 506 x d 450 x h 12mm

- 1TH GL0511SIW_V2
- 0TH GL0510SIW_V2

600 Ice White Glass Basin

With overflow. w 606 x d 450 x h 12mm

- 1TH GL0611SIW
- 0TH GL0610SIW

700 Ice White Glass Basin

With overflow. w 706 x d 455 x h 12mm

- 1TH GL0711SIW_V2
- 0TH GL0710SIW_V2

1000 Ice White Glass Basin

With overflow. w 1006 x d 455 x h 12mm

- 1TH GL1011SIW
- 0TH GL1010SIW

500 Cast Mineral Marble Basin

With overflow. w 510 x d 460 x h 13mm

- 1TH FB0511SRW
- 0TH FB0510SRW

600 Cast Mineral Marble Basin

With overflow. w 610 x d 460 x h 13mm

- 1TH FB0611SRW
- 0TH FB0610SRW

700 Cast Mineral Marble Basin

With overflow. w 710 x d 460 x h 13mm

- 1TH FB0711SRW
- 0TH FB0710SRW

1000 Cast Mineral Marble Basin

With overflow. w 1010 x d 460 x h 13mm

- 1TH FB1011SRW
- 0TH FB1010SRW

500 Ceramic Basin

With overflow. w 510 x d 460 x h 20mm

- 1TH DE0002SCW_V2
- 3TH DE0513SCW_V2

600 Ceramic Basin

With overflow. w 610 x d 460 x h 20mm

- 1TH DE0005SCW_V2
- 3TH DE0613SCW_V2

700 Ceramic Basin

With overflow. w 710 x d 460 x h 20mm

- 1TH DE0003SCW_V2
- 3TH DE0713SCW_V2

1000 Ceramic Basin

With overflow. w 1010 x d 460 x h 20mm

- 1TH DE0004SCW_V2
- 3TH DE1003SCW_V2

500 Matt White

With overflow. w 510 x d 460 x h 20mm

- 1TH FB0511SRWM
- 0TH FB0510SRWM

600 Matt White

With overflow. w 610 x d 460 x h 20mm

- 1TH FB0611SRWM
- 0TH FB0610SRWM

700 Matt White

With overflow. w 710 x d 460 x h 20mm

- 1TH FB0711SRWM
- 0TH FB0710SRWM


1000 Matt White

With overflow. w 1010 x d 460 x h 20mm

- 1TH FB1011SRWM
- 0TH FB1010SRWM



Infinity



Matt White
Lacquered finish
ACTIVE antibacterial
Anti fingerprint



Windsor Oak
Authentic wood effect
Matching edging
PU
Antibacterial*



Matt Black
Lacquered finish
ACTIVE antibacterial
Anti fingerprint



Storm Grey Matt
Lacquered finish
ACTIVE antibacterial
Anti fingerprint



White Gloss
Lacquered finish
ACTIVE antibacterial

All our finishes are designed to be visually striking whilst offering high levels of durability.

Worktops



Windsor Oak
Supplied undrilled



Carrara Marble Effect
Supplied undrilled
Easy clean, highly heat resistant solid surface
Impenetrable to dust, dirt and bacteria



Polar White Matt
Supplied undrilled
Easy clean, highly heat resistant solid surface
Impenetrable to dust, dirt and bacteria

Basin



Polar White
Supplied undrilled.
Easy clean solid surface.
Worktop with integrated under mount basin.

INFINITY Made Easy

Infinity modular units can be used to design your personalised storage solution; with our drawer units, shelving units and worktops the layout options are almost infinite.

1. Choose your layout

Please use the below to select your ideal layout:



500 Layout

1 x drawer unit
1 x 510mm worktop or basin
1 x handle



700 Layout

1 x drawer unit
1 x shelving unit (left or right)
1 x 710mm worktop or basin
1 x handle



900 Layout

1 x drawer unit
2 x shelving units
1 x 910mm worktop or basin
1 x handle



1000 Layout

2 x drawer units
1 x 1010mm worktop
2 x handles



1200 Layout

2 x drawer units
1 x shelving unit (position left, right or centre of drawers)
1 x 1210mm worktop
2 x handles



1400 Layout

2 x drawer units
2 x shelving units
1 x 1410mm worktop
2 x handles

Customise your style

Infinity is available in a range of finishes, making it the perfect choice for any style bathroom. Keep all the units in one colour for a cohesive look or mix and match for a bolder look.

2. Select your base units



3. Select your top



4. Pick your handle





500 Drawer Unit

w 500 x d 450 x h 450mm

- IF5000D2WM
- IF5000D2BM
- IF5000D2SG
- IF5000D2WG
- IF5000D2WO



500 Framed Drawer Unit

w 500 x d 450 x h 450mm

- IF5000DFRWM
- IF5000DFRBM
- IF5000DFRSG
- IF5000DFRWG



200 Shelving Units

w 200 x d 450 x h 450mm

- IF20522WM
- IF20522BM
- IF20522SG
- IF20522WG
- IF20522WO



Bar Handle

Epoxy coated aluminium

- IF_HANDLEF_V2
- IF_HANDLEBM
- IF_HANDLEC
- IF_HANDLEV
- IF_HANDLET
- IF_HANDLEBZ

Windsor Oak Worktop

d 455 x h 12.5mm

- 510mm IF5100TWO
- 710mm IF7100TWO
- 910mm IF9100TWO
- 1010mm IF1010TWO
- 1210mm IF1210TWO

Carrara Marble Effect Worktop

d 455 x h 12.5mm

- 510mm IF5100TMC_V2
- 710mm IF7100TMC_V2
- 910mm IF9100TMC_V2
- 1010mm IF1010TMC_V2
- 1210mm IF1210TMC_V2
- 1410mm IF1410TMC

Polar White Worktop

d 455 x h 12.5mm

- 510mm IF5100TPW
- 710mm IF7100TPW
- 910mm IF9100TPW
- 1010mm IF1010TPW
- 1210mm IF1210TPW
- 1410mm IF1410TPW

METALLIC SWATCHES
For finish information please see page 10



500 Basins

w 510 x d 455 x h 15mm

IF500SPW



700 Basins

w 710 x d 455 x h 15mm

- Left Hand IF700SPW_LH
- Right Hand IF700SPW_RH



900 Basins

w 910 x d 455 x h 15mm

IF900SPW



1000 Basins

w 1010 x d 455 x h 15mm

- Right Hand IF1000SPW_RH
- Double IF1000SPW



1200 Basins

w 1210 x d 455 x h 15mm

- Left Hand IF1200SPW_LH
- Right Hand IF1200SPW_RH



Anthracite Internal Drawer

To be used with worktop only.

When using the internal drawer an extended height basin tap can only be fitted behind the basin inline with waste cut out.

IF5000INT



Ceramic Basin Click Clack Waste

Slotted waste
Standard White

BSW0103GW_V2



Ceramic Basin Click Clack Waste

Unslotted waste
Standard White

BSW0101GW_V2

Limit Cloakroom



Steelwood

Authentic wood effect
Matching edging
Antibacterial*
PU



Royal Walnut

Authentic wood effect
Matching edging
Antibacterial*
PU



Modern Oak

Authentic wood effect
Matching edging
Antibacterial*
PU



Warm Stone

Matching edging
Antibacterial*
PU

All our finishes are designed to be visually striking whilst offering high levels of durability. They are manufactured from 80% renewable sources.

* tested according to JIS Z 2801/ISO22196

Basin

Available as left or right handed.



Cast Mineral Marble

High gloss white antibacterial nanocoat.

NEW



400 Wall Hung Door Unit

w 395 x d 218 x h 600mm



LM4000WHDSTAN



LM4000WHDRWAN



LM4000WHDMOAN



LM4000WHDWSAN

NEW



400 Floorstanding Door Unit

w 395 x d 218 x h 820mm



LM4000FSDSTAN



LM4000FSDRWAN



LM4000FSDMOAN



LM4000FSDWSAN

400 Gloss White Basin

(Left or Right handed)

No overflow, w 400 x d 220 x h 45mm

AL0401URW

400 Gloss White Basin

(Left or Right handed)

No overflow, w 400 x d 220 x h 45mm

AL0401URW

Alo



Rattan & Black Authentic wood effect Matching edging PU Antibacterial*	Rattan & White Authentic wood effect Matching edging PU Antibacterial*	Nordic Oak Authentic wood effect Matching edging PU Antibacterial*	Steelwood Authentic wood effect Matching edging PU Antibacterial*	Windsor Oak Authentic wood effect Matching edging PU Antibacterial*	Black Matt Lacquered finish ACTIVE antibacterial Anti fingerprint
White Matt Lacquered finish ACTIVE antibacterial Anti fingerprint	White Gloss Lacquered finish ACTIVE antibacterial	Deep Indigo Blue Matt lacquered finish ACTIVE antibacterial Anti fingerprint	Sage Green Matt lacquered finish ACTIVE antibacterial Anti fingerprint	Storm Grey Matt Matt lacquered finish ACTIVE antibacterial Anti fingerprint	Soft Clay Matt lacquered finish ACTIVE antibacterial Anti fingerprint

Basin

Available as left or right handed.



Cast Mineral Marble

High gloss white antibacterial nanocoat

Handles

Must be ordered separately.
Please note: handles are supplied individually

The rattan finishes of the furniture units include an integrated handle, no separate handle needed.

Modern Handle

Epoxy coated aluminium



- FHX1MODERNF
- FHX1MODERNBM
- FHX1MODERNC
- FHX1MODERNV
- FHX1MODERNNT
- FHX1MODERNBZ

Knurled Handle

Epoxy coated aluminium



- FHX1KNURLBF
- FHX1KNURLBM
- FHX1KNURLC
- FHX1KNURLBV

Classic Handle

Epoxy coated aluminium



- FHX1CLASSICC

METALLIC SWATCHES

For finish information please see page 10



400 Rattan Door Unit

w 397 x d 217 x h 600mm (w/ basin 645mm)

- AL4000FBR
- AL4000FWR



400 Door Unit

w 397 x d 217 x h 600mm (w/ basin 645mm)

- AL4000FIB
- AL4000FSGR
- AL4000FSG
- AL4000FSC
- AL4000FBM
- AL4000FWM
- AL4000FWG
- AL4000FNO
- AL4000FST
- AL4000FWO

400 Gloss White Basin

(Left or Right handed)

No overflow. w 400 x d 220 x h 45mm

AL0401URW

400 Gloss White Basin

(Left or Right handed)

No overflow. w 400 x d 220 x h 45mm

AL0401URW

Countertop



Circus Mini

No overflow. Slimline edge.
White vitreous china. Countertop only.
w 230 x d 230 x h 130mm

CT4912UCW



Circus Midi

No overflow.
Countertop only.
Slimline edge.
w 300 x d 300 x h 130mm

CT4914UCW



Circus

No overflow.
Countertop only.
Slimline edge.
w 390 x d 390 x h 130mm

CT4140UCW



Circus

No overflow.
Countertop only.
Slimline edge.

w 400 x d 400 x h 150mm

CT4084UCBZ

CT4084UCT

CT4084UCF

CT4084UCV

CT4084UCW

For finish information please see page 10.



Castellon Mini

With overflow. Option to add a coloured overflow, see page 121. Countertop only.
White fine fireclay ceramic.

w 350 x d 350 x h 140mm

CT4015SCW



Castellon PLUS

With overflow. Option to add a coloured overflow, see page 121. White fine fireclay ceramic. Countertop only.

w 430 x d 430 x h 148mm

CT0012BSCW_V2



Real Counter

No overflow. Slimline edge.
White vitreous china.
Countertop only.

w 490 x d 400 x h 145mm

CT4072UCW



Real Square

No overflow. Slimline edge.
White vitreous china.
Countertop only.

w 410 x d 410 x h 145mm

CT4071UCW

Due to ceramic manufacturing processes all dimensions printed are approximate.



Pearl Matt White PLUS+TON®

With overflow and antibacterial finish. Slimline edge. Option to add a coloured overflow, see page 121. White fine fireclay ceramic. Countertop only.

w 450 x d 350 x h 158mm

CT05823SCWM



Pearl

No overflow. White fine fireclay ceramic. Countertop only.

w 450 x d 350 x h 150mm

CT05823UCW



Pearl

With overflow, Option to add a coloured overflow, see page 121. White fine fireclay ceramic. Countertop only.

w 450 x d 350 x h 158mm

CT05823SCW



Amalfi

No overflow. Slimline edge. White vitreous china. Countertop only.

w 455 x d 325 x h 135mm

CT4432UCW



Navona

With overflow and 1TH. White fine fireclay ceramic. Countertop, back to wall or wall mount.

w 425 x d 350 x h 120mm

CT08801SCW



Gerona

No overflow and 1TH. White vitreous china. Countertop, back to wall or wall mount.

w 425 x d 305 x h 130mm

CT0037UCW



Air 60

With overflow and 1TH. Option to add a coloured overflow, see page 121. White fine fireclay ceramic. Countertop or back to wall.

w 600 x d 390 x h 135mm

WM0132SCW



Turin

With overflow and 1TH. Optional coloured overflow, see page 121. White vitreous china. Countertop or back to wall.

w 500 x d 350 x h 120mm

WM0017BSCW



Serene

No overflow. Slimline edge. White fine fireclay ceramic. Countertop only.

w 580 x d 350 x h 150mm

CT0234UCW



Navarre

With overflow, Option to add a coloured overflow, see page 121. White vitreous china. Countertop only.

w 590 x d 420 x h 140mm

CT4038SCW



Calpe

No overflow. Slimline edge. White vitreous china. Countertop only.

w 400 x d 400 x h 115mm

CT4090UCW

Cloakroom



Green Matt



Pink Matt



Black Matt



White Matt



White Gloss



Beck Basins

Right hand. No overflow and 1TH
Matching coloured waste included
Fine fireclay ceramic
Supplied with wall fixings



Finishes

All our finishes are designed to be visually striking whilst offering high levels of durability. They are manufactured from 80% renewable sources.

Beck 300 x 300

w 300 x d 300 x h 110mm

BK0301SUGM

BK0301SUPM

BK0301SUBM

BK0301SUWM

BK0301SUW

Beck 400 x 300

w 400 x d 300 x h 110mm

BK0401SUGM

BK0401SUPM

BK0401SUBM

BK0401SUWM

BK0401SUW

Beck 450 x 200

w 450 x d 200 x h 110mm

BK0451SUGM

BK0451SUPM

BK0451SUBM

BK0451SUWM

BK0451SUW



Black Matt



White Matt



White Gloss

Popolo Basins

Left or right hand
With overflow and 1TH
Option to add a coloured overflow, see page 121
Fine fireclay ceramic
Wall mount only - supplied with wall fixings



Finishes

All our finishes are designed to be visually striking whilst offering high levels of durability. They are manufactured from 80% renewable sources.

Popolo

w 480 x d 250 x h 160mm

WM4825SCWM_LH

WM4825SCBM_LH

WM4825SCW_LH

Popolo

w 480 x d 250 x h 160mm

WM4825SCWM_RH

WM4825SCBM_RH

WM4825SCW_RH

Wall mounted



Air 60

With overflow, Option to add a coloured overflow, see page 121. White fine fireclay ceramic. Countertop, back to wall or wall mount.

w 600 x d 390 x h 135mm

WM0132SCW



Turin

With overflow, Option to add a coloured overflow, see page 121. White vitreous china. Countertop, back to wall or wall mount.

w 500 x d 350 x h 120mm

WM0017BSCW



Gerona

No overflow. White vitreous china. Countertop, back to wall or wall mount.

w 500 x d 350 x h 120mm

CT0037UCW



Navona

With overflow and 1TH. White fine fireclay ceramic. Countertop, back to wall or wall mount.

w 450 x d 350 x h 120mm

CT08801SCW



Kai S Corner Basin

With overflow and antibacterial finish. Option to add a coloured overflow, see page 121. White fine fireclay ceramic. Wall mount only - supplied with concealed fixing kit.

w 450 x d 350 x h 158mm

KLSC01SCW

Due to ceramic manufacturing processes all dimensions printed are approximate.

*Subject to online registration. 119



Undermount & inset



Torino A Midi

With overflow, Option to add a coloured overflow, see page 121.
White vitreous china. Undermount only.

w 510 x d 380 x h 195mm
(internal w 455 x d 310mm)

UM0051SCW



Torino B Small

With overflow, Option to add a coloured overflow, see page 121.
White vitreous china. Undermount only.

w 510 x d 325 x h 170mm
(internal w 450 x d 270mm)

UM0051BSCW



Ancona

With overflow, Option to add a coloured overflow, see page 121.
White vitreous china. Undermount only

w 570 x d 400 x h 215mm
(internal w 520 x d 360mm)

UM5740UCW

Required undermount fixings

T0051



Cerdeña

With overflow. Option to add a coloured overflow, see page 121. White vitreous china. Undermount only. Supplied complete with template and undermount fixings.

w 380 x d 380 x h 170mm
(internal w 326 x d 326mm)

UM0052SCW_V2



Nepi

No overflow.
White fine fireclay ceramic.
Inset/drop in only. Supplied complete with template (cut out diameter 380mm).

w 400 x d 400 x h 205mm
(internal h 195mm)

IN84100UCW

It is recommended to template worktop cut outs to the actual basin.

Wastes, overflow & traps



Universal Basin Click Clack Waste

For basins with or without an overflow.
Please note appearance may vary.

- BSW0260C
- PRO0260V_V2
- BSW0290F
- PRO0260M
- TS0290S
- PRI0260UB
- PRI0260M
- BSW0290BZ
- BSW0290T



Unslotted Basin Click Clack Waste

Extended thread 100mm
For basins without an overflow

- BSW0102C



Unslotted Basin Click Clack Waste

For ceramic basins without an overflow
White plug with chrome body

- BSW0101GW_V2



Slotted Basin Click Clack Waste

For basins with an overflow

- BSW0103C
- Extended Thread 100mm
- BSW0104C



Slotted Basin Click Clack Waste

For ceramic basins with an overflow
White plug with chrome body

- BSW0103GW_V2



Short Furniture Trap

Height adjustable. 40.6L/min flow rate
Fits 32-43mm waste pipe, 50mm seal
Conforms to BS EN 274-1:2002

- BTR0510W



Furniture Basin Trap

Extra slim push-fit trap. Fits 1 1/4" waste pipe.
Horizontal or vertical
Min height under basin: 54mm

- BTR0410W



Millennium Tall Bottle Trap

- BTR0402C
- BTR0402V
- BTR0402F
- BTR0402M
- BTR0402BZ
- BTR0402T



NEW Basin Overflow Cover

For ceramic basins

- OVFLOWC_V2
- OVFLOWV_V2
- OVFLOWF_V2
- OVFLOWMB_V2
- OVFLOWBZ_V2
- OVFLOWT_V2



Basin Overflow Cover

For non ceramic basins

- OFCOMPV
- OFCOMPF

METALLIC SWATCHES

For finish information please see
page 10

Glide II



Wall Hung Toilet Gloss White

Rimless wall hung toilet with soft close, quick release seat. Compatible with 3/4.5L water saving flush. Supplied with concealed fixings. Requires support frame and concealed cistern, see page 132.

w 365 x d 510 x h 345mm



Toilet **GL6116CW**

Seat **GL6105W**



Optional Hinge Cover

- GDHC001C
- GDHC001M
- GDHC001V
- GDHC001F
- GDHC001BZ
- GDHC001T

For finish information please see page 10

Short Protection Wall Hung Toilets

Reduced projection, rimless wall hung toilets with soft close, quick release seats. Compatible with 3/4.5L water saving flush. Supplied with concealed fixings. Requires support frame and concealed cistern, see page 132.



Matt White

w 370 x d 460 x h 325mm

Toilet **GL6115CWM**

Seat **GL6106WM**



Gloss White

w 370 x d 460 x h 325mm

Toilet **GL6115CW**

Seat **GL6106W**

Back to Wall Toilets

Rimless back to wall toilet with soft close, quick release seat. Compatible with 3/4.5L water saving flush. Supplied with floor fixings. Requires concealed cistern, see page 132.



Matt White

w 365 x d 510 x h 425mm

Toilet **GL6117CWM**

Seat **GL6105WM**



Gloss White

w 365 x d 510 x h 425mm

Toilet **GL6117CW**

Seat **GL6105W**

Kai X



Wall Hung Toilet Gloss White

Rimless wall hung toilets with soft close, quick release seats. Compatible with 3/4.5L water saving flush. Supplied with concealed fixings. Requires support frame and concealed cistern, see page 132.

w 360 x d 555 x h 400mm



Toilet **KL6216CW**

Seat **KL6405W**



Optional Hinge Cover

- KLHC001C
- KLHC001M
- KLHC001V
- KLHC001F
- KLHC001BZ
- KLHC001T

For finish information please see page 10

Back to Wall Toilet Gloss White

Back to wall toilet with soft close, quick release seat. Compatible with 3/4.5L water saving flush. Supplied with floor fixings. Requires concealed cistern, see page 132.

w 360 x d 560 x h 400mm



Toilet **KL6207CW**

Seat **KL6405W**

Compact Close Coupled Toilet Gloss White

Reduced projection rimless, close coupled toilet with soft close, quick release seat. Compatible with 3/4.5L water saving flush. Supplied with cistern fittings and floor fixings.

w 360 x d 620 x h 395mm (toilet)

w 360 x d 150 x h 385mm (cistern)



Toilet **KL6114CW**

Cistern & Mechanism **KL7105CW**

Seat **KL6405W**



Wall Hung Toilet Gloss White

Wall hung toilets with soft close, quick release seats. Compatible with 3/4.5L water saving flush. Supplied with concealed fixings. Requires support frame and concealed cistern, see page 132.

w 350 x d 530 x h 320mm



Toilet **KL6006CW_V2**

Seat **KL6105W**



Optional Hinge Cover

- KLHC001C
- KLHC001M
- KLHC001V
- KLHC001F
- KLHC001BZ
- KLHC001T

For finish information please see page 10

Back to Wall Toilet Gloss White

Back to wall toilet with soft close, quick release seat. Compatible with 3/4.5L water saving flush. Supplied with floor fixings. Requires concealed cistern, see page 132.

w 360 x d 560 x h 400mm



Toilet **KL6007CW**

Seat **KL6105W**

Compact Close Coupled Toilet Gloss White

Reduced projection close coupled toilet with soft close, quick release seat. Compatible with 3/4.5L water saving flush. Supplied with cistern fittings and floor fixings.

w 360 x d 620 x h 395mm (toilet)

w 360 x d 150 x h 385mm (cistern)



Toilet **KL6005CW**

Cistern & Mechanism **KL7005CW_V2**

Seat **KL6105W**

Due to ceramic manufacturing processes all dimensions printed are approximate.
The toilet height does not include the seat.

Mada



Wall Hung Toilet

Wall hung rimless toilets supplied with seat. Compatible with 3/4.5L water saving flush. Supplied with concealed fixings. Requires support frame and concealed cistern, see page 132.



NEW

Round

w 360 x d 520 x h 365mm

MA6116RCW



NEW

Square

w 353 x d 520 x h 335mm

MA6116SCW

Back to Wall Toilet

Back to wall rimless toilet supplied with seat. Compatible with 3/4.5L water saving flush. Supplied with floor fixings. Requires concealed cistern, see page 132.



NEW

Round

w 360 x d 520 x h 420mm

MA6117RCW



NEW

Square

w 353 x d 520 x h 400mm

MA6117SCW

In-Wall Cistern Frames

In-wall frames to support wall-hung

EN14055 tested, Class II
Certification: WRAS and UKCA certified
Noise level: I
Flush volume: 6/4L preset
Water saving adjustment: 4.5/3L
Height adjustable: Yes
Frame material: Steel



TOP* AND FRONT FLUSH

0.82m Toilet Frame

Frame A

Depth range:
 Top flush: 170-200mm
 Front flush: 190-260mm
 Under window or in furniture unit



TOP* AND FRONT FLUSH

0.98m Toilet Frame

Frame B

Depth range:
 Top flush: 170-200mm
 Front flush: 190-260mm

Venue

ABS
 w 245 x h 165mm



- C VENFRAMSET1C
- MB VENFRAMSET1B
- BB VENFRAMSET1F
- BN VENFRAMSET1L
- BZ VENFRAMSET1BZ
- S VENFRAMSET1T

- VENFRAMSET2C
- VENFRAMSET2B
- VENFRAMSET2F
- VENFRAMSET2L
- VENFRAMSET2BZ
- VENFRAMSET2T

Belgravia

Brass
 Front installation only
 w 245 x h 165mm




- C BLFRAMESET1C
- BB BLFRAMESET1F
- BN BLFRAMESET1L

- BLFRAMESET2C
- BLFRAMESET2F
- BLFRAMESET2L

MPRO

ABS and Stainless Steel
 are both available
 245 x h 165mm



ABS

- C MPROFRAMSET1C
- MB MPROFRAMSET1B
- BB MPROFRAMSET1F
- BN MPROFRAMSET1L
- BZ MPROFRAMSET1BZ
- S MPROFRAMSET1T

- MPROFRAMSET2C
- MPROFRAMSET2B
- MPROFRAMSET2F
- MPROFRAMSET2L
- MPROFRAMSET2BZ
- MPROFRAMSET2T

- C Chrome
- MB Matt Black
- BB Brushed Brass
- BZ Brushed Bronze
- S Slate
- BN Brushed Nickel

Stainless Steel

- C MPROSTFRAMSET1C
- MB MPROSTFRAMSET1B
- BB MPROSTFRAMSET1F
- BN MPROSTFRAMSET1L
- BZ MPROSTFRAMSET1BZ
- S MPROSTFRAMSET1T

- MPROSTFRAMSET2C
- MPROSTFRAMSET2B
- MPROSTFRAMSET2F
- MPROSTFRAMSET2L
- MPROSTFRAMSET2BZ
- MPROSTFRAMSET2T



1.12m Toilet Frame

Frame C

Depth range:

Front flush: 190-260mm




Slim 1.12m Toilet Frame

Frame D

Depth range:

Front flush: 180-260mm



Ultra Slim 1.14m Toilet Frame

Frame E

Depth range:

Front flush: 110-170mm

- C VENFRAMSET3C
- MB VENFRAMSET3B
- BB VENFRAMSET3F
- BN VENFRAMSET3L
- BZ VENFRAMSET3BZ
- S VENFRAMSET3T

- VENFRAMSET4C
- VENFRAMSET4B
- VENFRAMSET4F
- VENFRAMSET4L
- VENFRAMSET4BZ
- VENFRAMSET4T

- VENFRAMSET5C
- VENFRAMSET5B
- VENFRAMSET5F
- VENFRAMSET5L
- VENFRAMSET5BZ
- VENFRAMSET5T

- C BLFRAMESET3C
- BB BLFRAMESET3F
- BN BLFRAMESET3L

- BLFRAMESET4C
- BLFRAMESET4F
- BLFRAMESET4L

- BLFRAMESET5C
- BLFRAMESET5F
- BLFRAMESET5L

ABS

- C MPROFRAMSET3C
- MB MPROFRAMSET3B
- BB MPROFRAMSET3F
- BN MPROFRAMSET3L
- BZ MPROFRAMSET3BZ
- S MPROFRAMSET3T

- MPROFRAMSET4C
- MPROFRAMSET4B
- MPROFRAMSET4F
- MPROFRAMSET4L
- MPROFRAMSET4BZ
- MPROFRAMSET4T

- MPROFRAMSET5C
- MPROFRAMSET5B
- MPROFRAMSET5F
- MPROFRAMSET5L
- MPROFRAMSET5BZ
- MPROFRAMSET5T

Stainless Steel

- C MPROSTFRAMSET3C
- MB MPROSTFRAMSET3B
- BB MPROSTFRAMSET3F
- BN MPROSTFRAMSET3L
- BZ MPROSTFRAMSET3BZ
- S MPROSTFRAMSET3T

- MPROSTFRAMSET4C
- MPROSTFRAMSET4B
- MPROSTFRAMSET4F
- MPROSTFRAMSET4L
- MPROSTFRAMSET4BZ
- MPROSTFRAMSET4T

- MPROSTFRAMSET5C
- MPROSTFRAMSET5B
- MPROSTFRAMSET5F
- MPROSTFRAMSET5L
- MPROSTFRAMSET5BZ
- MPROSTFRAMSET5T

*Top flush not available with Belgravia flush plates.
Strike through prices are the total RRP's of the individual components.

*Subject to online registration. 127





In-Wall Cisterns

Cisterns for
back-to-wall toilets

EN14055 tested, Class II

Certification: WRAS and UKCA certified

Noise level: I

Flush volume: 6/4L preset

Water saving adjustment: 4.5/3L

Venue

ABS
w 245 x h 165mm



Belgravia

Brass
Front installation only
w 245 x h 165mm



MPRO

ABS and Stainless Steel are both
available
245 x h 165mm



Chrome



Matt
Black



Brushed
Brass





Brushed
Bronze



Slate



Brushed
Nickel



TOP* AND FRONT FLUSH

0.46m Concealed Cistern

Frame F

Depth range:

Top flush: 145-170mm

Front flush: 165-230mm

- C VENCISTSET1C
- MB VENCISTSET1B
- BB VENCISTSET1F
- BN VENCISTSET1L
- BZ VENCISTSET1BZ
- S VENCISTSET1T

0.53m Concealed Cistern

Frame G

Depth range:

Front flush: 100-140mm

- VENCISTSET2C
- VENCISTSET2B
- VENCISTSET2F
- VENCISTSET2L
- VENCISTSET2BZ
- VENCISTSET2T

- C BLCISTSET1C
- BB BLCISTSET1F
- BN BLCISTSET1L

- BLCISTSET2C
- BLCISTSET2F
- BLCISTSET2L

ABS

- C MPROCISTSET1C
- MB MPROCISTSET1B
- BB MPROCISTSET1F
- BN MPROCISTSET1L
- BZ MPROCISTSET1BZ
- S MPROCISTSET1T

- MPROCISTSET2C
- MPROCISTSET2B
- MPROCISTSET2F
- MPROCISTSET2L
- MPROCISTSET2BZ
- MPROCISTSET2T

Stainless Steel

- C MPROSTCISTSET1C
- MB MPROSTCISTSET1B
- BB MPROSTCISTSET1F
- BN MPROSTCISTSET1L
- BZ MPROSTCISTSET1BZ
- S MPROSTCISTSET1T

- MPROSTCISTSET2C
- MPROSTCISTSET2B
- MPROSTCISTSET2F
- MPROSTCISTSET2L
- MPROSTCISTSET2BZ
- MPROSTCISTSET2T

*Top flush not available with Belgravia flush plates.
Strike through prices are the total RRP's of the individual components.

*Subject to online registration. 129





In-Wall Furniture Cisterns

Slim in-furniture frames to support wall-hung and back-to-wall toilets

EN14055 tested, Class II

Certification: UKCA certified, valves WRAS certified

Noise level: I

Flush volume: 6/4L preset

Water saving adjustment: 4.5/3L

Side entry feed

Venue

ABS
w 245 x h 165mm




Belgravia

Brass
Front installation only
w 245 x h 165mm



MPRO

ABS and Stainless Steel are both available
245 x h 165mm



Chrome



Matt Black



Brushed Brass




Brushed Bronze



Slate



Brushed Nickel



TOP* AND FRONT FLUSH

0.46m Concealed Cistern

Frame F

Depth range:

Top flush: 145-170mm

Front flush: 165-230mm

- C VENCISTSET1C
- MB VENCISTSET1B
- BB VENCISTSET1F
- BN VENCISTSET1L
- BZ VENCISTSET1BZ
- S VENCISTSET1T

- C BLCISTSET1C
- BB BLCISTSET1F
- BN BLCISTSET1L

ABS

- C MPROCISTSET1C
- MB MPROCISTSET1B
- BB MPROCISTSET1F
- BN MPROCISTSET1L
- BZ MPROCISTSET1BZ
- S MPROCISTSET1T

Stainless Steel

- C MPROSTCISTSET1C
- MB MPROSTCISTSET1B
- BB MPROSTCISTSET1F
- BN MPROSTCISTSET1L
- BZ MPROSTCISTSET1BZ
- S MPROSTCISTSET1T



TOP* AND FRONT FLUSH

0.82m Toilet Frame

Frame A

Depth range:

Top flush: 170-200mm

Front flush: 190-260mm

- VENFRAMSET1C
- VENFRAMSET1B
- VENFRAMSET1F
- VENFRAMSET1L
- VENFRAMSET1BZ
- VENFRAMSET1T

- BLFRAMESET1C
- BLFRAMESET1F
- BLFRAMESET1L

- MPROFRAMSET1C
- MPROFRAMSET1B
- MPROFRAMSET1F
- MPROFRAMSET1L
- MPROFRAMSET1BZ
- MPROFRAMSET1T

- MPROSTFRAMSET1C
- MPROSTFRAMSET1B
- MPROSTFRAMSET1F
- MPROSTFRAMSET1L
- MPROSTFRAMSET1BZ
- MPROSTFRAMSET1T



0.36m Concealed Cistern

Frame H

Push button flush

EN14055 tested, Class II

Certification: UKCA certified, valves WRAS certified

Noise level: I

Flush volume: 6/4L preset

Water saving adjustment: 4.5/3L

Optional Flush Button

ABS



- C WCBUTCISTSET1C
- MB WCBUTCISTSET1B
- BB WCBUTCISTSET1F
- BN WCBUTCISTSET1L

*Top flush not available with Belgravia flush plates.
Strike through prices are the total RRP's of the individual components.

Wall hung toilet support frames & concealed cisterns



0.82m Toilet Frame

Frame A

Dual flush

Top & front flush

Maximum supply pressure 6 bar

Compatible with our wide range of flush plates

WRAS Approved Product

WCF80X45R



0.98m Toilet Frame

Frame B

Dual flush

Top & front flush

Maximum supply pressure 6 bar

Compatible with our wide range of flush plates

WRAS Approved Product

WCF98X45R



1.12m Toilet Frame

Frame C

Dual flush

Front flush only

Maximum supply pressure 6 bar

Compatible with our wide range of flush plates

WRAS Approved Product

WCF114X51R



Slim 1.12m Toilet Frame

Frame D

Dual flush

Front flush only

Maximum supply pressure 6 bar

Compatible with our wide range of flush plates

WRAS Approved Product

WCF114X50R

INCLUDED AS STANDARD

Our wall hung toilet support frames all include:

- Water saving dual flush cistern
- Epoxy power coated steel frame, tested to take up to 400kg weight
- For wall hung toilets with connection dimensions in accordance with EN 33:2011
- Compatible with all Crosswater flush plates
- Large feet for easy rear fixing (specially designed for UK timber floor)
- Supplied complete with all fittings for installation
- Easy install wall brackets for vertical or horizontal fixing
- Adjustable feet with rubber sound deadening pads
- Full UK specification to EN 14055 Class 2
- Easy install wall brackets for vertical or horizontal fixing



Ultra Slim 1.14m Toilet Frame

Frame E

Dual flush
Front flush only
Maximum supply pressure 6 bar
Compatible with our wide range of flush plates
WRAS Approved Product

WCF114X59R



0.46m Concealed Cistern

Frame F

Dual flush
Top & front flush
Compatible with our wide range of flush plates
Maximum supply pressure 6 bar
WRAS Approved Product
w 414 x d 143 x h 387mm

WCC46X39R



0.53m Concealed Cistern

Frame G

Dual flush
Front flush only
Compatible with our wide range of flush plates
Maximum supply pressure 6 bar
WRAS Approved Product
w 508 x d 80 x h 550mm

WCC51X51R



0.36m Concealed Cistern

Frame H

Dual flush
Cable flush operation
Supplied with chrome flush button, see right for optional upgrades
Maximum supply pressure 6 bar
WRAS Approved Product
w 390 x d 115 x h 345mm

WCC39X45C

INCLUDED AS STANDARD

Our concealed toilet cisterns all include:

- UK sized inlet and outlet pipe work
- Water saving dual flush cistern – factory set at 6/3 litre adjustable to 4.5/3 litre
- Simple mechanical or cable connection method to ensure high performance
- Accessible isolating valve
- Compatible with all Crosswater flush plates



Optional Flush Button

For WCC39x45C only.
Mechanical operation. ABS

- WCCBUTTONMB
- WCCBUTTONF
- WCCBUTTONV

WC Waste Pipe Adaptor

90 - 110mm

K9621ECL1

Flush plates



Brushed
Bronze
(BZ)



Slate
(T)



Matt Black
(B)



Brushed Brass
(F)



Brushed
Nickel
(L,V)



Chrome
(C)



Cleverly designed for your bathroom

Our flush plates are:

Easy to fit

Dual flush - including eco flush

Smooth yet positive operation

Manufactured from high impact, tough ABS stainless steel.

Actuation force <20NM


Compatible with our toilet frames and concealed cisterns



MPRO Stainless Steel

Mechanical operation
304 stainless steel
w 245 x h 165mm

-  MPROSPATEC
-  MPROSPATEMB
-  MPROSPATEF
-  MPROSPATEV
-  MPROSPATEBZ
-  MPROSPATET



MPRO

Mechanical operation
ABS
w 245 x h 165mm

-  MPROFLUSHC
-  MPROFLUSHB
-  MPROFLUSHF
-  MPROFLUSHV
-  MPROFLUSHBZ
-  MPROFLUSHT



VENUE

Mechanical operation
ABS
w 245 x h 165mm

-  VENFLUSHC
-  VENFLUSHB
-  VENFLUSHF
-  VENFLUSHV
-  VENFLUSHBZ
-  VENFLUSHT

NEW



Belgravia Traditional Flush Plate

Brass
w 245 x h 165mm

-  BLFLUSHF
-  BLFLUSHL
-  BLFLUSHC

Toilet furniture



Furniture Units

Our toilet furniture units are suitable for use with WCC46X39R and WCC39X45C (choice of flush button finish options).

Our slimline floor units are supplied with uncut fascia, removable top and adjustable feet. Designed to work alongside most Crosswater furniture ranges.




Requires some on site assembly
w 545 x d 225 x 920mm

- | | | |
|---|---|--|
|  SP5492NO |  SP5492WS |  SP5492SC |
|  SP5492WO |  SP5492SGR |  SP5492WG |
|  SP5492ST_V2 |  SP5492IB |  SP5492SG |
|  SP5492BM |  SP5492WM | |

- | | | | |
|--|---|--|--|
|  Nordic Oak |  Windsor Oak |  Steelwood |  Matt Black |
|  Warm Stone |  Sage Green |  Deep Indigo Blue |  Matt White |
|  Soft Clay |  White Gloss |  Storm Grey Matt | |



Mada



Mada LED Mirror

Touch controls to adjust brightness and colour temperature
LED lighting
Heated demister
5mm mirror glass with safety film backing
IP44 Class 1 rated
Landscape or portrait hanging



Mada 50x70

w 500 x d 30 x h 700mm
Heated demister pad 200x 250mm

MA5070



Mada 60x80

w 600 x d 30 x h 800mm
Heated demister pad 200 x 350mm

MA6080



Mada 70x90

w 700 x d 30 x h 900mm
Heated demister pad 250 x 350mm

MA7090

Artist

Artist Back Lit Mirror

Ambient behind glass perimeter LED lighting
No touch PIR sensor on/off switch
Heated demister
5mm mirror glass with safety film backing
IP44 Class 1 rated
Landscape or portrait hanging



Artist 50x70

w 700 x d 30 x h 500mm
Heated demister pad 250 x 300mm 16w

ART5070



Artist 60x80

w 800 x d 30 x h 600mm
Heated demister pad 250 x 350mm 16w

ART6080



Artist 60x100

w 1000 x d 30 x h 600mm
Heated demister pad 310 x 450mm 16w

ART60100

Artist Forme Back Lit Mirror

Ambient behind glass perimeter LED lighting
Touch control on/off switch
5mm mirror glass with safety film backing
IP44 Class 1 rated
Landscape hanging only




Artist Forme

w 640 x d 30 x h 488mm

ART6248

Glide II



Glide II Ambient Lit Mirror

Touch controls to adjust brightness and colour temperature
LED lighting
Charging/shaver socket EN61558-2-5
Heated demister
5mm mirror glass with safety film backing
IP44 Class 1 rated



Glide II 60x80

w 800 x d 35 x h 600mm
Heated demister pad 300 x 300mm 21w

GL6080



Glide II 100x60

w 1000 x d 35 x h 600mm
Heated demister pad 310 x 450mm 21w

GL10060



Glide II 50x80

w 500 x d 35 x h 800mm
Heated demister pad 300 x 300mm 21w

GL5080

Mirror Colour Temperature

Change your lighting to suit your mood



Warm White



Cool White



Daylight

Lustro

Lustro Mirrored Cabinet

Reversible mirrored door with soft close hinges
PIR sensor on/off switch
LED lighting
3 height adjustable 5mm thick toughened safety glass shelves
Internal charging/shaver socket EN61558-2-5
Fully IP44 rated & CE approved
A energy rating



Lustro 55x70

w 505 x d 120 x h 750mm

LU5570



Lustro 62x70

w 620 x d 145 x h 700mm

LU6270




Lustro 80x70

w 800 x d 145 x h 700mm

LU8070

Infinity



Infinity Non Lit Mirror

No lighting
5mm mirror glass with safety film backing



Infinity Non Lit Mirror 50

Ø 500 x d 32mm

IF5050

- IF_NIMIRROR50MB
- IF_NIMIRROR50F
- IF_NIMIRROR50BZ
- IF_NIMIRROR50T



Infinity Non Lit Mirror 60

Ø 600 x d 32mm
Heated demister pad 250 x 300mm

- IF_NIMIRROR60MB
- IF_NIMIRROR60F
- IF_NIMIRROR60BZ
- IF_NIMIRROR60T



Infinity Non Lit Mirror 70

Ø 700 x d 32mm
Heated demister pad 250 x 350mm

- IF_NIMIRROR70MB
- IF_NIMIRROR70F
- IF_NIMIRROR70BZ
- IF_NIMIRROR70T

Infinity Illuminated Mirror

Touch controls to adjust light temperature
Adjustable light temperature from 3000K to 6000K
LED lighting
5mm mirror glass with safety film backing
IP44 Class 1 rated



Infinity Illuminated Mirror 50

Ø 500 x d 32mm

IF_MIRROR

- IF_MIRROR50MB
- IF_MIRROR50F
- IF_MIRROR50BZ
- IF_MIRROR50T



Infinity Illuminated Mirror 60

Ø 600 x d 32mm
Heated demister pad 250 x 300mm

IF_MIRROR60

- IF_MIRROR60MB
- IF_MIRROR60F
- IF_MIRROR60BZ
- IF_MIRROR60T




Infinity Illuminated Mirror 70

Ø 700 x d 32mm
Heated demister pad 250 x 350mm

IF_MIRROR70

- IF_MIRROR70MB
- IF_MIRROR70F
- IF_MIRROR70BZ
- IF_MIRROR70T




Infinity Illuminated Mirror

Ø 800 x d 30mm
Heated demister pad 310 x 450mm

IF_MIRROR80

MPRO



Brushed
Bronze
(BZ)



Slate
(T)



Matt Black
(M)



Brushed Brass
(F)



Brushed
Nickel
(V)

MPRO Non Lit Mirror

Portrait or landscape hanging



MPRO Non Lit Mirror 50

w 500 x d 32 x h 700mm
Heated demister pad 250 x 350mm

-  MPNI5070MB
-  MPNI5070F
-  MPNI5070BZ
-  MPNI5070T



MPRO Non Lit Mirror 60

w 600 x d 32 x h 800mm
Heated demister pad 310 x 450mm

-  MPNI6080MB
-  MPNI6080F
-  MPNI6080BZ
-  MPNI6080T



MPRO Non Lit Mirror 70

w 700 x d 32 x h 900mm
Heated demister pad 310 x 450mm

-  MPNI7090MB
-  MPNI7090F
-  MPNI7090BZ
-  MPNI7090T

MPRO Lit Mirror

PIR sensor on/off switch
LED lighting - daylight 6400K
Heated demister
5mm mirror glass with safety film backing
IP44 Class 1 rated
Portrait or landscape hanging



MPRO Lit Mirror 50

w 500 x d 32 x h 700mm
Heated demister pad 250 x 300mm 30w

-  MP5070MB
-  MP5070F
-  MP5070BZ
-  MP5070T



MPRO Lit Mirror 60

w 600 x d 32 x h 800mm
Heated demister pad 250 x 350mm 30w

-  MP6080MB
-  MP6080F
-  MP6080BZ
-  MP6080T



MPRO Lit Mirror 70

w 700 x d 32 x h 900mm
Heated demister pad 310 x 450mm 30w

-  MP7090MB
-  MP7090F
-  MP7090BZ
-  MP7090T




MPRO Lit Mirror 60

w 600 x d 32 x h 800mm
Heated demister pad 250 x 350mm 30w

-  MP6080V



Canvass



Canvass Illuminated Mirror

Touch controls to adjust brightness
LED lighting
Heated demister
5mm mirror glass with safety film backing
IP44 Class 1 rated



Canvass 50

Ø 500 x d 30mm
Heated demister pad 10w

CV_MIRROR50



Canvass 60

Ø 600 x d 30mm
Heated demister pad 200x 200mm 10w

CV_MIRROR60



Canvass 70

Ø 700 x d 30mm
Heated demister pad 230 x 290mm 10w

CV_MIRROR70



Canvass 90x50

w 900 x d 30 x h 500mm
Heated demister pad 150 x 250mm 10w

CV_MIRROR90

Dune

Dune Illuminated Mirror

Touch controls to adjust light temperature
LED lighting
Heated demister
5mm mirror glass with safety film backing
IP44 Class 1 rated
Portrait hanging only



Dune 40x60

w 400 x d 34 x h 600mm
Heated demister pad 150 x 380mm 30w

DN4060



Dune 50x80

w 500 x d 34 x h 800mm
Heated demister pad 300 x 300mm 30w

DN5080

Mirror Colour Temperature

Change your lighting to suit your mood



Warm White



Cool White



Daylight

Image



Image Mirrored Cabinet

Double sided mirror door with soft close hinges
PIR sensor on/off switch
Cool ambient under cabinet LED lighting
Internal mirrored back panel - easy to clean
3 height adjustable 5mm thick toughened safety glass shelves
Charging socket to EN61558-2-5
Fully IP44 rated & CE approved
A energy rating



Image 50x70

w 505 x d 120 x h 750mm

IG5070



Image 70x70

w 705 x d 120 x h 750mm

IG7070



Image 90x70

w 905 x d 120 x h 750mm

IG9070

Mirror Colour Temperature

Change your lighting to suit your mood



Warm White



Cool White



Daylight



Svelte



Svelte Illuminated Mirror

Touch controls to adjust brightness and colour temperature
LED lighting
Heated demister
5mm mirror glass with safety film backing
IP44 Class 1 rated



Svelte 60x60

w 600 x d 35 x h 600mm
Heated demister pad 250 x 350mm 21w

SE6060



Svelte 120x70

w 1200 x d 35 x h 700mm
Landscape hanging only
Heated demister pad 310 x 450mm 21w

SE12070



Svelte 50x80

w 500 x d 35 x h 800mm
Landscape or portrait hanging
Heated demister pad 250 x 350mm 21w

SE5080

Svelte Glow Illuminated Mirror with Magnifier

Touch controls to adjust brightness and colour temperature
LED lighting
Heated demister
5mm mirror glass with safety film backing
IP44 Class 1 rated



Svelte 60x80

w 600 x d 35 x h 800mm
Portrait hanging only
Heated demister pad 300 x 300mm 22.5w

SE6080



Svelte 100x70

w 1000 x d 35 x h 700mm
Landscape hanging only
Heated demister pad 310 x 450mm 22.5w

SE100070

Mirror Colour Temperature

Change your lighting to suit your mood



Warm White




Cool White



Daylight

Tranquil *lights*



Chrome
(C)



Matt Black
(MB)



Brushed Brass
(F)



Brushed Nickel
(V)



Brushed
Bronze
(BZ)



Slate
(T)



Tranquil Pillar Lights

Fitted with 40W LED
3000K warm light
Light direction can be adjusted by 45°
IP44 rated
w 92 x d 44 x h 790mm



TRL001C



TRL001MB



TRL001F



TRL001V



TRL001BZ



TRL001T



Tranquil Halo Lights

Fitted with 3W G9 bulb
3000K warm dimmable light
IP44 rated
w 188 x d 44 x h 188mm



TRL002C



TRL002MB



TRL002F



TRL002V



TRL002BZ



TRL002T



Tranquil Pendant Lights

Fitted with 3W G9 bulb
3000K warm dimmable light
Supplied with 90° bracket for wall
installation and extender rods for ceiling
installation
IP44 rated
w 188 x d 44 x h 188mm



TRL003C



TRL003MB



TRL003F



TRL003V



TRL003BZ



TRL003T

THE PERFECT PARTNER FOR YOUR BRASSWARE

Tranquil lights have been specially designed to pair with our brassware finishes. The Tranquil collection provides the perfect finishing touch to enhance the mood of any bathroom.

Air



Towel Warmer

Air rails feature innovative manufacturing technology that injects air at very high pressure into the cross rails, this expands the cross rails to allow more hot water to circulate to generate excellent heat output.



Air Towel Warmer

BTU 1514 / Watts 444
Dual fuel element available
w 500 x h 1150mm

- AR50X1150MB
- AR50X1150SW
- AR50X1150F



Metallic Black (MB)



Soft White Matt (SW)



Brushed Brass Effect (F)



Air Towel Warmer

BTU 2197 / Watts 644
Dual fuel element available
w 500 x h 1630mm

- AR50X1630MB
- AR50X1630SW
- AR50X1630F

Wedge, Celeste & Limit



Wedge 500 x 1096

BTU 1385 / Watts 406
Dual fuel element available
w 500 x h 1096mm

- WD50X109MB
- WD50X109SW



Matt Black (BM)



Metallic Black (MB)



Soft White Matt (SW)



Celeste 500 x 1100

BTU 1887 / Watts 553
Dual fuel element available
w 500 x h 1100mm

- CL50X111MB
- CL50X111SW



Limit 395 x 1200

BTU 2658 / Watts 779
Dual fuel element available
w 395 x h 1200mm

- LI39X1200BM
- LI39X1200MB
- LI39X1200SW

FOR RADIATOR VALVES, SEE PAGE 146

MPRO



Matt Black
(MB)



Matt White
(MW)



Brushed Brass
Effect
(F)



Brushed Bronze
Effect
(BZ)



Slate Effect
(T)



MPRO 430 x 900

BTU 1167 / Watts 342
Dual fuel element available
w 430 x h 900mm



MPRO 480 x 1140

BTU 1607 / Watts 471
Dual fuel element available
w 480 x h 1140mm



MPRO 480 x 1380

BTU 1938 / Watts 568
Dual fuel element available
w 480 x h 1380mm



MP48X93MB



MP48X93MW



MP48X93F



MP48X93BZ



MP48X93T



MP48X1140MB



MP48X1140MW



MP48X1140F



MP48X1140BZ



MP48X1140T



MP48X1380MB



MP48X1380MW



MP48X13800F



MP48X1380BZ



MP48X1380T

MPRO *Electric*



Matt Black
(MB)



Matt White
(MW)



Brushed Brass
Effect
(F)



Brushed Bronze
Effect
(BZ)



Slate Effect
(T)



All Electric MPRO 430 x 900

400W
Class 1 IPX5
Element fitted to right hand side as standard
w 430 x h 900mm



All Electric MPRO 480 x 1140

400W
Class 1 IPX5
Element fitted to right hand side as standard
w 480 x h 1140mm



All Electric MPRO 480 x 1380

600W
Class 1 IPX5
Element fitted to right hand side as standard
w 480 x h 1380mm



MP48X93MBELEC



MP48X93MWELEC



MP48X93FELEC



MP48X93BZELEC



MP48X93TELEC



MP48X1140MBELEC



MP48X1140MWELEC



MP48X1140FELEC



MP48X1140BZELEC



MP48X1140TELEC



MP48X1380MBELEC



MP48X1380MWELEC



MP48X13800FELEC



MP48X1380BZELEC



MP48X1380TELEC

MPRO Electric

Our MPRO Electric towel warmers are supplied with a control dial, instead of a traditional valve, which includes innovative features:

- 5 temperature settings ranging from 30°C to 60°C.
- An electronic temperature sensor that guarantees precise temperature control
- Illuminated LED indicators display the set temperature level and the status of the heating
- Dryer/Boost on demand function allows the setting of a higher heating power for two hours, after which the element returns to the previous setting
- In the event of a power failure the element remembers the previous settings therefore making it suitable for connection to external timers

You can rely on the safety of our MPRO Electric towel warmers:

- The element is equipped with frost protection and double protection against overheating
- The display shows warning indicators in case of malfunction
- An active safety feature in case the rail runs dry
- Low power consumption in a standby mode

MPRO All Electric Towel Warmers fully comply with the following regulations:
Low Voltage Directive 2014/35/EU, BS EN 60335-1:2012, BS EN 60335-2-73:2003+A1:2006+A2:2009, BS EN 60335-2-43:2002 + A1:2006+A2:2008
EMC Directive 2014/30/EU, BS EN 62233:2008, EN 55014-1:2017, BS EN 55014-2:2015, BS EN 61000-3-2:2014, BS EN 61000-3-3:2013
RoHS Directive(2015/863/EU) and WEEE Directive (2012/19/EU)

*Subject to online registration.

145



Towel warmer valves

Thermostatic Valves

These radiator valves are suitable for all Crosswater towel warmers, except for MPRO Electric models.

Approved to EN215

† Not suitable for heating elements.



Matt Black Angled TRV

RADVTRVA1B



Matt Black Corner TRV

RADVTRVC1B



Kai Anthracite Corner TRV†

RADVTRVCA



Kai Anthracite Angled TRV†

RADVTRVAA



Pier Chrome Angled TRV†

RADVTRVA1C



Pier Chrome Straight TRV†

RADVTRVS1C



Pier Chrome Corner TRV†

RADVTRVC1C

Manual Valves

These radiator valves are suitable for all Crosswater towel warmers, except for MPRO Electric models.

Supplied with lockshield



Round Chrome Corner Valve

RADVVC1



Round Angled Valve

RADVA1



Coloured Corner Valve

 RADCORNERMW

 RADCORNERF

 RADCORNERBZ

 RADCORNERT



Square Angled Valve

RADVA2

Summer heating elements



Matt Black (MB)



Matt White (MW)



Brushed Brass Effect (F)



Brushed Bronze Effect (BZ)



Slate Effect (T)

Electric Elements

Supplied with a Pipe Masking Cover
IP54 rated

These elements can be used in an all electric installation, we do not offer this service
See page 145 for other element details.



Electric Element T Piece

Compatible with matching coloured Electric Elements

-  WRT1C29M5
-  WRT1C2916
-  WRT1C2BRA
-  WRT1C2CBR
-  WRT1C2RAW



400W Element

Please note, the control fascia may not be the same finish as the casing. Brushed Bronze has a Black fascia. Slate has a Silver fascia. All others match.

-  ELE400MB
-  ELE400MW
-  ELE400F
-  ELE400BZ
-  ELE400T



600W Element

Please note, the control fascia may not be the same finish as the casing. Brushed Bronze has a Black fascia. Slate has a Silver fascia. All others match.

-  ELE600MB
-  ELE600MW
-  ELE600F
-  ELE600BZ
-  ELE600T



Electric Element

300W RADX350

600W RADX700

Also known as dual fuel or dual energy. Connected to a central heating circuit and including an electrical element that allows operation in summer months when the central heating is not in use. All Crosswater towel rails are suitable for use with a summer heating element, except MPRO Electric models. Refer to page 206 for wattage required per model.

IMPORTANT NOTE

Please refer to the bathroom zone diagram when using electrical components within the bathroom environment, see page 207. The summer element is equipped with a thermal fuse that will cut out at 65°C, with a total shut down safety setting at 78°C. These elements are suitable for all Crosswater towel warmers, where an element can be fitted. Heating elements comply with BS EN60335-2-73:2003

Gallery 10



Brushed
Bronze
(BZ)



Slate
(T)



Matt Black
(MB)



Brushed
Brass
(F)



Brushed
Nickel
(V)



Chrome
(PSS)**

**Made from polished stainless steel to match our chrome finish.
(reduces fingerprint marks)

2000mm enclosure height

15mm width adjustment for easy fitting

Concealed fixings

Choice of bracing bar options

Optional hinged or fixed deflector panel

Suitable for tray or tiled floors (wetroom)



Optional Extra



Squeegee

With Wall Bracket

● Chrome

SHSQUEEGCP

CONFIGURATIONS


Once you have identified your space you can create your personalised showering solution; with our flexible modular glass panels, profiles and stabilising fixings the layout options are almost endless.

When choosing your configuration, we recommend you allow 500mm minimum entry space.



Recess

- 1 x Glass Panel
- 1 x Wall Profile
- 1 x Bracing Bar (Wall, Ceiling or Angled)



Recess with Double Panel

- 2 x Glass Panels
- 2 x Wall Profiles
- 2 x Bracing Bars (Wall, Ceiling or Angled)



Corner

- 1 x Glass Panel
- 1 x Glass Panel (up to 500mm)
- 2 x Wall Profiles
- 1 x Bracing Bar (Wall, Ceiling or Angled)



Corner with T Bracing Bar

- 2 x Glass Panels (up to 1000mm)
- 2 x Wall Profiles
- 1 x T Bracing Bar



Walk Through

- 1 x Glass Panel
- 2 x Glass to Wall Bracing Bars



Glass Corner with T Bracing Bar

- 2 x Glass Panels (up to 1000mm)
- 1 x Wall Profile
- 1 x T Bracing Bar
- 1 x Glass to Glass Corner Seal



Glass Corner with Angled Bracing Bar

- 2 x Glass Panels
- 1 x Wall Profile
- 1 x Angled Bracing Bar
- 1 x Glass to Wall Bracing Bar
- 1 x Glass to Glass Corner Seal




Three Sided

- 3 x Glass Panels
- 2 x Wall Profiles
- 1 x Angled Bracing Bar
- 1 x T Bracing Bar or 2 x Ceiling Bracing Bars
- 1 x Glass to Glass Corner Seal

Deflectors

If you've decided to opt for a configuration with a deflector we have 2 options to choose from - 180° hinged or fixed. Each type requires different fittings, details of these are listed below.

We wouldn't recommend installing a deflector panel if you have chosen a glass to ceiling bracing bar.



180° Hinged Deflector Panel

Available in 300mm, our hinged panel rotates through 180° for easier access. The colour matching hinges and clear seal give your walk in a seamless appearance.

- 1 x Glass Panel for Hinged Deflector
- 1 x Deflector Panel 180° Hinges (pair)



Fixed Deflector Panel

Available in 300mm or 400mm, for spaces where you prefer the panel not to move. The colour matching glass to glass brackets and clear seal give a luxury appearance.

- 1 x Glass Panel (up to 400mm max.)
- 1 x Glass to Glass Brackets (pair)
- 1 x Glass to Glass Seal

Additional Design Flexibility

The configurations shown are the most typical options; if you require something different please talk to your local bathroom specialist.

For further installation information or to find your local retailer visit crosswater.co.uk

GALLERY 10



WALL PROFILE Supplied with Seal

Finish	Size	Adjustment	Code
	2000mm	15mm	GRPROFILEBZ
	2000mm	15mm	GRPROFILET
	2000mm	15mm	GRPROFILEMB
	2000mm	15mm	GRPROFILEF
	2000mm	15mm	GRPROFILEV
	2000mm	15mm	GRPROFILEPSS

TOUGHENED GLASS PANELS

Width	Code
255mm	GR030010CF_V2
355mm	GR040010CF_V2
455mm	GR050010CF_V2
555mm	GR060010CF_V2
655mm	GR070010CF_V2
715mm	GR076010CF_V2
755mm	GR080010CF_V2
855mm	GR090010CF_V2
955mm	GR100010CF_V2
1055mm	GR110010CF_V2
1155mm	GR120010CF_V2
1355mm	GR140010CF_V2

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

STABILISING FIXINGS

Glass to Wall Bracing Bar

Finish	Size	Code
	1200mm	GRBRACEBZ
	1200mm	GRBRACET
	1200mm	GRBRACEMB
	1200mm	GRBRACEF
	1200mm	GRBRACEV
	1200mm	GRBRACEPSS

Glass to Ceiling Bracing Bar

Finish	Size	Code
	600mm high	GRCEILBRACEBZ
	600mm high	GRCEILBRACET
	600mm high	GRCEILBRACEMB
	600mm high	GRCEILBRACEF
	600mm high	GRCEILBRACEV
	600mm high	GRCEILBRACEPSS

T Bracing Bar

Finish	Size	Code
	1200 x 1200mm	GRTBRACEBZ
	1200 x 1200mm	GRTBRACET
	1200 x 1200mm	GRTBRACEMB
	1200 x 1200mm	GRTBRACEF
	1200 x 1200mm	GRTBRACEV
	1200 x 1200mm	GRTBRACEPSS

Angled Bracing Bar

Finish	Size	Code
	941mm	GRANGLEBRACEBZ
	941mm	GRANGLEBRACET
	941mm	GRANGLEBRACEMB
	941mm	GRANGLEBRACEF
	941mm	GRANGLEBRACEV
	941mm	GRANGLEBRACEPSS

Glass to Glass Corner Seal

Size	Code
200 x 10mm	GRSEAL2000X10

HINGED DEFLECTOR PANEL FITTINGS

Deflector Panel 180° Hinges (Pair)

Finish	Code
	GRDEFHINGEBZ
	GRDEFHINGET
	GRDEFHINGEMB
	GRDEFHINGEF
	GRDEFHINGEV
	GRDEFHINGEPSS

Hinged Deflector Glass with Seal

Size	Code
300mm	GRDEFLEC300

FIXED DEFLECTOR PANEL FITTINGS

Fixed Deflector Glass

Size	Code
300mm	GR030010CF_V2
400mm	GR040010CF_V2

Glass to Glass Seal

Size	Code
2000mm	GRBUBBLESEAL

Recommended when using glass to glass brackets

Glass to Glass Brackets (Pair)

Finish	Code
	GRBRACKBZ
	GRBRACKT
	GRBRACKMB
	GRBRACKF
	GRBRACKV
	GRBRACKPSS

OPTIONAL FITTINGS

Part	Size	Code
Glass Bottom Seal	1400 x 10mm	GRSEAL1400X10

Recommended Tray

Range	Page
25mm CREO Shower Trays	184
25mm VITO Shower Trays	186

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

Optix 10



Brushed
Bronze
(BZ)



Slate
(T)



Brushed
Brass
(F)



Brushed
Nickel
(V)



Chrome
(S)**

**Made from polished stainless steel to match our chrome finish.
(reduces fingerprint marks)



Range Options

Type	Page
Sliding Door	154
Pivot Door with Inline Panel	156
Pivot Door	158
Quadrant	159

PRODUCT HIGHLIGHTS

With Optix 10 you can add a touch of luxury to your bathroom, with remarkable quality and unparalleled performance.

- 10mm toughened glass with Crosswater Clear glass protective finish that repels water and limescale, to make cleaning easier
- Supplied with a contemporary handle as standard, with the option to upgrade to knurled or classic style should you wish
- All metal parts are 304 Stainless Steel for enhanced durability
- Suitable for tray or tiled floors (wetroom)



Wall profiles include concealed fixings, squeeze gasket seals for quick in profile adjustment and a top cover cap



Ultra-strong 304 grade stainless steel bracing bars finished to match for pivot doors with inline panels



Pivot doors with inline panels feature on glass adjustment and flush-fit solid brass hinges for easy cleaning



Sliding doors and quadrant enclosures feature soft close, cushioned movement on open and close



Concealed, fully adjustable top slider system for smooth soft closing



Beautifully designed 304 grade stainless steel double handle for easy opening and closing from inside or out




Flush-fit pivot door with inline panel solid brass hinge for easy cleaning and angled no-drip seal



Adjustable, self cleaning rollers feature a concealed brush to ensure the smoothest open/close sliding door

Optional Upgrades

Knurled Handle



- OXKNURLBZ
- OXKNURLT
- OXKNURLF
- OXKNURLV
- OXKNURLPS

Classic Handle




- OXCLASSICPS

Squeegee



- SHSQUEEGCP

OPTIX 10



2000mm enclosure height

Smooth soft close door, cushioned movement on open and close

Integrated adjustable self cleaning rollers

Reversible door for left or right hand entry

30mm width adjustment for easy fitting

Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)

Door Opening



Recommended Tray

Range	Page
25mm CREO Shower Trays	184
25mm VITO Shower Trays	186

SINGLE SLIDING DOOR

1200mm Single Sliding Door with Soft Close

Finish	Door Opening	Adjustment	Code
	476	1155-1185 (1170-1185**)	OXSLBZC1200
	476	1155-1185 (1170-1185**)	OXSLTC1200
	476	1155-1185 (1170-1185**)	OXSLFC1200
	476	1155-1185 (1170-1185**)	OXSLVC1200
	476	1155-1185 (1170-1185**)	OXSLSC1200

1400mm Single Sliding Door with Soft Close

Finish	Door Opening	Adjustment	Code
	576	1355-1385 (1370-1385**)	OXSLBZC1400
	576	1355-1385 (1370-1385**)	OXSLTC1400
	576	1355-1385 (1370-1385**)	OXSLFC1400
	576	1355-1385 (1370-1385**)	OXSLVC1400
	576	1355-1385 (1370-1385**)	OXSLSC1400

1500mm Single Sliding Door with Soft Close

Finish	Door Opening	Adjustment	Code
	626	1455-1485 (1470-1485**)	OXSLBZC1500
	626	1455-1485 (1470-1485**)	OXSLTC1500
	626	1455-1485 (1470-1485**)	OXSLFC1500
	626	1455-1485 (1470-1485**)	OXSLSC1500

1700mm Single Sliding Door with Soft Close

Finish	Door Opening	Adjustment	Code
	626	1655-1685 (1670-1685**)	OXSLBZC1700
	626	1655-1685 (1670-1685**)	OXSLTC1700
	626	1655-1685 (1670-1685**)	OXSLFC1700
	626	1655-1685 (1670-1685**)	OXSLSC1700

Side Panel / 800mm

Finish	Adjustment	Code
	765-790	OXSLSPBZC0800
	765-790	OXSLSPTC0800
	765-790	OXSLSPFC0800
	765-790	OXSLSPVC0800
	765-790	OXSLSPSC0800

Side Panel / 900mm

Finish	Adjustment	Code
	865-890	OXSLSPBZC0900
	865-890	OXSLSPTC0900
	765-790	OXSLSPFC0900
	865-890	OXSLSPVC0900
	865-890	OXSLSPSC0900

**Adjustment when used with a side panel.


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

OPTIX 10



2000mm enclosure height
 Flush-fit pivot hinges
 Reversible door for left or right hand entry
 25mm width adjustment for easy fitting
 Supplied with bracing bar and fixed inline panel glass clamp
 Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)

Door Opening



Recommended Tray

Range	Page
25mm CREO Shower Trays	184
25mm VITO Shower Trays	186

PIVOT DOOR WITH INLINE PANEL

800mm Pivot Door with Inline Panel

Finish	Door Opening	Adjustment	Code
	500	760-785 (770-795**)	OXPDVC0800

900mm Pivot Door with Inline Panel

Finish	Door Opening	Adjustment	Code
	500	860-885 (870-895**)	OXPDVC0900

1000mm Pivot Door with Inline Panel

Finish	Door Opening	Adjustment	Code
	600	960-985 (970-995**)	OXPDZC1000
	600	960-985 (970-995**)	OXPDTC1000
	600	960-985 (970-995**)	OXPDZC1000
	600	960-985 (970-995**)	OXPDSC1000

1200mm Pivot Door with Inline Panel

Finish	Door Opening	Adjustment	Code
	650	1160-1185 (1170-1195**)	OXPDZC1200
	650	1160-1185 (1170-1195**)	OXPDTC1200
	650	1160-1185 (1170-1195**)	OXPDZC1200
	650	1160-1185 (1170-1195**)	OXPDSC1200

1400mm Pivot Door with Inline Panel

Finish	Door Opening	Adjustment	Code
	650	1360-1385 (1370-1395**)	OXPDZC1400
	650	1360-1385 (1370-1395**)	OXPDTC1400
	650	1360-1385 (1370-1395**)	OXPDSC1400

**Adjustment when used with a side panel.

800mm Side Panel

Finish	Adjustment	Code
	775-795	XPDSPBZC0800
	775-795	XPDSPTC0800
	775-795	XPDSPFC0800
	775-795	XPDSPVC0800
	775-795	XPDSPSC0800


900mm Side Panel

Finish	Adjustment	Code
	875-895	XPDSPBZC0900
	875-895	XPDSPTC0900
	875-895	XPDSPFC0900
	875-895	XPDSPVC0900
	875-895	XPDSPSC0900

Side panels are supplied with required glass clamp and pre-fitted closing profile. The moving door must only close against a side panel.


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

OPTIX 10



2000mm enclosure height
Outward opening pivot hinges
Pivot hinge position reduces door overhang
Reversible door for left or right hand entry
25mm width adjustment for easy fitting
Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)

Door Opening



Recommended Tray

Range	Page
25mm CREO Shower Trays	184
25mm VITO Shower Trays	186

PIVOT DOOR

800mm Pivot Door

Finish	Door Opening	Adjustment	Code
	600	760-785 (770-795**)	OXWPBZC0800
	600	760-785 (770-795**)	OXWPTC0800
	600	760-785 (770-795**)	OXWPFC0800
	600	760-785 (770-795**)	OXWPSC0800

900mm Pivot Door

Finish	Door Opening	Adjustment	Code
	800	860-885 (870-895**)	OXWPBZC0900
	800	860-885 (870-895**)	OXWPTC0900
	800	860-885 (870-895**)	OXWPFC0900
	800	860-885 (870-895**)	OXWPSC0900

800mm Side Panel

Finish	Adjustment	Code
	770-795	OXWSPBZC0800
	770-795	OXWSPTC0800
	770-795	OXWSPFC0800
	770-795	OXWSPSC0800

900mm Side Panel


Finish	Adjustment	Code
	870-895	OXWSPBZC0900
	870-895	OXWSPTC0900
	870-895	OXWSPFC0900
	870-895	OXWSPSC0900

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.




2000mm enclosure height
Doors available with left or right hand entry
Smooth soft close door
Quick release stainless steel rollers
20mm width adjustment for easy fitting
Suitable for trays with a minimum ledge of 60mm or tiled floors (wet room)

Door Opening RH



Door Opening LH



Recommended Tray

Range	Page
CREO Shower Trays	184

QUADRANT ENCLOSURES

900mm Quadrant Single Door

Finish	Door Opening	Adjustment	Code (Right)	Code (Left)
	446	870-890	OXQSBZC0900_R	OXQSBZC0900_L
	446	870-890	OXQSSTC0900_R	OXQSSTC0900_L
	446	870-890	OXQSFC0900_R	OXQSFC0900_L
	446	870-890	OXQSVC0900_R	OXQSVC0900_L

1000 x 800mm Offset Quadrant Single Door

Finish	Door Opening	Adjustment	Code (Right)	Code (Left)
	403	770-790/960-980	OXQSBZC10X8_R	OXQSBZC10X8_L
	403	770-790/960-980	OXQSSTC10X8_R	OXQSSTC10X8_L
	403	770-790/960-980	OXQSFC10X8_R	OXQSFC10X8_L
	403	770-790/960-980	OXQSVC10X8_R	OXQSVC10X8_L

Offset Quadrant Single Door / 1200 x 800mm

Finish	Door Opening	Adjustment	Code (Right)	Code (Left)
	403	770-790/1170-1190	OXQSBZC12X8_R	OXQSBZC12X8_L
	403	770-790/1170-1190	OXQSSTC12X8_R	OXQSSTC12X8_L
	403	770-790/1170-1190	OXQSFC12X8_R	OXQSFC12X8_L
	403	770-790/1170-1190	OXQSVC12X8_R	OXQSVC12X8_L

Offset Quadrant Single Door / 1200 x 900mm

Finish	Door Opening	Adjustment	Code (Right)	Code (Left)
	446	870-890/1170-1190	OXQSBZC12X9_R	OXQSBZC12X9_L
	446	870-890/1170-1190	OXQSSTC12X9_R	OXQSSTC12X9_L
	446	870-890/1170-1190	OXQSFC12X9_R	OXQSFC12X9_L
	446	870-890/1170-1190	OXQSVC12X9_R	OXQSVC12X9_L

This enclosure requires a shower tray with a minimum ledge of 60mm.

OPTIX 10



Quadrant Enclosure

2000mm enclosure height

Smooth soft close door

Quick release stainless steel rollers

20mm width adjustment for easy fitting

Creo Shower Tray

Manufactured from 75% crushed Dolomite rock in a factory powered by 100% green energy.

Engineered stone construction with anti-bacterial, easy-clean and repairable nano gel coating.

60mm outer flat edge and drain gully are almost invisible to the eye.

Smooth and warm to the touch, with excellent thermal and sound insulation to give you the most relaxing shower possible.

Flush fitting, colour-matched white stainless steel central waste cover for ultimate comfort.


Dedicated waste instantly removes water (32 lpm).

Fully complies with BS EN 274-1:2002, with DIN 51097 class A anti-slip rating.


Suitable for fitting directly on a floor, flush for level access solution or raised (using our optional riser leg set).

Trays can be cut on-site, if needed, to accommodate obstructions like soil pipe boxing.

Door Opening RH



Door Opening LH



QUADRANT ENCLOSURE SETS

900 x 900mm Quadrant

Supplied with Creo 900 x 900mm shower tray
Waste included

Finish	Door Opening	Adjustment	Code (Right)	Code (Left)
	446	870-890	OPTIXSET1BZ_R	OPTIXSET1BZ_L
	446	870-890	OPTIXSET1T_R	OPTIXSET1T_L
	446	870-890	OPTIXSET1F_R	OPTIXSET1F_L
	446	870-890	OPTIXSET1L_R	OPTIXSET1L_L

1000 x 800mm Quadrant

Supplied with Creo 1000 x 800mm shower tray
Waste included

Finish	Door Opening	Adjustment	Code (Right)	Code (Left)
	403	770-790/960-980	OPTIXSET2BZ_R	OPTIXSET2BZ_L
	403	770-790/960-980	OPTIXSET2T_R	OPTIXSET2T_L
	403	770-790/960-980	OPTIXSET2F_R	OPTIXSET2F_L
	403	770-790/960-980	OPTIXSET2L_R	OPTIXSET2L_L

1200 x 800mm Quadrant

Supplied with Creo 1200 x 800mm shower tray
Waste included

Finish	Door Opening	Adjustment	Code (Right)	Code (Left)
	403	770-790/1170-1190	OPTIXSET3BZ_R	OPTIXSET3BZ_L
	403	770-790/1170-1190	OPTIXSET3T_R	OPTIXSET3T_L
	403	770-790/1170-1190	OPTIXSET3F_R	OPTIXSET3F_L
	403	770-790/1170-1190	OPTIXSET3L_R	OPTIXSET3L_L

1200 x 900mm Quadrant

Supplied with Creo 1200 x 900mm shower tray
Waste included

Finish	Door Opening	Adjustment	Code (Right)	Code (Left)
	446	870-890/1170-1190	OPTIXSET4BZ_R	OPTIXSET4BZ_L
	446	870-890/1170-1190	OPTIXSET4T_R	OPTIXSET4T_L
	446	870-890/1170-1190	OPTIXSET4F_R	OPTIXSET4F_L
	446	870-890/1170-1190	OPTIXSET4L_R	OPTIXSET4L_L

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

These trays are produced from natural materials and can experience manufacturing tolerance of +/-5mm. This enclosure requires a shower tray with a minimum ledge of 60mm.

Design 8



Chrome
(S)



SINGLE SLIDING DOOR SETS

Single Sliding Door

Supplied with Creo shower tray
Waste included

Finish	Enclosure	Shower Tray	Code
	Design 1200 Sliding	Creo 1200 x 800mm	DES8SET1
	Design 1400 Sliding	Creo 1400 x 800mm	DES8SET2
	Design 1500 Sliding	Creo 1500 x 800mm	DES8SET3
	Design 1700 Sliding	Creo 1700 x 800mm	DES8SET4

Single Sliding Door

1950mm enclosure height
Silver anodised aluminium finish
Reversible door for left or right hand entry
25mm width adjustment for easy fitting
Quick release double rollers for easier cleaning
Soft close opening and closing

Creo Shower Tray

Manufactured from 75% crushed Dolomite rock in a factory powered by 100% green energy.
Engineered stone construction with anti-bacterial, easy-clean and repairable nano gel coating.
60mm outer flat edge and drain gully are almost invisible to the eye.
Smooth and warm to the touch, with excellent thermal and sound insulation to give you the most relaxing shower possible.
Flush fitting, colour-matched white stainless steel central waste cover for ultimate comfort.
Dedicated waste instantly removes water (32 lpm).
Fully complies with BS EN 274-1:2002, with DIN 51097 class A anti-slip rating.
Suitable for fitting directly on a floor, flush for level access solution or raised (using our optional riser leg set).
Trays can be cut on-site, if needed, to accommodate obstructions like soil pipe boxing.

Moving door is 6mm toughened glass, the fixed panel is 8mm toughened glass.
Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

**Strikethrough was price at December 2025.

*Subject to online registration



Asura 8



Brushed
Bronze
(BZ)



Slate
(T)



Matt Black
(B)



Brushed
Brass
(F)



Brushed
Nickel
(V)



Chrome
(S)**

**Made from polished stainless steel to match our chrome finish. (reduces fingerprint marks)

Required Handle Options

Personalise your final shower enclosure design with both colour and texture. Choose from three unique handle designs: fluted, hammered or sleek.

Hammered



- AUHAMMERDBZ
- AUHAMMERDT
- AUHAMMERDMB
- AUHAMMEREDF
- AUHAMMEREDV
- AUHAMMEREDPS

Fluted



- AUFLUTEDBZ
- AUFLUTEDT
- AUFLUTEDMB
- AUFLUTEDF
- AUFLUTEDV
- AUFLUTEDPS

Sleek



- AUSLEEKBZ
- AUSLEEKT
- AUSLEEKMB
- AUSLEEKF
- AUSLEEKV
- AUSLEEKPS



INFOLD DOOR

800mm Infold Door

Finish	Door Opening	Adjustment	Code
	595	760-790	AUIDBZC0800
	595	760-790	AUIDTC0800
	595	760-790	AUIDBC0800
	595	760-790	AUIDFC0800
	595	760-790	AUIDVC0800
	595	760-790	AUIDSC0800

900mm Infold Door

Finish	Door Opening	Adjustment	Code
	644	860-890	AUIDBZC0900
	644	860-890	AUIDTC0900
	644	860-890	AUIDBC0900
	644	860-890	AUIDFC0900
	644	860-890	AUIDVC0900
	644	860-890	AUIDSC0900

2000mm enclosure height

Reversible door for left or right hand entry

30mm width adjustment for easy fitting

Concealed fixings and profile cover caps


Suitable for tray or tiled floors (wet room)

Handles sold separately

Range Options

Type	Page
Infold Door	162
Sliding Door	164
Hinged Door	166
Hinged Door with Inline Panel	168
Quadrant	170

Door Opening



1000mm Infold Door

Finish	Door Opening	Adjustment	Code	
	666	960-990	AUIDBZC1000	NEW
	666	960-990	AUIDTC1000	NEW
	666	960-990	AUIDBC1000	NEW
	666	960-990	AUIDFC1000	NEW
	666	960-990	AUIDVC1000	NEW
	666	960-990	AUIDSC1000	NEW

Recommended Tray

Range	Page
25mm CREO Shower Trays	184
25mm VITO Shower Trays	186

800mm Side Panel

Finish	Adjustment	Code
	770-785	AUIDSPBZC0800
	770-785	AUIDSPTC0800
	770-785	AUIDSPBC0800
	770-785	AUIDSPFC0800
	770-785	AUIDSPVC0800
	770-785	AUIDSPSC0800

Extension Profile 2000 x 20mm

Finish	Code	
	AUHIINEXTPROBZ	NEW
	AUHIINEXTPROT	NEW
	AUHIINEXTPROMB	NEW
	AUHIINEXTPROF	NEW
	AUHIINEXTPROV	NEW
	AUHIINEXTPROC	NEW

900mm Side Panel

Finish	Adjustment	Code
	870-885	AUIDSPBZC0900
	870-885	AUIDSPTC0900
	870-885	AUIDSPBC0900
	870-885	AUIDSPFC0900
	870-885	AUIDSPVC0900
	870-885	AUIDSPSC0900

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8



2000mm enclosure height
Reversible door for left or right hand entry
40mm width adjustment for easy fitting
Concealed fixings and profile cover caps
Suitable for tray or tiled floors (wet room)
Handles sold separately

Door Opening



SLIDING DOOR

1100mm Single Sliding Door

Finish	Door Opening	Adjustment	Code	
	406	1050-1090	AUSLBZC1100	NEW
	406	1050-1090	AUSLTC1100	NEW
	406	1050-1090	AUSLBC1100	NEW
	406	1050-1090	AUSLFC1100	NEW
	406	1050-1090	AUSLVC1100	NEW
	406	1050-1090	AUSLSC1100	NEW

1200mm Single Sliding Door

Finish	Door Opening	Adjustment	Code	
	456	1150-1190	AUSLBZC1200	
	456	1150-1190	AUSLTC1200	
	456	1150-1190	AUSLBC1200	
	456	1150-1190	AUSLFC1200	
	456	1150-1190	AUSLVC1200	
	456	1150-1190	AUSLSC1200	

1300mm Single Sliding Door

Finish	Door Opening	Adjustment	Code	
	506	1250-1290	AUSLBZC1300	NEW
	506	1250-1290	AUSLTC1300	NEW
	506	1250-1290	AUSLBC1300	NEW
	506	1250-1290	AUSLFC1300	NEW
	506	1250-1290	AUSLVC1300	NEW
	506	1250-1290	AUSLSC1300	NEW

1400mm Single Sliding Door

Finish	Door Opening	Adjustment	Code	
	556	1350-1390	AUSLBZC1400	
	556	1350-1390	AUSLTC1400	
	556	1350-1390	AUSLBC1400	
	556	1350-1390	AUSLFC1400	
	556	1350-1390	AUSLVC1400	
	556	1350-1390	AUSLSC1400	

Recommended Tray

Range	Page
25mm CREO Shower Trays	184
25mm VITO Shower Trays	186

1500mm Single Sliding Door

Finish	Door Opening	Adjustment	Code
	606	1450-1490	AUSLBZC1500
	606	1450-1490	AUSLTC1500
	606	1450-1490	AUSLBC1500
	606	1450-1490	AUSLFC1500
	606	1450-1490	AUSLVC1500
	606	1450-1490	AUSLSC1500

1700mm Single Sliding Door

Finish	Door Opening	Adjustment	Code
	606	1650-1690	AUSLBZC1700
	606	1650-1690	AUSLTC1700
	606	1650-1690	AUSLBC1700
	606	1650-1690	AUSLFC1700
	606	1650-1690	AUSLVC1700
	606	1650-1690	AUSLSC1700

The moving door must only close against a side panel

800mm Side Panel

Finish	Adjustment	Code
	770-790	AUSLSPBZC0800
	770-790	AUSLSPTC0800
	770-790	AUSLSPBC0800
	770-790	AUSLSPFC0800
	770-790	AUSLSPVC0800
	770-790	AUSLSPSC0800

Extension Profile 2000 x 20mm

Finish	Code	
	AUSLEXTPROBZ	NEW
	AUSLEXTPROT	NEW
	AUSLEXTPROMB	NEW
	AUSLEXTPROF	NEW
	AUSLEXTPROV	NEW
	AUSLEXTPROC	NEW

900mm Side Panel


Finish	Adjustment	Code
	870-890	AUSLSPBZC0900
	870-890	AUSLSPTC0900
	870-890	AUSLSPBC0900
	870-890	AUSLSPFC900
	870-890	AUSLSPVC0900
	870-890	AUSLSPSC0900

ASURA 8



2000mm enclosure height
Reversible door for left or right hand entry
15mm width adjustment for easy fitting
Concealed fixings and profile cover caps
Suitable for tray or tiled floors (wet room)
Handles sold separately

Door Opening



Recommended Tray

Range	Page
25mm CREO Shower Trays	184
25mm VITO Shower Trays	186

HINGED DOOR

800mm Hinged Door

Finish	Door Opening	Adjustment	Code
	604	775-790	AUHDBZC0800
	604	775-790	AUHDTTC0800
	604	775-790	AUHDBC0800
	604	775-790	AUHDFC0800
	604	775-790	AUHDVC0800
	604	775-790	AUHDESC0800

900mm Hinged Door

Finish	Door Opening	Adjustment	Code
	704	875-890	AUHDBZC0900
	704	875-890	AUHDTTC0900
	704	875-890	AUHDBC0900
	704	875-890	AUHDFC0900
	704	875-890	AUHDVC0900
	704	875-890	AUHDESC0900

1000mm Hinged Door

Finish	Door Opening	Adjustment	Code
	804	975-990	AUHDBZC1000
	804	975-990	AUHDTTC1000
	804	975-990	AUHDBC1000
	804	975-990	AUHDFC1000
	804	975-990	AUHDVC1000
	804	975-990	AUHDESC1000

700mm Side Panel

Finish	Adjustment	Code	
	660-675	AUHDSBZC0700	NEW
	660-675	AUHDSPTC0700	NEW
	660-675	AUHDSBPC0700	NEW
	660-675	AUHDSRFC0700	NEW
	660-675	AUHDSVPC0700	NEW
	660-675	AUHDSRSC0700	NEW

760mm Side Panel

Finish	Adjustment	Code	
	720-735	AUHDSBZC0760	NEW
	720-735	AUHDSPTC0760	NEW
	720-735	AUHDSBPC0760	NEW
	720-735	AUHDSRFC0760	NEW
	720-735	AUHDSVPC0760	NEW
	720-735	AUHDSRSC0760	NEW

800mm Side Panel

Finish	Adjustment	Code	
	760-775	AUHDSBZC0800	
	760-775	AUHDSPTC0800	
	760-775	AUHDSBPC0800	
	760-775	AUHDSRFC0800	
	760-775	AUHDSVPC0800	
	760-775	AUHDSRSC0800	

Extension Profile 2000 x 20mm

Finish	Code	
	AUHIINEXTPROBZ	NEW
	AUHIINEXTPROT	NEW
	AUHIINEXTPROMB	NEW
	AUHIINEXTPROF	NEW
	AUHIINEXTPROV	NEW
	AUHIINEXTPROC	NEW

900mm Side Panel

Finish	Adjustment	Code	
	860-875	AUHDSBZC0900	
	860-875	AUHDSPTC0900	
	860-875	AUHDSBPC0900	
	860-875	AUHDSRFC0900	
	860-875	AUHDSVPC0900	
	860-875	AUHDSRSC0900	


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8



2000mm enclosure height
Reversible door for left or right hand entry
25mm width adjustment for easy fitting
Soft close hinges
Concealed fixings and profile cover caps
Suitable for tray or tiled floors (wet room)
Handles sold separately

Door Opening



HINGED DOOR WITH INLINE PANEL

1000mm Hinged Door with Inline Panel

Finish	Door Opening	Adjustment	Code	
	568	975-990	AUHDILPSBZ1000	NEW
	568	975-990	AUHDILPST1000	NEW
	568	975-990	AUHDILPSB1000	NEW
	568	975-990	AUHDILPSF1000	NEW
	568	975-990	AUHDILPSV1000	NEW
	568	975-990	AUHDILPSC1000	NEW

1200mm Hinged Door with Inline Panel

Finish	Door Opening	Adjustment	Code	
	618	1175-1190	AUHDILPSBZ1200	NEW
	618	1175-1190	AUHDILPST1200	NEW
	618	1175-1190	AUHDILPSB1200	NEW
	618	1175-1190	AUHDILPSF1200	NEW
	618	1175-1190	AUHDILPSV1200	NEW
	618	1175-1190	AUHDILPSC1200	NEW

1400mm Hinged Door with Inline Panel

Finish	Door Opening	Adjustment	Code	
	618	1375-1390	AUHDILPSBZ1400	NEW
	618	1375-1390	AUHDILPST1400	NEW
	618	1375-1390	AUHDILPSB1400	NEW
	618	1375-1390	AUHDILPSF1400	NEW
	618	1375-1390	AUHDILPSV1400	NEW
	618	1375-1390	AUHDILPSC1400	NEW

Recommended Tray

Range	Page
25mm CREO Shower Trays	184
25mm VITO Shower Trays	186

1700mm Hinged Door with Inline Panel

Finish	Door Opening	Adjustment	Code	
	618	1675-1690	AUHDILPSBZ1700	NEW
	618	1675-1690	AUHDILPST1700	NEW
	618	1675-1690	AUHDILPSB1700	NEW
	618	1675-1690	AUHDILPSF1700	NEW
	618	1675-1690	AUHDILPSV1700	NEW
	618	1675-1690	AUHDILPSC1700	NEW

800mm Side Panel

Finish	Adjustment	Code	
	760-775	AUSPHDBZ800	NEW
	760-775	AUSPHDT800	NEW
	760-775	AUSPHDB800	NEW
	760-775	AUSPHDF800	NEW
	760-775	AUSPHDV800	NEW
	760-775	AUSPHDC800	NEW

900mm Side Panel

Finish	Adjustment	Code	
	860-875	AUSPHDBZ900	NEW
	860-875	AUSPHDT900	NEW
	860-875	AUSPHDB900	NEW
	860-875	AUSPHDF900	NEW
	860-875	AUSPHDV900	NEW
	860-875	AUSPHDC900	NEW


Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

ASURA 8



2000mm enclosure height
Reversible door for left or right hand entry
30mm width adjustment for easy fitting
Concealed fixings and profile cover caps
Suitable for tray or tiled floors (wet room)
Quick release double rollers, concealed
Handles sold separately

Door Opening



QUADRANT ENCLOSURE

800mm Quadrant Single Door

Finish	Door Opening	Adjustment	Code
	595	766-789	AUQSBZC0800
	595	766-789	AUQSTC0800
	595	766-789	AUQSBC0800
	595	766-789	AUQSFC0800
	595	766-789	AUQ SVC0800
	595	766-789	AUQSSC0800

900mm Quadrant Single Door

Finish	Door Opening	Adjustment	Code
	644	865-880	AUQSBZC0900
	644	865-880	AUQSTC0900
	644	865-880	AUQSBC0900
	644	865-880	AUQSFC0900
	644	865-880	AUQ SVC0900
	644	865-880	AUQSSC0900

1000 x 800mm Offset Quadrant Single Door

Finish	Adjustment	Code
	965-980 / 765-780	AUQSBZC10X8
	965-980 / 765-780	AUQSTC10X8
	965-980 / 765-780	AUQSBC10X8
	965-980 / 765-780	AUQSFC10X8
	965-980 / 765-780	AUQ SVC10X8
	965-980 / 765-780	AUQSSC10X8



1200 x 800mm Offset Quadrant Single Door

Finish	Adjustment	Code
	1165-1180 / 765-780	AUQSBZC12X8
	1165-1180 / 765-780	AUQSTC12X8
	1165-1180 / 765-780	AUQSBC12X8
	1165-1180 / 765-780	AUQSFC12X8
	1165-1180 / 765-780	AUQSVC12X8
	1165-1180 / 765-780	AUQSSC12X8

1200 x 900mm Offset Quadrant Single Door

Finish	Adjustment	Code
	1165-1180 / 865-880	AUQSBZC12X9
	1165-1180 / 865-880	AUQSTC12X9
	1165-1180 / 865-880	AUQSBC12X9
	1165-1180 / 865-880	AUQSFC12X9
	1165-1180 / 865-880	AUQSVC12X9
	1165-1180 / 865-880	AUQSSC12X9

Recommended Tray

Range	Page
25mm CREO Shower Trays	184
25mm VITO Shower Trays	186

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.



Gallery 8



Brushed
Bronze
(BZ)

Slate
(T)

Matt Black
(MB)

Brushed
Brass
(F)

Brushed
Nickel
(V)

Chrome
(PSS)**

**Made from polished stainless steel to match our chrome finish.
(reduces fingerprint marks)

2000mm enclosure height

15mm width adjustment for easy fitting

Concealed fixings

Choice of bracing bar options

Optional hinged or fixed deflector panel

Suitable for tray or tiled floors (wetroom)



Optional Extra



Squeegee
With Wall Bracket

● Chrome SHSQUEEGCP

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

CONFIGURATIONS

Once you have identified your space you can create your personalised showering solution; with our flexible modular glass panels, profiles and stabilising fixings the layout options are almost endless.

When choosing your configuration, we recommend you allow 500mm minimum entry space.



Recess

- 1 x Glass Panel
- 1 x Wall Profile
- 1 x Bracing Bar (Wall, Ceiling or Angled)



Recess with Double Panel

- 2 x Glass Panels
- 2 x Wall Profiles
- 2 x Bracing Bars (Wall, Ceiling or Angled)



Corner

- 1 x Glass Panel
- 1 x Glass Panel (up to 500mm)
- 2 x Wall Profiles
- 1 x Bracing Bar (Wall, Ceiling or Angled)



Corner with T Bracing Bar

- 2 x Glass Panels (up to 1000mm)
- 2 x Wall Profiles
- 1 x T Bracing Bar



Walk Through

- 1 x Glass Panel
- 2 x Glass to Wall Bracing Bars



Glass Corner with T Bracing Bar

- 2 x Glass Panels (up to 1000mm)
- 1 x Wall Profile
- 1 x T Bracing Bar
- 1 x Glass to Glass Corner Seal



Glass Corner with Angled Bracing Bar

- 2 x Glass Panels
- 1 x Wall Profile
- 1 x Angled Bracing Bar
- 1 x Glass to Wall Bracing Bar
- 1 x Glass to Glass Corner Seal




Three Sided

- 3 x Glass Panels
- 2 x Wall Profiles
- 1 x Angled Bracing Bar
- 1 x T Bracing Bar or 2 x Ceiling Bracing Bars
- 1 x Glass to Glass Corner Seal

Deflectors

If you've decided to opt for a configuration with a deflector we have 2 options to choose from - 180° hinged or fixed. Each type requires different fittings, details of these are listed below.


We wouldn't recommend installing a deflector panel if you have chosen a glass to ceiling bracing bar.



180° Hinged Deflector Panel

Available in 300mm, our hinged panel rotates through 180° for easier access. The colour matching hinges and clear seal give your walk in a seamless appearance.

- 1 x Glass Panel for Hinged Deflector
- 1 x Deflector Panel 180° Hinges (pair)



Fixed Deflector Panel

Available in 300mm or 400mm, for spaces where you prefer the panel not to move. The colour matching glass to glass brackets and clear seal give a luxury appearance.

- 1 x Glass Panel (up to 400mm max.)
- 1 x Glass to Glass Brackets (pair)
- 1 x Glass to Glass Seal

Additional Design Flexibility

The configurations shown are the most typical options; if you require something different please talk to your local bathroom specialist.

For further installation information or to find your local retailer visit crosswater.co.uk

GALLERY 8



WALL PROFILE Supplied with Seal

Finish	Size	Adjustment	Code
	2000mm	15mm	GRPROFILEBZ
	2000mm	15mm	GRPROFILET
	2000mm	15mm	GRPROFILEMB
	2000mm	15mm	GRPROFILEF
	2000mm	15mm	GRPROFILEV
	2000mm	15mm	GRPROFILEPSS

STABILISING FIXINGS

Glass to Wall Bracing Bar

Finish	Size	Code
	1200mm	GRBRACEBZ
	1200mm	GRBRACET
	1200mm	GRBRACEMB
	1200mm	GRBRACEF
	1200mm	GRBRACEV
	1200mm	GRBRACEPSS

T Bracing Bar

Finish	Size	Code
	1200 x 1200mm	GRTBRACEBZ
	1200 x 1200mm	GRTBRACET
	1200 x 1200mm	GRTBRACEMB
	1200 x 1200mm	GRTBRACEF
	1200 x 1200mm	GRTBRACEV
	1200 x 1200mm	GRTBRACEPSS

Glass to Glass Corner Seal

Size	Code
200 x 10mm	GRSEAL2000X10

TOUGHENED GLASS PANELS

Width	Code
255mm	GR030008CF
355mm	GR040008CF
455mm	GR050008CF
555mm	GR060008CF
655mm	GR070008CF
715mm	GR076008CF
755mm	GR080008CF
855mm	GR090008CF
955mm	GR100008CF
1055mm	GR110008CF
1155mm	GR120008CF
1355mm	GR140008CF

Panels up to 500mm can be supported with a wall profile alone, panels 600mm and wider require a bracing bar. It is important to take the measurements after the tray is installed and the walls are tiled.

Glass to Ceiling Bracing Bar

Finish	Size	Code
	600mm high	GRCEILBRACEBZ
	600mm high	GRCEILBRACET
	600mm high	GRCEILBRACEMB
	600mm high	GRCEILBRACEF
	600mm high	GRCEILBRACEV
	600mm high	GRCEILBRACEPSS

Angled Bracing Bar

Finish	Size	Code
	941mm	GRANGLEBRACEBZ
	941mm	GRANGLEBRACET
	941mm	GRANGLEBRACEMB
	941mm	GRANGLEBRACEF
	941mm	GRANGLEBRACEV
	941mm	GRANGLEBRACEPSS

HINGED DEFLECTOR PANEL FITTINGS

Deflector Panel 180° Hinges (Pair)

Finish	Code
	GRDEFHINGEBZ
	GRDEFHINGET
	GRDEFHINGEMB
	GRDEFHINGEF
	GRDEFHINGEV
	GRDEFHINGEPSS

Hinged Deflector Glass with Seal

Size	Code
300mm	GRDEFLEC300

FIXED DEFLECTOR PANEL FITTINGS

Fixed Deflector Glass

Size	Code
300mm	GR030008CF
400mm	GR040008CF

Glass to Glass Seal

Size	Code
2000mm	GRBUBBLESEAL

Glass to Glass Brackets (Pair)

Finish	Code
	GRBRACKBZ
	GRBRACKT
	GRBRACKMB
	GRBRACKF
	GRBRACKV
	GRBRACKPSS

OPTIONAL FITTINGS

Part	Size	Code
Glass Bottom Seal	1400 x 10mm	GRSEAL1400X8

Recommended Tray

Range	Page
25mm CREO Shower Trays	184
25mm VITO Shower Trays	186

Clear 6



Brushed
Bronze
(BZ)



Slate
(T)



Matt Black
(B)



Brushed
Brass
(F)



Brushed
Nickel
(V)




Chrome
(S)



1950mm enclosure height
Reversible door for left or right hand entry
15mm width adjustment on each wall profile
for easy fitting
Click and lock quick-fit installation
Quick release double rollers, concealed
fixings and profile cover caps
Suitable for 550mm radius tray or tiled floors
(wet room)

Door Opening



Range Options

Type	Page
Quadrant	176
Pivot Door	178
Sliding Door	179
Infold Door	180

QUADRANT SINGLE DOOR

800mm Quadrant Single Door

Finish	Door Opening	Adjustment	Code	
	436	760-775/760-775	CAQSBZC0800	NEW
	436	760-775/760-775	CAQSTC0800	NEW
	436	760-775/760-775	CAQSBC0800_V2	NEW
	436	760-775/760-775	CAQSFC0800_V2	NEW
	436	760-775/760-775	CAQ SVC0800	NEW
	436	760-775/760-775	CAQSSC0800_V2	NEW

900mm Quadrant Single Door

Finish	Door Opening	Adjustment	Code	
	436	860-875/860-875	CAQSBZC0900	NEW
	436	860-875/860-875-885	CAQSTC0900	NEW
	436	860-875/860-875	CAQSBC0900_V2	NEW
	436	860-875/860-875	CAQSFC0900_V2	NEW
	436	860-875/860-875	CAQ SVC0900	NEW
	436	860-875/860-875	CAQSSC0900_V2	NEW

1000 x 800mm Offset Quadrant Single Door

Finish	Door Opening	Adjustment	Code	
	436	960-975/760-775	CAQSBZC10X8	NEW
	436	960-975/760-775	CAQSTC10X8	NEW
	436	960-975/760-775	CAQSBC10X8_V2	NEW
	436	960-975/760-775	CAQSFC10X8_V2	NEW
	436	960-975/760-775	CAQ SVC10X8	NEW
	436	960-975/760-775	CAQSSC10X8_V2	NEW

1200 x 800mm Offset Quadrant Single Door

Finish	Door Opening	Adjustment	Code	
	436	1160-1175/760-775	CAQSBZC12X8	NEW
	436	1160-1175/760-775	CAQSTC12X8	NEW
	436	1160-1175/760-775	CAQSBC12X8_V2	NEW
	436	1160-1175/760-775	CAQSFC12X8_V2	NEW
	436	1160-1175/760-775	CAQSVC12X8	NEW
	436	1160-1175/760-775	CAQSSC12X8_V2	NEW

1200 x 900mm Offset Quadrant Single Door

Finish	Door Opening	Adjustment	Code	
	436	1160-1175/860-875	CAQSBZC12X9	NEW
	436	1160-1175/860-875	CAQSTC12X9	NEW
	436	1160-1175/860-875	CAQSBC12X9_V2	NEW
	436	1160-1175/860-875	CAQSFC12X9_V2	NEW
	436	1160-1175/860-875	CAQSVC12X9	NEW
	436	1160-1175/860-875	CAQSSC12X9_V2	NEW

Recommended Tray


Range	Page
25mm CREO Shower Trays	184
45mm Edge Waste Shower Trays	190

CLEAR 6



- 1950mm enclosure height
- Reversible door for left or right hand entry
- 30mm width adjustment for easy fitting
- Click and lock quick-fit installation
- Removable bottom seal
- Concealed fixings and profile cover caps
- Suitable for tray or tiled floors (wet room)

Door Opening



PIVOT DOOR

800mm Pivot Door

Finish	Door Opening	Adjustment	Code	
	485	750-780	CAPDBZC0800	NEW
	485	750-780	CAPDTC0800	NEW
	485	750-780	CAPDBC0800_V2	NEW
	485	750-780	CAPDFC0800_V2	NEW
	485	750-780	CAPDVC0800	NEW
	485	750-780	CAPDSC0800_V2	NEW

900mm Pivot Door

Finish	Door Opening	Adjustment	Code	
	585	850-880	CAPDBZC0900	NEW
	585	850-880	CAPDTC0900	NEW
	585	850-880	CAPDBC0900_V2	NEW
	585	850-880	CAPDFC0900_V2	NEW
	585	850-880	CAPDVC0900	NEW
	585	850-880	CAPDSC0900_V2	NEW

Recommended Tray

Range	Page
25mm CREO Shower Trays	184
45mm Edge Waste Shower Trays	190

For side panels see page 182



1950mm enclosure height
 Reversible door for left or right hand entry
 30mm width adjustment for easy fitting
 Click and lock quick-fit installation
 Quick release double rollers
 Concealed fixings and profile cover caps
 Suitable for tray or tiled floors (wet room)

Door Opening



Recommended Tray

Range	Page
25mm CREO Shower Trays	184
45mm Edge Waste Shower Trays	190

SINGLE SLIDING DOOR

1200mm Single Sliding Door

Finish	Door Opening	Adjustment	Code	
	452	1150-1180	CASLBZC1200	NEW
	452	1150-1180	CASLTC1200	NEW
	452	1150-1180	CASLBC1200_V2	NEW
	452	1150-1180	CASLFC1200_V2	NEW
	452	1150-1180	CASLVC1200	NEW
	452	1150-1180	CASLSC1200_V2	NEW

1400mm Single Sliding Door

Finish	Door Opening	Adjustment	Code	
	552	1350-1380	CASLBZC1400	NEW
	552	1350-1380	CASLTC1400	NEW
	552	1350-1380	CASLBC1400_V2	NEW
	552	1350-1380	CASLFC1400_V2	NEW
	552	1350-1380	CASLVC1400	NEW
	552	1350-1380	CASLSC1400_V2	NEW

1500mm Single Sliding Door

Finish	Door Opening	Adjustment	Code	
	602	1450-1480	CASLBZC1500	NEW
	602	1450-1480	CASLTC1500	NEW
	602	1450-1480	CASLBC1500_V2	NEW
	602	1450-1480	CASLFC1500_V2	NEW
	602	1450-1480	CASLVC1500	NEW
	602	1450-1480	CASLSC1500_V2	NEW

For side panels see page 182

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

CLEAR 6



1950mm enclosure height

Reversible door for left or right hand entry

30mm width adjustment for easy fitting


Click and lock quick-fit installation

Smooth double rollers & removable bottom seal

Concealed fixings and profile cover caps

Suitable for tray or tiled floors (wet room)

Door Opening



INFOLD DOOR

700mm Infold Door

Finish	Door Opening	Adjustment	Code	
	458	650-680	CAIDBZC0700	NEW
	458	650-680	CAIDTC0700	NEW
	458	650-680	CAIDBC0700	NEW
	458	650-680	CAIDFC0700	NEW
	458	650-680	CAIDVC0700	NEW
	458	650-680	CAIDSC0700_V2	NEW

760mm Infold Door

Finish	Door Opening	Adjustment	Code	
	518	710-740	CAIDBZC0760	NEW
	518	710-740	CAIDTC0760	NEW
	518	710-740	CAIDBC0760_V2	NEW
	518	710-740	CAIDFC0760_V2	NEW
	518	710-740	CAIDVC0760	NEW
	518	710-740	CAIDSC0760_V2	NEW

800mm Infold Door

Finish	Door Opening	Adjustment	Code	
	558	750-780	CAIDBZC0800	NEW
	558	750-780	CAIDTC0800	NEW
	558	750-780	CAIDBC0800_V2	NEW
	558	750-780	CAIDFC0800_V2	NEW
	558	750-780	CAIDVC0800	NEW
	558	750-780	CAIDSC0800_V2	NEW

900mm Infold Door

Finish	Door Opening	Adjustment	Code	
	658	850-880	CAIDBZC0900	NEW
	658	850-880	CAIDTC0900	NEW
	658	850-880	CAIDBC0900_V2	NEW
	658	850-880	CAIDFC0900_V2	NEW
	658	850-880	CAIDVC0900	NEW
	658	850-880	CAIDSC0900_V2	NEW

Recommended Tray

Range	Page
25mm CREO Shower Trays	184
45mm Edge Waste Shower Trays	190

1000mm Infold Door

Finish	Door Opening	Adjustment	Code	
	758	950-980	CAIDBZC1000	NEW
	758	950-980	CAIDTC1000	NEW
	758	950-980	CAIDBC1000_V2	NEW
	758	950-980	CAIDFC1000_V2	NEW
	758	950-980	CAIDVC1000	NEW
	758	950-980	CAIDSC1000_V2	NEW

For side panels see page 182

Door adjustments shown are the minimum and maximum, excluding a tray. Before ordering we advise you check the door will be compatible with your space, including any wall coverings. The finished installation space may be less than your tray size, as most shower trays are tiled onto the rim or over a tray up-stand.

CLEAR 6



SIDE PANELS

700mm Side Panel

Finish	Adjustment	Code	
	653-668	CASPBZC0700	NEW
	653-668	CASPTC0700	NEW
	653-668	CASBPC0700_V2	NEW
	653-668	CASFBC0700	NEW
	653-668	CASPVC0700	NEW
	653-668	CASPSC0700_V2	NEW

760mm Side Panel

Finish	Adjustment	Code	
	713-728	CASPBZC0760	NEW
	713-728	CASPTC0760	NEW
	713-728	CASBPC0760_V2	NEW
	713-728	CASFBC0760_V2	NEW
	713-728	CASPVC0760	NEW
	713-728	CASPSC0760_V2	NEW

800mm Side Panel

Finish	Adjustment	Code	
	753-768	CASPBZC0800	NEW
	753-768	CASPTC0800	NEW
	753-768	CASBPC0800_V2	NEW
	753-768	CASFBC0800_V2	NEW
	753-768	CASPVC0800	NEW
	753-768	CASPSC0800_V2	NEW

Extension Profile 1950 x 25mm

Finish	Code	
	CAEXTPROFILEBZC	NEW
	CAEXTPROFILETC	NEW
	CAEXTPROFILEBC_V2	NEW
	CAEXTPROFILEFC_V2	NEW
	CAEXTPROFILEVC	NEW
	CAEXTPROFILESC_V2	NEW

900mm Side Panel


Finish	Adjustment	Code	
	853-868	CASPBZC0900	NEW
	853-868	CASPTC0900	NEW
	853-868	CASBPC0900_V2	NEW
	853-868	CASFBC0900_V2	NEW
	853-868	CASPVC0900	NEW
	853-868	CASPSC0900_V2	NEW

The Ultimate *Glass Protection*




Supplied as standard.

Crosswater Clear is a colourless surface treatment applied to all shower and bath panels. The coating is perfectly flat and invisible and works by creating a surface that helps prevent limescale, soap/shampoo build-up, easier to clean and sparkling glass every day.



Untreated Glass

Untreated glass can quickly and easily suffer permanent bonding of limescale and mineral salts onto its surface, which can cause staining and damage, with water spots being difficult, if not impossible, to remove despite regular cleaning.



Crosswater Clear Treated Glass

Helping to prevent build up and making the glass easier to clean, Crosswater Clear allows soils and liquids to 'slide off' the treated surface which prevents limescale and other dirt from building up to make cleaning a quicker and easier process.

25mm Shower Trays

CREO



Manufactured from 75% crushed Dolomite rock in a factory powered by 100% green energy.

Engineered stone construction with anti-bacterial, easy-clean and repairable nano gel coating.

60mm outer flat edge and drain gully are almost invisible to the eye.

Smooth and warm to the touch, with excellent thermal and sound insulation to give you the most relaxing shower possible.

Flush fitting, colour-matched white stainless steel central waste cover for ultimate comfort.

Dedicated waste instantly removes water (32 lpm).

Fully complies with BS EN 274-1:2002, with DIN 51097 class A anti-slip rating.

Suitable for fitting directly on a floor, flush for level access solution or raised (using our optional riser leg set).

Trays can be cut on-site, if needed, to accommodate obstructions like soil pipe boxing.



CREO SHOWER TRAYS

Square

Size	Code
800 x 800mm	CRS800X800W
900 x 900mm	CRS900X900W



Quadrant

Size	Code
800mm Quad	CRQ800X800W
900mm Quad	CRQ900X900W

These trays are produced from natural materials and can experience manufacturing tolerance of +/-5mm.



Rectangular

Size	Code
760 x 1200mm	CRR760X1200W
760 x 1400mm	CRR760X1400W
800 x 1000mm	CRR800X1000W
800 x 1100mm	CRR800X1100W
800 x 1200mm	CRR800X1200W
800 x 1400mm	CRR800X1400W
800 x 1500mm	CRR800X1500W
800 x 1600mm	CRR800X1600W
800 x 1700mm	CRR800X1700W
900 x 1000mm	CRR900X1000W
900 x 1100mm	CRR900X1100W
900 x 1200mm	CRR900X1200W
900 x 1400mm	CRR900X1400W
900 x 1500mm*	CRR900X1500W
900 x 1600mm*	CRR900X1600W
900 x 1700mm*	CRR900X1700W



Right hand tray



Left hand tray

Offset Quadrant

Size	Code
800 x 1000mm (R)	CRQ800X1000RHW
800 x 1000mm (L)	CRQ800X1000LHW
800 x 1200mm (R)	CRQ800X1200RHW
800 x 1200mm (L)	CRQ800X1200LHW
900 x 1200mm (R)	CRQ900X1200RHW
900 x 1200mm (L)	CRQ900X1200LHW

Required Waste

Finish	Code	Price
White	CRHFWS90_V2	

50mm water seal to comply to Building Regulations

Optional Riser Leg Set

Finish	Code
8 Leg Riser Kit	TRAY25MMLEGSET8

25mm Shower Trays *VITO*



Manufactured from 75% crushed Dolomite rock in a factory powered by 100% green energy.

Engineered stone construction with anti-bacterial, easy-clean and repairable nano gel coating.

60mm outer flat edge and drain gully are almost invisible to the eye.

Smooth and warm to the touch, with excellent thermal and sound insulation to give you the most relaxing shower possible.

Flush fitting, colour-matched white stainless steel central waste cover for ultimate comfort.

Dedicated waste instantly removes water (32 lpm).

Fully complies with BS EN 274-1:2002, with DIN 51097 class A anti-slip rating.

Suitable for fitting directly on a floor, flush for level access solution or raised (using our optional riser leg set).

Trays can be cut on-site, if needed, to accommodate obstructions like soil pipe boxing.



Gloss White



Matt Grey

Square

Size	Finish	Code	
900 x 900mm	Gloss White	VTS900W	
900 x 900mm	Matt White	VTS900MW	NEW
900 x 900mm	Matt Grey	VTS900G	NEW
900 x 900mm	Matt Black	VTS900MB	NEW



Right hand tray



Left hand tray

Offset Quadrant

Size	Finish	Code
800 x 1000mm (R)	Gloss White	CRQ800X1000RHW
800 x 1000mm (L)	Gloss White	CRQ800X1000LHW
800 x 1200mm (R)	Gloss White	CRQ800X1200RHW
800 x 1200mm (L)	Gloss White	CRQ800X1200LHW
900 x 1200mm (R)	Gloss White	CRQ900X1200RHW
900 x 1200mm (L)	Gloss White	CRQ900X1200LHW



Gloss White

Gloss White Rectangular

Size	Code	
760 x 1200mm	VTR760X1200W	
800 x 1000mm	VTR800X1000W	
800 x 1100mm	VTR800X1100W	
800 x 1200mm	VTR800X1200W	
800 x 1300mm	VTR800X1300W	NEW
800 x 1400mm	VTR800X1400W	
800 x 1500mm	VTR800X1500W	
800 x 1600mm	VTR800X1600W	
800 x 1700mm	VTR800X1700W	
900 x 1100mm	VTR900X1100W	
900 x 1200mm	VTR900X1200W	
900 x 1300mm	VTR900X1300W	NEW
900 x 1400mm	VTR900X1400W	
900 x 1500mm	VTR900X1500W	
900 x 1700mm	VTR900X1700W	

Matt White Rectangular

Size	Code	
760 x 1200mm	VTR760X1200MW	NEW
800 x 1000mm	VTR800X1000MW	NEW
800 x 1100mm	VTR800X1100MW	NEW
800 x 1200mm	VTR800X1200MW	NEW
800 x 1400mm	VTR800X1400MW	NEW
800 x 1500mm	VTR800X1500MW	NEW
800 x 1600mm	VTR800X1600MW	NEW
800 x 1700mm	VTR800X1700MW	NEW
900 x 1100mm	VTR900X1100MW	NEW
900 x 1200mm	VTR900X1200MW	NEW
900 x 1400mm	VTR900X1400MW	NEW
900 x 1500mm	VTR900X1500MW	NEW
900 x 1700mm	VTR900X1700MW	NEW

These trays are produced from natural materials and can experience manufacturing tolerance of +/-5mm.



Matt Grey

Matt Grey Rectangular

Size	Code	
760 x 1200mm	VTR760X1200G	NEW
800 x 1000mm	VTR800X1000G	NEW
800 x 1100mm	VTR800X1100G	NEW
800 x 1200mm	VTR800X1200G	NEW
800 x 1400mm	VTR800X1400G	NEW
800 x 1500mm	VTR800X1500G	NEW
800 x 1600mm	VTR800X1600G	NEW
800 x 1700mm	VTR800X1700G	NEW
900 x 1100mm	VTR900X1100G	NEW
900 x 1200mm	VTR900X1200G	NEW
900 x 1400mm	VTR900X1400G	NEW
900 x 1500mm	VTR900X1500G	NEW
900 x 1700mm	VTR900X1700G	NEW

Matt Black Rectangular

Size	Code	
760 x 1200mm	VTR760X1200MB	NEW
800 x 1000mm	VTR800X1000MB	NEW
800 x 1100mm	VTR800X1100MB	NEW
800 x 1200mm	VTR800X1200MB	NEW
800 x 1400mm	VTR800X1400MB	NEW
800 x 1500mm	VTR800X1500MB	NEW
800 x 1600mm	VTR800X1600MB	NEW
800 x 1700mm	VTR800X1700MB	NEW
900 x 1100mm	VTR900X1100MB	NEW
900 x 1200mm	VTR900X1200MB	NEW
900 x 1400mm	VTR900X1400MB	NEW
900 x 1500mm	VTR900X1500MB	NEW
900 x 1700mm	VTR900X1700MB	NEW

Required Waste

Finish	Code
Grey	VTHFWS90


50mm water seal to comply to Building Regulations

Optional Riser Leg Set

Finish	Code
8 Leg Riser Kit	TRAY25MMLEGSET8




25mm Shower Trays *VITO*




Textured Square

Size	Finish	Code	
900 x 900mm	Matt White	VTS900TEXMW	NEW
900 x 900mm	Light Grey	VTS900TEXG	NEW
900 x 900mm	Brown	VTS900TEXBR	NEW



Matt White Textured Rectangular

Size	Code	
760 x 1200mm	VTR760X1200TEXMW	NEW
800 x 1000mm	VTR800X1000TEXMW	NEW
800 x 1100mm	VTR800X1100TEXMW	NEW
800 x 1200mm	VTR800X1200TEXMW	NEW
800 x 1400mm	VTR800X1400TEXMW	NEW
800 x 1500mm	VTR800X1500TEXMW	NEW
800 x 1600mm	VTR800X1600TEXMW	NEW
800 x 1700mm	VTR800X1700TEXMW	NEW
900 x 1100mm	VTR900X1100TEXMW	NEW
900 x 1200mm	VTR900X1200TEXMW	NEW
900 x 1400mm	VTR900X1400TEXMW	NEW
900 x 1500mm	VTR900X1500TEXMW	NEW
900 x 1700mm	VTR900X1700TEXMW	NEW



Light Grey Textured Rectangular

Size	Code	
760 x 1200mm	VTR760X1200TEXG	NEW
800 x 1000mm	VTR800X1000TEXG	NEW
800 x 1100mm	VTR800X1100TEXG	NEW
800 x 1200mm	VTR800X1200TEXG	NEW
800 x 1400mm	VTR800X1400TEXG	NEW
800 x 1500mm	VTR800X1500TEXG	NEW
800 x 1600mm	VTR800X1600TEXG	NEW
800 x 1700mm	VTR800X1700TEXG	NEW
900 x 1100mm	VTR900X1100TEXG	NEW
900 x 1200mm	VTR900X1200TEXG	NEW
900 x 1400mm	VTR900X1400TEXG	NEW
900 x 1500mm	VTR900X1500TEXG	NEW
900 x 1700mm	VTR900X1700TEXG	NEW




Brown Textured Rectangular

Size	Code	
760 x 1200mm	VTR760X1200TEXBR	NEW
800 x 1000mm	VTR800X1000TEXBR	NEW
800 x 1100mm	VTR800X1100TEXBR	NEW
800 x 1200mm	VTR800X1200TEXBR	NEW
800 x 1400mm	VTR800X1400TEXBR	NEW
800 x 1500mm	VTR800X1500TEXBR	NEW
800 x 1600mm	VTR800X1600TEXBR	NEW
800 x 1700mm	VTR800X1700TEXBR	NEW
900 x 1100mm	VTR900X1100TEXBR	NEW
900 x 1200mm	VTR900X1200TEXBR	NEW
900 x 1400mm	VTR900X1400TEXBR	NEW
900 x 1500mm	VTR900X1500TEXBR	NEW
900 x 1700mm	VTR900X1700TEXBR	NEW

45mm Shower Trays

EDGE



Acrylic capped stone resin construction.

Antibacterial, easy clean and repairable coating.

50mm outer flat edge.

High-flow 90mm waste outlet removes water quickly (30 lpm).

Edge waste position - dedicated shower waste must be ordered separate, see below for choice of finishes.

Suitable for fitting directly on concrete or wooden floors or can be raised (using optional panel riser kit).

EN14527:2006 Class 1 compliant. EN15720:2009 compliant.



Square

Size	Code
760 x 760mm	SR000S760
800 x 800mm	SR000S800
900 x 900mm	SR000S900



Quadrant

Size	Code
800mm Quad	SR000Q800
900mm Quad	SR000Q900

Optional Panel Riser Kit (inc feet)

	Finish	Code
Rectangular panel riser kit	900 x 1658 x 85mm	SRRP91680
Quadrant panel riser kit	900 x 900 x 85mm	SRRPQ900
Quadrant panel riser kit	900 x 1200 x 85mm	SRRPQ91200

The riser kits incorporate specifically moulded sockets for accurate and reliable leg location. Easy fit assembly ensures completion in minutes.



Rectangular

Size	Code
700 x 1200mm	SR0R7001200
760 x 1200mm	SR0R71200
800 x 1000mm	SR0R81000
800 x 1100mm	SR0R81100
800 x 1200mm	SR0R81200
800 x 1400mm	SR0R81400
800 x 1500mm	SR0R81500
800 x 1600mm	SR0R81600
900 x 1200mm	SR0R91200
900 x 1400mm	SR0R91400
900 x 1500mm	SR0R91500
900 x 1600mm	SR0R91600



Right hand tray



Left hand tray

Offset Quadrant

Size	Code
800 x 1000mm (R)	SRQ81000RH
800 x 1000mm (L)	SRQ81000LH
800 x 1200mm (R)	SRQ81200RH
800 x 1200mm (L)	SRQ81200LH
900 x 1200mm (R)	SRQ91200RH
900 x 1200mm (L)	SRQ91200LH



Required High Flow Waste (for 35 to 45mm shower Trays)

Finish	Code
	STHFW6190BZ
	STHFW6190T
	STHFW6190MB
	STHFW6190F
	STHFW6190V
	STHFW6190

For finish information please see page 10

These trays are produced from natural materials and can experience manufacturing tolerance of +/-5mm.

Optix 10



Brushed
Bronze
(BZ)



Slate
(T)



Brushed
Brass
(F)




Brushed
Nickel
(V)



Chrome
(S)**


**Made from polished stainless steel to match our chrome finish.
(reduces fingerprint marks)



1500mm screen height

15mm width adjustment for easy fitting

Door Opening



90° Single with Inline Panel / Left

Finish	Width	Adjustment	Code
	900mm	900-915	OXBDBZC0900L
	900mm	900-915	OXBDTC0900L
	900mm	900-915	OXBDFC0900L
	900mm	900-915	OXBDVC0900L
	900mm	900-915	OXBDSC0900L

90° Single with Inline Panel / Right


Finish	Width	Adjustment	Code
	900mm	900-915	OXBDBZC0900R
	900mm	900-915	OXBDTC0900R
	900mm	900-915	OXBDFC0900R
	900mm	900-915	OXBDVC0900R
	900mm	900-915	OXBDSC0900R



1500mm screen height

15mm width adjustment for easy fitting

Door Opening



180° Single with Inline Panel / Left

Finish	Width	Adjustment	Code
	900mm	900-915	OXBDHBZC0900L
	900mm	900-915	OXBDHTC0900L
	900mm	900-915	OXBDHFC0900L
	900mm	900-915	OXBDHVC0900L
	900mm	900-915	OXBDHSC0900L

180° Single with Inline Panel / Right

Finish	Width	Adjustment	Code
	900mm	900-915	OXBDHBZC0900R
	900mm	900-915	OXBDHTC0900R
	900mm	900-915	OXBDHFC0900R
	900mm	900-915	OXBDHVC0900R
	900mm	900-915	OXBDHSC0900R

Asura 8



Brushed
Bronze
(BZ)



Slate
(T)



Matt Black
(B)



Brushed
Brass
(F)




Brushed
Nickel
(V)



Chrome
(S)**

**Made from polished stainless steel to match our chrome finish. (reduces fingerprint marks)




1500mm screen height
Reversible door for left or right hand entry
15mm width adjustment for easy fitting
Concealed profile
90° hinge rotation, outward opening
Hard wearing and durable finishes

Single Panel

Finish	Width	Adjustment	Code	
	875mm	875-890mm	AUBSBZC0900	NEW
	875mm	875-890mm	AUBSTC0900	NEW
	875mm	875-890mm	AUBSBC0900	NEW
	875mm	875-890mm	AUBSFC0900	NEW
	875mm	875-890mm	AUBSVC0900	NEW
	875mm	875-890mm	AUBSCC0900	NEW

Door Opening




1500 mm screen height
Reversible door for left or right hand entry
Second panel 90° hinge rotation, outward opening
Screen folds away flat to the wall
Rise and fall pivot hinge

Fully Folding

Finish	Width	Adjustment	Code	
	1080mm	1080-1095mm	AUSFFBSBZ	NEW
	1080mm	1080-1095mm	AUSFFBST	NEW
	1080mm	1080-1095mm	AUSFFBSMB	NEW
	1080mm	1080-1095mm	AUSFFBSF	NEW
	1080mm	1080-1095mm	AUSFFBSV	NEW
	1080mm	1080-1095mm	AUSFFBSC	NEW

Door Opening



Clear 6



Brushed
Bronze
(BZ)

Slate
(T)

Matt Black
(B)

Brushed
Brass
(F)

Brushed
Nickel
(V)

Chrome
(S)



1500mm screen height
Reversible panel for left or right hand entry
Concealed profile

Fixed Single Panel

Finish	Width	Adjustment	Code	
	900mm	900-920mm	CASBZC0900	NEW
	900mm	900-920mm	CABSTC0900	NEW
	900mm	900-920mm	CABSBC0900_V2	NEW
	900mm	900-920mm	CABSFC0900	NEW
	900mm	900-920mm	CABSVC0900	NEW
	900mm	900-920mm	CABSSC0900_V2	NEW




1500mm screen height
Reversible door for left or right hand entry
180° hinge rotation
Rise and fall hinge
Concealed profile

Single Panel

Finish	Width	Adjustment	Code	
	800mm	800-820mm	CASBZC0800	NEW
	800mm	800-820mm	CABSTC0800	NEW
	800mm	800-820mm	CABSBC0800_V2	NEW
	800mm	800-820mm	CABSFC0800	NEW
	800mm	900-920mm	CABSVC0800	NEW
	800mm	900-920mm	CABSSC0800_V2	NEW

Door Opening





180° Double Panel 1150mm

Finish	Width	Adjustment	Code	
	1150mm	1150-1170mm	CABDBZB1150	NEW
	1150mm	1150-1170mm	CABDTB1150	NEW
	1150mm	1150-1170mm	CABDSB1150	NEW
	1150mm	1150-1170mm	CABDFB1150	NEW
	1150mm	1150-1170mm	CABDVB1150	NEW
	1150mm	1150-1170mm	CABDSC1150_V2	NEW

1500mm screen height


Reversible door for left or right hand entry

Second panel rotates 180°, opening inwards and outwards


Concealed profile

Complete with fixed panel bracing bar

Door Opening



Freestanding Baths



Compatible Waste Carne & Cerus

Range	Page
Click Clack Bath Waste (slotted)	74

CARNE

Grande Acrylic Bath

Finish	Size	Weight empty	Capacity	Code
Gloss	L: 1700 W: 750 H: 600 mm	48 kg	199 litres	FSBCAR1775W
Matt	L: 1700 W: 750 H: 600 mm	48 kg	199 litres	FSBCAR1775MW NEW

Petite Acrylic Bath

Finish	Size	Weight empty	Capacity	Code
Gloss	L: 1500 W: 750 H: 600 mm	41 kg	150 litres	FSBCAR1575W
Matt	L: 1500 W: 750 H: 600 mm	41 kg	150 litres	FSBCAR1575MW NEW



CERUS

Grande Acrylic Bath

Finish	Size	Weight empty	Capacity	Code
Gloss	L: 1690 W: 780 H: 600 mm	44 kg	218 litres	FSBCER16978W
Matt	L: 1690 W: 780 H: 600 mm	44 kg	218 litres	FSBCER16978MW NEW

Petite Acrylic Bath

Finish	Size	Weight empty	Capacity	Code
Gloss	L: 1500 W: 780 H: 600 mm	38 kg	173 litres	FSBCER1578W
Matt	L: 1500 W: 780 H: 600 mm	38 kg	173 litres	FSBCER1578MW NEW

If using underfloor heating please take care not to put the heating pipes/matt underneath the bath area.
The bath should not sit on a heated floor.



Compatible Waste MPRO

Range	Page
Click Clack Bath Waste (unslotted)	74
P Trap	74
Special Waste Pack	74



MPRO

Grande Stone Bath

Finish	Size	Weight empty	Capacity	Code
Gloss	L: 1690 W: 800 H: 570 mm	84 kg	277 litres	N2ACSCW
Matt	L: 1690 W: 800 H: 570 mm	84 kg	277 litres	N2ACSMCW

Petite Stone Bath

Finish	Size	Weight empty	Capacity	Code
Gloss	L: 1500 W: 800 H: 570 mm	76 kg	218 litres	N1ACSCW
Matt	L: 1500 W: 800 H: 570 mm	76 kg	218 litres	N1ACSMCW

AURIGA


Grande Acrylic Bath

Finish	Size	Weight empty	Capacity	Code	
Gloss	L: 1700 W: 800 H: 585 mm	46 kg	258 litres	FSBAUR1780W	NEW
Matt	L: 1700 W: 800 H: 585 mm	46 kg	258 litres	FSBAUR1780MW	NEW

Petite Acrylic Bath

Finish	Size	Weight empty	Capacity	Code	
Gloss	L: 1500 W: 750 H: 585 mm	42 kg	208 litres	FSBAUR1575W	NEW
Matt	L: 1500 W: 750 H: 585 mm	42 kg	208 litres	FSBAUR1575MW	NEW

Back to Wall Baths



CURSA

Grande Acrylic Bath

Finish	Size	Weight empty	Capacity	Code
Gloss	L: 1700 W: 800 H: 600 mm	47 kg	141 litres	FSBCUR1780W
Matt	L: 1700 W: 800 H: 600 mm	47 kg	141 litres	FSBCUR1780MW

NEW

Petite Acrylic Bath

Finish	Size	Weight empty	Capacity	Code
Gloss	L: 1500 W: 800 H: 600 mm	39 kg	108 litres	FSBCUR1580W
Matt	L: 1500 W: 800 H: 600 mm	39 kg	108 litres	FSBCUR1580MW

NEW



ARTIST

Grande Stone Bath

Size	Weight empty	Capacity	Code
L: 1690 W: 800 H: 550 mm	88.5 kg	204 litres	N3BCSCW

Tap ledge width 100mm

Petite Stone Bath

Size	Weight empty	Capacity	Code
L: 1524 W: 800 H: 550 mm	85 kg	167 litres	N3ACSCW

Tap ledge width 100mm

Compatible Waste for Cursa Baths

Range	Page
Click Clack Bath Waste (slotted)	74

Compatible Waste for Artist Baths

Range	Page
Click Clack Bath Waste (unslotted) Chrome and Stone finishes	74
P Trap	74
Special Waste Pack	74
Bath click clack waste	74



AURIGA

Grande Acrylic Bath

Finish	Size	Weight empty	Capacity	Code	
Gloss	L: 1700 W: 800 H: 585 mm	45 kg	221 litres	FSBAURBTW1780W	NEW
Matt	L: 1700 W: 800 H: 585 mm	45 kg	221 litres	FSBAURBTW1780MW	NEW

Single & Double Ended Baths



KAI S

Single Ended Acrylic Bath

Size	Weight empty	Capacity	Code
L: 1700 W: 700 H: 415 mm	23.75 kg	108 litres	R5CW_V2
L: 1700 W: 750 H: 415 mm	24.75 kg	123 litres	R6CW_V2
L: 1700 W: 800 H: 415 mm	27.5 kg	137 litres	R42CW_V2
L: 1800 W: 800 H: 415 mm	28.25 kg	148 litres	R7CW_V2

Bath ledge is undrilled, supplied with height adjustable legs



FLOW

Single Ended Acrylic Bath

Size	Weight empty	Capacity	Code
L: 1700 W: 700 H: 370 mm	23.75 kg	77 litres	R13CW_V2
L: 1700 W: 750 H: 370 mm	24.5 kg	82 litres	R52CW_V2
L: 1700 W: 800 H: 370 mm	27 kg	104 litres	R44CW_V2
L: 1800 W: 800 H: 370 mm	27.25 kg	98 litres	R14CW_V2



VERGE

Double Ended Acrylic Bath

Size	Weight empty	Capacity	Code
L: 1700 W: 700 H: 415 mm	23.75 kg	95 litres	R8CW_V2
L: 1700 W: 750 H: 415 mm	24.75 kg	110 litres	R9CW_V2
L: 1700 W: 800 H: 415 mm	27.5 kg	113 litres	R43CW_V2
L: 1800 W: 750 H: 415 mm	25 kg	119 litres	R46CW_V2
L: 1800 W: 800 H: 415 mm	26.75 kg	138 litres	R10CW_V2

Front Bath Panel

Size	Code
L: 1700 W: 40 H: 540 mm	R25FCW_V2
L: 1800 W: 40 H: 540 mm	R26FCW_V2

Compatible Waste for Single & Double Ended Baths

Range	Page
Bath Click Clack Waste	74
Bath Filler with Click Clack Waste	74

End Bath Panel

Size	Code
L: 700 W: 40 H: 540 mm	R27ECW_V2
L: 750 W: 40 H: 540 mm	R28ECW_V2
L: 800 W: 40 H: 540 mm	R29ECW_V2

Acrylic Wall Panels



Our acrylic wall panels use superior print quality and a polished glass-like finish to bring our unique designs to life.

- 2400mm height, 4mm thick
- Rear printed to give a vibrant colour
- 100% waterproof
- Made to order - 3 week leadtime



NEW

Moss Stone

896mm	CW01A900
1200mm	CW01A1200



NEW

Ocean Smoke

896mm	CW02A900
1200mm	CW02A1200



NEW

Soft Cloud

896mm	CW04A900
1200mm	CW04A1200



NEW

Earthy Dune

896mm	CW03A900
1200mm	CW03A1200

NEW

Acrylic Installation Kit

CWKIT1A

Tile Wall Panels



Our tile laminate wall panels give the best of both worlds, the look and feel of tiles combined with the benefits of panels.

- 2400mm height, 600mm width
- Plywood core, with realistic grout line to surface
- Proclick for seamless almost invisible joints
- Cost-effective, fast and easy installation



NEW
Chevron
Matt finish

Blue

CWT04PLY600



NEW
Herringbone
Matt finish

Black

CWT05PLY600

White


CWT06PLY600



NEW
Terrazzo
Textured finish

Cloud

CWT07PLY600



PROCLICK

Our Proclick system is a mechanical locking system that provides seamless, almost invisible joints. The click design allows panels to be located quickly and easily into place, eliminating the use of joining trims. Due to a slight difference in thickness, our tile panels are not compatible with our waterproof core panels.

TRIMS

In order to ensure a watertight finish, trims are required for the outer edges of the panels and external corners. Full details can be found on page 205.

Waterproof Core Laminate Wall Panels



Our waterproof core laminate wall panels are designed to look like authentic materials with realistic textures.

- 2440mm height
- 100% waterproof core made from pre-consumer waste
- Available in Square Cut or Proclick (for seamless almost invisible joints)
- Cost-effective, fast and easy installation




NEW

Dove Marble

Matt finish

579mm Proclick	CW05WPCP60
879mm Proclick	CW05WPCP90
1179mm Proclick	CW05WPCP12
900mm Square	CW05WPCS90
1200mm Square	CW05WPCS12



NEW

Hazy Agate

Matt finish

579mm Proclick	CW06WPCP60
879mm Proclick	CW06WPCP90
1179mm Proclick	CW06WPCP12
900mm Square	CW06WPCS90
1200mm Square	CW06WPCS12




NEW

Rose Onyx

Matt finish

579mm Proclick	CW07WPCP60
879mm Proclick	CW07WPCP90
1179mm Proclick	CW07WPCP12
900mm Square	CW07WPCS90
1200mm Square	CW07WPCS12



NEW

Gentle Onyx

Matt finish

579mm Proclick	CW08WPCP60
879mm Proclick	CW08WPCP90
1179mm Proclick	CW08WPCP12
900mm Square	CW08WPCS90
1200mm Square	CW08WPCS12




NEW

Fluted Marble

Textured finish

579mm Proclick	CW09WPCP60
879mm Proclick	CW09WPCP90
1179mm Proclick	CW09WPCP12
900mm Square	CW09WPCS90
1200mm Square	CW09WPCS12




NEW

Bronze Marble

Matt finish

579mm Proclick	CW10WPCP60
879mm Proclick	CW10WPCP90
1179mm Proclick	CW10WPCP12
900mm Square	CW10WPCS90
1200mm Square	CW10WPCS12





NEW

Sand Marble

Matt finish

579mm Proclick	CW11WPCP60
879mm Proclick	CW11WPCP90
1179mm Proclick	CW11WPCP12
900mm Square	CW11WPCS90
1200mm Square	CW11WPCS12




NEW

Roma Travertine

Textured finish

579mm Proclick	CW12WPCP60
879mm Proclick	CW12WPCP90
1179mm Proclick	CW12WPCP12
900mm Square	CW12WPCS90
1200mm Square	CW12WPCS12



NEW

Warm Stone

Matt finish

579mm Proclick	CW13WPCP60
879mm Proclick	CW13WPCP90
1179mm Proclick	CW13WPCP12
900mm Square	CW13WPCS90
1200mm Square	CW13WPCS12



NEW

Cool Stone

Matt finish

579mm Proclick	CW14WPCP60
879mm Proclick	CW14WPCP90
1179mm Proclick	CW14WPCP12
900mm Square	CW14WPCS90
1200mm Square	CW14WPCS12



NEW

Translucent Sealant 300ml

CWSEAL01

NEW

Adhesive 350ml

CWADHE01



NEW

H Joining Trim

-  CWHJO1W
-  CWHJO1T
-  CWHJO1M
-  CWHJO1F
-  CWHJO1V
-  CWHJO1C



NEW

External Corner Trim

-  CWEXT01W
-  CWEXT01T
-  CWEXT01M
-  CWEXT01F
-  CWEXT01V
-  CWEXT01C



NEW

Internal Corner Trim

-  CWINT01W
-  CWINT01T
-  CWINT01M
-  CWINT01F
-  CWINT01V
-  CWINT01C



NEW

Quadrant End Cap

-  CWHTR01W
-  CWHTR01T
-  CWHTR01M
-  CWHTR01F
-  CWHTR01V
-  CWHTR01C



NEW

Straight End Cap

-  CWEND01W
-  CWEND01T
-  CWEND01M
-  CWEND01F
-  CWEND01V
-  CWEND01C

Technical Information - Towel Warmers


Code	Finish	Height (mm)	Width (mm)	Projection (mm)	Tube (mm)	Collector (mm)	Pipe centres (mm)	Weight (kg)	Litres	BTU*	Watts	Electric Immersion Rating Watts**
LIMIT												
LI39X1200SW	Soft white	1200	395	112-120	50x10	30x30	325	20.8	5.2	2658	779	
LI39X1200MB	Matt black	1200	395	112-120	50x10	30x30	325	20.8	5.2	2658	779	
LI39X1200BM	Metallic black	1200	395	112-120	50x10	30x30	325	20.8	5.2	2658	779	
AIR												
AR50X1150MB	Metallic black	1150	500	117-125	50x10	30x30	470	14.5	3.16	1514	444	400
AR50X1150SW	Soft white	1150	500	117-125	50x10	30x30	470	14.5	3.16	1514	444	400
AR50X1150F	Brushed brass	1150	500	117-125	50x10	30x30	470	14.5	3.16	1514	444	400
AR50X1630MB	Metallic black	1630	500	117-125	50x10	30x30	470	20.9	4.60	2197	644	600
AR50X1630SW	Soft white	1630	500	117-125	50x10	30x30	470	20.9	4.60	2197	644	600
AR50X1630F	Brushed brass	1630	500	117-125	50x10	30x30	470	20.9	4.60	2197	644	600
MPRO												
MP48X93MB	Matt black	900	480	72-80	22 Ø	30x30	455	6.3	3.08	1167	342	400
MP48X93MW	Matt white	900	480	72-80	22 Ø	30x30	455	6.3	3.08	1167	342	400
MP48X93F	Brushed brass	900	480	72-80	22 Ø	30x30	455	6.3	3.08	1167	342	400
MP48X93BZ	Brushed bronze	900	480	72-80	22 Ø	30x30	455	6.3	3.08	1167	342	400
MP48X93T	Slate	900	480	72-80	22 Ø	30x30	455	6.3	3.08	1167	342	400
MP48X1140MB	Matt black	1140	480	72-80	22 Ø	30x30	455	8.6	4.17	1607	471	400
MP48X1140MW	Matt white	1140	480	72-80	22 Ø	30x30	455	8.6	4.17	1607	471	400
MP48X1140F	Brushed brass	1140	480	72-80	22 Ø	30x30	455	8.6	4.17	1607	471	400
MP48X1140BZ	Brushed bronze	1140	480	72-80	22 Ø	30x30	455	8.6	4.17	1607	471	400
MP48X1140T	Slate	1140	480	72-80	22 Ø	30x30	455	8.6	4.17	1607	471	400
MP48X1380MB	Matt black	1380	480	72-80	22 Ø	30x30	455	10.3	5.02	1938	565	600
MP48X1380MW	Matt white	1380	480	72-80	22 Ø	30x30	455	10.3	5.02	1938	565	600
MP48X1380F	Brushed brass	1380	480	72-80	22 Ø	30x30	455	10.3	5.02	1938	565	600
MP48X1380BZ	Brushed bronze	1380	480	72-80	22 Ø	30x30	455	10.3	5.02	1938	565	600
MP48X1380T	Slate	1380	480	72-80	22 Ø	30x30	455	10.3	5.02	1938	565	600
MPRO ELECTRIC												
MP48X93MBELEC	Matt black	900	480	72-80	22 Ø	30x30	455	10.0	na	na	400	400
MP48X93MWELEC	Matt white	900	480	72-80	22 Ø	30x30	455	10.0	na	na	400	400
MP48X93FELEC	Brushed brass	900	480	72-80	22 Ø	30x30	455	10.0	na	na	400	400
MP48X93BZELEC	Brushed bronze	900	480	72-80	22 Ø	30x30	455	10.0	na	na	400	400
MP48X93TELEC	Slate	900	480	72-80	22 Ø	30x30	455	10.0	na	na	400	400
MP48X1140MBELEC	Matt black	1140	480	72-80	22 Ø	30x30	455	13.6	na	na	400	400
MP48X1140MWELEC	Matt white	1140	480	72-80	22 Ø	30x30	455	13.6	na	na	400	400
MP48X1140FELEC	Brushed brass	1140	480	72-80	22 Ø	30x30	455	13.6	na	na	400	400
MP48X1140BZELEC	Brushed bronze	1140	480	72-80	22 Ø	30x30	455	13.6	na	na	400	400
MP48X1140TELEC	Slate	1140	480	72-80	22 Ø	30x30	455	13.6	na	na	400	400
MP48X1380MBELEC	Matt black	1380	480	72-80	22 Ø	30x30	455	16.4	na	na	600	600
MP48X1380MWELEC	Matt white	1380	480	72-80	22 Ø	30x30	455	16.4	na	na	600	600
MP48X1380FELEC	Brushed brass	1380	480	72-80	22 Ø	30x30	455	16.4	na	na	600	600
MP48X1380BZELEC	Brushed bronze	1380	480	72-80	22 Ø	30x30	455	16.4	na	na	600	600
MP48X1380TELEC	Slate	1380	480	72-80	22 Ø	30x30	455	16.4	na	na	600	600
WEDGE												
WD50X109MB	Metallic black	1096	500	70	30x30	30x40	470	9	5.21	1385	406	300
WD50X109SW	Soft white	1096	500	70	30x30	30x40	470	9	5.21	1385	406	300
CELESTE												
CL50X111MB	Metallic black	1100	500	112-120	50x10	30x30	470	20.8	4.02	1887	553	600
CL50X111SW	Soft white	1100	500	112-120	50x10	30x30	470	20.8	4.02	1887	553	600

Brushed Brass Effect, Metallic Black, Soft White & Matt Finishes Oxilan® providing up to 65% more protection than standard zinc coating. High quality double layer Electro-static powder coating application for 100% surface coverage, massively reducing wear and tear and greater product lifetime. The most efficient heat output up to 20% higher than chrome. Self coloured metal wall fixings.

Towel Warmer projection is between 75 - 100mm. Supplied with complete wall fixings and manual air vent. Manufactured from high grade mild steel conforming to EN 10305. Geometrical and surface finish - Round EN 10234 / EN ISO 4287, Flat Tube EN 10233 / EN ISO 4287, D Profile EN 10233 / EN ISO 4287. Fitted with 1/2" BSP connections. Tested to EN 442 ΔT = 50K All outputs certified to EN 442. To make an approximate conversion from T=50K to T=60K multiply outputs by 1.2.

Electrical Information

The diagram below is supplied as a guide to Bathroom Zones as referred to in IP ratings of the over mirror lamps and electric heating elements. Please refer to the latest edition of BS 7671:2018 (2018) to ensure conformity.



It is important to install light fittings and electric Towel Warmer elements in the correct bathroom zone i.e. the zone referred to in the IP rating of the element. This is not an installation guide and reference should be made to the latest edition of the IET Wiring Regulations or a qualified electrician member of NICEIC or IET.

Zone 0 is inside the bath or shower tray itself. Any appliance used in this zone must be rated at least IP67 which is total immersion proof.

Zone 1 is the area above the bath or shower tray to a height of 2.25m from the floor. In this zone a minimum rating of IP44 is required and elements must also be protected by a 30mA residual current device (RCD) to protect the circuit. The electrical connection to the power supply for these appliances must be in Zones 2/3 of the bathroom in compliance with BS 7671:2018 (2018) - IEE Wiring Regulations.

Zone 2 is an area stretching 0.6m outside the perimeter of the bath and to a height of 2.25m from the floor. In this zone an IP rating of at least IP44 is required. In addition it is good practice to consider the area around a washbasin, within a 60cm radius of any tap to be considered as zone 2.

Crosswater IP44 lamps come without a pull switch, and are designed to operated via an existing and suitable room light switch.

Failure to have electrical products installed and certificated by a qualified electrical engineer will invalidate any product guarantee.

For full details reference should be made to the latest copy of the IEE wiring regulations and all applicable British Standard and European norm specifications.

Product Guidelines

Product Compatibility

While the majority of Crosswater products are compatible, care should be taken on product selection before ordering to avoid installation issues.

Product sizes stated are nominal and should be checked against product. All heights printed for shower doors and bath screens are from the top of the shower tray or bath.

It is strongly advised that all bathrooms are well heated and ventilated.

Cleaning

All Crosswater products should be cleaned as outlined below. Never use any aggressive fluids or strong household cleaning agents e.g. bleach, caustic soda or abrasive cleaners, which could damage the product.

Brassware products should be cleaned with warm soapy water only and polished with a clean, soft, dry cloth.

Furniture should be wiped cleaned with a moist soft or micro fibre cloth. Any stubborn marks can be removed with diluted mild detergent.

Mirrors, cabinets and light fittings should be cleaned with a micro fibre cloth only, do not use "glass and mirror" cleaning products.

Sanitary ware, glass basins and ceramics should be cleaned after use by applying a little cream-type cleaner using a sponge or damp cloth and rinsed thoroughly with clean water. In hard water areas a good quality limescale remover can be applied.

Toilet seats should only be cleaned using a diluted mild detergent or warm soapy water; products containing bleach can lead to staining. Toilet seat hinges should be cleaned using a moist soft or micro fibre cloth. Any stubborn marks can be removed with diluted mild detergent.

Cast mineral resin basins should be cleaned using a diluted mild detergent or warm non-abrasive soapy water; in hard water areas a good quality limescale remover can be applied. Accidental spillages of household chemicals, nail polish or hair dye should be removed immediately by cleaning the surface with warm soapy water and then wiped dry.

Towel Warmers should be cleaned when cold with a moist soft or micro fibre cloth. Any stubborn surface or oxidation marks can be cleaned with Maas® Metal Polishing Crème, that will leave a long-lasting, fingerprint repelling protective finish.

To maintain the look and performance of your Crosswater shower enclosure, you should: Remove any residual water after every use. Wipe clean the frame and glass elements with a soft, non-abrasive, colourfast cloth after every use. Never use an abrasive cloth or scouring pad which could damage the product. Clean the glass gently with warm soapy water and never use any aggressive fluids or strong household cleaning agents which could damage the product. Not allow limescale to build-up on any element, particularly in harder water areas.

More information can be found at www.crosswater.co.uk

Unlacquered Brass

Unlacquered Brass is a natural living finish, it has been specifically designed and manufactured to oxidise over time resulting in a change of colour and unique look which gives even more personality to your bathroom.

Installation

It is the responsibility of the individual installer to ensure that products are fitted correctly and in line with the recommended fitting instructions provided. Failure to do so will invalidate the guarantee. Please visit www.crosswater.co.uk for full details.

All furniture ranges incorporate a factory fitted hanging system that allows safe and simple installation. Please ensure the correct wall fittings are used on solid or stud walls. Some furniture products are reversible for left or right hand door opening. When installing a wall hung toilet or basin please ensure that appropriate fixings or suitable framework are used. When purchasing a wall hung toilet or basin on its own Crosswater does not supply fixings.

We strongly recommend all furniture and ceramics are fitted to a tiled surface, not tiled up to, this will assist any future maintenance. Due to the weight of some products you must ensure that the walls you are fixing to are of a suitable construction to support the product.

Vitreous China must not be put under stress during installation, if fittings are over tightened it creates stress within the ceramic material which may in time cause the failure of the product. Waste fittings should be carefully sealed in silicone and the back nut hand tightened, one additional final quarter turn using a suitable spanner is sufficient to create the required watertight seal. Care should also be taken when fitting brassware to prevent similar stress related failures. All products should be inspected before attempting installation.

Trays must be plumbed and level, walls should be tiled down to the tray and sealed before doors or frames are fitted. Dimensions are designed for tiled in trays, not unfitted tray sizes.

All doors and enclosures must be fitted to a tiled surface, not tiled up to the inside edge of the door. Enclosures must not be completely sealed on the inside.

Due to the weight of the shower doors, you must ensure that the walls to which they are fixed are of suitable construction to support the enclosure.

Due to the nature of wetroom/walk in panel products, water integrity cannot be guaranteed. Please consult your installer.

Quality

All Crosswater products are manufactured to the following standards, where applicable:

- EN 817:2008 for mixer valves
- EN 200:2008 for single and combination taps
- EN 1111:2017 for thermostatic mixing valves
- EN 1112:2008 for shower outlets
- BS EN 1113:2015 for shower hoses
- EN 248:2002 for electrodeposited coatings of Ni-Cr
- BS EN 14428:2015 + A1:2018 for shower enclosures
- BS EN 12150 for toughened glass
- BS EN 14527 for shower trays



Guarantees

All Crosswater products carry a comprehensive guarantee for complete peace of mind.

All Crosswater guarantees are subject to online registration. Lifetime guarantees represent the perceived lifetime of the product.

For full details please visit www.crosswater.co.uk/guarantees

Due to continuous product improvements we reserve the right to change the product specification without prior notice. The text, images and layout of this catalogue are protected by copyright and other intellectual property rights. All images within this brochure are, where possible, a true representation of our products. Some colours may vary.

Our website should be used as reference for the most up to date product specification.



Lake View House, Rennie Drive, Dartford, Kent DA1 5FU

crosswater.co.uk



Part of the Bathroom Brands Group